NOAA Data Report ERL CMDL-5



ECC OZONESONDE OBSERVATIONS AT SOUTH POLE, ANTARCTICA, DURING 1989

W. D. Komhyr

E. A. Crozer

J. A. Lathrop

M. A. Winey

PENNSYLVANIA STATE UNIVERSITY

SEP 0 6 1990

DOCUMENTS COLLECTION
U.S. Depository Copy

Climate Monitoring and Diagnostics Laboratory Boulder, Colorado June 1990





NOAA Data Report ERL CMDL-5

ECC OZONESONDE OBSERVATIONS AT SOUTH POLE, ANTARCTICA, DURING 1989

W. D. Komhyr

Climate Monitoring and Diagnostics Laboratory

E. A. Crozer, Lt.

NOAA Corps Rockville, Maryland

J. A. Lathrop

M. A. Winey

Climate Monitoring and Diagnostics Laboratory

Climate Monitoring and Diagnostics Laboratory Boulder, Colorado June 1990



UNITED STATES
DEPARTMENT OF COMMERCE

Robert A. Mosbacher Secretary

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

John A. Knauss Under Secretary for Oceans and Atmosphere/Administrator Environmental Research Laboratories


Joseph O. Fletcher Director

NOTICE

Mention of a commercial company or product does not constitute an endorsement by NOAA Environmental Research Laboratories. Use for publicity or advertising purposes of information from this publication concerning proprietary products or the tests of such products is not authorized.

CONTENTS

ABS	TRACT	. 1
1.	INTRODUCTION	. 1
2.	INSTRUMENTATION	. 1
3.	FLIGHT PROCEDURES	. 2
4.	DATA PROCESSING	3
5.	OZONE MEASUREMENT UNCERTAINTIES	3
6.	DATA PRESENTATION	4
7.	DATA ARCHIVING	5
8.	ACKNOWLEDGMENTS	5
9.	REFERENCES	5
LIST	OF SOUNDINGS	8
THE	DATA	9



MODEL 4A BALLOONBORNE ELECTROCHEMCIAL CONCENTRATION CELL (ECC) OZONESONDE

ECC OZONESONDE OBSERVATIONS AT SOUTH POLE, ANTARCTICA, DURING 1989

W. D. Komhyr, E. A. Crozer, J. A. Lathrop, and M. A. Winey

ABSTRACT. Atmospheric ozone vertical distributions, air temperatures, and wind speed and wind direction data are presented for 60 balloon electrochemical concentration cell (ECC) ozonesonde soundings made at South Pole, Antarctica, in 1989.

1. INTRODUCTION

Measurements of the vertical distribution of atmospheric ozone with electrochemical concentration cell (ECC) ozonesondes were begun by the NOAA Air Resources Laboratory at South Pole in 1986 (Komhyr et al., 1987; 1988a) to study the ozone decrease indicated in Antarctica in recent years by Dobson spectrophotometer (Farman et al., 1985; Komhyr et al., 1986; Chubachi and Kajiwara, 1986) and satellite (Stolarski et al., 1986) total ozone observations. The measurements were continued in 1987 (Komhyr et al., 1988b; 1989a), in 1988 (Komhyr et al., 1989b), and in 1989. Similar measurements were first made at several stations in Antarctica (Byrd, Hallett, South Pole, Wilkes) by the Air Resources Laboratory during 1962-1966 (Komhyr and Grass, 1968). Instruments used then were Regener chemiluminescent ozonesondes (Regener, 1964) and predecessors of ECC ozonesondes, i.e., carbon-iodine (C-I) sondes (Komhyr, 1964). ECC ozonesonde observations were also made at South Pole during 1967-1971 (Komhyr et al., 1989c). During 1988 and 1989, ECC ozonesondes were flown at Mirny, Antarctica (66.3°S, 93.0°E), in a cooperative program involving staff of the U.S.S.R. Central Aerological Observatory, Dolgoprudy, Moscow Region (Komhyr et al., 1989d; 1990).

The 1989 observations at South Pole were made year-round at a frequency of one sounding a week, except more often during September-November, the time of formation and persistence in recent years of the "ozone hole" over South Pole (see List of Soundings after Section 9). Pressure, altitude, ozone, temperature, dewpoint, humidity, potential temperature, and wind data are presented at minute intervals for each of the soundings, together with vertical profile plots of ozone, air temperature, and wind data.

2. INSTRUMENTATION

The ECC ozonesonde (Komhyr, 1969; Komhyr and Harris, 1971), shown facing page 1, is composed of an ECC ozone sensor, a battery-powered Teflon gas-sampling pump, and an electronic coupler and sequencing switch that connects the ozone sensor to a 1680-MHz radiosonde for data telemetry. During balloon ascent, data transmitted are air pressure, air temperature, relative humidity, ozone, and ozone "zero" and "calibrate" signals. The data sequencing switch is operated by the pump motor through a gearing arrangement, enabling pump motor speed to be monitored. The instrument measures $7.6 \times 7.9 \times 13.3$ cm and weighs 390 g. During flight, it is encased in a weatherproof, polystyrene flight box whose outside dimensions are $19.1 \times 19.1 \times 25.4$ cm. Total weight of the flight package is 650 g, including batteries.

The ECC ozone sensor is made of two bright-platinum electrodes immersed in potassium iodide solutions of different concentrations contained in separate cathode and anode chambers. The chambers are linked together with an ion bridge that, in addition to providing an ion pathway, retards mixing of the cathode and anode electrolytes and thereby preserves their concentra-

tions. The electrolytes also contain potassium bromide and a buffer whose concentrations in each half-cell are the same. Driving electromotive force E for the cell is approximately 0.13 V at 25°C, and is defined by

$$E \approx -\frac{0.0591}{2} \log \frac{(a_1)_{\bar{I}_3} \cdot (a_3)_{\bar{I}_3}^2}{(a_4)_{\bar{I}_2} \cdot (a_2)_{\bar{I}_3}^3} , \qquad (1)$$

where a_1 , a_2 are the activities, respectively, of the triiodide (I_3^-) and iodide (I_2^-) within the anode half-cell, and a_3 , a_4 are the activities, respectively, of the iodide and iodine (I_2) within the cathode half-cell. When ozone in air enters the sensor, I_2 is formed in the cathode half-cell according to the relation

$$2KI + 0_3 + H_2O \rightarrow 2KOH + I_2 + 0_2$$
 (2)

The cell converts the iodine to iodide in accordance with the overall cell reaction

$$3I^{-}(a_2) + I_2(a_4) \rightarrow I_3^{-}(a_1) + 2I^{-}(a_3)$$
 , (3)

and the ozone concentration in the sampled air is derived from

$$p_3 = 4.307 \times 10^{-3} iT_b t$$
 , (4)

where p₃ is the ozone partial pressure in micromillibars, i is the sensor current due to ozone in microamperes, T_b is the sonde box temperature in kelvins (approximately equal to the sonde pump temperature), and t is the time in seconds taken by the ozonesonde gas sampling pump to force 100 ml of air through the sensor. To achieve approximately 1:1 stoichiometry in the conversion by the sensor of O₂ to I₂, cathode sensing solution concentration employed is 1% KI.

Within the ECC sonde, air is forced through the sensor by means of a nonreactive pump fabricated from TFE Teflon impregnated with glass fibers. The Model 4A sondes flown at South Pole are equipped with piston-cylinder-type pumps having a circular cross section. Grooves cut externally into the pump cylinders are fitted with rubber O-rings that press against thin, flexible portions of the cylinders to maintain an air-tight seal between the cylinder and piston. Pumping efficiency for such pumps depends on ambient air pressure, the pump dead volume, and the pump head (the back pressure exerted on the pump by the sensor cathode electrolyte). All soundings at South Pole were made using 3.0 cm³ of cathode electrolyte. Recent flight simulations in an environmental chamber, using sensors filled with 3.0 cm³ cathode sensing solution, yielded pump efficiencies that were near 1.00 at ambient air pressures greater than 200 mb, but that decreased to 0.99, 0.98, 0.96, 0.94, 0.92, 0.89, and 0.82 at pressures of 100, 50, 20, 10, 7, 5, and 3 mb, respectively.

3. FLIGHT PROCEDURES

The ECC ozonesondes were prepared for use and flown in accordance with instructions provided in NOAA Technical Memorandum ERL ARL-149 (Komhyr, 1986). Helium-filled, 538-m³ (19,000-ft³) plastic balloons were the flight vehicles for the soundings. These balloons attain a pressure altitude of 8-10 mb. Smaller rubber balloons were used occasionally when surface winds (>5 m s-¹) precluded successful launchings of the plastic balloons.

Soundings were made successfully during all months of the year. Useful data were not obtained from six soundings because of balloons bursting at low altitude, radiosonde signal loss, and ozonesonde instrument malfunction.

4. DATA PROCESSING

Ozone, air pressure, air temperature, and humidity data were extracted from each 1680-MHz radiosonde flight record at 1-min intervals and were processed by computer in accordance with instructions in NOAA Technical Memorandum ERL ARL-149 (Komhyr, 1986). Measured ozone amounts were corrected for pump efficiency decrease with altitude (see Figure J3 of Technical Memorandum ERL ARL-149), and for pump motor speed variations (which occurred rarely).

For a sounding terminating at a pressure altitude between 27 and 7.8 mb, ECC sonde total ozone was deduced from integration of the ozone profile extended above flight altitude to 1 mb along a constant ozone mixing ratio line, the constant mixing ratio being that measured at the maximum altitude attained by the balloon. When an independent measure of total ozone was available (e.g., from ozone measurement with a Dobson spectrophotometer), a correction factor for the sonde data was determined from a ratio of the two total ozone values. All sonde ozone values were then corrected by that factor.

For eight soundings terminating at a pressure altitude of less than 7.8 mb, ECC sonde total ozone and the ozone correction factor were determined as described in the previous paragraph but with the assumption of flight termination at 7.8 mb. (Integration of ozone above flight termination altitudes beginning at pressures less than 7.8 mb was not resorted to since the reliability of the sonde data decreases with altitude at pressures less than 7.8 mb.)

Estimates of total ozone from the ECC sonde data were not made for flights terminating at pressure altitudes greater than 27 mb.

5. OZONE MEASUREMENT UNCERTAINTIES

Ozone measurement accuracy, relative to the Vigroux (1953) ozone absorption coefficient scale, is estimated to be $\pm 10\%$ in the troposphere and $\pm 5\%$ in the stratosphere to 10 mb (Hilsenrath et al., 1986). Under optimum conditions, ozone measurement precision (at the 95% confidence interval level) is estimated to be $\pm 5\%$ in the troposphere, and 2-3% in the stratosphere to 10 mb (Komhyr et al., 1985). In routine field operations, a degradation in measurement precision by up to a factor of 2 might be expected.

Comparison ECC sonde and Dobson spectrophotometer total ozone data were available for 24 of the 60 soundings. The normalization (sonde data correction) factor derived from the comparisons was 0.977 ± 0.053 (1 σ). For 525 soundings made by NOAA during 1985-1987, over a wide range of operating conditions from the tropics to polar regions, the mean ECC sonde-Dobson spectrophotometer total ozone normalization factor was 1.009 ± 0.054 (1 σ) (Komhyr et al., 1989e).

Dobson spectrophotometers are operated on the Vigroux (1953) ozone absorption coefficient scale. Dobson instrument 82, last calibrated August 1985 and installed for operation at South Pole in November 1985, was recalibrated in Boulder relative to World Primary Standard

Dobson Instrument 83 (Komhyr et al., 1989f) in May 1990. On the basis of the recalibration, final corrections of 1.05 ± 0.25 (1σ) % were applied to January 1-November 27 South Pole Dobson spectrophotometer total ozone data. On November 28, 1989, Dobson instrument 82 was replaced at South Pole with Dobson instrument 80. Standard lamp tests performed on the instrument in December yielded erratic data, causing an uncertainty of about 2.2% to be associated with the December 1989 South Pole Dobson instrument total ozone values.

Processing of the South Pole Dobson spectrophotometer total ozone data was performed in a routine manner (Komhyr, 1980), using standard Dobson instrument ozone absorption coefficients applicable at -44°C. Because the absorption coefficients for AD or CD wavelengths decrease with temperature at a rate of 0.13%/°C, the effective coefficients applicable at South Pole during winter months, when stratospheric temperatures reach -90°C, are smaller than the standard coefficients by up to about 5%. Since an inverse relationship exists between total ozone and ozone absorption coefficients, total ozone amounts computed from the Dobson spectrophotometer observations made at the very cold stratospheric temperatures should be increased. Dobson spectrophotometer total ozone observations were, however, not available for normalization of South Pole ECC sonde data for most soundings made during May through mid October. Ozone profile data for two soundings made July 17 and July 20 were normalized after increasing Dobson spectrophotometer total ozone amounts by 4%.

Radiosonde baroswitches were incorrectly set for the ozone soundings of September 7 and October 1. Pressures for these flights were adjusted during final data processing to yield ozone and air temperature profiles that were deemed to be consistent with similar data from previous and subsequent soundings.

6. DATA PRESENTATION

Tabular data for each ozone sounding are preceded by plots of ozone partial pressures and air temperatures (solid curves), humidity data (circles), and wind data (if available). In the wind plots, wind speed is denoted by the length of the horizontal bars, and the wind direction by the bar centers.

Tabular data presented at 1-min intervals include air pressure in millibars; geopotential altitude in meters; ozone partial pressure, ozone mixing ratio, ozone density, and total ozone, in nanobars, parts per million by volume, micrograms per cubic meter (gamma), and atm-cm, respectively; air temperature and dewpoint temperature in degrees Celsius; relative humidity in percent; potential temperature in kelvins; and wind speed and direction in meters per second and degrees, respectively. Preceding the data listing for each sounding are station surface meteorological data applicable to the time of ozonesonde release, relevant ozone and radiosonde instrument calibration data, and total ozone and the sonde data correction factor, if available (see Section 4).

Following the data listing, ozone partial pressures are given for standard Umkehr layers.

Finally, ozone partial pressures, air temperature, and wind data are presented for mandatory pressure levels and significant ozone levels, coded in a WMO World Ozone Data Centre (WODC) format [see "Ozone Data for the World" (Atmospheric Environment Service, 1981) or NOAA Technical memorandum ERL ARL-149 (Komhyr, 1986)].

7. DATA ARCHIVING

ECC ozonesonde data, coded in the WODC format described in Section 6, are available from

World Ozone Data Centre Atmospheric Environment Service 4905 Dufferin Street Downsview, Ontario Canada M3H5T4

One-minute-interval data, on IBM PC-compatible diskettes or CYBER computer magnetic tape, are available upon request from

NOAA Air Resources Laboratory R/E/AR4 Boulder, Colorado 80303 Attn: Ozone Program

8. ACKNOWLEDGMENTS

Logistics and general support for the Dobson spectrophotometer and the ECC ozonesonde ozone observing programs at South Pole were provided by the National Science Foundation.

9. REFERENCES

- Atmospheric Environment Service (Canada), 1981. Ozone data for the world. Guide Book No. 2, Toronto, Canada, 35 pp.
- Chubachi, S., and R. Kajiwara, 1986. Recent measurements of Antarctica ozone depletion. *Geophys. Res. Lett.*, 13, 1199-1201.
- Farman, J. C., B. G. Gardiner, and J. D. Shanklin, 1985. Large losses of total ozone in Antarctica reveal seasonal Cl0_x/NO_x interaction. *Nature*, 315, 207-210.
- Hilsenrath, E., W. Attmannspacher, A. Bass, W. Evans, R. Hogemeyer, R. A. Barnes, W. Komhyr, K. Maursberger, J. Mentall, M. Proffitt, D. Robbins, S. Taylor, A. Torres, and E. Weinstock, 1986. Results from the Balloon Ozone Intercomparison Campaign (BOIC). J. Geophys. Res., 91, 13,137-13,152.
- Komhyr, W. D., 1964. Carbon-iodine ozone sensor for atmospheric soundings. Proceedings of the Ozone Symposium, Albuquerque, NM., H. U. Dütsch (Ed.). World Meteorological Organization, Geneva, Switzerland, p. 26.
- Komhyr, W. D., 1969. Electrochemical concentration cells for gas analysis. Ann. Geophys., 25, 203-210.
- Komhyr, W. D., 1980. Operations handbook--Ozone observations with a Dobson spectrophotometer. WMO Report No. 6, prepared for the World Meteorological Organization, Global Ozone Research and Monitoring Project, Geneva, Switzerland, 125 pp.


- Komhyr, W. D., 1986. Operations handbook--Ozone measurements to 40-km altitude with model 4A electrochemical concentration cell (ECC) ozonesondes (used with 1680 MHz radiosondes). NOAA Technical Memorandum ERL ARL-149, Air Resources Laboratory, Boulder, CO, 49 pp.
- Komhyr, W. D., and R. D. Grass, 1968. Ozonesonde observations 1962-1966 (Volume 2). ESSA Technical Report ERL 80-APCL 3, Boulder, CO, 145 pp.
- Komhyr, W. D., and T. B. Harris, 1971. Development of an ECC ozonesonde. NOAA Technical Report ERL 200-APCL 18, Environmental Research Laboratories, Boulder, CO, 54 pp.
- Komhyr, W. D., S. J. Oltmans, A. N. Chopra, and P. R. Franchois, 1985. Performance characteristics of high-altitude ECC ozonesondes. In *Atmospheric Ozone*, Proceedings of the Quadrennial Ozone Symposium held in Halkidiki, Greece, 3-7 September 1984. D. Reidel, Dordrecht, Holland, 499-503.
- Komhyr, W. D., R. D. Grass, and R. K. Leonard, 1986. Total ozone decrease at South Pole, Antarctica, 1964-1985. *Geophys. Res. Lett.*, 13, 1248-1251.
- Komhyr, W. D., P. R. Franchois, B. C. Halter, and C. C. Wilson, 1987. ECC ozonesonde observations at South Pole, Antarctica, during 1986. NOAA Data Report ERL ARL-11, Air Resources Laboratory, Silver Spring, MD, 213 pp.
- Komhyr, W. D., S. J. Oltmans, and R. D. Grass, 1988a. Atmospheric ozone at South Pole Antarctica, in 1986. J. Geophys. Res., 93, 5167-5184.
- Komhyr, W. D., P. R. Franchois, S. E. Kuester, P. J. Reitelbach, and M. L. Fanning, 1988b. ECC ozonesonde observations at South Pole, Antarctica, during 1987. NOAA Data Report ERL ARL-15, Air Resources Laboratory, Silver Spring, MD, 319 pp.
- Komhyr, W. D., R. D. Grass, P. J. Reitelbach, S. E. Kuester, P. R. Franchois, and M. L. Fanning, 1989a. Total ozone, ozone vertical distributions, and stratospheric temperature at South Pole, Antarctica, in 1986 and 1987. *J. Geophys. Res.*, 94(D9), 11,429-11,436.
- Komhyr, W. D., J. A. Lathrop, R. W. Poston, and T. O. Mullen, 1989b. ECC ozonesonde observations at South Pole, Antarctica, during 1988. NOAA Data Report ERL ARL-18, Air Resources Laboratory, Silver Spring MD, 277 pp.
- Komhyr, W. D., S. J. Oltmans, R. D. Grass, P. R. Franchois, and R. K. Leonard, 1989c. Changes in total ozone and ozone vertical distributions at South Pole, Antarctica, 1962-1987. *Ozone in the Atmosphere*, Proc. Quadrennial Ozone Symposium 1988 and Tropospheric Ozone Workshop, R. D. Bojkov and P. Fabian, Eds., pp. 28-31, A. Deepak, Hampton, VA.
- Komhyr, W. D., J. A. Lathrop, V. N. Arbuzova, V. U. Khattatov, P. G. Nureyev, V. V. Rudakov, and I. V. Zamyshleyev, 1989d. ECC ozonesonde observations at Mirny, Antarctica, during 1988. NOAA Data Report ERL ARL-19, Air Resources Laboratory, Silver Spring, MD, 125 pp.
- Komhyr, W. D., S. J. Oltmans, P. R. Francois, W. F. J. Evans, and W. A. Matthews, 1989e. The latitudinal distribution of ozone to 35 km altitude from ECC ozonesonde observations, 1985-1987. Ozone in the Atmosphere, Proc. Quadrennial Ozone Symposium 1988 and Tropospheric Ozone Workshop, R. D. Bojkov and F. Fabion, Eds., pp. 147-150, A. Deepak, Hampton, VA.
- Komhyr, W. D., R. D. Grass, and R. K. Leonard, 1989f. Dobson spectrophotometer 83: A standard for total ozone measurements, 1962-1987. *J. Geophys. Res.*, 94(D7), 9847-9861.
- Komhyr, W. D., J. A. Lathrop, V. N. Arbuzova, V. U. Khattatov, V. I. Pilipenko, and V. V. Rudakov, 1990. ECC ozonesonde observations at Mirny, Antarctica, during 1989. NOAA Data Report ERL CMDL-4, Climate Monitoring and Diagnostics Laboratory, Boulder, CO, 84 pp.

- Regener, V. H., 1964. Measurement of stratospheric ozone with the chemiluminescent method. J. Geophys. Res., 69, 3795-3800.
- Stolarski, R. S., A. J. Krueger, M. R. Schoeberl, R. D. McPeters, P. A. Newman, and J. C. Alpert, 1986. Nimbus 7 SBUV/TOMS measurements of the springtime Antarctica ozone hole. *Nature*, 322, 808-811.
- Vigroux, E., 1953. Contribution à l'étude expérimentale de l'absorption de l'ozone, Ann. Phys., 8, 709-762.

LIST OF SOUNDINGS

Station: South Pole, Antarctica 90.0°S, 24.8°W, elevation 2810 m

Release Date	Time (Z)	Release Date	Time (Z)
05 Jan 89	0330	20 Aug 89	0218
14 Jan 89	0419	31 Aug 89	0247
19 Jan 89	0255	07 Sep 89	0239
26 Jan 89	0204	13 Sep 89	0150
03 Feb 89	0313	16 Sep 89	0248
09 Feb 89	0249	18 Sep 89	0508
19 Feb 89	0037	22 Sep 89	0238
23 Feb 89	0316	24 Sep 89	0306
02 Mar 89	0318	27 Sep 89	0240
09 Mar 89	0343	28 Sep 89	0958
16 Mar 89	0253	29 Sep 89	0233
25 Mar 89	0304	01 Oct 89	0248
02 Apr 89	0312	04 Oct 89	0245
21 Apr 89	0255	06 Oct 89	0305
27 Apr 89	0328	09 Oct 89	0326
06 May 89	0246	11 Oct 89	0322
11 May 89	0254	13 Oct 89	0256
18 May 89	0243	17 Oct 89	0247
27 May 89	0303	21 Oct 89	0300
04 Jun 89	0728	25 Oct 89	0245
10 Jun 89	0239	01 Nov 89	0303
17 Jun 89	0640	03 Nov 89	0249
25 Jun 89	0352	10 Nov 89	0348
30 Jun 89	0253	17 Nov 89	0332
11 Jul 89	0252	24 Nov 89	0347
17 Jul 89	0240	30 Nov 89	0402
20 Jul 89	0236	07 Dec 89	0335
27 Jul 89	0258	16 Dec 89	0508
05 Aug 89	0244	21 Dec 89	0358
10 Aug 89	0240	28 Dec 89	0351



STATION: SOUTH POLE LAUNCH DATE: 5 JAN 89 330 Z ECC SONDE: 4A3723
SURFACE CONDITIONS: PRESSURE 691.1 MB, TEMPERATURE -26.0 C, HUMIDITY 46.3 %
CAL DATA: AIR TEMP 30.0 C AT 73.3 ORD; HUM 33.0 % AT 77.8 ORD; TBOX 25.0 C AT 71.5 ORD;
03 ORD ZERO 27.6, BKGND 28.0, CAL 61.4; O3 BKGND 0.062 MICROAMP; FLOW RATE 27.6 S/100 M
FLIGHT NORMALIZED TO TOTAL 03 292.; SONDE TOTAL 03 265.; C.F. 1.102

		<u> </u>								_		
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM 2835.	NB	PPMV	GAMMA	ATMCM	C -26.0	C	%	K	M/S	DEG
0 1	691.1 674.0	2635. 3017.	24.2 22.0	. 035 . 033	56.5 51.2	.0000 .0005		-34.2	46.3 49.3	274.7 277.1		309.
2	657.0	3202.	18.0	.033	42.1	.0003	-25.6 -26.0	-33.2 -35.1	42.3	277.1	8.8	
3	640.0	3391.	16.9	.027	39.7	.0012		-35.1	44.7	279.3	8.8	309.
4	622.0	3596.	15.2	. 024	35.7 35.7	.0012	-27.3 -27.7	-35.8 -34.2	54.5	281.2	9.4	341. 333.
5	605.0	3795.	12.3	.020	29.0	.0010	-28.2	-34.2	34.3	281.2	11.7	330.
6	587.0	4012.	12.9	.022	30.3	.0013	-28.6			284.8	12.9	329.
7	572.0	4197.	12.9	. 023	30.3	.0022	-28.6			286.9	8.5	312.
8	557.0	4388.	13.4	.023	31.6	.0023	-28.6			289.1	4.6	282.
9	542.0	4583.	12.2	.023	29.0	.0030	-29.5			290.2	3.3	280.
10	527.0	4783.	12.2	.023	29.2	.0033	-30.2			291.8	3.4	291.
11	511.0	5002.	11.1	.022	26.6	.0036	-31.0			293.4	3.3	295.
12	497.0	5199.	14.7	. 029	35.0	.0039	-31.5			295.1	1.3	278.
13	483.0	5400.	16.3	.034	39.3	.0042	-32.9			295.7	1.8	314.
14	470.0	5592.	16.4	.035	39.4	.0045	-33.9			296.9	1.6	298.
15	458.0	5773.	14.1	.031	34.2	.0049	-34.8			297.9	.8	317.
16	446.0	5958.	12.3	.028	30.1	.0051	-35.9			298.9	2.4	276.
17	433.0	6163.	10.0	.023	24.6	.0054	-36.8			300.2	3.7	253.
18	421.0	6357.	9.5	.023	23.2	.0056	-38.3			300.7	3.8	244.
19	409.0	6555.	10.6	.026	26.1	.0059	-39.5			301.7	3.6	257.
20	395.0	6793.	9.5	.024	23.5	.0061	-40.9			302.9	3.7	296.
21	384.0	6985.	9.5	.025	23.7	.0063	-42.4			303.4	3.8	322.
22	373.0	7180.	8.8	.024	22.4	.0066	-44.1			303.7	3.7	326.
23	362.0	7381.	8.8	.024	22.5	.0068	-45.5			304.4	5.5	323.
24	350.0	7605.	8.4	. 024	21.3	. 0070	-46.9			305.4	6.4	318.
25	340.0	7796.	8.9	.026	22.8	.0072	-48.2			306.1	6.1	313.
26	329.0	8012.	10.6	. 032	27.4	.0074	-49.7			307.0	5.4	311.
27	317.0	8255.	10.1	. 032	26.2	.0077	-50.6			309.0	4.0	30 6.
28	305.0	8506.	8.9	.029	23.4	.0080	-52.2			310.3	3.8	301.
29	293.0	8764.	12.3	.042	32.4	.0083	- 53.7			311.6	3.8	296.
30	285.0	8942.	15.2	.053	40.1	.0086	-54.8			312.5	3.0	274.
31	277.0	9125.	53.4	. 193	139.0	.0091	-51.4			320.0	2.7	266.
32	268.0	9341.	63.5	. 237	164.3	.0106	-50.0			325.1	2.9	235.
33	261.0	9515.	72.4	. 2 7 7	185.0	.0119	-47.2			331.7	3.3	226.
34	250.0	9800.	75.7	. 303	192.7	. 0144	-46.2			337.3	4.3	189.
35	245.0	9935.	75.8	. 309	191.9	. 0156	-45.2			340.7	5.0	194.
36	237.0	10157.	76.7	. 324	192.9	.0176	-43.8			346.1	5.0	201.
37		10359.	68.1	. 296	171.2	.0194	-43.4			349.7	3.7	19 9 .
38		10597.	66.5	. 300	167.5	.0212	-43.8			352.6	2.6	222.
39		10812.	79.1	. 368	198.6	. 0230	-43.4			356.5	3.1	207.
40		10971.	80.2	. 382	200.6	.0244	-42.4			360.4	4.1	234.
41		11200.	81.2	. 400	202.7	.0265	-42.0			364.6	7.2	204.
42		11414.	80.3	.408	200.2	.0285	-41.7			368.3	8.8	1/7.
43		11649.	80.5	. 424	200.8	.0307	-41.6			372.2	6.0	168.
44		11863.	70.9	. 385	177.3	. 0326	-42.0			374.9	4.8	169.
45		12064.	69.0	. 386	172.5	.0343	-42.4			377.5	4.5	199.
46		12284.	71.8	. 415	179.5	. 0361	-42.0			381.7	4.6	202.
47		12506.	70.3	. 420	175.4	. 0379	-42.0			385.3	5.4	160.
48		12732.	73.7	. 455	184.4	. 0398	-42.4			388.3	3.5	168.
49	130.1	12979.	87 .6	. 561	218.8	.0420	-42.0			393.0	2.1	226.


STATI	ON: SOUTH POL	Ε	LAUNC	H DATE:	5 JAN	89 3	30 Z	ECC	SONDE:	4A3723	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
50	150.5 13227.	84.7	. 563	211.1	.0444	-41.6			397.9	4.2	216.
51	145.3 13465.	91.9	. 632	228.9	.0468	-41.3			402.4	6.2	203.
52	141.0 13670.	99.9	. 709	248.8	.0490	-41.3			405.8	5.1	182.
53	136.3 13900.	104.1	.764	259.4	. 0517	-41.6			409.3	4.4	187.
54	132.0 14117.	107.6	. 815	268.0	. 0544	-41.3			413.5	5.3	216.
55	127.5 14353.	107.9	.846	268.1	. 0573	-40.9			418.4	6.3	211.
56	123.3 14581.	102.6	.832	254.6	.0601	-40.6			422.9	6.4	194.
57	119.1 14817.	112.5	. 944	279.4	.0629	-40.6			427.1	4.9	180.
58	115.0 15056.	117.0	1.017	290.4	.0660	-40.6			431.4	4.3	175.
59	110.8 15309.	121.4	1.096	301.2	.0695	-40.5			436.3	5.6	173.
60	107.5 15515.	125.6	1.168	311.4	.0724	-40.3			440.4	5.2	158.
61	104.7 15696.	129.1	1.233	319.7	.0750	-39.9			444.5	4.9	162.
62	101.8 15888.	138.8	1.364	341.6	. 0779	-38.6			450.7	4.5	184.
63	98.7 16101.	144.9	1.468	355.4	.0813	-37.9			456.0	2.9	186.
64	96.0 16292.	153.8	1.602	377.2	. 0845	-37.9			459.6	4.0	177.
65	93.2 16496.	147.5	1.583	362.7	. 0879	-38.3			462.7	4.6	170.
66	90.1 16728.	147.5	1.637	363.6	.0918	-38.8			466.1	3.1	155.
67	87.0 16969.	161.3	1.854	397.0	.0960	-38.7			471.1	2.2	171.
68	83.9 17218.	164.3	1.958	403.2	.1006	-37.9			477.6	2.5	174.
69	81.0 17461.	150.3	1.855	367.5	. 1050	-37.2			483.8	2.5	153.
70	78.0 17722.	151.9	1.948	372.4	. 1095	-37.6			488.2	1.6	175.
71	75.0 17992.	154.9	2.065	380.1	. 1142	-37.9			493.2	1.6	237.
72	72.5 18226.	154.9	2.136	380.2	.1182	-37.9			498.0	3.2	214.
73	70.0 18468.	154.6	2.208	378.9	. 1225	-37.6			503.6	4.6	183.
74	67.7 18698.	157.1	2.321	384.9	. 1266	-37.5			508.7	3.7	156.
75	65.2 18958.	160.5	2.462	391.6	. 1313	-36.5			516.2	2.7	183.
76	62.8 19219.	160.5	2.556	390.4	. 1360	-35.7			523.6	3.3	196.
77	60.5 19478.	159.4	2.635	388.0	.1407	-36.0			528.6	2.4	164.
78	58.4 19724.	157.8	2.701	383.8	. 1451	-35.9			534.2	2.0	116.
79	56.7 19929.	153.7	2.710	374.7	. 1487	-36.4			537.6	2.3	136.
80	54.8 20165.	151.9	2.772	369.2	. 1528	-35.6			544.7	2.9	163.
81	53.0 20398.	155.2	2.929	376.6	. 1568	-35.2			550.8	2.4	153.
82	51.0 20666.	149.4	2.929	363.0	. 1614	-35.6			556.0	2.0	144.
83	49.1 20930.	141.3	2.879	343.0	. 1658	-35.2			563.0	1.3	181.
84	47.2 21205.	135.5	2.871	328.8	. 1701	-35.2			569.3	2.1	175.
85	45.4 21476.	131.2	2.890	319.6	. 1742	-36.0			573.8	2.5	133.
86	44.0 21694.	127.4	2.894	309.0	. 1774	-35.2			580.9	1.1	113.
87		121.6							584.9	2.8	154.
88	41.3 22135.		2.838		. 1835 . 1864				591.5		121.
89 90	40.0 22358.								596.9		86. 51.
91	38.7 22588. 37.2 22864.	110.6 101.7	2.858 2.733	268.3 246.4	. 1893 . 1927	-35.2 -35.1			602.6 609.8	1.9 2.3	68.
92	35.9 23112.	97.1	2.704	234.9		-34.7			617.0		62.
93	34.5 23390.	95.2	2.759	230.4	. 1955 . 1985	-34.7 -34.7			624.1	1.6 .7	212.
94	33.2 23658.	91.7	2.761	222.1	. 2013	-34.8			630.6	. 8	106.
95	31.7 23981.	90.7	2.860	219.2	.2015	-34.5			639.7		54.
96	30.5 24251.	91.2	2.991	219.2	.2046	-34.3			647.5	. 5	54. 59.
97	29.5 24484.	89.2	3.025	215.7	.2074	-34.4			653.4		336.
98	28.3 24774.	86.8	3.068	210.1	.2127	-34.4			661.2		353.
99	27.3 25026.	83.3	3.051	201.5	.2151	-34.5			667.6		43.
100	26.2 25313.	80.2	3.061	193.9	.2177	-34.3			676.3		315.
101	25.2 25586.	77.3	3.069	186.7	.2202	-34.1			684.2	1.7	261.
102	24.4 25812.	72.9	2.989	175.9	. 2221	-33.9			691.3		58.
103	23.8 25986.		2.939	168.6					697.4	1.2	326.
104	23.1 26196.	70.5		169.9	. 2251	-33.5			703.4	1.9	196.
					·						

STATI	ON: SOU	TH POLE		LAUNC	H DATE:	5 JAN	89 3	30 Z	ECC	SONDE:	4A3723	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	7.	K	M/S	DEG
105	22.4	26412.	71.6	3.197	172.2	. 2268	-33.2			710.4	1.9	156.
106	21.8	26603.	69.6	3.194	167.3	. 2284	-32.9			716.7	2.2	143.
107	21.1	26833.	67.6	3.206	162.6	. 2301	-32.9			723.4	3.5	123.
108	20.5	27036.	66.2	3.230	159.0	.2317	-32.8			729.8	2.1	352.
109	20.0	27210.	64.2	3.211	154.0	. 2329	-32.5			735.8	3.2	324.
110	19.2	27497.	63.2	3.294	151.6	. 2349	-32.3			745.2	3.0	118.
111	18.5	27760.	63.3	3.424	151.3	. 2368	-31.5			755.6	3.0	113.
112	17.8	28033.	62.4	3.503	148.7	. 2387	-31.1			765.3	2.4	88.
113	17.0	28360.	60.4	3.551	143.5	. 2409	-30.3			777,9	2.3	73.
114	16.4	28616.	59.9	3.654	142.1	.2426	-29.8			787.7	2.4	317.
115	16.0	28792.	58.4	3.649	138.4	. 2438	-29.4			794.5	1.8	215.
116	15.6	28973.	58.5	3.750	138.5	. 2449	-29.4			800.3	2.6	194.
117	15.0	29253.	57. 5	3.834	136.1	. 2467	-29.3			809.7	. 5	316.
118	14.7	29397.	56.0	3.807	132.1	. 2476	-28.6			816.6	2.4	65.
119	14.2	29645.	53.4	3.763	125.7	. 2491	-27.9			827.0	3.0	118.
120	13.8	29851.	53.4	3.872	125.5	. 2503	-27.3			836.0	3.5	112.
121	13.3	30117.	52.4	3.943	122.8	. 2519	-26.7			846.7	1.2	92.
122	12.7	30451.	49.9	3.930	116.4	. 2537	-26.0			860.7	2.6	127.
123	12.2	30742.	46.7	3.829	108.6	. 2553	-24.5			875.7	. 3	110.
124	11.7	31048.	44.2	3.776	101.8	. 2568	-22.6			892.9	3.5	289.
125	11.0	31501.	43.1	3.916	99.0	. 2589	-22.2			910.2	3.5	289.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8 -3 .9
14.9	19.4	81.4	142.0	126.2	71.6	999.9	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110105018903	00292 991.102 ECC TOTAL 03 FROM SONDE DATA 265
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110205018903	691 24-26 500 14-31282 2 300 10-53299 4 200 81-42191 8
1110305018903	150 85-42215 4 100142-38185 4 70155-38183 5 50145-35163 2
1110405018903	30 90-34196 120.0 64-33324 3 605 12-28330 12 285 15-55274 3
1110505018903	277 53-51266 3 261 72-47226 3 237 77-44201 5 222 67-44222 3
1110605018903	215 79-43207 3 179 69-42199 5 136104-42187 4 123103-41194 6
1110705018903	108126-40158 5 96154-38177 4 90148-39155 3 84164-38174 3
1110805018903	81150-37153 3 63161-36196 3 53155-35153 2 36 97-35 62 2
1110905018903	15.0 58-29316 111.0 43-22289 4



STATION: SOUTH POLE LAUNCH DATE: 14 JAN 89 419 Z ECC SONDE: 4A4391
SURFACE CONDITIONS: PRESSURE 694.0 MB, TEMPERATURE -27.2 C, HUMIDITY 44.4 %
CAL DATA: AIR TEMP 30.0 C AT 74.0 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 25.5 C AT 71.9 ORD;
O3 ORD ZERO 29.2, BKGND 30.0, CAL 64.9; O3 BKGND 0.118 MICROAMP; FLOW RATE 24.1 S/100 M
FLIGHT NORMALIZED TO TOTAL 03 290.; SONDE TOTAL 03 281.; C.F. 1.033

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN 0	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	C	%	K	M/S	DEG
1	694.0 676.0	2835. 3023.	16.4 15.5	.024 .023	38.6 37.0	.0000 .0003	-27.2 -31.1	-35.8 -35.1	44.4	273.1	10 0	477
2	657.0	3023. 3225.	16.8	.025		.00 0 7	-31.1 -30.8		68.6	270.7	18.2 18.2	177.
3	640.0	3413.	13.8	.020	40.2 32.4	.0010	-25.8	-33.2 -26.5	81.1 95.4	273.3 281.0	11.7	177. 210.
4	622.0	3620.	12.6	.022	29.4	.0013	-25.8 -26.8	-28.2	88.5	282.2	10.8	257.
5	606.0	3808.	11.4	.019	26.7	.0016	-27.2	-29.2	84.0	283.9	12.4	257. 255.
6	590.0	4000.	12.6	.021	29.6	.0018	-27.2 -28.1	-29.2 -30.4	81.6	285.9	10.2	233. 2 7 0.
7	573.0	4210.	12.6	. 021	29.9	.0021	-29.1	-31.9	77.6	286.1	9.5	293.
8	559.0	4386.	13.1	.022	31.1	.0021	-30.0	-33.3	74.3	287.1	9.5	294.
9	543.0	4592.	13.1	.023	31.3	.0025	-30.9	-33.3	74.5	288.4	7.4	287.
10	528.0	4791.	13.5	.026	32.3	.0029	-32.1			289.3	5.9	284.
11	513.0	4994.	13.9	.027	33.6	.0032	-33.3			290.3	5.7	286.
12	497.0	5216.	14.4	.029	34.8	.0036	-34.6			291.3	6.4	299.
13	482.0	5429.	13.1	.027	32.0	.0039	-36.3			291.7	6.2	304.
14	467.0	5648.	12.3	.026	30.2	.0042	-37.1			293.4	6.0	294.
15	452.0	5873.	10.1	.022	25.0	.0045	-38.6			294.3	5.9	295.
16	439.0	6073.	11.9	.027	29.5	.0048	-40.2			294.8	5.4	291.
17	425.0	6293.	12.3	.029	30.8	.0051	-41.7			295.6	5.3	273.
18	413.0	6487.	10.2	.025	25.5	.0053	-43.0			296.3	5.0	284.
19	401.0	6685.	11.1	.028	27.8	.0056	-44.4			297.0	5.0	292.
20	388.0	6905.	11.5	.030	29.1	.0059	-45.5			298.3	5.5	284.
21	377.0	7096.	9.8	.026	25.1	.0061	-47.2			298.5	6.5	287.
22	363.0	7346.	9.8	.027	25. 3	.0064	-48.7			299.9	7.0	290.
23	351.0	7566.	8.6	.024	22.3	.0067	-50.1			300.8	7.0	291.
24	340.0	7774.	17.8	.052	46.5	.0069	-51.6			301.5	5.8	286.
25	330.0	7967.	24.3	. 074	63.6	.0074	-52.5			302.8	5.1	270.
26	319.0	8186.	28.7	.090	75.1	.0080	-52.5			305.8	4.6	259.
27	309.0	8392.	36.8	. 119	96.4	.0088	-52.8			308.2	3.8	259.
28	299.0	8605.	61.7	.206	159.2	.0099	-49.7			315.5	3.8	246.
29	290.0	8806.	68.1	. 235	175.0	.0114	-48.7			319.7	3.9	247.
30	280.0	9037.	66.1	. 236	169.0	.0133	-47.2			325.0	4.6	256.
31	271.0	9254.	69.1	. 255	175.6	.0150	-45.8			330.1	5.2	245.
32	263.0	9454.	71.9	. 273	181.9	. 0167	-44.8			334.4	5.0	249.
33	256.0	9635.	73.5	.287	185.4	.0182	-44.1			338.0	5.1	257.
34	248.0	9848.	73.4	. 296	185.0	.020 0	-44.0			341.3	5.0	248.
3 5	240.0	10068.	71.6	. 298	179.5	.0219	-43.0			346.0	5.3	246.
36		10268.	72. 3	. 310	181.3	.0236	-43.0			348.9	6.0	253.
37	224.0		72.6	. 324	182.3	.0258	-43.3			352.4	6.6	245.
38		10747.		. 321	174.4	.0276	-42.6			356.7		242.
39		10969.	63.7	. 303	159.5	.0293	-42.6			360.1	3.6	247.
40		11198.	63.3	. 312	158.3	.0310	-42.4			364.0	4.5	243.
41		11435.	67.1	. 342	167.5	.0328	-41.7			368.8	3.9	249.
42		11653.	72.4	. 381	180.5	. 0345	-41.7			372.2	2.7	255.
43		11882.	63.1	. 344	157.6	.0363	-41.9			375.3	3.1	241.
44		12107.	53.8	. 303	134.0	.0379	-41.3			380.0	3.5	238.
45		12341.	64.9	. 378	161.7	.0394	-41.7			383.1	3.5	239.
46		12570.	69.6	. 420	173.7	.0411	-41.7			386.8	4.3	245.
47		12799.	70.5	. 440	176.0	.0430	-41.7			390.6	4.5	238.
48		13022.	73.2	. 472	182.8	.0448	-41.9			393.8	3.6	243.
49	149.9	13253.	88.5	.590	220.6	. 0469	-41.4			398.6	3.3	258.


STATI	ON: SOUTH	H POLE		LAUNC	H DATE:	14 JAN	89 4	119 Z	ECC	SONDE:	4A4391	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	мВ	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
50	145.0 1	3479.	92.8	. 640	231.2	.0492	-41.3			402.6	2.8	242.
51	140.2 1		90.0	.642	223.8	.0516	-41.0			407.0	2.1	242.
52	135.6 1	3934.	90.1	.664	224.3	.0540	-41.4			410.2	2.7	251.
53	131.0 1	4169.	80.9	.617	201.6	.0564	-41.7			413.7	3.4	238.
54	126.5 1		81.3	.642	203.0	. 0586	-41.9			417.4	2.6	237.
55	122.2 1	4640.	88.5	.724	220.7	.0608	-41.7			422.0	2.6	261.
56	118.0 1		103.9	. 880	258.1	.0634	-40.6			428.3	3.7	244.
57	113.7 1		98.7	. 868	245.4	.0663	-40.7			432.6	3.5	225.
58	109.7 1		97.5	. 889	242.1	.0691	-40.7			437.0	1.5	201.
59	106.0 1	5607.	99.1	. 935	247.1	.0717	-41.4			440.1	. 8	235.
60	102.1 1	5862.	101.0	. 989	251.3	.0746	-41.0			445.6	1.5	225.
61	98.3 1	6120.	109.8	1.117	271.8	. 0777	-40.1			452.3	2.2	233.
62	94.7 1		121.6	1.284	300.9	.0810	-39.9			457.4	2.4	249.
63	91.1 10	6640.	130.1	1.428	321.8	.0848	-39.6			463.0	2.2	242.
64	87.5 10	6916.	137.0	1.566	339.0	.0890	-39.8			468.1	2.9	219.
65	84.7 1	7138.	130.5	1.541	322.2	.0924	-39.2			473.6	1.7	193.
66	81.8 1	7377.	133.9	1.637	330.4	.0960	-39.0			478.8	1.7	283.
67	78.8 1	7634.	133.7	1.697	329.1	.0999	-38.6			484.8	3.1	273.
68	75.7 1°	7910.	145.6	1.924	357.0	.1042	-37.6			492.3	3.2	266.
69	72.7 18	8189.	150.7	2.073	369.8	. 1088	-37.9			497.5	4.4	251.
70	70.0 18	8450.	155.3	2.219	380.0	. 1133	-37.2			504.3	5.3	233.
71	67.5 18	8701.	151.6	2.246	371.1	. 1177	-37.2			509.6	5.1	219.
72	65.0 18	8962.	147.9	2.275	361.9	. 1222	-37.1			515.4	3.4	188.
73	62.8 19	9200.	149.3	2.378	365.3	.1262	-37.1			520.5	2.5	139.
74	60.5 19	9458.	154.1	2.547	377.3	. 1306	-37.4			525.5	3.5	155.
75	58.4 19	9702.	151.2	2.589	370.0	. 1348	-37.2			531.1	2.8	160.
76	56.2 19	9968.	149.0	2.652	363.7	. 1393	-36.7			538.2	. 8	109.
77	54.0 20	0244.	147.6	2.733	359.7	. 1440	-36.3			545.3	1.4	322.
78	51.9 20	0520 .	144.7	2.788	351.6	. 1486	-35.7			553.0	1.9	277.
79	50.0 20	0780.	139.8	2.797	339.5	.1528	-35.4			559.6	. 9	165.
80	48.1 2	1050.	133.6	2.778	324.1	. 1570	-35.0			566.8	1.6	110.
81	46.2 2	1330.	128.4	2.779	311.7	. 1612	-35.4			572.4	. 7	78.
82	44.1 2	1654.	124.1	2.815	302.1	. 1659	-35.8			579.1	1.3	239.
83	42.2 2	1960.	116.5	2.760	284.1	.1701	-36.3			585.1	3.1	214.
84	40.6 2	2228.	113.5	2.795	276.8	. 1736	-36.3			591.6	2.8	191.
85	39.0 2	2507.	113.0	2.897	275.4	.1771	-36.3			598.4	4.7	204.
86	37.7 2	2742.	108.6	2.882	264.8	. 1801	-36.3			604.2	4.5	118.
87	36.2 2	3024.	105.8	2.921	258.3	. 1836	-36.7			610.3	6.1	83.
88	34.8 2	3297.	106.8	3.068	260.6	.1868	-36.5			617.9	1.3	166.
89	33.0 2	3665.	105.8	3.205	257.5	.1912	-36.1			628.4	3.0	151.
90	31.9 2	3901.	91.3	2.862	222.7	. 1940	-36.3			633.8	3.4	121.
91	30.8 2	4144.	84.7	2.749	206.6	. 1964	-36.6			639.5	3.6	113.
92	29.7 2	4396.	80.2	2.702	195.7	. 1988	-36.3			646.9	3.0	121.
93	28.4 2	4707.	79.0	2.782	192.5	.2016	-36.2			655.5	3.2	95.
94	27.3 2	4981.	77.9	2.852	189.6	. 2040	-36.1			663.4	4.7	79.
95	26.3 2		75.1	2.855	182.8	. 2063	-35.9			670.8		79.
96	25.2 2	5537.	73.1	2.901	177.5	.2088	-35.4			680.6		83.
97	24.3 2	5791.	71.1	2.924	171.9	.2108	-34.6			690.0	1.7	59.
98	23.5 2		69.4	2.953	167.5	.2127	-34.1			698.1		5.
99	22.6 2	6299.	66.6	2.947	160.9	. 2148	-34.2			705.6	2.4	49.
100	21.9 2		64.2	2.933	155.2	.2164	-34.3			711.6		332.
101	21.0 2		64.6	3.078	156.3	.2185	-34.3			720.2		252.
102	20.3 2		62.8	3.093	151.8		-34.2			727.6		189.
103	19.6 2		60.7	3.098	146.7	.2219	-34.3			734.5		129.
104	18.9 2	7550.	60.7	3.213	146.6	. 2237	-33.8			743.8	. 3	31.

STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	14 JAN	89 4	19 Z	ECC	SONDE:	4A4391	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	18.1	27853.	60.5	3.344	145.6	.2257	-33.3			754.7	. 3	71.
106	17.5	28090.	60.2	3.440	144.3	. 2273	-32.4			764.9	1.9	195.
107	16.8	28379.	60.2	3.584	144.1	.2292	-31.7			776.0	2.9	163.
108	16.2	28636.	60.3	3.723	143.8	. 2309	-31.1			786.2	1.0	81.
109	15.6	28904.	59.6	3.820	141.7	. 2327	-30.2			797 .7	1.8	81.
110	14.9	29231.	59.0	3.958	139.7	. 2348	-29.5			810.4	1.1	206.
111	14.3	29525.	57.5	4.023	136.3	. 2367	-29.4			820.5	1.8	2 82.
112	13.8	29779.	55.0	3.989	130.2	. 2383	-29.1			829.7	3.5	102.
113	13.4	29990.	54.0	4.031	127.5	. 2396	-28.9			837.6	2.7	95.
114	12.9	30262.	54.0	4.187	127.4	.2412	-28.5			848.1	2.5	353.
115	12.4	30546.	53.4	4.306	125.6	.2428	-27.8			860.1	.5	304.
116	12.0	30781.	52.4	4.363	122.8	. 2442	-27.2			870.5	1.5	32 8 .
117	11.5	31088.	50.5	4.391	118.5	. 2459	-26.8			882.5	2.5	277.
118	11.0	31410.	49.5	4.497	115.6	. 24 7 7	-25.8			897.1	3.9	170.
119	10.5	31748.	49.2	4.682	114.2	. 2495	-24.5			914.0	4.2	102.
120	10.0	32103.	47.7	4.771	110.6	. 2514	-23.9			929.3	2.3	93.
121	9.6	32410.	47.1	4.911	108.8	.2529	-23.2			942.9	4.5	106.
122	9.2	32698.	45.3	4.917	104.3	. 2544	-22.3			957.1	5.6	87.
123	8.9	32974.	43.5	4.896	100.2	. 2557	-22.3			967.5	1.5	67.
124	8.3	33444.	42.1	5.058	96.8	. 2579	-21.9			986.9	1.5	67.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
13.6	29.3	72.8	123.2	125.4	68.0	51.2	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110114018904	00290 991.033 ECC TOTAL O3 FROM SONDE DATA 281
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110214018904	694 16-27 500 14-34297 6 300 59-50247 4 200 65-42246 4
1110314018904	150 88-41258 3 100106-41229 2 70155-37233 5 50140-35165 1
1110414018904	30 81-36119 320.0 62-34164 410.0 48-24 93 2 676 15-31177 18
1110514018904	657 17-31177 18 640 14-26210 12 351 9-50291 7 340 18-52286 6
1110614018904	309 37-53259 4 256 74-44257 5 190 72-42255 3 178 54-41238 4
1110714018904	172 65-42239 4 155 73-42243 4 145 93-41242 3 127 81-42237 3
1110814018904	118104-41244 4 110 97-41201 2 88137-40219 3 79134-39273 3
1110914018904	42116-36214 3 33106-36151 3 8.3 42-22 67 2



STATION: SOUTH POLE LAUNCH DATE: 19 JAN 89 255 Z ECC SONDE: 4A4388

SURFACE CONDITIONS: PRESSURE 703.0 MB, TEMPERATURE -28.2 C, HUMIDITY 60.6 %

CAL DATA: AIR TEMP 30.0 C AT 73.3 ORD; HUM 33.0 % AT 77.9 ORD; TBOX 24.0 C AT 71.0 ORD;

O3 ORD ZERO 28.5, BKGND 29.0, CAL 64.3; O3 BKGND 0.073 MICROAMP; FLOW RATE 26.8 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 287.; SONDE TOTAL O3 283.; C.F. 1.014

TIME													
0	TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
1 684.0 3033 12.9 .0 19 30.0 .0 .0004 -25.6 -28.7 75.7 276.0 19.0 234. 3 647.0 3436. 10.1 .016 23.7 .0009 -26.6 -29.1 80.6 278.1 19.0 234. 3 647.0 3436. 10.1 .016 23.7 .0009 -26.6 -29.1 80.6 278.1 19.0 234. 4 627.0 3662. 9.7 .016 22.9 .0011 -27.9 -30.6 79.4 280.2 7.7 294. 5 608.0 3882. 11.8 .018 25.4 .0014 -29.4 -32.2 77.6 281.0 7.5 287. 6 587.0 4132. 11.7 .020 27.9 .0017 -31.0 -33.9 76.6 282.0 9.7 287. 7 572.0 4316. 11.8 .021 28.1 .0019 -32.3 -35.3 75.8 282.6 9.7 287. 8 558.0 4490. 11.3 .020 27.1 .0021 -33.2 -36.2 75.8 283.5 11.0 288. 9 542.0 4694. 11.8 .022 28.6 .0026 -35.9 -37.3 75.6 284.6 11.4 258. 15 528.0 4877. 11.8 .022 28.6 .0026 -35.9 -39.0 74.6 284.8 12.0 269. 11 513.0 5077. 11.8 .022 28.6 .0026 -35.9 -39.0 74.6 284.8 12.0 269. 11 513.0 5077. 11.8 .022 28.6 .0011 -38.3 2 286.3 10.9 271. 13 483.0 5491. 9.8 .020 24.4 .0034 -39.4 2 287.8 10.9 271. 14 468.0 5707. 9.8 .021 25.5 .0031 -38.3 2 286.3 10.9 271. 14 468.0 5707. 9.8 .021 24.4 .0034 -39.4 2 287.8 18.9 271. 15 453.0 5928. 8.9 .020 22.3 .0039 -41.3 2 299.8 6.0 244. 15 439.0 6141. 9.8 .022 24.6 .0041 -42.2 2 299.8 6.0 244. 16 439.0 6141. 9.8 .022 24.6 .0041 -42.2 2 299.8 6.0 244. 16 439.0 6755. 10.4 .025 26.3 .0046 -44.8 2 299.9 6.4 235. 29 .388.0 6967. 13.2 .034 33.8 .0051 -47.9 299.3 299.3 299. 6.4 235. 29 .388.0 6967. 13.2 .034 33.8 .0051 -47.9 299.5 295.2 5.6 226. 21 .376.0 7174. 15.5 .041 40.2 .0055 -49.1 2 2 299.8 6.0 244. 22 .324.0 780.0 7422 15.5 .041 40.2 .0055 -49.1 2 2 299.9 6.4 235. 23 .351.0 7623. 15.1 .043 39.4 .0063 -52.8 313.9 7.1 299.6 6.4 235. 24 .341.0 7810. 13.7 .000 3.9 .41.3 3 .0046 -44.8 2 299.5 6.6 24.2 299.9 6.4 236. 23 .351.0 7623. 15.1 .043 39.4 .0063 -52.0 3 .0066 -54.7 3 .006.9												M/S	DEG
2 665.0 3237.7 11.6 .017 26.9 .0066 -25.7 -28.3 80.0 279.1 19.0 234.4 3 647.0 3648. 10.1 .016 23.7 .0009 -26.6 -29.1 80.6 279.2 27.7 294. 5 687.0 3682. 10.8 .018 25.4 .0014 -29.4 -32.2 .77.6 281.0 7.5 267. 6 587.0 4132. 11.7 .020 27.9 .0017 -31.0 -33.2 75.6 282.6 9.7 287.2 7 672.0 4316. 11.8 .021 28.1 .0019 -32.3 -35.3 75.8 283.5 11.8 .022 28.1 .0019 -32.3 -35.3 75.8 283.5 11.8 .022 28.6 .0026 -35.9 -39.0 74.6 282.8 11.8 .022 28.6 .0026 -35.9 -39.0 74.6 282.8 11.1 .00.2 .00.2 -36.6 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>40.0</td><td>07.4</td></t<>												40.0	07.4
3 647,0 3436, 10,1 916 23,7 0009 -26,6 -29,1 80,6 279,2 9,3 288,4 5 608.0 3862. 10.8 018 25,4 0014 -29,4 -32,2 77,6 281,0 7,5 224,0 6 587.0 4132. 11.7 020 27,9 0017 -31.0 -33.9 76.6 282.0 9,7 287. 7 572.0 4316.1 11.3 020 27.1 0021 -33.2 -36.2 75.8 282.6 10.8 283.5 8 558.0 4877. 11.8 022 28.6 0026 -35.9 -39.0 74.6 284.8 11.0 202 28.1 10 528.0 4877. 11.8 022 28.6 0026 -35.9 -39.0 74.6 284.8 12.0 289.1 11 530.0 5254.1 10.3 0221 24.4 0034 -39.4 <td></td>													
4 627.0 3662. 9.7 .016 22.9 .0011 -27.9 -30.6 79.4 280.2 7.7 294. 5 668.0 3882. 10.8 .018 25.4 .0014 -29.4 -32.2 77.6 281.0 7.5 287. 7 572.0 4316. 11.8 .021 28.1 .0019 -32.3 -35.3 75.8 283.5 11.0 268.2 8 558.0 4490.1 11.8 .022 28.6 .0024 -31.3 -37.3 75.6 284.6 11.4 258.8 9 542.0 4694.1 11.8 .022 28.3 .0024 -33.2 -35.3 75.6 284.6 11.4 258.8 10 530.0 5254.1 10.3 .021 25.5 .0031 -38.3 27.5 288.8 11.5 281.2 12 500.0 5254.1 10.3 .021 24.4 .0034 -39.4 281.2													
5 688.0 3882 10.8 .018 25.4 .0014 -29.4 -32.2 77.6 281.0 7.5 287. 5 587.0 4316. 11.8 .021 281.1 .0019 -32.3 -35.3 75.8 282.6 10.8 283.3 8 558.0 4490. 11.3 .020 27.1 .0021 -33.2 -35.3 75.8 283.5 11.0 268.1 10 528.0 4877. 11.8 .022 28.6 .0026 -35.9 -39.0 74.6 284.6 11.4 258.1 11 513.0 5077. 11.8 .022 28.6 .0026 -35.9 -39.0 74.6 284.6 11.4 258.8 12 500.0 5254.1 10.3 221 25.5 .0031 -38.3 286.3 10.9 278.1 13 463.0 5491. 9.8 .020 22.4 .0034 -39.4 20.2 22.8													
6 587.0 4132. 11.7 .020 27.9 .0017 -31.0 -33.3 76.6 282.0 9.7 287. 7 572.0 4316. 11.8 .021 28.1 .0019 -33.2 -35.2 75.8 283.5 11.0 268.8 9 542.0 4694. 11.8 .022 28.3 .0024 -34.3 -37.3 75.6 284.6 11.4 258.2 10 528.0 4877.1 11.8 .022 28.6 .0026 -35.9 -39.0 74.6 284.6 11.4 258.2 11 513.0 5077. 11.8 .021 25.5 .0031 -33.9 74.6 284.8 12.0 269.2 11 513.0 5077. 9.8 .021 24.4 .0035 -40.2 285.3 11.5 281.1 12 500.0 5254. 10.8 .021 24.4 .0035 -40.2 29.4 8.3 264. <													
7 572, 0 4316. 11.8 .021 28.1 .0919 -32.3 -35.3 75.8 282.6 10.8 283. 9 542.0 4694. 11.8 .022 28.3 .0024 -34.3 -37.3 75.8 283.6 11.4 258. 10 528.0 4877. 11.8 .022 28.6 .0026 -35.9 -39.0 74.6 284.8 12.0 269.9 11 513.0 507.7 11.8 .022 28.6 .0026 -35.9 -39.0 74.6 284.8 12.0 269.1 12 500.0 5254. 18.3 .021 25.5 .0031 -38.3 286.3 10.9 278. 13 483.0 5491. 9.8 .020 224.4 .0034 -39.4 287.8 10.9 278. 15 480.0 6341. 9.8 .021 224.4 .0034 -34.1 229.2 286.8 .002 224.4													
8 558.0 4490. 11.3 0.92 27.1 0.021 -33.2 -36.2 75.8 283.5 11.0 268. 9 542.0 4694.1 11.8 0.22 28.3 0.024 -34.3 -37.3 75.6 284.6 11.4 258. 11 513.0 5677. 11.8 0.22 28.6 0.029 -35.9 -39.0 74.6 284.8 12.0 269.1 12 500.0 5254. 10.3 0.21 25.5 0.031 -38.3 286.3 11.9 278. 13 483.0 5491. 9.8 0.21 25.5 0.031 -38.3 286.3 11.9 278. 14 468.0 5707. 9.8 0.21 24.4 0.036.4 -40.2 287.8 10.9 271. 14 468.0 5707. 9.8 0.02 223.0039 -41.3 292.1 6.1 236. 17 426.0 6344.													
9 542.0 4694, 11.8 0.22 28.6 0.024 -34.3 -37.3 75.6 284.6 11.4 258. 10 528.0 4877, 11.8 0.22 28.6 0.026 -35.9 -39.0 74.6 284.8 12.0 269. 11 513.0 5077, 11.8 0.23 28.7 0.029 -36.9 12 500.0 5254, 10.3 0.21 25.5 0.031 -38.3 286.3 10.9 278. 13 483.0 5491, 9.8 0.20 24.4 0.034 -39.4 287.8 10.9 271. 14 468.0 5707, 9.8 0.21 24.4 0.035 -40.2 289.4 8.3 264. 15 453.0 5928, 8.9 0.20 22.3 0.039 -41.3 290.8 6.0 244. 16 439.0 6141, 9.8 0.22 24.6 0.041 -42.2 292.1 6.1 236. 17 426.0 6344, 10.3 0.24 26.1 0.043 -43.4 293.2 6.6 240. 18 413.0 6552, 10.4 0.25 26.3 0.046 -44.8 294.0 6.4 235. 19 400.0 6765, 11.4 0.28 28.8 0.049 -46.2 294.0 6.4 235. 20 388.0 6967, 13.2 0.34 33.8 0.051 -47.9 295.2 5.6 226. 21 376.0 7174, 15.5 0.41 40.2 0.055 -49.1 296.3 5.9 231. 22 362.0 7422, 16.0 0.44 41.5 0.059 -56.3 297.9 6.4 236. 23 351.0 7623, 15.1 0.43 39.4 0.063 -52.0 298.3 7.0 236. 24 341.0 7810, 13.7 0.40 35.9 0.067 -55.2 300.5 7.5 224. 25 329.0 8041, 12.3 0.37 32.4 0.070 -55.3 302.2 7.7 216. 26 318.0 8259, 13.2 0.41 34.9 0.074 -55.3 302.2 7.7 216. 26 318.0 8259, 13.2 0.41 34.9 0.074 -55.3 302.2 7.7 216. 26 318.0 8259, 36.7 122 97.3 0.082 -55.3 302.5 7.5 224. 27 310.0 8421, 15.9 0.51 42.5 0.076 -56.7 302.6 7.5 216. 26 318.0 8259, 36.7 122 97.3 0.082 -55.3 302.2 7.7 216. 27 310.0 8421, 15.9 0.51 42.5 0.076 -56.7 302.6 7.5 216. 28 300.0 8629, 36.7 122 97.3 0.082 -55.3 302.2 7.7 216. 28 300.0 8629, 36.7 122 97.3 0.082 -55.3 302.5 7.5 224. 31 270.0 9313, 69.3 .257 178.3 0132 -48.7 326.3 5.6 239. 32 260.0 9562, 68.2 .262 174.6 0.015 -47.6 331.4 7.3 244. 33 250.0 10235, 67.9 .289 171.5 0.029 -44.8 345.4 345.5 23.3 342.6 3.5 23.1 180. 34 242.0 10039, 71.1 .284 189.8 0.92 -44.8 345.4 37.3 36.3 2.5 23.1 180. 35 225.0 10235, 67.9 .289 171.5 0.029 -44.8 345.4 345.5 23.1 180. 36 227.0 10467, 73.2 333 184.0 0.243 -43.4 34.8 354.2 35.7 23.1 180. 37 220.0 10677, 73.2 333 184.0 0.243 -43.4 34.8 354.2 35.7 213. 38 225.0 10235, 67.9 .289 171.5 0.029 -44.8 345.4 355.2 35.7 213. 180.4 193.9 11356, 72.1 3.63 180.9 0.303 -42.9 355.7 355.7 36.2 266. 41 193.0 11560,													
10 528.0 4877, 11.8 .022 28.6 .0026 -35.9 -39.0 74.6 284.8 12.0 269. 11 513.0 5077, 11.8 .023 28.7 .0029 -36.9 .285.9 11.5 281. 12 500.6 5254. 10.3 .021 25.5 .0031 -38.3 .286.3 10.9 278. 13 483.0 5491. 9.8 .020 24.4 .0034 -39.4 .287.8 10.9 271. 14 468.0 5707. 9.8 .021 24.4 .0036 -40.2 .289.4 8.3 264. 15 453.6 5928. 8.9 .020 22.3 .0039 -41.3 .290.8 6.0 244. 16 439.0 6141. 9.8 .022 24.6 .0041 -42.2 .292.1 6.1 236. 17 426.0 6344. 10.3 .024 26.1 .0043 -33.4 .294.9 6.4 235. 19 400.0 6765. 11.4 .028 28.8 .0049 -46.2 .294.9 6.1 228. 20 388.0 6967. 13.2 .034 33.8 .0051 -47.9 .294.9 6.1 228. 21 376.0 7174. 15.5 .041 40.2 .0055 -49.1 .296.3 5.9 231. 22 362.0 7422. 16.0 .044 41.5 .0059 -50.3 .297.9 6.4 236. 23 351.0 7623. 15.1 .043 39.4 .0063 -52.0 .298.3 7.0 236. 24 341.0 7810. 13.7 .040 35.9 .0067 -52.2 .300.5 7.5 224. 25 329.0 8041. 12.3 .037 32.4 .0070 -53.7 .301.5 7.7 216. 26 318.0 8259 36.7 .122 .73 .0082 -55.3 .302.2 7.7 216. 27 310.0 8421. 15.9 .051 42.5 .0076 -56.7 .302.6 7.5 216. 28 300.0 8629. 36.7 .122 97.3 .0082 -55.3 .307.3 7.1 229. 30 279.0 9098. 72.1 .258 186.4 .0114 -49.9 .321.6 6.0 .237. 31 270.0 9313. 69.3 .257 178.3 .0124 -44.8 .344.8 .342.6 .36. .37.3 .44. 33 220.0 10677 73.2 .333 180.9 .0074 -55.3 .301.5 .77. .216. 33 220.0 10677 73.2 .333 180.9 .0033 -42.9 .331.4 .7.3 .244. 33 220.0 10677 73.2 .333 180.9 .0033 -42.9 .331.4 .7.3 .244. 34 227.0 10660. .364 .366 .362.1 .0227 .44.8 .354.2 .357.7 .46 .204. 35 227.0 10667.													
11 513.0 5077. 11.8 .023 28.7 .0029 -36.9 285.9 11.5 281. 12 500.0 5254. 10.3 .021 225.5 .0031 -38.3 286.3 10.9 278.1 13 483.0 5491. 9.8 .020 24.4 .0036 -40.2 289.4 8.3 264.1 15 453.0 5928. 8.9 .022 22.3 .0039 -41.3 299.8 6.0 244.1 16 439.0 6141. 9.8 .022 24.6 .0041 -42.2 292.1 6.1 236.1 17 426.0 6344. 10.3 .024 26.1 .0043 -43.4 293.2 6.6 240.1 18 413.0 6552. 10.4 .025 26.3 .0046 -44.8 294.0 6.4 235.1 20 388.0 6967. 13.2 .034 33.8 .0051 -47.9 295.2 5.6 226. 21 376.0 7174.1 15.5													
12 500.0 5254. 10.3 .021 25.5 .0031 -38.3 286.3 10.9 278. 13 463.0 5491. 9.8 .020 24.4 .0036 -40.2 228.4 8.0 201 24.4 .0036 -40.2 228.4 8.3 264.1 261.6 244.4 .0036 -40.2 228.4 8.3 264.4 15 453.0 5928. 8.9 .020 22.3 .0039 -41.3 290.8 6.0 244.1 16 439.0 6141. 9.8 .022 24.6 .0041 -42.2 292.1 6.1 236.6 240.1 18 413.0 6552. 10.4 .025 26.3 .0046 -44.8 294.0 6.4 235.1 19 400.0 6765. 11.4 .028 28.8 .0049 -46.2 .294.9 6.1 .228.2 20 388.0 6967. 13.2 .034 .338.8 .0611 -47.9 .295.2 .5 .226.2 .295.2 .203.3 .50.7 .229.									-39.0	74.0			
13													
14 468.0 5707. 9.8 .021 24.4 .0036 -40.2 289.4 8.3 264. 15 453.0 65928. 8.9 .020 22.3 .0039 -41.3 290.8 6.0 244. 16 439.0 6141. 9.8 .022 22.3 .0039 -41.3 290.8 6.0 244. 17 426.0 6344. 10.3 .024 26.1 .0043 -43.4 293.2 6.6 240. 18 413.0 6552. 10.4 .025 26.3 .0046 -44.8 294.9 6.4 235. 20 388.0 6967. 13.2 .034 33.8 .0051 -47.9 295.2 5.6 226. 21 376.0 7174. 15.5 .041 40.2 .0055 -49.1 296.3 5.9 231. 22 362.0 7422. 16.0 .044 41.5 .0059 -50.3 297.9 6.4 236. 23 351.0 7623. 15.1 .043													
15 453.0 5928 8.9 .020 22.3 .0039 -41.3 290.8 6.0 244. 16 439.0 6141. 9.8 .022 24.6 .0041 -42.2 292.1 6.1 236.2 17 426.0 6344. 10.3 .024 26.1 .0043 -43.4 293.2 6.6 240. 18 413.0 6552. 10.4 .025 26.3 .0046 -44.8 294.0 6.4 235. 19 400.0 6765. 11.4 .028 28.8 .0049 -46.2 294.9 6.1 228. 21 376.0 7174. 15.5 .041 40.2 .0055 -49.1 296.3 5.9 231. 22 362.0 7422. 16.0 .044 41.5 .0059 -50.3 297.9 6.4 236. 23 351.0 7623. 15.1 .043 39.4 .0069 -50.3 297.9 6.4 236. 23 351.0 7621. 13.2 .041													
16 439.0 6141. 9.8 .022 24.6 .0041 -42.2 292.1 6.1 236. 17 426.0 6344. 10.3 .024 26.1 .0043 -43.4 293.2 6.6 240. 18 413.0 6552. 10.4 .025 26.3 .0046 -44.8 294.0 6.4 235. 19 400.0 6765. 11.4 .028 28.8 .0049 -46.2 294.9 6.1 228. 20 388.0 6967. 13.2 .034 33.8 .0051 -47.9 295.2 5.6 226. 21 376.0 7174. 15.5 .041 40.2 .0055 -49.1 296.3 5.9 231. 23 351.0 7623. 15.1 .043 39.4 .0063 -52.0 298.3 7.0 236. 24 341.0 7810. 13.7 .040 35.9 .0067 -52.2 300.5 7.7 216. 25 329.0 8041. 12.3 .037 <td></td>													
17 426.0 6344. 10.3 .024 26.1 .0043 -43.4 293.2 6.6 240. 18 413.0 6552. 10.4 .025 26.3 .0046 -44.8 294.0 6.4 235. 19 400.0 6765. 11.4 .028 28.8 .0049 -46.2 294.9 6.1 228. 20 388.0 6967. 13.2 .034 33.8 .0051 -47.9 295.2 5.6 226. 21 376.0 7174. 15.5 .041 40.2 .0055 -49.1 296.3 5.9 231. 22 362.0 7422. 16.0 .044 41.5 .0059 -50.3 297.9 6.4 236. 24 341.0 7810.1 13.7 .040 35.9 .0067 -52.2 300.5 7.5 224. 25 329.0 8041.1 12.3 .037 32.4 .0070 -53.7 301.5 7.7 216. 26 318.0 8259.1 33.2 .041													
18 413.0 6552. 10.4 .025 26.3 .0046 -44.8 294.0 6.4 235. 19 400.0 6765. 11.4 .028 28.8 .0049 -46.2 294.9 6.1 228. 20 388.0 6967. 13.2 .034 33.8 .0051 -47.9 295.2 5.6 226. 21 376.0 7174. 15.5 .041 40.2 .0055 -49.1 296.3 5.9 231. 22 362.0 7422. 16.0 .044 41.5 .0059 -50.3 297.9 6.4 236. 23 351.0 7623. 15.1 .043 39.4 .0063 -52.0 298.3 7.0 236. 24 341.0 7810.1 13.7 .040 35.9 .0067 -52.2 300.5 7.5 224. 25 329.0 8041.1 12.3 .037 32.4 .0070 -53.7 301.5 7.7 216. 26 318.0 8259.1 13.2 .041													
19 400.0 6765. 11.4 .028 28.8 .0049 -46.2 294.9 6.1 228. 20 388.0 6967. 13.2 .034 33.8 .0051 -47.9 295.2 5.6 226. 21 376.0 7174. 15.5 .041 40.2 .0055 -49.1 296.3 5.9 231. 22 362.0 7422. 16.0 .044 41.5 .0059 -50.3 297.9 6.4 236. 23 351.0 7623. 15.1 .043 39.4 .0067 -52.2 300.5 7.5 224. 25 329.0 8041. 12.3 .037 32.4 .0070 -53.7 301.5 7.7 216. 26 318.0 8259. 13.2 .041 34.9 .0074 -55.3 302.2 7.7 216. 28 300.0 8621. 15.9 .051 42.5 .0076 -56.7 302.6 7.5 216. 28 300.0 8629. 36.7 122 <td></td>													
20 388.0 6967. 13.2 .034 33.8 .0051 -47.9 295.2 5.6 226. 21 376.0 7174. 15.5 .041 40.2 .0055 -49.1 296.3 5.9 231. 22 362.0 7422. 16.0 .044 41.5 .0059 -50.3 297.9 6.4 236. 23 351.0 7623. 15.1 .043 39.4 .0063 -52.0 298.3 7.0 236. 24 341.0 7810. 13.7 .040 35.9 .0067 -52.2 300.5 7.5 224. 25 329.0 8041. 12.3 .037 32.4 .0070 -53.7 301.5 7.7 216. 26 318.0 8259. 13.2 .041 34.9 .0074 -55.3 302.2 7.7 216. 28 300.0 8629. 36.7 .122 97.3 .0082 -55.3 307.3 7.4 222. 29 290.0 8847. 66.2 .228 <td></td>													
21 376.0 7174. 15.5 .041 40.2 .0055 -49.1 296.3 5.9 231. 22 362.0 7422. 16.0 .044 41.5 .0059 -50.3 297.9 6.4 236. 23 351.0 7623. 15.1 .043 39.4 .0063 -52.0 298.3 7.0 236. 24 341.0 7810.1 13.7 .040 35.9 .0067 -52.2 300.5 7.5 224. 25 329.0 8041. 12.3 .037 32.4 .0070 -53.7 301.5 7.7 216. 26 318.0 8259. 13.2 .041 34.9 .0074 -55.3 302.6 7.5 216. 27 310.0 8421. 15.9 .051 42.5 .0076 -56.7 302.6 7.5 216. 28 300.0 8629. 36.7 .122 97.3 .0082 -55.3 307.3 7.4 222. 29 290.0 8847. 66.2 .228 </td <td></td>													
22 362.0 7422. 16.0 .044 41.5 .0059 -50.3 297.9 6.4 236. 23 351.0 7623. 15.1 .043 39.4 .0063 -52.0 298.3 7.0 236. 24 341.0 7810.1 13.7 .040 35.9 .0067 -52.2 300.5 7.5 224. 25 329.0 8041.1 12.3 .037 32.4 .0070 -53.7 301.5 7.7 216. 26 318.0 8259. 13.2 .041 34.9 .0074 -55.3 302.2 7.7 210. 27 310.0 8421. 15.9 .051 42.5 .0076 -56.7 302.6 7.5 216. 28 300.0 8629. 36.7 122 97.3 .0082 -55.3 307.3 7.4 222. 29 290.0 8847. 66.2 .228 173.6 .0082 -55.3 307.3 7.4 229. 30 279.0 9988. 72.1 .258<													
23 351.0 7623. 15.1 .043 39.4 .0063 -52.0 298.3 7.0 236. 24 341.0 7810. 13.7 .040 35.9 .0067 -52.2 300.5 7.5 224. 25 329.0 8041. 12.3 .037 32.4 .0070 -53.7 301.5 7.7 216. 26 318.0 8259. 13.2 .041 34.9 .0074 -55.3 302.2 7.7 210. 27 310.0 8421. 15.9 .051 42.5 .0076 -56.7 302.6 7.5 216. 28 300.0 8629. 36.7 .122 97.3 .0082 -55.3 307.3 7.4 222. 29 290.0 8447. .66.2 .228 173.6 .0093 -52.8 313.9 7.1 229. 30 279.0 9098. 72.1 .258 186.4 .0114 -49.9 3													
24 341.0 7810. 13.7 .046 35.9 .0067 -52.2 300.5 7.5 224. 25 329.0 8041. 12.3 .037 32.4 .0070 -53.7 301.5 7.7 216. 26 318.0 8259. 13.2 .041 34.9 .0074 -55.3 302.2 7.7 210. 27 310.0 8421. 15.9 .051 42.5 .0076 -56.7 302.6 7.5 216. 28 300.0 8629. 36.7 .122 97.3 .0082 -55.3 307.3 7.4 222. 29 290.0 8847. 66.2 .228 173.6 .0093 -52.8 313.9 7.1 229. 30 279.0 9998. 72.1 .258 186.4 .0114 -49.9 321.6 6.0 237. 31 270.0 9313. 69.3 .257 178.3 .0132 -48.7 326.3 5.6 239. 32 260.0 9562. 68.2 .262													
25 329.0 8041. 12.3 .037 32.4 .0070 -53.7 301.5 7.7 216. 26 318.0 8259. 13.2 .041 34.9 .0074 -55.3 302.2 7.7 210. 27 310.0 8421. 15.9 .051 42.5 .0076 -56.7 302.6 7.5 216. 28 300.0 8629. 36.7 .122 97.3 .0082 -55.3 307.3 7.4 222. 29 290.0 8847. 66.2 .228 173.6 .0093 -52.8 313.9 7.1 229. 30 279.0 9998. 72.1 .258 186.4 .0114 -49.9 321.6 6.0 237. 31 270.0 9313. 69.3 .257 178.3 .0132 -48.7 326.3 5.6 239. 32 260.0 9562. 68.2 .262 174.6 .0153 -47.6 331.4 7.3 244. 33 250.0 9822. 72.1 .28													
26 318.0 8259. 13.2 .041 34.9 .0074 -55.3 302.2 7.7 210. 27 310.0 8421. 15.9 .051 42.5 .0076 -56.7 302.6 7.5 216. 28 300.0 8629. 36.7 .122 97.3 .0082 -55.3 307.3 7.4 222. 29 290.0 8847. 66.2 .228 173.6 .0093 -52.8 313.9 7.1 229. 30 279.0 9098. 72.1 .258 186.4 .0114 -49.9 321.6 6.0 237. 31 270.0 9313. 69.3 .257 178.3 .0132 -48.7 326.3 5.6 239. 32 260.0 9562. 68.2 .262 174.6 .0153 -47.6 331.4 7.3 244. 33 250.0 9822. 72.1 .288 183.4 .0174 -46.2 337.3 6.0 233. 34 242.0 10039. 71.1 .													
27 310.0 8421. 15.9 .051 42.5 .0076 -56.7 302.6 7.5 216. 28 300.0 8629. 36.7 .122 97.3 .0082 -55.3 307.3 7.4 222. 29 290.0 8847. 66.2 .228 173.6 .0093 -52.8 313.9 7.1 229. 30 279.0 9098. 72.1 .258 186.4 .0114 -49.9 321.6 6.0 237. 31 270.0 9313. 69.3 .257 178.3 .0132 -48.7 326.3 5.6 239. 32 260.0 9562. 68.2 .262 174.6 .0153 -47.6 331.4 7.3 244. 33 250.0 9822. 72.1 .288 183.4 .0174 -46.2 337.3 6.0 233. 34 242.0 10039. 71.1 .294 179.8 .0192 -44.8 342.6 3.6 213. 35 235.0 10235. 67.9 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>													
28 300.0 8629. 36.7 .122 97.3 .0082 -55.3 307.3 7.4 222. 29 290.0 8847. 66.2 .228 173.6 .0093 -52.8 313.9 7.1 229. 30 279.0 9098. 72.1 .258 186.4 .0114 -49.9 321.6 6.0 237. 31 270.0 9313. 69.3 .257 178.3 .0132 -48.7 326.3 5.6 239. 32 260.0 9562. 68.2 .262 174.6 .0153 -47.6 331.4 7.3 244. 33 250.0 9822. 72.1 .288 183.4 .0174 -46.2 337.3 6.0 233. 34 242.0 10039. 71.1 .294 179.8 .0192 -44.8 342.6 3.6 213. 35 235.0 10235. 67.9 .289 171.5 .0209 -44.8 345.4 3.7 213. 36 227.0 10467. 64.2 <													
29 290.0 8847. 66.2 .228 173.6 .0093 -52.8 313.9 7.1 229. 30 279.0 9098. 72.1 .258 186.4 .0114 -49.9 321.6 6.0 237. 31 270.0 9313. 69.3 .257 178.3 .0132 -48.7 326.3 5.6 239. 32 260.0 9562. 68.2 .262 174.6 .0153 -47.6 331.4 7.3 244. 33 250.0 9822. 72.1 .288 183.4 .0174 -46.2 337.3 6.0 233. 34 242.0 10039. 71.1 .294 179.8 .0192 -44.8 342.6 3.6 213. 35 235.0 10235. 67.9 .289 171.5 .0209 -44.8 345.4 3.7 213. 36 227.0 10467. 64.2 .283 162.1 .0227 -44.3 354.2 3.1 180. 37 220.0 10677. 73.2													
30 279.0 9098. 72.1 .258 186.4 .0114 -49.9 321.6 6.0 237. 31 270.0 9313. 69.3 .257 178.3 .0132 -48.7 326.3 5.6 239. 32 260.0 9562. 68.2 .262 174.6 .0153 -47.6 331.4 7.3 244. 33 250.0 9822. 72.1 .288 183.4 .0174 -46.2 337.3 6.0 233. 34 242.0 10039. 71.1 .294 179.8 .0192 -44.8 342.6 3.6 213. 35 235.0 10235. 67.9 .289 171.5 .0209 -44.8 345.4 3.7 213. 36 227.0 10467. 64.2 .283 162.1 .0227 -44.3 349.5 2.8 213. 37 220.0 10677. 73.2 .333 184.0 .0243 -43.4 354.2 3.1 180. 38 213.0 10895. 77.0													
31 270.0 9313. 69.3 .257 178.3 .0132 -48.7 326.3 5.6 239. 32 260.0 9562. 68.2 .262 174.6 .0153 -47.6 331.4 7.3 244. 33 250.0 9822. 72.1 .288 183.4 .0174 -46.2 337.3 6.0 233. 34 242.0 10039. 71.1 .294 179.8 .0192 -44.8 342.6 3.6 213. 35 235.0 10235. 67.9 .289 171.5 .0209 -44.8 345.4 3.7 213. 36 227.0 10467. 64.2 .283 162.1 .0227 -44.3 349.5 2.8 213. 37 220.0 10677. 73.2 .333 184.0 .0243 -43.4 354.2 3.1 180. 38 213.0 10895. 77.0 .361 193.4 .0262 -43.2 357.7 4.6 204. 39 206.0 11120. 76.3													
32 260.0 9562. 68.2 .262 174.6 .0153 -47.6 331.4 7.3 244. 33 250.0 9822. 72.1 .288 183.4 .0174 -46.2 337.3 6.0 233. 34 242.0 10039. 71.1 .294 179.8 .0192 -44.8 342.6 3.6 213. 35 235.0 10235. 67.9 .289 171.5 .0209 -44.8 345.4 3.7 213. 36 227.0 10467. 64.2 .283 162.1 .0227 -44.3 349.5 2.8 213. 37 220.0 10677. 73.2 .333 184.0 .0243 -43.4 354.2 3.1 180. 38 213.0 10895. 77.0 .361 193.4 .0262 -43.2 357.7 4.6 204. 39 206.0 11120. 76.3 .370 191.5 .0282 -43.1 361.3 4.4 217. 40 198.9 11356. 72.1													
33 250.0 9822. 72.1 .288 183.4 .0174 -46.2 337.3 6.0 233. 34 242.0 10039. 71.1 .294 179.8 .0192 -44.8 342.6 3.6 213. 35 235.0 10235. 67.9 .289 171.5 .0209 -44.8 345.4 3.7 213. 36 227.0 10467. 64.2 .283 162.1 .0227 -44.3 349.5 2.8 213. 37 220.0 10677. 73.2 .333 184.0 .0243 -43.4 354.2 3.1 180. 38 213.0 10895. 77.0 .361 193.4 .0262 -43.2 357.7 4.6 204. 39 206.0 11120. 76.3 .370 191.5 .0282 -43.1 361.3 4.4 217. 40 198.9 11356. 72.1 .363 180.9 .0303 -42.9 365.2 3.6 206. 41 193.0 11560. 74.0	32	260.0	9562.	68.2				-47.6				7.3	
34 242.0 10039. 71.1 .294 179.8 .0192 -44.8 342.6 3.6 213. 35 235.0 10235. 67.9 .289 171.5 .0209 -44.8 345.4 3.7 213. 36 227.0 10467. 64.2 .283 162.1 .0227 -44.3 349.5 2.8 213. 37 220.0 10677. 73.2 .333 184.0 .0243 -43.4 354.2 3.1 180. 38 213.0 10895. 77.0 .361 193.4 .0262 -43.2 357.7 4.6 204. 39 206.0 11120. 76.3 .370 191.5 .0282 -43.1 361.3 4.4 217. 40 198.9 11356. 72.1 .363 180.9 .0303 -42.9 365.2 3.6 206. 41 193.0 11560. 74.0 .384 185.4 .0320 -42.7 368.8 3.6 204. 42 187.6 11751. 72.4	33	250.0	9822.	72.1		183.4	.0174	-46.2			337.3	6.0	233.
36 227.0 10467. 64.2 .283 162.1 .0227 -44.3 349.5 2.8 213. 37 220.0 10677. 73.2 .333 184.0 .0243 -43.4 354.2 3.1 180. 38 213.0 10895. 77.0 .361 193.4 .0262 -43.2 357.7 4.6 204. 39 206.0 11120. 76.3 .370 191.5 .0282 -43.1 361.3 4.4 217. 40 198.9 11356. 72.1 .363 180.9 .0303 -42.9 365.2 3.6 206. 41 193.0 11560. 74.0 .384 185.4 .0320 -42.7 368.8 3.6 204. 42 187.6 11751. 72.4 .386 181.4 .0336 -42.5 372.0 3.9 210. 43 182.1 11952. 60.4 .331 150.9 .0352 -42.4 375.4 3.5 216. 44 176.7 12156. 64.3	34	242.0	10039.	71.1			.0192	-44.8			342.6	3.6	213.
36 227.0 10467. 64.2 .283 162.1 .0227 -44.3 349.5 2.8 213. 37 220.0 10677. 73.2 .333 184.0 .0243 -43.4 354.2 3.1 180. 38 213.0 10895. 77.0 .361 193.4 .0262 -43.2 357.7 4.6 204. 39 206.0 11120. 76.3 .370 191.5 .0282 -43.1 361.3 4.4 217. 40 198.9 11356. 72.1 .363 180.9 .0303 -42.9 365.2 3.6 206. 41 193.0 11560. 74.0 .384 185.4 .0320 -42.7 368.8 3.6 204. 42 187.6 11751. 72.4 .386 181.4 .0336 -42.5 372.0 3.9 210. 43 182.1 11952. 60.4 .331 150.9 .0352 -42.4 375.4 3.5 216. 44 176.7 12156. 64.3	35	235.0	10235.	67.9	. 289	171.5	.0209	-44.8			345.4	3.7	213.
38 213.0 10895. 77.0 .361 193.4 .0262 -43.2 357.7 4.6 204. 39 206.0 11120. 76.3 .370 191.5 .0282 -43.1 361.3 4.4 217. 40 198.9 11356. 72.1 .363 180.9 .0303 -42.9 365.2 3.6 206. 41 193.0 11560. 74.0 .384 185.4 .0320 -42.7 368.8 3.6 204. 42 187.6 11751. 72.4 .386 181.4 .0336 -42.5 372.0 3.9 210. 43 182.1 11952. 60.4 .331 150.9 .0352 -42.4 375.4 3.5 216. 44 176.7 12156. 64.3 .364 160.6 .0367 -42.0 379.4 3.7 194. 45 171.1 12374. 72.9 .426 182.1 .0383 -42.0 382.9 3.5 176. 46 165.9 12583. 72.1	36	227.0	10467.	64.2		162.1	.0227	-44.3			349.5	2.8	213.
39 206.0 11120. 76.3 .370 191.5 .0282 -43.1 361.3 4.4 217. 40 198.9 11356. 72.1 .363 180.9 .0303 -42.9 365.2 3.6 206. 41 193.0 11560. 74.0 .384 185.4 .0320 -42.7 368.8 3.6 204. 42 187.6 11751. 72.4 .386 181.4 .0336 -42.5 372.0 3.9 210. 43 182.1 11952. 60.4 .331 150.9 .0352 -42.4 375.4 3.5 216. 44 176.7 12156. 64.3 .364 160.6 .0367 -42.0 379.4 3.7 194. 45 171.1 12374. 72.9 .426 182.1 .0383 -42.0 382.9 3.5 176. 46 165.9 12583. 72.1 .435 180.2 .0401 -42.0 389.9 3.3 198. 47 160.5 12807. 71.0	37	220.0	10677.	73.2	. 333	184.0	.0243	-43.4			354.2	3.1	180.
39 206.0 11120. 76.3 .370 191.5 .0282 -43.1 361.3 4.4 217. 40 198.9 11356. 72.1 .363 180.9 .0303 -42.9 365.2 3.6 206. 41 193.0 11560. 74.0 .384 185.4 .0320 -42.7 368.8 3.6 204. 42 187.6 11751. 72.4 .386 181.4 .0336 -42.5 372.0 3.9 210. 43 182.1 11952. 60.4 .331 150.9 .0352 -42.4 375.4 3.5 216. 44 176.7 12156. 64.3 .364 160.6 .0367 -42.0 379.4 3.7 194. 45 171.1 12374. 72.9 .426 182.1 .0383 -42.0 382.9 3.5 176. 46 165.9 12583. 72.1 .435 180.2 .0401 -42.0 389.9 3.3 198. 47 160.5 12807. 71.0	38	213.0	10895.	77.0	. 361	193.4	.0262	-43.2			357.7	4.6	204.
41 193.0 11560. 74.0 .384 185.4 .0320 -42.7 368.8 3.6 204. 42 187.6 11751. 72.4 .386 181.4 .0336 -42.5 372.0 3.9 210. 43 182.1 11952. 60.4 .331 150.9 .0352 -42.4 375.4 3.5 216. 44 176.7 12156. 64.3 .364 160.6 .0367 -42.0 379.4 3.7 194. 45 171.1 12374. 72.9 .426 182.1 .0383 -42.0 382.9 3.5 176. 46 165.9 12583. 72.1 .435 180.2 .0401 -42.0 386.3 2.8 187. 47 160.5 12807. 71.0 .442 177.4 .0419 -42.0 389.9 3.3 198. 48 155.2 13034. 59.1 .381 147.8 .0437 -42.0 393.7 2.2 179.	39	206.0	11120.	76.3	. 370	191.5	.0282	-43.1				4.4	217.
42 187.6 11751. 72.4 .386 181.4 .0336 -42.5 372.0 3.9 210. 43 182.1 11952. 60.4 .331 150.9 .0352 -42.4 375.4 3.5 216. 44 176.7 12156. 64.3 .364 160.6 .0367 -42.0 379.4 3.7 194. 45 171.1 12374. 72.9 .426 182.1 .0383 -42.0 382.9 3.5 176. 46 165.9 12583. 72.1 .435 180.2 .0401 -42.0 386.3 2.8 187. 47 160.5 12807. 71.0 .442 177.4 .0419 -42.0 389.9 3.3 198. 48 155.2 13034. 59.1 .381 147.8 .0437 -42.0 393.7 2.2 179.	40	198.9	11356.	72.1	.363	180.9	.0303	-42.9			365.2	3.6	206.
43 182.1 11952. 60.4 .331 150.9 .0352 -42.4 375.4 3.5 216. 44 176.7 12156. 64.3 .364 160.6 .0367 -42.0 379.4 3.7 194. 45 171.1 12374. 72.9 .426 182.1 .0383 -42.0 382.9 3.5 176. 46 165.9 12583. 72.1 .435 180.2 .0401 -42.0 386.3 2.8 187. 47 160.5 12807. 71.0 .442 177.4 .0419 -42.0 389.9 3.3 198. 48 155.2 13034. 59.1 .381 147.8 .0437 -42.0 393.7 2.2 179.	41	193.0	11560.	74.0	.384	185.4	.0320	-42.7			368.8	3.6	204.
44 176.7 12156. 64.3 .364 160.6 .0367 -42.0 379.4 3.7 194. 45 171.1 12374. 72.9 .426 182.1 .0383 -42.0 382.9 3.5 176. 46 165.9 12583. 72.1 .435 180.2 .0401 -42.0 386.3 2.8 187. 47 160.5 12807. 71.0 .442 177.4 .0419 -42.0 389.9 3.3 198. 48 155.2 13034. 59.1 .381 147.8 .0437 -42.0 393.7 2.2 179.	42	187.6	11751.	72.4	. 386	181.4	.0336	-42.5			372.0	3.9	210.
45 171.1 12374. 72.9 .426 182.1 .0383 -42.0 382.9 3.5 176. 46 165.9 12583. 72.1 .435 180.2 .0401 -42.0 386.3 2.8 187. 47 160.5 12807. 71.0 .442 177.4 .0419 -42.0 389.9 3.3 198. 48 155.2 13034. 59.1 .381 147.8 .0437 -42.0 393.7 2.2 179.	43	182.1	11952.	60.4		150.9	. 0352	-42.4			375.4	3.5	216.
46 165.9 12583. 72.1 .435 180.2 .0401 -42.0 386.3 2.8 187. 47 160.5 12807. 71.0 .442 177.4 .0419 -42.0 389.9 3.3 198. 48 155.2 13034. 59.1 .381 147.8 .0437 -42.0 393.7 2.2 179.	44	176.7	12156.	64.3	. 364	160.6	.0367	-42.0				3.7	
47 160.5 12807. 71.0 .442 177.4 .0419 -42.0 389.9 3.3 198. 48 155.2 13034. 59.1 .381 147.8 .0437 -42.0 393.7 2.2 179.		171.1	12374.	72.9	.426	182.1	.0383	-42.0					
48 155.2 13034. 59.1 .381 147.8 .0437 -42.0 393.7 2.2 179.		165.9	12583.		. 435	180.2	.0401	-42.0					
				71.0	. 442	177.4	.0419				389.9	3.3	
49 150.0 13265. 67.8 .452 169.2 .0453 -42.0 397.5 2.8 219.													
	49	150.0	13265.	67.8	. 452	169.2	. 0453	-42.0			397.5	2.8	219.


	ALL COUTH DOLE		LAUNC	H DATE:	19 JAN	89 255 Z	ECC SONDE:	444388	
	ON: SOUTH POLE	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM POT T		WIND
TIME	PRESS ALT	NB	PPMV	GAMMA	ATMCM	C C	% K	M/S	DEG
MIN	MB GPM	63.0	.435	157.4	. 0472	-42.0	401.6	•	209.
50	144.8 13504.	80.3	.576	200.2	.0492	-41.7	406.4		213.
51	139.4 13762.		. 662	221.6	.0516	-41.7	410.9		225.
52	134.2 14019.	88.9	. 729	235.3	.0541	-41.6	415.2		187.
53	129.6 14256.	94.4			.0567	-40.9	420.6		179.
54	125.2 14491.	98.0	. 783	243.5	.0593	-41.1	424.2		210.
55	121.0 14723.	104.0	. 859	258.9	.0624	-40.6	429.7		214.
56	116.6 14975.	105.7	.906	262.5		-40.6	434.4		184.
57	112.3 15231.	108.2	. 964	268.7	.0655 .0684	-40.6	438.7		187.
58	108.5 15465.	113.4	1.045	281.4		-39.8			
59	104.5 15721.	124.8	1.194	308.6	.0718		445.0		212.
60	100.6 15982.	123.8	1.230	305.4	.0756	-39.2	450.9		203.
61	97.9 16168.	132.2	1.350	326.3	.0783	-39.2	454.4		192.
62	93.8 16461.	134.9	1.438	333.0	.0827	-39.2	460.0		202.
63	90.6 16699.	138.1	1.524	340.2	.0864	-38.8	465.4		169.
64	87.4 16946.	141.0	1.613	347.9	.0903	-39.2	469.4		171.
65	84.0 17218.	139.9	1.665	344.9	.0946	-39.0	475.3		162.
66	81.0 17468.	144.5	1.785	355.6	. 0987	-38.6	481.1		157.
67	78.1 17718.	147.3	1.886	361.4	.1029	-37.9	487.5		140.
68	75.3 17970.	146.8	1.949	360.1	.1071	-37.9	492.6		128.
69	73.8 18109.	141.6	1.919	347.4	. 1093	-37.9	495.5		193.
70	70.1 18463.	150.6	2.149	369.5	.1151	-37.9	502.8		211.
71	67.3 18744.	152.8	2.270	374.3	.1199	-37.5	509.6		162.
72	65.0 18984.	150.5	2.316	368.8	. 1241	-37.6	514.3		164.
73	62.8 19222.	147.7	2.352	361.7	.1281	-37.3	520.0		162.
74	60.7 19457.	158.3	2.609	387.4	.1322	-37.1	525.7		152.
75	58.5 19713.	156.1	2.669	380.9	. 1368	-36.5	532.5		218.
76	56.3 19979.	154.5	2.744	375.8	.1415	-35.9	539.9		263.
77	54.3 20230.	148.7	2.739	362.5	. 1458	-36.3	544.6		251.
78	52.3 20490.	142.8	2.731	348.1	. 1502	-36.3	550.4		211.
79	50.3 20761.	134.7	2.678	328.6	. 1545	-36.5	556.0		158.
80	48.7 20984.	130.8	2.685	319.9	. 1578	-37.2	559.5	2.4	166.
81	47.0 21230.	124.8	2.655	304.4	. 1615	-36.5	566.8	2.7	161.
82	45.1 21516.	116.3	2.580	283.4	.1654	-36.3	574.2	2.9	126.
83	43.4 21783.	114.0	2.627	277.7	. 1689	-36.1	580.9	. 6	165.
84	41.7 22060.	116.6	2.795	284.3	.1725	-36.5	586.6		211.
85	40.0 22348.	113.5	2.838	277.2	. 1763	-36.8	592.9	1.5	122.
86	38.3 22649.	109.9	2.868	267.9	. 1801	-36.5	601.0	1.4	81.
87	37.0 22888.	106.3	2.873	259.8	.1830	-36.8	606.3	2.1	102.
88	35.7 23136.	105.0	2.941	256.3	.1860	-36.7	612.8	4.2	145.
89	34.3 23413.	104.1	3.034	254.1	. 1893	-36.5	620.2	4.9	175.
90	33.0 23681.	99.5	3.015	242.7	.1924	-36.4	627.5	2.9	154.
91	31.6 23982.	90.6	2.867	221.1	. 1957	-36.5	634.9	2.0	238.
92	30.2 24296.	87.9	2.912	214.6	. 1989	-36.7	642.8	5.8	130.
93	29.0 24577.	84.0	2.896	204.8	.2017	-36.5	650.7	9.7	117.
94	28.0 24820.	81.8	2.920	199.4	. 2039	-36.5	657.3	3.7	131.
95	27.0 25072.	76.9	2.848	187.4	. 2062	-36.1	665.2	2.4	119.
96	26.0 25334.	76.6	2.946	186.8	.2085	-36.5	671.3	2.1	116.
97	25.0 25606.	69.8	2.792	170.2	.2108	-36.3	679.6	3.6	133.
98	24.0 25889.	68.6	2.857	166.8	.2130	-35.9	688.8	5.7	155.
99	23.2 26125.	66.2	2.855	161.2	.2148	-35.9	695.5	5.5	141.
100	22.3 26400.	63.6	2.852	154.3	.2169	-35.2	705.4	4.6	89.
101	21.6 26623.	64.3	2.977	156.1	.2185	-35.2	711.8		70.
102	20.9 26853.	62.3	2.980	150.2	.2201	-33.9	722.6	1.5	109.
103	20.0 27161.	60.8	3.038	146.9	. 2222	-34.3	730.5	3.7	90.
104	19.3 27411.	60.1	3.111	144.9	. 2240	-33.9	739.2		53.

STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	19 JAN	89 2	255 Z	ECC	SONDE:	4A4388	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	18.6	27670.	59.6	3.207	143.8	. 2257	-33.6			747.9	4.0	36.
106	18.0	27900.	59.7	3.319	143.5	. 2272	-33.1			756.6	2.0	110.
107	17.3	28179.	60.6	3.500	145.1	.2291	-32.2			768.2	3.5	135.
108	16.8	28387.	60.6	3.605	145.1	. 2305	-31.9			775.5	4.0	111.
109	16.3	28600.	59.4	3.647	142.3	.2319	-31.9			782.2	4.1	107.
110	15.7	28865.	57.9	3.689	138.6	. 2336	-31.9			790.6	2.1	65.
111	15.2	29094.	56.4	3.710	134.9	. 2351	-31.8			798.4	2.3	7.
112	14.6	29379.	55.2	3.780	132.2	. 2368	-31.9			807.2	1.7	168.
113	14.0	29676.	54.5	3.891	129.8	. 2387	-31.0			820.1	3.3	150.
114	13.6	29881.	53.3	3.916	126.9	. 2399	-30.8			827.3	3.3	107.
115	13.0	30203.	52.0	4.003	123.0	.2418	-29.0			844.4	2.5	124.
116	12.4	30542.	52.1	4.205	122.8	.2437	-27.9			859.6	1.3	90.
117	11.9	30838.	51.8	4.356	121.7	. 2454	-27.3			872.1	3.5	101.
118	11.4	31147.	50.3	4.413	118.1	. 2471	-27.3			882.9	4.3	111.
119	10.9	31471.	48.3	4.430	112.8	.2488	-26.0			8 9 9.1	3.8	100.
120	10.3	31882.	46.4	4.501	107.6	.2510	-24.6			918.6	5.0	63.
121	10.0	32097.	44.7	4.473	103.7	. 2520	-24.1			928.4	5.0	63.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
11.6	26.1	72.0	131.5	123.8	68.2	999.9	999.9

CODED SONDE DATA - WODC FORMAT

I SNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110119018903	00287 991.014 ECC TOTAL 03 FROM SONDE DATA 283
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110219018903	703 19-28 700 18-28 37 3 500 10-38278 11 300 37-55222 7
1110319018903	200 73-43208 4 150 68-42219 3 100126-39201 3 70151-38209 2
1110419018903	50134-37159 3 30 87-37128 620.0 61-34 90 4 665 12-26234 19
1110519018903	310 16-57216 8 290 66-53229 7 279 72-50237 6 242 71-45213 4
1110619018903	227 64-44213 3 213 77-43204 5 188 72-43210 4 182 60-42216 4
1110719018903	171 73-42176 4 161 71-42198 3 155 59-42179 2 145 63-42209 5
1110819018903	134 89-42225 3 63148-37162 4 61158-37152 3 45116-36126 3
1110919018903	34104-37175 514.6 55-32168 210.0 45-24 63 5



STATION: SOUTH POLE LAUNCH DATE: 26 JAN 89 204 Z ECC SONDE: 4A4392

SURFACE CONDITIONS: PRESSURE 690.5 MB, TEMPERATURE -31.9 C, HUMIDITY 23.3 %

CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 24.0 C AT 71.2 ORD;

O3 ORD ZERO 28.3, BKGND 28.5, CAL 61.3; O3 BKGND 0.032 MICROAMP; FLOW RATE 26.0 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 280.; SONDE TOTAL O3 281.; C.F. .996

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	тотох	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	690.5	2835.	16.8	.024	40.2	. 0000	-31.9	-46.1	23.3	268.2		
1	673.0	3018.	11.3	.017	26.4	. 0003	-27.1	-32.9	58.6	2755	6.6	342.
2	657.0	3191.	11.7	.018	27.7	. 0005	-28.9	-33.4	65.6	275.5	6.6	342.
3	640.0	3379.	11.2	.017	26.4	. 0008	-28.6	-33.6	62.9	277.8	6.9	333.
4	624.0	3561.	12.2	.020	28.8	.0010	-27.3	-33.4	56.8	281.4	6.8	316.
5	610.0	3724.	12.7	.021	30.1	.0012	-28.1	-32.9	64.3	282.3	6.2	320.
6	593.0	3926.	13.2	.022	31.4	.0015	-29.0	-32.9	69.7	283.5	5.5	329.
7	57 7.0	4122.	11.7	.020	27.8	.0018	-29.5	-34.2	64.8	285.1	4.5	324.
8	560.0	4335.	12.1	.022	29.0	.0020	-30.4	-36.0	59.2	286.4	5.1	321.
9	543.0	4554.	12.6	.023	30.3	.0023	-31.5			287.7	5.5	312.
10	527.0	4765.	11.2	.021	26.9	.0026	-32.8			288.6	4.5	301.
11	510.0	4995.	11.2	.022	26.9	.0029	-33.9			290.0	2.3	298.
12	498.0	5161.	11.6	.023	28.2	.0031	-35.2			290.4	2.0	267.
13	485.0	5345.	12.6	.026	30.9	.0034	-36.7			290.8	2.9	245.
14	470.0	5562.	15.1	. 032	37.0	. 0037	-37.8			292.1	2.4	236.
15	458.0	5740.	12.5	.027	31.0	.0040	-38.5			293.4	3.1	236.
16	446.0	5922.	13.0	.029	32.4	.0042	-39.8			293.9	4.6	231.
17	432.0	6140.	16.0	. 037	39.7	. 0046	-40.9			295.2	5.5	232.
18	420.0	6331.	12.5	. 030	31.5	. 0049	-42.4			295.6	3.2	248.
19	406.0	6559.	13.5	. 033	34.2	. 0053	-43.9			296.7	2.0	278.
20	393.0	6777.	15.9	. 041	40.3	. 0056	-44.7			298.3	3.7	260.
21	380.0	7002.	15.4	.041	39.1	.0060	-45.6			300.1	4.5	268.
22	369.0	7197.	14.4	. 039	36.8	. 0064	-47.2			300.5	5.2	270.
23	357.0	7415.	14.8	.042	38.0	.0068	-48.5			301.6	5.6	267.
24	347.0	7602.	14.2	. 041	36.7	.0071	-49.8			302.2	6.2	267.
25	335.0	7831.	14.2	. 043	37.0	.0075	-51.1			303.6	7.5	272.
26	323.0	8068.	14.2	.044	37.2	.0079	-52.1			305.3	8.3	275.
27	313.0	8271.	13.2	.042	34.8	.0082	-53.4			306.3	8.1	272.
28	303.0	8479.	12.7	.042	33.8	. 0085	-54.5			307.5	7.4	267.
29	294.0	8672.	22.5	.077	59.5	. 0089	-55.0			309.5	7.6	262.
30	283.0	8917.	33.0	.116	86.6	.0097	-53.9			314.5	6.7	228.
31	273.0	9149.	57.4	.210	149.2	.0107	-51.4			321.4	7.4	237.
32	265.0	9343.	64.6	.244	167.3	.0121	-50.0			326.2	8.1	256.
33	256.0	9570.	67.5	. 264	173.1	.0139	-48.0			332.3	6.1	232.
34	247.0	9806.	63.8	. 258	162.9	.0158	-47.0			337.2	5.5	230.
35		10025.	60.5	. 253	153.7	.0174	-45.9			342.2	5.8	229.
36		10194.	66.6	. 286	168.9	. 0186	-45.4			345.3	6.2	235.
37	225.0	10428.	68.4	. 304	172.7	. 0204	-44.4			350.3	8.1	235.
38	218.0	10640.	67.3	. 309	169.5	. 0221	-43.7			354.6	7.0	246.
39	210.0	10891.	69.4	. 330	174.8	.0241	-44.1			357.7	6.4	262.
40	202.0	11152.	75.3	. 373	188.7	.0262	-42.7			363.9	8.4	247.
41		11373.	71.7	. 367	179.6	.0281	-42.7			367.3	7.8	236.
42		11573.	76.5	. 403	191.8	.0299	-43.0			370.0	5.2	218.
43		11789.	75.5	. 411	188.9	.0318	-42.4			374.3	3.2	212.
44	178.0	12006.	73.0	.410	182.6	. 0337	-42.6			377.6	3.8	242.
45		12222.	74.0	.429	184.9	. 0355	-42.2			381.7	4.9	250.
46		12438.	88.6	. 531	220.7	. 0374	-41.3			386.6	6.0	242.
47		12669.	96.7	. 599	241.1	. 0399	-41.6			389.9	7.3	236.
48	156.0	12900.	99.3	. 636	247.8	.0425	-42.0			393.0	6.9	222.
49	151.0	13121.	110.0	.729	273.9	.0451	-41.2			398.1	6.6	203.


STATI	ON: SOUTH POLI	Ε	LAUNC	H DATE:	26 JAN	89 2	204 Z	ECC	SONDE:	4A4392	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
50	145.6 13368.	109.7	.754	273.3	.0482	-41.3			402.0	5.3	211.
51	140.3 13620.	97.1	. 692	241.8	.0513	-41.3			406.3	5.3	216.
52	135.5 13856.	100.3	.740	249.7	.0540	-41.3			410.4	4.4	233.
53	130.9 14091.	110.7	.846	275.6	. 0568	-41.2			414.7	4.5	246.
54	126.2 14339.	102.5	.812	255.1	. 0599	-41.2			419.0	5.4	228.
55	121.7 14586.	100.3	.824	248.9	.0628	-40.6			424.4	5.0	231.
56	117.4 14831.	114.6	.976	284.9	.0657	-40.9			428.3	5.0	235.
57	113.5 15061.	113.2	.997	280.6	. 0688	-40.2			433.7	5.2	229.
58	109.7 15294.	115.7	1.055	286.7	.0718	-40.2			438.0	4.9	217.
59	105.7 15547.	120.6	1.141	298.4	. 0752	-40.0			443.2	4.1	213.
60	101.8 15804.	121.6	1.194	301.3	. 0787	-40.2			447.4	3.8	220.
61	98.3 16042.	123.3	1.254	305.5	.0820	-40.2			451.9	3.8	223.
62	95.0 16276.	124.0	1.305	306.8	. 0853	-40.0			456.9	4.1	219.
63	91.6 16524.	125.7	1.372	311.2	. 0888	-40.0			461.7	4.7	222.
64	88.2 16783.	125.1	1.418	308.7	.0925	-39.3			468.1	5.0	219.
65	84.9 17045.	125.6	1.479	309.5	.0963	-38.9			474.0	4.4	202.
66	81.9 17292.	126.1	1.539	310.7	.0998	-38.9			478.9	3.3	180.
67	79.3 17513.	130.5	1.646	321.6	.1030	-38.9			483.3	2.4	200.
68	76.6 17751.	136.6	1.783	336.0	.1066	-38.5			489.0	2.9	207.
69	74.0 17988.	136.5	1.845	335.3	.1103	-38.0			494.7	2.8	191.
70	71.2 18255.	137.1	1.926	335.7	.1144	-37.2			501.9	2.7	228.
71	68.7 18507.	150.5	2.192	369.0	. 1184	-37.8			506.0	3.6	228.
72	66.3 18749.	152.8	2.306	374.5	.1226	-37.5			511.7	2.9	202.
73	64.1 18982.	144.1	2.248	352.9	.1266	-37.4			517.0	2.8	213.
74	61.9 19221.	147.1	2.376	360.3	. 1304	-37.5			521.8	3.8	220.
75	59.7 19474.	149.6	2.506	365.7	.1347	-37.1			528.2	2.2	192.
76	57.8 19693.	144.0	2.491	352.4	. 1383	-37.2			532.7	1.9	174.
77	55.4 19990.	142.1	2.566	347.5	.1431	-37.1			539.6	2.2	220.
78	53.5 20232.	145.4	2.719	355.6	.1471	-37.1			545.0	2.2	199.
79	51.9 20445.	138.1	2.664	338.6	. 1505	-37.8			548.3	3.8	177.
80	49.5 20761.	119.7	2.417	294.1	. 1553	-38.2			554.5	2.6	167.
81	47.6 21034.	113.6	2.387	278.3	. 1590	-37.5			562.5	2.2	136.
82	45.0 21266.	108.3	2.354	265.4	. 1619	-37.5			567.9	2.2	186.
83	44.3 21534.	105.0	2.372	257.8	.1652	-37.8			573.6	2.0	220.
84	42.4 21836.	104.1	2.455	254.8	. 1688	-37.4			581.8	2.2	208.
85	40.4 22172.	103.1	2.553	252.3	. 1728	-37.4			589.9	3.8	188.
86	39.1 22394.	101.7	2.601	248.9	. 1753	-37.4			595.4	3.1	173.
87	37.7 22651.	98.8	2.623	242.0	. 1783	-37.4			601.7	1.8	98.
88	36.5 22869.	97.2	2.663	237.8	. 1807	-37.2			607.5	1.9	97.
89	35.2 23123.	95.6	2.717	234.0	. 1835	-37.2			613.9	1.7	198.
90	33.9 23374.	92.7	2.733	227.2	.1862	-37.5			619.7	2.4	211.
91	32.4 23695.	86.8	2.681	212.7	. 1895	-37.4			628.3	6.0	336.
92	31.1 23978.	83.1	2.675	203.7	. 1923	-37.4			635.7	2.0	182.
93	29.8 24259.	80.2	2.686	196.2	. 1949	-37.1			643.9	9.9	173.
94	28.8 24504.	79 . 1	2.745	193.8	. 1971	-37.5			649.3	2.1	217.
95	27.8 24749.	76.3	2.744	186.3	. 1993	-36.7			658.2	2.2	211.
96	26.8 24993.	70.7	2.634	172.5	. 2014	-36.4			665.6	2.7	167.
97	26.2 25167.	68.3	2.610	166.4	. 2027	-36.2			671.1	1.2	155.
98	25.1 25445.	66.7	2.654	162.0	. 2048	-35.2			681.5	. 9	251.
99	24.2 25723.	63.2	2.617	153.8	.2069	-35.9			687.4	1.1	265.
100	23.5 25931.	61.2	2.611	149.0	. 2084	-35.9			693.3	2.5	240.
101	22.6 26173.	60.8	2.687	148.1	.2100	-35.9			700.2	4.9	213.
102	21.8 26450.	59.8	2.750	145.8	.2119	-36.0			707.8	6.1	198.
103	20.8 26760.	59.0	2.837	143.8	. 2140	-36.2			716.5	5.4	186.
104	20.1 27002.	58.7	2.923	143.0	.2156	-35.9			724.5	5.7	175.

STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	26 JAN	89 2	04 Z	ECC	SONDE:	4A4392	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	19.3	27279.	58.0	3.006	140.8	. 2175	-35.2			734.9	5.8	178.
106	18.7	27488.	58.0	3.098	140.2	.2188	-34.0			744.9	2.8	107.
107	18.1	27734.	59.2	3.273	142.0	. 2204	-32.4			757.4	1.9	90.
108	17.4	28017.	58.4	3.361	139.5	.2223	-31.4			769.5	3.5	173.
109	16.8	28265.	57.4	3.416	137.2	. 2238	-31.8			776.0	1.8	165.
110	16.2	28514.	55.8	3.440	133.4	. 2254	-31.9			783.4	6.4	45.
111	15.6	28764.	55.3	3.533	132.3	.2270	-32.0			790.9	2.6	156.
112	15.2	28979.	54.9	3.614	131.4	. 2283	-31.9			798,.3	9.3	202.
113	14.4	29340.	54.2	3.756	128.8	. 2305	-30.4			814.9	2.1	329.
114	13.9	29596.	53.2	3.822	125.9	. 2320	-29.3			827.3	4.7	329.
115	13.6	29780.	52.4	3.862	124.2	. 2331	-29.5			832.5	7.3	125.
116	13.0	30076.	51.2	3.934	121.1	.2348	-29.1			843.8	9.2	108.
117	12.5	30338.	50.5	4.026	118.9	. 2362	-28.2			855.9	1.6	136.
118	12.1	30602.	48.3	3.994	113.4	. 2376	-27.3			868.2	4.0	194.
119	11.6	30908.	48.0	4.141	112.4	. 2393	-26.9			880.2	2.6	40.
120	11.1	31217.	47.2	4.252	110.3	.2408	-26.2			893.4	4.2	350.
121	10.6	31530.	45.8	4.309	106.7	. 2424	-25.6			906.9	4.6	242.
122	10.2	31847.	44.1	4.333	103.0	. 2440	-25.6			918.3	5.0	182.
123	9.8	32127.	43.1	4.404	100.4	.2453	-25.4			929.0	1.9	88.
124	9.4	32410.	43.2	4.587	100.6	. 246 6	-25.0			940.9	3.6	352.
125	9.1	32697.	41.7	4.610	96.7	.2480	-24.2			954.7	2.0	338.
126	8.9	32864.	39.1	4.422	90.3	.2487	-23.2			965.0	2.6	225.
127	8.6	33074.	39.0	4.539	90.1	. 2496	-22.9			974.0	2.7	212.
128	8.4	33243.	38.2	4.552	88.2	. 2503	-22.6			981.5	. 6	171.
129	8.3	33371.	37.9	4.593	87.9	. 2508	-24.0			981.1	1.1	338.
130	8.1	33499.	37.1	4.579	85.5	. 2513	-22.6			991.3	2.5	335.
131	8.0	33629.	36.2	4.547	83.3	. 2518	-22.0			999.0	2.5	335.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
12.1	22.0	83.2	125.7	114.2	64.1	47.9	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110126018902	00280 99 .996 ECC TOTAL 03 FROM SONDE DATA 281
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110226018902	691 17-32 500 12-35272 2 300 16-55265 7 200 74-43244 8
1110326018902	150110-41204 6 100122-40222 4 70143-37228 3 50124-38169 3
1110426018902	30 81-37174 920.0 59-36175 610.0 44-26139 4 673 11-27342 7
1110526018902	657 12-29342 7 624 12-27316 7 265 65-50256 8 239 61-46229 6
1110626018902	172 74-42250 5 167 89-41242 6 140 97-41216 5 131111-41246 5
1110726018902	122100-41231 5 117115-41235 5 82126-39180 3 66153-38202 3
1110826018902	64144-37213 3 53145-37199 2 44105-38220 223.5 61-36240 3
1110926018902	17.4 58-31173 415.2 55-32202 9 8.0 36-22335 3



STATION: SOUTH POLE LAUNCH DATE: 3 FEB 89 313 Z ECC SONDE: 4A4390

SURFACE CONDITIONS: PRESSURE 686.0 MB, TEMPERATURE -37.2 C, HUMIDITY 21.8 %

CAL DATA: AIR TEMP 30.0 C AT 73.3 ORD; HUM 33.0 % AT 77.9 ORD; TBOX 23.5 C AT 71.0 ORD;

O3 ORD ZERO 29.1, BKGND 29.8, CAL 64.0; O3 BKGND 0.105 MICROAMP; FLOW RATE 27.2 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 288.; SONDE TOTAL O3 281.; C.F. 1.024

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	C	%	K	M/S	DEG
0	686.0	2835.	20.0	.029	48.7	.0000	-37.2	-51.3	21.8	262.8	0 0	0.40
1	670.0	3000.	14.3	.021	34.2	.0003	-30.8	-37.5	52.5	271.7	2.6	242.
2 3	654.0	3173.	13.2	.020	31.2	.0006	-28.6	-34.5	57.4	276.1	2.6	242.
4	637.0	3361.	11.3	.018	26.5	.0009	-28.6	-35.1	54.1	278.2	5.9	114.
	620.0 603.0	3555. 3754.	11.3 12.7	.018	26.7	.0011 .0014	-28.6 -29.0	-33 .9	61.1 43.2	280.4	8.4	92.
5 6			13.7	. 021	30.1		-29.0	-37.7	40.1	282.1	10.0	105.
7	588.0 573.0	3934. 4119.	16.1	. 023	32.5	.0016	-29.4	-38.5	40.1	284.2	11.1	102.
	560.0	4119.	15.0	. 028	38.1 35.9	.0019	-29. 4 -30.6			285.8 286.3	10.2	99.
8 9	543.0			. 027	30.4	.0022	-30.6				11.1	99.
		4501. 4712.	12.7	. 023		.0025	-31.9			287.3	11.7	100.
10	527.0		12.7	.024	30.6	.0028	-34.3			288.1	12.1	106.
11	511.0	4928.	12.7	.025	30.6	. 0031	-34.3 -35.9			289.4	14.9	107.
12	495.0	5150.	14.0	.028	34.2	.0035	-35.9 -37.2			290.1	14.9	108.
13	480.0	5363.	13.9	.029	34.1	.0038				291.0	12.4	110.
14	467.0	5552.	14.7	.032	36.1	.0041	-38.3 -39.4			292.0	14.8	106.
15	453.0	5761.	18.4	. 041	45.5	.0045	-39. 4 -41.1			293.2	14.7	112.
16 17	440.0	5960. 6116.	15.8 15.4	. 036	39.2 38.4	.0049 .0051	-41.1 -42.4			293.4 293.7	13.9 16.0	115.
18	417.0	6323.	15.4	. 036 . 037	38.4	.0055	-42.4 -43.9			294.3	15.6	112. 115.
	405.0	6518.			31.6		-44.8			294.3	15.5	115.
19 20	393.0	6719.	12.5 13.4	. 031 . 034	34.1	. 0058 . 0061	-44.0 -46.1			295.7	15.5	118.
21	380.0	6942.	13.4	.034	33.1	.0065	-46.1 -46.5			298.8	16.9	119.
22	369.0	7137.	13.4	.034	34.3	.0068	-48.2			299.1	18.2	114.
23	356.0	7372.	12.9	.036	33.2	.0072	-48.2 -49.1			300.9	19.0	110.
24	344.0	7572. 7597.	13.3	.039	34.4	.0072	-50.0			302.7	17.7	116.
25 26	333.0 322.0	7809. 8026.	12.4 12.4	. 037 . 038	32.3 32.6	.0079 .0082	-51.7 -52.5			303.2 305.1	17.5 18.4	125. 121.
27	312.0	8229.	18.5	. 059	48.9	.0085	-54.8			304.5	18.0	119.
28	302.0	8438.	35.5	.118	93.6	.0091	-53.9			308.7	15.5	123.
29	292.0	8654.	57.1	. 196	150.1	.0102	-53.3			312.6	18.2	158.
30	282.0	8880.	68.7	. 244	178.1	.0118	-50.6			319.5	21.9	180.
31	273.0	9092.	69.4	. 254	179.7	.0136	-50.0 -50.2			323.1	9.3	179.
32	264.0	9311.	69.3	.263	178.6	.0154	-49.1			327.8	3.3	47.
33	256.0	9514.	70.8	. 277	181.6	.0170	-47.9			332.4	4.1	62.
34	248.0	9724.	71.3	. 287	181.2	.0178	-46.2			338.0	5.0	103.
3 5	240.0	9943.	71.9	. 299	181.6	.0206	-44.8			343.4	7.5	43.
36		10112.	72.6	.310	183.2	.0220	-44.5			346.3	19.1	16.
37		10315.	72.2	.318	182.1	.0237	-44.3			349.5	13.1	15.
38		10515.	72.0				-44.8			352.0		
39		10742.	74.7	. 351	188.5	. 0274	-44.3			355.9	5.7	84.
40		10998.	77.1	.376	194.7	.0296	-44.6			359.4	8.8	34.
41		11207.	74.5	. 375	188.0	.0315	-44.1			363.5	4.6	317.
42		11423.	74.8	. 389	188.8	. 0334	-44.2			366.7	2.0	306.
43		11643.	74.4	. 400	187.3	. 0353	-43.6			371.0	1.4	98.
44		11871.	70.1	. 390	176.6	. 0372	-43.8			374.4	1.5	98.
45		12095.	64.7	.372	162.9	.0390	-43.6			378.2	.7	234.
46		12393.	60.7	.360	152.7	.0406	-43.6			381.6	.8	239.
47		12525.	61.2	.375	155.2	.0421	-45.3			382.3	1.4	57.
48		12746.	65.7	.416	165.0	.0421				389.6	1.4	356.
49		12971.	73.7		185.3	.0455	-43.4			393.1	1.4	15.
73	132.0	123/1.	, 5 . ,	. 402	, 00 . 0	. 0 400	70.7			555.1	1.7	.5.


CTAT	TON COUTH BOLE		LAUNC	H DATE:	3 FEB	80 31	3 Z	ECC	SONDE:	444300	
TIME	ION: SOUTH POLE PRESS ALT		OZONE	OZDEN	TOTOZ		DEWPT	HUM	POT T		WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	C	C	7	K	M/S	DEG
MIN 50	147.3 13218.	78.1	.530	196.4	.0477	-43.4	Ū	76	397.2	2.2	72.
		76.1	.536	190.5	.0499	-42.8			402.4	3.5	98.
51	142.0 13465.		.536	183.6	.0522	-42.6			406.3	2.0	84.
52	136.6 13726.	73.2				-43.1			410.5	.6	331.
53	131.8 13967.	72.0	.546	180.5	.0542						
54	127.6 14186.	85.9	. 673	214.9	.0561	-42.2			415.8	. 9	98.
55	123.2 14423.	102.5	. 832	256.1	.0586	-42.2			420.0	1.2	121.
56	119.0 14658.	106.2	. 892	265.6	.0614	-42.2			424.2	1.2	120.
57	114.8 14901.	109.8	. 957	274.9	. 0644	-42.4			428.3	2.2	98.
58	111.0 15129.	113.6	1.024	283.7	. 0673	-41.8			433.5	2.1	84.
59	107.2 15364.	120.4	1.123	300.6	. 0705	-42.0			437.6	2.4	73.
60	103.5 15602.	127.9	1.235	319.2	.0738	-41.8			442.3	4.3	84.
61	99.3 15884.	134.0	1.350	332.2	. 0781	-40.3			450.4	1.4	97.
62	96.0 16114.	136.1	1.417	339.7	. 0816	-42.0			451.6	. 6	46.
63	92.8 16344.	140.1	1.510	346.8	. 0853	-39.9			460.1	2.5	19.
64	89.6 16584.	139.8	1.561	347.2	. 0892	-40.6			463.3	2.3	317.
65	86.4 16831.	139.7	1.617	346.8	.0932	-40.6			468.2	. 2	277.
6 6	83.2 17089.	141.0	1.694	349.2	. 0973	-40.2			474.1	. 2	277.
67	80.2 17339.	146.6	1.828	363.0	. 1014	-40.0			479.4	. 6	97.
68	77.5 17573.	151.0	1.948	373.0	. 1053	-39.5			485.2	2.8	87.
69	74.8 17816.	154.3	2.063	382.2	. 1095	-40.0			489.0	2.0	83.
70	72.0 18077.	150.4	2.089	371.0	.1141	-39.2			496.1	2.2	110.
71	69.3 18339.	153.8	2.219	379.5	.1187	-39.2			501.5	4.9	103.
72	66.5 18621.	153.1	2.303	378.0	.1236	-39.2			507.5	5.7	92.
73	64.2 18862.	149.9	2.334	369.9	.1278	-39.2			512.6	2.7	75.
74	62.0 19102.	148.0	2.388	364.3	. 1320	-38.6			519.2	2.7	62.
75	60.0 19327.	145.9	2.431	359.1	.1358	-38.6			524.1	4.5	61.
75 76	57.8 19583.	141.3	2.444	348.2	. 1400	-39.0			528.8	2.5	40.
77	55.8 19825.	145.4	2.605	356.9	.1439	-38.0			536.3	1.9	64.
78	53.6 20103.	154.5	2.882	379.0	.1486	-37.9			542.9	2.8	48.
79	51.6 20365.	154.8	3.000	379.8	.1532	-37.9			548.8	1.6	18.
80	49.7 20623.	154.6	3.110	379.6	. 1577	-38.0			554.4	1.4	96.
81	47.9 20877.	147.2	3.073	362.1	.1621	-38.4			559.3	. 6	341.
82	46.3 21111.	137.7	2.974	338.6	. 1659	-38.4			564.7	. 6	340.
83	44.6 21368.	129.7	2.908	318.8	. 1699	-38.3			571.1	1.9	149.
84	43.0 21619.	122.8	2.857	301.3	. 1735	-37.7			578.5	3.0	158.
85	41.3 21898.	121.1	2.932	296.6	. 1774	-37.3			586.2	3.2	115.
86	39.6 22188.	117.9	2.978	289.5	.1814	-38.0			591.6	3.0	96.
87	38.0 22472.				. 1851	-38.4			597.5	4.8	76.
88	36.3 22786.	106.0	2.919	260.5	. 1889	-38.4			605.4	4.3	74.
89	35.0 23037.	98.0	2.799	241.2	.1919	-38.6			611.4	3.0	85.
90	33.8 23277.	95.7	2.832	235.7	.1946	-38.6			617.5	4.4	89.
91	32.5 23546.	92.6	2.851	227.9	. 1975	-38.3			625.2	4.6	75.
92	31.4 23783.	89.9	2.863	221.2	. 2000	-38.6			630.7	4.0	53.
93	30.2 24051.	86.0	2.847	211.3	. 2027	-38.1			638.8	2.8	59 .
94	29.0 24330.	81.7	2.817	201.0	. 2054	-38.3			645.9	1.8	27.
95	28.0 24572.	79.2	2.830	194.4	.2076	-37.9			653.5	3.7	46.
96	26.7 24899.	78.2	2.929	191.8	. 2105	-37.9			662.5	6.1	40.
97	25.8 25136.	74.9	2.905	183.8	.2126	-37.9			669.0	4.7	24.
98	24.8 25408.	71.1	2.869	175.2	. 2149	-38.6			674.6	3.1	30.
99	24.0 25633.	70.1	2.922	172.4	.2167	-38.4			681.4	2.9	21.
100	23.2 25866.	68.6	2.956	168.8	.2186	-38.4			688.0	2.2	43.
101	22.3 26139.	67.4	3.021	164.7	. 2207	-37.2			699.4	2.2	3.
102	21.6 26359.	66.6	3.085	163.2	. 2224	-37.5			705.0	2.2	323.
103	20.8 26620.	66.2	3.184	162.0	. 2244	-36.9			714.3	.4	93.
104	20.0 26892.	63.7		155.1	. 2264	-36.3			724.4	1.5	115.
'			J J ¬			00.0			, 47.7	1.5	

STATION: SOUTH POLE				LAUNC	H DATE:	3 FEB	89 3	13 Z	ECC	SONDE:	4A4390	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	19.3	27139.	61.7	3.198	150.6	.2281	-36.4			731.4	4.0	101.
106	18.5	27433.	59.4	3.210	144.7	. 2302	-36.1			741.1	7.4	137.
107	17.8	27700.	58.4	3.278	142.0	. 2319	-36.0			749.8	4.5	93.
108	17.0	28020.	57.6	3.390	140.1	.2341	-35.9			760.1	6.7	43.
109	16.4	28270.	56.2	3.427	136.6	. 2357	-35.6			768.8	4.8	64.
110	15.9	28485.	54.6	3.432	132.3	. 2370	-35.2			776.9	4.1	355.
111	15.3	28754.	54.6	3.566	132.2	. 2387	-34.8			786.9	3.0	16.
112	14.6	29081.	54.4	3.723	131.7	. 2407	-34.5			798.3	5.5	60.
113	14.0	29375.	54.5	3.890	131.4	. 2425	-33.9			810'.2	3.0	16.
114	13.6	29578.	53.3	3.922	127.9	. 2437	-32.5			821.5	3.2	45.
115	13.2	29789.	52.9	4.010	126.7	. 2449	-31.9			830.8	5.0	47.
116	12.8	30007.	52.0	4.063	124.4	.2462	-31.5			839.5	5.5	14.
117	12.4	30231.	50.9	4.103	121.5	. 2475	-31.2			848.1	7.4	44.
118	12.0	30464.	49.1	4.095	116.6	. 2488	-29.9			860.7	8.0	42.
119	11.6	30706.	47.6	4.104	112.7	. 2501	-29.6			870.0	6.8	14.
120	11.2	30957.	45.6	4.067	107.9	. 2514	-29.3			880.2	7.7	19.
121	10.7	31283.	42.7	3.990	100.8	. 2530	-29.0			892.8	8.2	15.
122	10.2	31626.	41.2	4.035	97.2	. 2546	-28.6			906.5	8.4	28.
123	9.8	31898.	39.5	4.024	93.3	. 2558	-28.3			917.4	8.2	32.
124	9.3	32288.	38.9	4.183	91.6	. 2575	-28.3			931.8	8.3	31.
125	8.8	32684.	38.6	4.386	91.0	. 2591	-28.2			947.1	8.3	31.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
13.5	27.4	71.7	134.2	126.6	68.4	999.9	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110103028903	00288 991.024 ECC TOTAL 03 FROM SONDE DATA 281
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110203028903	686 20-37 500 14-35108 15 300 40-54130 16 200 75-44258 5
1110303028903	150 76-43 44 2 100133-41 95 2 70153-39105 4 50155-38 83 1
1110403028903	30 85-38 54 320.0 64-36115 210.0 40-28 30 8 670 14-31242 3
1110503028903	654 13-29242 3 573 16-29 99 10 312 19-55119 18 282 69-51180 22
1110603028903	240 72-45 43 8 169 61-44239 1 163 61-45 57 1 132 72-43331 1
1110703028903	123102-42121 1 96136-42 46 1 93140-40 19 3 58141-39 40 3
1110803028903	54154-38 48 3 43123-38158 314.6 54-35 60 6 8.8 39-28 31 8



STATION: SOUTH POLE LAUNCH DATE: 9 FEB 89 249 Z ECC SONDE: 4A4386

SURFACE CONDITIONS: PRESSURE 692.8 MB, TEMPERATURE -34.6 C, HUMIDITY 52.7 %

CAL DATA: AIR TEMP 30.0 C AT 73.2 ORD; HUM 33.0 % AT 78.0 ORD; TBOX 24.7 C AT 71.7 ORD;

O3 ORD ZERO 27.8, BKGND 28.5, CAL 63.5; O3 BKGND 0.103 MICROAMP; FLOW RATE 27.5 S/100 M

FLIGHT NORMALIZED TO TOTAL 03 252.; SONDE TOTAL 03 266.; C.F. .947

TIME MIN	PRESS MB	ALT GPM	OZONE NB	OZONE PPMV	OZDEN GAMMA	TOTOZ	T EMP C	DEWPT C	HUM %	POT T	WIND M/S	WIND DEG
0	692.8	2835.	15.1	.022	36.6	.0000	-34.6	-41.0	52.7	264.9	141/ 5	DEG
1	678.0	2988.	14.7	.022	34.8	.0003	-29.4	-33.0	72.3	272.3	28.4	295.
2	662.0	3160.	14.7	.022	34.3	.0005	-25.1	-31.5	55.9	279.1	28.4	295.
3	646.0	3338.	16.6	.026	38.3	.0008	-23.1	-33.8	37.3	283.3	12.3	338.
4	630.0	3522.	12.9	. 020	29.5	.0011	-22.2	-31.7	42.2	286.4	5.4	20.
5	614.0	3711.	12.4	.020	28.5	.0014	-22.2	-33.0	37.1	288.5	. 9	12.
6	597.0	3917.	11.4	.019	26.2	.0016	-23.1	-34.5	34.8	289.8	2.5	324.
7	580.0	4129.	14.8	.025	34.4	.0019	-24.1	•		290.9	2.3	337.
8	565.0	4319.	14.8	.026	34.5	.0022	-25.3			291.7	4.0	329.
9	550.0	4514.	16.3	.030	38.1	.0025	-26.8			292.3	5.6	323.
10	535.0	4713.	13.4	.025	31.7	.0029	-27.3			293.9	6.6	334.
11	520.0	4918.	16.3	. 031	38.4	.0032	-28.0			295.5	7.7	339.
12	507.0	5099.	17.9	. 035	42.1	. 0035	-28.8			296.7	7.1	346.
13	493.0	5300.	18.3	. 037	43.3	. 0039	-29.3			298.5	3.7	332.
14	480.0	5490.	19.2	. 040	45.7	.0043	-30.6			299.1	4.4	277.
15	467.0	5684.	20.1	. 043	48.1	. 0047	-32.1			299.7	5.2	282.
16	452.0	5914.	18.8	.042	45.3	.0052	-33.4			300.8	5.7	306.
17	438.0	6135.	19.7	. 045	47.7	. 0057	-34.7			301.9	8.3	330.
18	425.0	6344.	15.1	.036	36.8	.0061	-36.1			302.8	10.3	331.
19	413.0	6543.	15.1	.037	37.1	. 0065	-37.3			303.7	11.3	320.
20	400.0	6763.	15.6	. 039	38.4	.0069	-37.9			305.6	13.0	316.
21	389.0	6955.	16.1	. 041	39.8	.0072	-39.0			306.6	14.0	317.
22	377.0	7169.	15.7	.042	38.9	.0076	-40.1			307.9	16.1	316.
23	366.0	7371.	13.8	. 038	34.6	. 0079	-41.5			308.7	20.3	318.
24	355.0	7578.	14.3	. 040	35.7	.0083	-42.7			309.8	24.1	321.
25	344.0	7789.	13.0	. 038	32.7	. 0086	-44.6			310.1	22.5	319.
26	333.0	8006.	13.4	. 040	34.4	.0089	-46.4			310.4	20.7	316.
27	323.0	8208.	12.5	. 039	32.0	. 0093	-47.9			311.1	22.8	317.
28	314.0	8393.	14.4	. 046	37.2	.0095	-49.4			311.6	25.7	318.
29	303.0	8627.	17.7	. 058	45.8	.0100	-50.4			313.3	31.4	321.
30	293.0	8845.	14.5	.049	37.8	.0104	-51.7			314.5	30.3	318.
31	285.0	9024.	13.1	.046	34.2	.0107	-53.1			315.0	30.8	317.
32	275.0	9254.	12.1	. 044	32.1	.0111	-54.3			316.4	37.4	318.
33	265.0	9491.	15.3	. 058	40.7	.0114	-55.0			318.8	33.2	317.
34	256.0	9711.	19.5	. 076	51.6	.0119	-55.2			321.8	22.3	316.
35	247.0	9940.	22.5	. 091	59.9	.0124	-55.5			324.6	15.2	311.
36	239.0	10150.	40.3	. 169	106.3	.0131	-54.0			329.8	13.5	317.
37	230.0	10398.	56.1	. 244	146.4	.0145	-52.0			336.6	7.4	311.
38	223.0	10599.	52.8	. 237	136.9	.0158	-50.4			341.9	4.4	303.
39	216.0	10807.	48.3	. 224	124.3	.0171	-48.9			347.4		317.
40	209.0	11024.	51.2	. 245	131.7	.0184	-48.8			350.9	1.3	276.
41	202.0	11248.	51.6	. 255	132.2	.0197	-47.8			356.0	3.4	313.
42	194.7	11492.	47.9	. 246	122.2	.0212	-47.0			360.9	2.3	267.
43	188.5	11706.	52.0	. 276	133.0	.0224	-47.5			363.6	3.2	245.
44	182.4	11923.	65.3	. 358	167.1	. 0238	-47.5			367.0	3.2	251.
45	176.2	12152.	69.9	. 397	178.4	. 0256	-47.0			371.4	3.4	189.
46		12382.	69.5	. 408	177.1	. 0275	-46.4			376.0	1.1	263.
47		12596.	75.3	. 457	191.6	.0293	-46.3			379.7	2.2	316.
48		12826.	75. 0	. 471	190.7	.0313				383.8	. 8	150.
49	153.6	13064.	76.3	. 497	194.4	.0334	-46.3			387.5	1.7	215.


STATI	ON: SOUTH POLE		LAUNC	H DATE:	9 FEB	89 249 Z	ECC	SONDE:	4A4386	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	с с	%	K	M/S	DEG
50	148.3 13297.	76.1	.513	193.8	.0355	-46.3		391.4	4.0	202.
51	143.2 13530.	78.9	.551	200.2	. 0376	-45.7		396.3	5.5	166.
52	138.0 13777.	84.9	. 615	215.1	.0399	-45.3		401.3	4.5	322.
53	133.0 14023.	87.7	. 659	221.6	.0424	-44.9		406.3	4.5	329.
54	128.0 14279.	87.7	. 685	222.0	. 0451	-45.1		410.2	7.6	145.
55	124.5 14464.	90.2	.725	228.8	.0470	-45.6		412.7	6.3	144.
56	120.1 14704.	95.7	. 797	242.8	.0496	-45.4		417.3	2.7	114.
57	116.0 14936.	98.7	. 850	249.2	.0522	-44.7		422.7	2.5	125.
58	112.0 15171.	102.6	.916	259.1	. 0550	-44.6		427.3	3.6	166.
59	108.0 15415.	106.8	. 989	269.8	. 0579	-44.6		431.7	3.1	168.
60	103.9 15674.	113.2	1.090	285.5	.0612	-44.2		437.3	1.4	170.
61	100.0 15931.	118.7	1.187	298.6	.0646	-43.6		443.2	2.0	164.
62	96.7 16156.	120.7	1.248	303.7	.0677	-43.6		447.5	2.1	149.
63	93.2 16404.	122.9	1.319	309.4	.0712	-43.9		451.7	4.0	65.
64	89.8 16654.	125.3	1.395	314.9	.0749	-43.4		457.3	1.6	289.
65	86.3 16922.	125.1	1.449	314.1	.0787	-43.3		462.9	5.1	250.
66	83.3 17160.	129.5	1.555	325.1	.0822	-43.2		467.8	1.1	176.
67	80.5 17390.	129.6	1.610	325.3	. 0857	-43.2		472.4	2.5	173.
68	77.7 17629.	134.4	1.729	336.8	.0893	-42.9		477.8	4.0	156.
69	74.6 17903.	137.0	1.836	343.3	.0936	-42.7		483.7	2.8	128.
70	71.9 18153.	133.6	1.858	333.8	.0975	-42.1		490.3	2.5	98.
71	69.2 18412.	140.0	2.024	349.5	.1016	-41.8		496.3	3.0	130.
72	66.7 18661.	136.4	2.045	340.6	. 1055	-41.8		501.5	1.0	149.
73	64.5 18888.	133.9	2.076	334.6	. 1091	-42.2		505.5	. 4	329.
74	62.0 19156.	129.7	2.092	323.6	.1132	-41.8		512.1	2.0	315.
75	59.7 19412.	128.4	2.151	320.3	.1170	-41.8		517.7	5.1	171.
76	57.3 19690.	127.7	2.229	318.7	.1211	-41.8		523.8	6.6	166.
77	55.4 19919.	127.1	2.293	317.1	.1245	-41.8		528.9	2.3	160.
78	53.5 20156.	134.5	2.515	334.9	.1280	-41.2		535.4	5.3	149.
79	51.6 20401.	140.4	2.721	349.3	. 1319	-41.1		541.3	4.6	143.
80	49.5 20684.	127.8	2.582	317.9	. 1363	-41.1		547.8	4.3	142.
81	47.6 20949.	116.3	2.443	290.0	. 1402	-41.6		552.6	4.7	154.
82	45.9 21196.	118.4	2.580	295.1	. 1435	-41.5		558.7	6.5	137.
83	44.0 21483.	113.5	2.580	282.8	. 1474	-41.4		565.8	5.3	74.
84	42.4 21735.	106.6	2.514	265.6	. 1507	-41.4		571.9	4.3	79.
85	40.7 22013.	102.8	2.526	255.7	. 1540	-41.1		579.3	7.2	132.
86	39.0 22303.	101.0	2.590	251.1	. 1575	-40.8		587.1	4.7	115.
87	37.4 22588.	98.6		245.1	. 1608			593.4		
88	36.0 22847.	95.7	2.659	238.3	.1637	-41.4		599.2	. 5	50.
89	34.7 23096.	88.4	2.548	220.7	. 1664	-41.8		604.5	. 6	104.
90	33.6 23315.	81.0	2.412	202.1	. 1685	-41.8		610.1	2.1	151.
91	32.3 23582.	75.5	2.336	188.0	.1710	-41.5		617.7	5.2	160.
92	31.0 23861.	70.5	2.275	175.8	. 1734	-41.5		625.0	4.6	151.
93	29.6 24175.	66.0	2.229	164.4	. 1759	-41.5		633.3	3.1	142.
94	28.5 24431.	63.2	2.219	157.9	. 1778	-41.8		639.5	2.2	115.
95	27.4 24698.	61.4	2.239	153.1	.1798	-41.8		646.7	4.7	111.
96	26.4 24951.	64.1	2.428	159.3	.1816	-40.7		656.7	5.4	123.
97	25.5 25187.	64.8	2.540	160.7	. 1833	-40.4		664.0	2.1	115.
98	24.4 25488.	63.6	2.608	157.7	. 1855	-40.1		673.2	4.8	120.
99	23.5 25744.	61.7	2.627	153.1	. 1874	-40.4		679.7	6.5	121.
100	22.7 25980.	59.4	2.615	147.3	.1891	-40.5		686.1	3.0	119.
101	22.0 26194.	59.3	2.694	146.9	. 1905	-40.4		692.6	1.9	95.
102	21.0 26511.	57.9	2.759	143.5	. 1927	-40.0		703.2	1.8	85.
103	20.5 26676.	57.2	2.790	141.4	.1938	-39.6		709.3	2.5	97.
104	19.8 26914.	53.9	2.721	133.1	. 1953	-39.3		717.2	1.2	15.

STATI	ON: SOUTH POLE		LAUNC	H DATE:	9 FEB	89 2	49 Z	ECC	SONDE:	4A4386	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	19.1 27160.	51.6	2.702	127.3	.1968	-39.4			72 4.2	1.0	129.
106	18.5 27379.	50.9	2.753	125.0	. 1981	-37.9			735.5	10.0	155.
107	17.9 27607.	50.8	2.840	124.7	.1994	-37.7			743.3	6.2	161.
108	17.4 27802.	48.1	2.764	117.6	. 2005	-37.3			750.6	3.8	352.
109	16.8 28045.	47.7	2.840	116.6	.2018	-36.9			759.5	4.5	328.
110	16.3 28255.	47.6	2.922	115.6	.2030	-35.4			770.8	3.0	291.
111	15.7 28516.	47.6	3.033	115.6	. 2044	-35.1			780.0	2.5	25 7 .
112	15.0 28834.	46.5	3.099	112.9	. 2060	-35.4			789.3	2.0	242.
113	14.4 29118.	45.4	3.149	110.0	. 2075	-35.4			798.6	2.5	303.
114	13.8 29414.	44.5	3.225	108.1	. 2090	-35.4			808.4	2.8	286.
115	13.1 29778.	43.6	3.332	105.7	.2108	-34.6			823.2	2.3	213.
116	12.5 30106.	42.9	3.431	103.5	. 2124	-33.7			837.6	4.7	162.
117	12.1 30334.	41.3	3.412	99.6	. 2135	-33.7			845.4	5.0	175.
118	11.7 30570.	41.8	3.569	100.6	.2146	-33.7			853.6	2.0	242.
119	11.2 30876.	40.1	3.584	96.7	.2160	-33.4			865.3	1.8	318.
120	10.8 31133.	38.1	3.524	91.1	.2171	-31.7			880.6	4.1	331.
121	10.2 31538.	36.8	3.611	87.7	.2189	-30.8			898.5	2.3	268.
122	9.8 31829.	35.2	3.598	83.6	.2200	-30.0			912.1	2.5	254.
123	9.3 32180.	34.5	3.698	81.8	. 2214	-30.0			925.0	4.3	325.
124	8.9 32541.	34.6	3.900	82.1	.2228	-29.7			939.5	4.5	183.
125	8.4 32921.	33.8	4.024	80.3	.2242	-29.7			953.9	6.3	252.
126	8.0 33314.	33.5	4.216	79.4	.2257	-29.4			97 0.1	10.2	292.
127	7.5 33730.	33.6	4.481	79.5	.2272	-29.0			988.0	5.8	240.
128	7.1 34172.	32.9	4.660	77.7	. 2288	-29.0			1005.6	5.9	213.
129	6.7 34591.	32.9	4.955	77.7	. 2303	-28.4			1025.3	5.9	213.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
14.5	15.6	63.0	120.0	110.6	57.8	39.4	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110109028903	00252 99 .947 ECC TOTAL 03 FROM SONDE DATA 266
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110209028903	693 15-35 500 18-29339 5 300 17-51320 31 200 51-48301 3
1110309028903	150 76-46206 3 100119-44164 2 70138-42120 3 50131-41142 4
1110409028903	30 67-42145 420.0 55-39 39 210.0 36-30261 2 7.0 33-29213 6
1110509028903	662 15-25295 28 630 13-22 20 5 275 12-54318 37 247 23-56311 15
1110609028903	230 56-52311 7 216 48-49317 4 189 52-48245 3 176 70-47189 3
1110709028903	60128-42171 5 55127-42160 2 52140-41143 5 48116-42154 5
1110809028903	36 96-41 50 116.3 48-35291 311.2 40-33318 2 6.7 33-28213 6



STATION: SOUTH POLE LAUNCH DATE: 19 FEB 89 37 Z ECC SONDE: 4A4387

SURFACE CONDITIONS: PRESSURE 678.2 MB, TEMPERATURE -44.3 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 73.2 ORD; HUM 33.0 % AT 78.0 ORD; TBOX 23.0 C AT 70.8 ORD;

O3 ORD ZERO 19.5, BKGND 20.2, CAL 51.0; O3 BKGND 0.117 MICROAMP; FLOW RATE 25.8 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 248.; C.F.


TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	С	%	K	M/S	DEG
0 1	678.2 657.0	2835. 3052.	20.2 17.2	. 030 . 026	50.9 41.9	. 0000 . 0005	-44.3 -35.9	41 1	50 P	255.7 267.5	41 6	230.
	636.0	3032. 3279.			30.0	.0009	-33.9	-41.1 -36.1	59.8 79.8	272.6	41.6	230.
2 3	615.0	3515.	12.4 11.5	.019 .019	27.6	.0012	-32.3	-33.8	88.4	272.6	41.6 30.4	236.
4	597.0	3724.	13.4	.022	32.2	.0012	-32.7	-35.8	74.8	278.6	15.7	220.
5	578.0	3952.	12.9	. 022	31.0	.0018	-32.7	-37.2	66.0	281.0	11.5	156.
6	560.0	4174.	13.4	. 024	32.2	.0018	-33.9	-38.8	62.3	282.3	15.4	227.
7	545.0	4364.	12.8	.023	31.0	.0021	-34.3	-50.0	02.5	284.1	20.4	236.
8	527.0	4599.	11.9	.023	28.8	.0024	-35.4			285.5	13.6	219.
9	512.0	4799.	10.8	. 021	26.4	.0030	-36.2			286.9	21.4	249.
10	498.0	4991.	10.4	.021	25.5	.0033	-37.5			287.6	11.9	198.
11	481.0	5231.	10.9	.023	26.7	.0036	-37.7			290.3	18.3	142.
12	467.0	5434.	12.3	.026	30.4	.0038	-38.8			291.4	11.6	212.
13	456.0	5597.	13.7	. 030	33.9	.0040	-39.8			292.0	16.7	240.
14	443.0	5795.	14.7	. 033	36.7	.0044	-41.1			292.9	12.2	204.
15	430.0	5997.	16.7	. 039	41.6	.0047	-42.1			294.1	12.8	178.
16	417.0	6204.	16.3	. 039	40.9	. 0051	-43.0			295.5	14.2	187.
17	403.0	6434.	17.1	. 042	43.1	.0055	-43.7			297.5	15.8	199.
18	390.0	6654.	17.2	. 044	43.3	.0060	-44.6			299.1	15.4	208.
19	380.0	6827.	13.1	. 034	33.2	.0063	-45.4			300.2	27.4	132.
20	368.0	7041.	7.1	.019	18.0	.0066	-46.4			301.7	32.0	134.
21	357.0	7242.	7.5	. 021	19.4	.0068	-48.2			301.9	20.8	190.
22	345.0	7466.	7.1	. 021	18.2	. 0070	-49.7			302.9	21.2	194.
23	334.0	7678.	7.5	.022	19.5	.0072	-51.2			303.6	21.3	197.
24	322.0	7914.	7.0	.022	18.4	.0074	-52.9			304.5	21.5	202.
25	311.0	8138.	6.6	. 021	17.3	.0076	-54.7			305.0	19.1	204.
26	300.0	8368.	20.7	.069	54.6	.0078	-54.8			308.0	14.6	204.
27	290.0	8586.	44.2	. 152	115.4	.0085	-52.0			315.0	11.7	205.
28	282.0	8768.	58.5	. 207	151.3	.0096	-50.0			320.4	10.1	203.
29	275.0	8933.	59.5	. 216	152.9	.0107	-48.3			325.1	10.4	203.
30	267.0	9129.	56.8	. 213	144.7	.0121	-46.4			330.6	9.4	214.
31	258.0	9356.	52.6	. 204	133.7	.0136	-46.0			334.5	8.1	216.
32	250.0	9567.	57.6	. 230	145.4	.0149	-44.6			339.7	10.5	208.
33	240.0	9840.	52.1	.217	131.5	.0167	-44.3			344.1	12.2	203.
34	230.0	10126.	52.3	. 227	131.7	. 0185	-43.9			348.9	11.0	200.
35		10364.	52.8	. 238	132.9	.0199	-43.6			352.9	8.2	208.
36	214.0	10610.	56.0	. 262	140.8	.0215	-43.6			356.6	6.1	215.
37		10834.	61.4	. 297	154.2	. 0230	-43.4			360.3	8.3	209.
38		11110.	59.1	. 297	148.5	. 0249	-43.2			364.9		
39		11278.	58.9	. 304	147.9	. 0261	-43.2			367.6	6.8	214.
40		11490.	60.6	. 323	152.0	. 0275	-43.2			370.9	6.3	216.
41		11709.	64.2	. 353	160.8	. 0291	-42.7			375.0	6.3	206.
42		11939.	65.4	. 372	164.1	. 0308	-43.2			378.0	6.5	206.
43		12169.	61.6	. 363	154.8	. 0325	-43.3			381.5	4.8	205.
44		12411.	53.1	. 324	133.3	. 0342	-43.2			385.7	6.8	202.
45		12654.	58.4	. 370	146.8	. 0357	-43.6			388.9	8.9	200.
46		12914.	65.6	. 432	165.3	. 0376	-43.9			392.8	6.7	193.
47		13152.	76.4	. 521	192.6	. 0395	-44.2			396.3	6.1	198.
48		13389.	65.3	. 461.	164.8	.0415	-44.6			399.6	6.2	203.
49	136.5	13635.	72.7	. 533	183.5	. 0434	-44.3			404.3	4.7	193.

STATI	ON: SOUTH POLE	Ξ	LAUNC	H DATE:	19 FEB	89	37 Z	ECC	SONDE:	4A4387	
TIME	PRESS ALT	OZONE		OZDEN	TOTOZ	TEMP	DEWPT	ним	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
50	131.3 13895.	72.8	.554	183.8	.0457	-44.6			408.3	6.0	193.
51	126.9 14123.	68.2	. 537	172.2	.0476	-44.6			412.3	5.4	199.
52	122.5 14360.	71.9	. 587	181.5	.0495	-44.4			416.7	5.8	187.
53	118.0 14610.	82.5	. 699	208.2	. 0517	-44.3			421.5	7.8	193.
54	113.7 14859.	92.5	.814	233.6	.0541	-44.6			425.4	7.7	193.
55	109.5 15111.	96.4	.880	243.4	. 0569	-44.6			430.0	7.7	188.
56	105.5 15360.	98.2	. 931	247.8	. 0597	-44.3			435.2	5.9	187.
57	101.5 15619.	105.1	1.035	265.4	. 0627	-44.4			439.7	4.2	176.
58	97 .7 15 875.	111.9	1.145	281.4	.0659	-43.6			446.2	4.6	177.
59	93.7 16156.	127.2	1.358	320.8	.0697	-44.2			450.4	12.2	190.
60	90.0 16427.	129.9	1.443	326.6	. 0737	-43.6			456.8	4.2	192.
61	86.5 16693.	130.2	1.505	327.6	. 0778	-43.6			462.0	3.8	12.
62	83.2 16955.	130.3	1.566	328.1	.0817	-43.9			466.6	3.6	182.
63	80.1 17210.	134.2	1.675	337.2	.0857	-43.4			472.5	1.9	98.
64	77.0 17476.	138.8	1.803	348.5	.0899	-43.2			478.5	2.6	162.
65	73.8 1 776 2.	142.0	1.924	356.6	.0945	-43.2			484.3	6.3	192.
66	70.7 18051.	144.9	2.050	362.3	.0993	-42.2			492.4	3.9	192.
67	68.0 18314.	146.3	2.151	367.3	. 1037	-43.2			495.8	1.4	192.
68	65.4 18577.	145.0	2.217	363.7	.1082	-43.0			501.6	1.6	192.
69	62.8 18851.	141.7	2.256	35 5 .3	.1127	-42.9			5 07 .8	3.8	182.
70	60.2 19136.	137.0	2.276	343.8	. 1174	-43.0			513.6	5.7	186.
71	57.7 19422.	134.5	2.331	337.3	. 1220	-42.9			520.2	4.0	192.
72	55.2 19720.	129.9	2.353	325.8	.1266	-42.9			526.9	4.3	201.
73	52.8 20020.	130.6	2.473	326.9	. 1311	-42.5			534.6	5.5	199.
74	50 .7 202 95.	139.3	2.748	347.5	. 1354	-41.8			542.4	3.0	192.
75	48.7 20568.	140.6	2.887	351.2	. 1398	-42.1			548.0	3.1	192.
76	46.7 20851.	130.8	2.801	327.4	. 1443	-42.5			553.6	3.0	2 0 5.
77	44.9 21117.	122.0	2.717	305.1	. 1483	-42.2			560.6	3.6	226.
78	43.0 21409.	113.8	2.647	284.5	. 1523	-42.2			567.5	3.7	226.
79	41.3 21682.	103.7	2.511	259.9	.1558	-42.9			572.4	5.3	215.
80	39.5 21982.	93.3	2.362	234.2	.1594	-43.2			579.0	7.5	203.
81	37.7 22297.	86.4	2.292	217.0	.1628	-43.2			586.8	3.9	193.
82	36.0 22608.	81.0	2.250	202.8	. 1659	-42.5			596.4	3.8	145.
83	34.2 22954.	80.4	2.351	201.5	.1691	-42.9			604.1	6.1	149.
84	32.6 23277.	84.1	2.580	211.0	.1722	-43.2			611.7	1.9	145.
85	31.3 23551.	87. 7	2.802	220.1	.1748	-43.2			618.8	. 8	72.
86	29.8 23882. 28.4 24207.	84.2	2.826	211.0	.1782	-42.7			628.7	4.0	182.
87 88	27.0 2 4548.	68.9		193.6					637.4 645.5		247.
89	25.7 24881.	63.7		173.0 159.3	. 1843 . 1869	-43.2 -42.5			656.7	3.0 3.3	12. 18 0 .
90	24.6 25176.	61.0		153.0	. 1891	-42.3 -42.7			664.1	4.5	183.
91	23.5 25485.	57.2	2.434	143.4	.1913	-42.7			672.8	1.1	54.
92	22.5 25 7 79.	55.3	2.458	138.3	.1932	-42.7			682.9	3.0	146.
93	21.6 26055.	53.5	2.477	133.6	.1949	-41.8			692.2	5.7	185.
94	20.3 26476.	53.7		134.0	.1976	-41.8			704.5	3.9	239.
95	19.4 26784.	53.8	2.773	133.6	.1995	-40.4			718.0	5.4	224.
96	18.5 27108.	53.4	2.886	132.5	. 2014	-40.4			727.8	6.2	220.
97	17.5 27487.	51.9	2.966	129.0	.2038	-40.7			738.6	2.5	251.
98	16.8 27764.	50.0	2.976	124.2	.2054	-40.8			746.8	2.2	269.
99	16.0 28097.	47.4	2.963	117.6	. 2073	-40.4			758.6	9.3	206.
100	15.1 28491.	45.4		112.7	. 2094	-40.4			771.3	9.5	206.
101	14.6 28721.	43.4		107.6	.2106	-40.3			779.2	6.7	213.
102	13.7 29156.	42.0	3.066	104.0	.2128	-39.7			795.3	3.3	220.
103	13.0 29515.		3.331	106.8	.2145	-38.8			810.7	4.5	280.
104	12.3 29895.	44.0		108.4	.2164	-38.6			824.1	4.5	280.

SFC-500MB 500-250 250-125 125-62.5 62.5-31.2 31.2-15.6 15.6-7.8 7.8-3.9 13.4 21.4 61.1 118.6 112.8 60.6 999.9 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110119028901	99 ECC TOTAL 03 FROM SONDE DATA 248
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110219028901	678 20-44 500 10-37205 13 300 21-55204 15 200 59-43209 8
1110319028901	150 70-44195 6 100108-44176 4 70145-42192 3 50140-42192 3
1110419028901	30 85-43167 420.0 54-41234 4 657 17-36230 42 615 12-32236 30
1110519028901	390 17-45208 15 368 7-46134 32 311 7-55204 19 282 59-50203 10
1110619028901	267 57-46214 9 176 65-43206 7 164 53-43202 7 147 76-44198 6
1110719028901	142 65-45203 6 137 73-44193 5 127 68-45199 5 114 93-45193 8
1110819028901	94127-44190 12 55130-43201 4 36 81-43145 425.7 64-43180 3
1110919028901	12.3 44-39280 5



STATION: SOUTH POLE LAUNCH DATE: 23 FEB 89 316 Z ECC SONDE: 4A4395

SURFACE CONDITIONS: PRESSURE 681.2 MB, TEMPERATURE -41.1 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 73.2 ORD; HUM 33.0 % AT 77.0 ORD; TBOX 25.0 C AT 72.0 ORD;

O3 ORD ZERO 31.8, BKGND 32.5, CAL 67.2; O3 BKGND 0.104 MICROAMP; FLOW RATE 26.8 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 281.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	681.2	2835.	12.2	.018	30.3	.0000	-41.1			259.0		25.0
1	665.0	3002.	12.2	.018	29.1	.0002	-30.1	-32.3	82.4	273.1	8.1	259.
2	650.0	3165.	10.8	.017	25.7	.0004	-29.7	-30.5	93.9	275.4	8.1	259.
3	632.0	3366.	10.4	.016	24.6	.0007	-29.3	-30.8	88.2	278.0	2.5	202.
4	617.0	3537.	10.5	.017	24.8	.0009	-29.3	-31.2	84.8	279.9	3.5	172.
5	601.0 582.0	3725.	9.5	.016	22.6	.0011	-29.7	-32.5	77.5	281.6	4.2	203.
6 7		3953.	9.9	.017	23.6	.0013	-30.5	-33.3	77.3	283.3	6.6	195.
8	565.0	4164.	9.5	.017	22.7	.0016	-31.5	-34.4	76.8	284.4	3.4	232.
9	548.0	4380.	10.0	.018	23.9	.0018	-32.6	-35.6	75.8 72.9	285.7	3.9	218.
10	533.0 520.0	457 5 . 4748.	9.5 10.9	.018	22.9	.0020	-33.7	-37.0		286.7	7.3 7.7	200. 188.
11	505.0			. 021	26.4	.0022	-34.7	-38.8 -40.5	67.6 64.0	287.4	9.3	160.
12	490.0	4951.	12.3	.024	30.0	.0024	-35.9 -37.7	-40.5	04.0	288.4	7.9	158.
13	477.0	5160.	12.4	.025	30.4	.0027				288.7	4.0	223.
14	462.0	5345. 5564.	12.0 12.5	. 025	29.5 30.9	.0030 .0033	-38.9 -40.3			289.4 290.4	3.8	209.
15	450.0	5743.	11.5	. 027		.0035	-40.3 -41.8			290.7	6.7	205.
16	437.0	5941.	11.0	.026	28.7 27.7	.0038	-41.8 -43.2			291.4	8.4	221.
17	421.0	6191.	11.6	.025 .028	29.2	.0041	-43.2 -44.6			292.7	6.7	174.
18	410.0	6368.	14.5	. 035	36.8	.0041	-46.2			292.9	7.5	157.
19	397.0	6582.	21.5	.054	55.1	.0044	-47.6			293.7	11.4	157.
20	385.0	6784.	26.5	.069	67.8	.0053	-47.8			296.1	12.8	170.
21	372.0	7010.	13.1	.035	33.7	.0060	-49.2			297.0	7.8	193.
22	360.0	7225.	14.9	.033	38.7	.0063	-50.4			298.2	8.7	181.
23	350.0	7408.	11.7	.033	30.7	.0066	-52.4			297.9	9.4	165.
24	340.0	7595.	7.9	.023	20.8	.0069	-53.5			298.9	12.2	204.
25	332.0	7747.	7.4	.022	19.6	.0070	-54.7			299.4	12.0	211.
26	320.0	7982.	7.9	.025	21.1	.0072	-56.1			300.5	11.1	111.
27	310.0	8183.	9.8	.032	26.4	.0074	-58.0			300.7	11.1	136.
28	299.0	8411.	28.2	. 094	75.9	.0078	-58. 5			303.1	7.9	221.
29	289.0	8626.	48.5	.168	128.9	. 0087	-55.8			309.9	4.1	252.
30	279.0	8851.	61.5	. 220	161.8	.0102	-53.7			316.0	11.6	195.
31	268.0	9111.	65.5	.244	171.0	.0121	-52.0			322.2	18.7	207.
32	260.0	9307.	66.5	.256	172.4	.0137	-50.6			327.0	19.1	229.
33	251.0	9538.	67.1	. 267	172.8	.0156	-48.9			332.8	24.8	222.
34	242.0	9778.	65.3	.270	167.7	.0175	-48.2			337.4	12.8	213.
35	233.0	10028.	63.8	. 274	163.5	.0194	-47.9			341.5	. 9	51.
36	228.0	10172.	62.0	. 272	158.0	.0205	-46.4			345.9	7.7	198.
37	220.0	10409.	57. 5	. 261	146.1	.0222	-45.7			350.5	11.8	156.
38	213.0	10625.	58.2	. 273	147.7	. 0236	-45.9			353.6	14.9	75.
39		10847.	56.8	. 276	144.0	.0252	-45.6			357.4	8.2	71.
40	198.8	11084.	64.6	. 325	164.8	. 0268	-46.7			359.2	10.6	192.
41	192.2	11308.	71.6	. 373	182.2	.0285	-46.4			363.2	8.2	195.
42	185.8	11533.	74.7	.402	189.9	.0305	-46.0			367.4	6.3	177.
43	179.2	11773.	77.9	. 435	197.9	.0326	-46.0			371.2	2.2	92.
44	172.9	12012.	50.4	. 291	127.7	.0346	-45.4			376.0	3.4	49.
45		12244.	56.3	. 337	142.4	.0360	-45.0			380.5	2.7	45.
46		12467.	62.6	. 388	159.0	.0375	-45.9			382.7	. 3	313.
47		12685.	71.2	. 456	180.9	.0392	-46.0			386.0	5.9	182.
48		12910.	78.4	. 519	198.5	.0411	-45.0			391.5	12.7	114.
49	146.0	13140.	78.1	. 535	198.4	.0432	-45.9			393.9	13.8	106.


STAT	ION: SOUTH POLE		LAUNC	H DATE:	23 FFB	89 316 Z	FCC	SONDE:	444395	
TIME	PRESS ALT		OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	C C	7.	K	M/S	DEG
50	140.9 13376.	77.1	. 547	195.5	. 0454	-45.6		398.4	7.3	168.
51	135.5 13637.	85.7	. 632	216.9	. 0478	-45.0		403.9	11.2	171.
52	130.5 13888.	86.7	. 664	219.4	. 0504	-45.0		408.2	4.1	132.
53	126.2 14112.	91.8	. 727	232.7	.0527	-45.3		411.6	4.9	9.
54	122.0 14338.	98.8	. 810	250.2	. 0551	-45.3		415.6	5.8	4.
55	117.8 14572.	107.2	.910	271.6	. 0579	-45.3		419.8	1.2	326.
56	113.5 14820.	110.3	. 972	279.1	.0610	-45.0		424.8	5.7	202.
57	109.3 15072.	116.0	1.061	293.4	. 0643	-45.0		429.4	4.8	209.
58	105.3 15322.	121.6	1.155	307.2	. 0678	-44.6		434.9	2.8	203.
59	101.5 15568.	126.9	1.250	320.0	.0713	-44.2		440.3	3.4	187.
60	98.3 15783.	132.8	1.351	334.0	.0746	-43.6		445.4	5.8	168.
61	94.2 16069.	135.0	1.433	340.3	.0790	-44.2		449.8	5.7	161.
62	90.9 16308.	135.9	1.495	342.9	.0828	-44.3		454.1	2.5	19.
63	87.5 16564.	136.5	1.560	344.8	.0868	-44.6		458.5	2.6	0.
64	84.5 16797.	138.4	1.638	349.5	.0906	-44.6		463.1	4.0	202.
65	81.5 17040.	142.9	1.753	359.8	.0945	-43.9		469.3	4.3	222.
66	78.4 17300.	147.2	1.878	369.7	.0989	-43.3		475.7	8.0	199.
67	75.4 17563.	148.4	1.968	374.1	. 1034	-44.2		479.3	12.3	187.
68 69	72.8 17798.	148.1	2.034	373.0	. 1075	-43.9		484.7	7.0	187.
70	70.2 18042. 67.7 18285.	148.1	2.110	374.2	.1117	-44.6		488.3	2.8	187.
71	65.0 18558.	147.0 143.1	2.171 2.202	371.0 360.9	.1159 .1205	-44.3 -44.2		494.0	2.1	97.
72	62.8 18789.	141.5	2.253	356.3	. 1244	-44.2		500.1 505.6	2.1 4.0	92. 187.
73	60.4 19051.	150.8	2.497	379.8	. 1244	-43.9		511.3	5.3	187.
74	58.3 19288.	148.6	2.549	374.2	. 1329	-43.9		516.5	5.1	187.
75	56.2 19535.	148.6	2.644	374.3	. 1372	-43.9		521.9	4.8	187.
76	54.0 19803.	147.7	2.735	372.5	.1418	-44.2		527.3	4.3	191.
77	51.9 20069.	154.0	2.967	387.9	. 1465	-43.9		533.9	3.2	1.
78	50.1 20306.	157.2	3.138	395.7	. 1507	-43.9		539.3	4.6	187.
79	48.2 20565.	159.1	3.301	400.6	. 1555	-43.9		545.3	11.8	187.
80	46.5 20807.	157.6	3.389	397.0	. 1599	-43.9		550.9	4.2	7.
81	44.8 21057.	149.4	3.335	376.7	. 1645	-44.2		556.2	4.6	7.
82	43.0 21332.	144.1	3.351	362.3	.1693	-43.4		564.4	6.2	187.
83	41.3 21604.	138.5	3.354	348.0	. 1738	-43.3		571.3	9.4	187.
84	39.8 21852.	137.8	3.462	346.6	. 1778	-43.6		576.7	7.2	187.
85	38.4 22093.	138.8	3.615	348.4	. 1817	-43.2		583.7	4.5	187.
86	37.0 22344.	139.1	3.759	349.2	. 1857	-43.2		589.9	. 5	7.
87		132.9		333.5	. 1896	-43.2		596.0	5.9	63.
88	34.3 22854.	127.9	3.729	320.4	. 1937	-42.7		603.9	5.0	129.
89	32.9 23136.	128.6	3.909	321.9	. 1979	-42.5		611.9	5.9	189.
90	31.8 23365.	124.1	3.903	310.9	. 2012	-42.7		617.1	5.0	190.
91	30.6 23625.	115.0	3.758	288.3	. 2049	-42.9		623.6	4.0	196.
92	29.4 23895.	104.5	3.554	262.1	. 2085	-42.9		630.7	4.8	199.
93	28.3 24152.	96.0	3.392	241.3	.2115	-43.4		636.1	3.1	214.
94	27.0 24468.	88.4	3.274	222.6	.2150	-43.9		643.5	1.4	217.
95 06	26.0 24721.	80.6	3.100	202.6	.2176	-43.6		651.3	6.5	189.
96 97	25.1 24958.	75.3	3.000	189.5	.2198	-43.6		657.9	8.6	197.
98	24.0 25259. 23.2 25487.	74.1	3.088	186.6 177.7	.2224	-43.9 -43.0		665.5	7.3	219.
99	22.5 25694.	70.8 67.9	3.052 3.018		. 2243	-43.0 -43.6		674.5	2.0	332.
100	21.5 25999.	64.0	2.977	170.9 160.8	.2260 .2284	-43.6 -43.6		678.8	8.8	15.
101	20.9 26190.	59.5	2.847	149.3	.2298	-43.6 -43.2		687.6 694.5	. 4 9 . 6	187. 194.
102	20.0 26486.	58.6	2.930	147.1	.2230	-43.2 -43.2		703.3	9.6	212.
103	19.2 26761.	57.2	2.979	143.3	. 2337	-42.9		712.4	9.7	142.
104	18.5 27012.	56.1	3.032	140.6	.2354	-42.9		720.0	7.1	121.
				_						

STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	23 FEB	89	316 Z	ECC	SONDE:	4A4395	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	C	%	K	M/S	DEG
105	18.0	27197.	54.2	3.011	135.8	. 2366	-42.6			726.5	8.0	263.
106	17.4	27426.	52.6	3.023	132.0	. 2380	-43.2			731.8	10.6	296.
107	16.8	27662.	51.4	3.060	128.8	. 2395	-42.9			740.1	5.8	288.
108	16.0	27991.	49.8	3.113	124.9	.2414	-42.7			751.0	6.2	196.
109	15.5	28206.	48.3	3.116	120.6	.2426	-41.8			761.0	6.0	150.
110	14.7	28565.	46.1	3.136	115.0	. 2446	-41.8			772.6	12.0	247.
111	14.0	28896.	44.5	3.179	110.9	. 2464	-41.5			784.4	16.6	260.
112	13.5	29143.	42.4	3.141	105.7	. 2476	-41.8			791.6	16.6	260.

SFC-500MB 500-250 250-125 125-62.5 62.5-31.2 31.2-15.6 15.6-7.8 7.8-3.9 10.4 24.2 68.7 130.8 142.6 71.9 999.9 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110123028903	99 ECC TOTAL 03 FROM SONDE DATA 281
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110223028903	681 12-41 500 12-36159 9 300 26-58213 8 200 63-47172 10
1110323028903	150 78-45112 13 100130-44178 5 70148-45180 3 50157-44187 5
1110423028903	30110-43197 420.0 59-43212 10 665 12-30259 8 650 11-30259 8
1110523028903	582 10-31195 7 421 12-45174 7 385 27-48170 13 372 13-49193 8
1110623028903	320 8-56111 11 310 10-58136 11 279 62-54195 12 251 67-49222 25
1110723028903	220 58-46156 12 179 78-46 92 2 173 50-45 49 3 131 87-45132 4
1110823028903	63142-44187 4 60151-44187 5 54148-44191 4 33129-43189 6
1110923028903	25.1 75-44197 913.5 42-42260 17



STATION: SOUTH POLE LAUNCH DATE: 2 MAR 89 318 Z ECC SONDE: 4A4389

SURFACE CONDITIONS: PRESSURE 680.6 MB, TEMPERATURE -43.4 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 73.3 ORD; HUM 33.0 % AT 77.8 ORD; TBOX 26.0 C AT 72.1 ORD;

O3 ORD ZERO 31.0, BKGND 31.9, CAL 66.5; O3 BKGND 0.133 MICROAMP; FLOW RATE 26.6 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 242.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T		WIND
MIN	мВ	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	680.6	2835.	14.5	.021	36.4	.0000	-43.4	70.0	67.0	256.5	40.0	076
1	665.0	2994.	13.5	. 020	32.6	.0003	-34.1	-38.9	63.0	268:6	12.8	236.
2	645.0	3209.	13.6	. 021	32.6	.0006	-32.5	-35.2	78.2	272.7	12.8	236.
3	625.0	3431.	13.6	. 022	32.7	.0009	-32.5	-35.0	80.3	275.2	6.3	218.
4	605.0	3660.	14.7	.024	35.2	.0013	-32.5	-35.0	80.3	277.8	6.6	187.
5	589.0	3849.	14.7	. 025	35.3	.0016	-32.7	-35.1	80.2	279.7	5.5	209.
6	572.0	4055.	10.9	. 019	26.2	.0019	-33.5	-35.9	79.8	281.2	7.3	228.
7	558.0	4229.	11.4	. 020	27.5	.0021	-34.3	-36.6	80.4	282.2	8.8	208.
8	542.0	4432.	12.4	. 023	30.0	.0024	-34.8	-37.2	79.8	283.9	12.0	181.
9	527.0	4628.	12.4	. 024	30.1	.0026	-35.5	-36.6	91.4	285.4	13.8	186.
10	511.0	4842.	12.5	. 024	30.4	.0029	-35.7	-37.1	89.3	287.6	14.3	193.
11	497.0	5035.	12.1	. 024	29.5	.0032	-36.9			288.5	13.9	180.
12	481.0	5261.	12.6	. 026	30.8	. 0035 . 0038	-37.9 -39.2			290.0	12.5	186. 190.
13	468.0	5449.	13.5	.029	33.4		-39.2 -40.6			290.6	11.8	177.
14	456.0	5627.	13.1	.029	32.4	.0041	-41.8			291.1	11.7	177.
15 16	442.0 430.0	5838. 6025.	10.7 14.5	. 024 . 034	26.7 36.2	.0044 .0046	-41.8			292.1 294.4	12.3 10.7	168.
17	417.0	6232.	14.5	. 035	36.3	.0050	-42.8			295.8	9.3	163.
18	403.0	6463.	13.1	. 033	33.0	.0053	-43.4			297.9	9.5	159.
19	389.0	6700.	13.1	. 034	33.5	.0057	-44.9			298.9	9.9	151.
20	377.0	6909.	10.4	. 028	26.5	.0060	-46.2			299.9	9.6	218.
21	365.0	7123.	9.0	. 025	23.0	.0063	-47.9			300.4	12.8	152.
22	355.0	7306.	9.5	.023	24.5	.0065	-47.3 -49.1			301.2	22.0	126.
23	345.0	7492.	10.5	. 030	27.2	.0067	-51.1			301.0	12.2	143.
24	335.0	7683.	9.1	. 027	23.7	.0069	-52.3			301.9	14.2	140.
25	324.0	7898.	8.6	.027	22.7	.0071	-5 3 .7			302.8	14.5	141.
26	314.0	8099.	7.7	.027	20.5	.0073	-55.3			303.3	18.3	114.
27	303.0	8326.	8.2	.023	21.9	.0076	-56.8			304.3	12.7	146.
28	292.0	8559.	10.6	. 036	28.6	.0078	-58.2			305.6	13.5	184.
29	282.0	8778.	15.8	. 056	42.7	.0081	-59.0			307.4	15.3	138.
30	272.0	9004.	23.7	. 087	64.0	.0086	-59.9			309.3	14.1	139.
31	263.0	9215.	34.8	. 132	93.6	.0093	-58.3			314.6	10.2	148.
32	253.0	9461.	48.5	. 192	128.6	.0105	-55.3			322.6	7.3	160.
33	248.0	9589.	57.5	. 232	150.5	.0113	-52.6			328.5	5.9	166.
34	240.0	9802.	57.9	. 241	150.3	.0128	-50.6			334.6	4.8	188.
35	232.0		57.1	.246	147.6	.0143	-49.9			339.0	6.5	194.
36		10282.	57.7	. 259	148.7	.0161	-49.1			344.0	7.8	186.
37	217.0		59.4	. 274	152.5	.0173	-48.4			347.8	7.0	189.
38	208.0		59.6	. 287	152.2	.0193	-46.9			354.3		177.
39	201.0		60.1	. 299	153.2	.0209	-46.8			358.0	5.8	169.
40	195.5	11152.	60.7	.310	154.8	.0222	-46.9			360.7	3.6	175.
41		11405.	16.9	. 090	43.2	.0236	-46.6			365.1	3.3	203.
42		11660.	16.1	. 089	40.9	.0242	-46.6			369.1	6.0	∠24
43	175.4		16.1	.092	40.9	.0246	-46.6			372.5	7.7	229.
44	170.0	12080.	17.9	. 105	45.4	.0250	-45.9			377.0	9.3	210.
45	164.5	12299.	17.9	. 109	45.4	.0254	-45.8			380.8	5.6	204.
46	159.0		59.3	. 373	151.0	.0262	-46.2			383.8	2.1	253.
47	153.5	12759.	66.2	. 431	168.5	.0278	-46.5			387.2	5.1	215.
48	148.0		69.7	. 471	176.9	.0297	-45.8			392.5	6.9	212.
49		13259.	70.5	. 495	178.5	.0318	-45.1			398.1	5.5	217.


STATI	ON: SOUTH POLE	•	LAUNC	H DATE:	2 MAR	89 3	318 Z	ECC	SONDE:	4A4389	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
50	137.2 13507.	67.0	. 488	170.1	.0339	-45.8			401.1	4.8	237.
51	132.6 13734.	63.7	. 480	162.0	.0356	-46.2			404.3	4.9	223.
52	128.0 13969.	60.0	.469	152.5	. 0374	-45.8			409.1	6.9	220.
53	123.2 14223.	64.7	. 525	164.1	.0392	-45.6			413.9	6.9	241.
54	118.8 14466.	80.3	. 676	204.0	.0411	-45.9			417.7	4.8	253.
55	114.8 14693.	93.7	.816	238.4	.0434	-46.2			421.3	6.2	238.
56	110.8 14929.	101.6	. 917	258.4	.0460	-46.2			425.5	7.7	216.
57	106.6 15186.	99.9	. 937	254.5	.0491	-46.5			429.7	6.9	201.
58	102.5 15446.	96.7	. 943	246.7	.0522	-46.9			433.7	5.0	211.
59	98.5 15710.	103.9	1.055	264.4	.0552	-46.3			439.8	5.1	232.
60	95.2 15937.	112.6	1.183	285.1	.0580	-45.2			446.4	5.5	222.
61	92.0 16165.	119.1	1.295	303.0	.0611	-46.2			448.8	5.4	215.
62	88.5 16423.	119.5	1.350	304.6	.0647	-46.6			452.9	5.8	218.
63	85.2 16675.	117.6	1.380	300.2	.0682	-46.9			457.3	6.1	212.
64	82.1 16920.	118.8	1.447	302.2	.0717	-46.2			463.6	4.9	212.
65	79.3 17151.	126.1	1.590	321.3	.0750	-46.5			467.6	4.1	219.
66	76.5 17390.	132.9	1.737	338.6	. 0785	-46.5			472.4	5.3	220.
67	73.7 17637.	138.5	1.879	352.3	.0824	-46.2			478.1	5.9	213.
68	71.0 17886.	146.9	2.069	373.4	.0865	-46.1			483.5	5.6	194.
69	68.0 18173.	143.6	2.112	364.9	.0915	-45.9			489.9	3.5	232.
70	65.5 18422.	143.7	2.194	364.8	.0956	-45.8			495.4	4 . 1	249.
71	63.2 18660.	143.7	2.274	365.2	.0996	-45.9			500.2	4.1	239.
72	60.9 18907.	145.4	2.388	370.0	. 1038	-46.2			504.9	3.9	228.
73	58.4 19185.	145.5	2.491	370.1	. 1086	-46.2			511.0	4.4	222.
74	56.3 19429.	141.7	2.517	360.4	.1127	-46.2			516.4	5.2	222.
75	54.1 19694.	129.5	2.394	329.3	.1170	-46.2			522.3	5.9	209.
76	51.8 19982.	121.4	2.344	309.4	.1214	-46.6			527.8	4.9	209.
77	49.8 20244.	128.3	2.576	325.2	.1252	-45.3			536.8	4.5	196.
78	47.2 20602.	129.1	2.735	327.4	. 1306	-45.5			544.7	2.9	186.
79	45.8 20803.	130.9	2.858	332.9	. 1336	-46.2			547.7	. 0	6.
80	44.1 21054.	132.6	3.007	338.5	. 1375	-46.9			551.9	1.1	234.
81	42.8 21252.	141.8	3.313	361.4	. 1407	-46.6			557.4	3.3	216.
82	41.4 21473.	138.4	3.343	352.1	. 1443	-46.2			563.8	3.8	219.
83	40.0 21702.	129.9	3.248	329.8	. 1480	-45.8			570.4	3.9	212.
84	38.5 21957.	119.7	3.109	303.1	.1518	-45.2			578.1	4.0	199.
85	37.0 22222.	111.1	3.003	281.8	. 1555	-45.5			584.0	2.4	231.
86	35.8 22441.	109.4	3.056	278.3	. 1583	-46.2			587.7	2.8	235.
87	34.3 22726.	112.1			. 1621				594.9	3.5	216.
88	33.0 22983.	107.6		273.6	. 1654	-46.2			601.5	3.3	218.
89	31.7 23250.	106.8		271.6	.1688	-46.2			608.4	3.8	230.
90	30.5 23506.	107.0		272.1	. 1720	-46.2			615.2	4.4	239.
91	29.3 23773.	101.3	3.457	257.5	. 1753	-46.1			622.7	2.6	218.
92	28.4 23981.	82.1	2.891	208.0	. 1777	-45.3			630.2	4.0	170.
93	27.0 24319.	71.6	2.652	181.0	. 1808	-44.8			641.0	5.6	166.
94	26.0 24571.	67.0	2.577	169.4	. 1829	-44.8			647.9	4.1	163.
95	24.9 24861.	64.5	2.590	163.2	. 1852	-44.8			656.0	3.8	168.
96	23.7 25191.	66.4	2.802	167.9	. 1877	-44.8			665.3	2.1	130.
97	22.9 25421.	67.2	2.934	169.8	. 1895	-44.8			671.9		175.
98	21.8 25750.	64.9	2.977	163.8	.1921	-44.5			682.2		197.
99	20.7 26097.	62.8		158.8	.1947	-44.8			691.6		192.
100	19.7 26428.	59.9	3.041	151.5	.1971	-44.8			701.4	5.9	206.
101	18.5 26849.	57.2	3.092	144.0	.2001	-43.8			717.2	4.2	222.
102	17.9 27071.	55.1	3.078	138.4	.2015	-43.4			725.3	1.7	242.
103	17.2 27339.	51.7		130.1	.2032	-43.6			732.7	3.5	230.
104	16.7 27538.	48.0		120.5	.2044	-43.4			739.8	3.6	212.

STATION: SOUTH POLE			LAUNC	H DATE:	2 MAR	89 3	18 Z	ECC	SONDE:	4A4389		
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	16.1	27784.	45.1	2.801	113.7	. 2057	-43.9			745.8	3.8	150.
106	15.5	28038.	43.5	2.806	109.9	. 2070	-44.5			752.1	5.1	161.
107	14.8	28348.	42.7	2.885	107.6	.2086	-44.2			763.0	4.7	183.
108	14.2	28626.	41.9	2.951	105.1	. 2100	-42.9			776.3	1.6	206.
109	13.6	28918.	39.8	2.926	99.8	.2114	-42.7			786.9	3.4	205.
110	12.9	29275.	37.4	2.899	93.2	.2130	-41.7			802.3	5.0	189.
111	12.2	29654.	35.7	2.926	88.9	.2146	-41.1			81,7.1	3.4	189.
112	11.5	30056.	35.4	3.078	88.0	.2163	-40.9			832.0	4.0	218.
113	11.2	30235.	33.2	2.964	82.8	.2170	-41.3			836.8	5.4	245.
114	10.8	30482.	32.0	2.963	79.7	.2179	-41.6			844.6	2.7	256.
115	10.5	30674.	31.1	2.962	77.2	.2186	-40.3			855.9	4.4	217.
116	10.0	31007.	29.8	2.980	73.7	.2198	-40.0			869.0	8.9	203.
117	9.7	31215.	28.5	2.938	70.5	. 2205	-39.6			878.1	7.6	178.
118	9.4	31401.	27.3	2.892	67.3	. 2211	-39.2			886.5	5.9	150.
119	9.2	31585.	26.4	2.873	65.2	.2217	-39.5			892.3	4.2	144.
120	8.9	31789.	25.6	2.870	63.1	. 2223	-39.2			900.9	2.6	156.
121	8.7	31984.	25.2	2.907	62.0	.2229	-39.1			908.8	4.5	173.
122	8.4	32201.	24.3	2.893	59.8	.2235	-38.4			919.7	10.3	178.
123	8.2	32409.	23.9	2.933	58.7	.2240	-37.9			929.8	10.3	178.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
12.9	14.3	50.3	114.1	126.3	67.1	34.4	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110102038903	99 ECC TOTAL O3 FROM SONDE DATA 242
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110202038903	681 15-43 500 12-37183 14 300 9-57156 13 200 60-47170 5
1110302038903	150 68-46213 6 100101-47224 5 70146-46206 5 50128-45197 5
1110402038903	30105-46230 420.0 61-45202 610.0 30-40203 9 665 14-34236 13
1110502038903	645 14-33236 13 403 13-43159 10 272 24-60139 14 248 58-53166 6
1110602038903	240 58-51188 5 196 61-47175 4 188 17-47203 3 165 18-46204 6
1110702038903	159 59-46253 2 128 60-46220 7 123 65-46241 7 111102-46216 8
1110802038903	92119-46215 5 82119-46212 5 58146-46222 4 52121-47209 5
1110902038903	44133-47234 1 43142-47216 3 37111-46231 229.3101-46218 3
1111002038903	28.4 82-45170 426.0 67-45163 4 8.2 24-38178 10



STATION: SOUTH POLE LAUNCH DATE: 9 MAR 89 343 Z ECC SONDE: 4A4396
SURFACE CONDITIONS: PRESSURE 680.3 MB, TEMPERATURE -49.5 C, HUMIDITY 0.0 %
CAL DATA: AIR TEMP 30.0 C AT 73.2 ORD; HUM 33.0 % AT 77.0 ORD; TBOX 25.0 C AT 71.9 ORD;
O3 ORD ZERO 32.4, BKGND 32.7, CAL 67.9; O3 BKGND 0.045 MICROAMP; FLOW RATE 26.1 S/100 M
FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 274.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	тотох	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GP M	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	680.3	2835.	16.2	.024	41.7	.0000	-49.5			249.6		
1	665.0	2988.	16.7	. 025	41.0	. 0003	-38.6	-46.1	45.7	263.5	33.3	250.
2	649.0	3157.	16.2	.025	38.8	.0006	-31.7	-32.6	93.1	273.2	33.3	250.
3	632.0	3345.	15.8	.025	37.6	. 0009	-31.0	-31.9	93.4	276.1	11.5	266.
4	617.0	3516.	14.9	.024	35.4	. 0012	-31.0	-31.9	93.4	278.0	11.6	250.
5	600.0	3714.	13.4	. 022	32.0	. 0015	-32.2	-33.4	91.0	278.8	11.4	262.
6	584.0	3904.	13.6	.023	32.7	.0018	-33.7	-34.7	92.2	279.3	11.3	279.
7	568.0	4098.	12.6	.022	30.6	. 0021	-35.0	-36.1	91.5	279.9	9.3	307.
8	550.0	4323.	14.5	.026	34.9	.0025	-33.7	-36.4	77.4	284.1	8.0	337.
9	535.0	4517.	16.8	. 031	40.7	.0028	-34.1	-41.0	50.4	285.9	2.8	335.
10	521.0	4703.	21.9	.042	52.8	.0031	-33.7	-42.7	40.3	288.5	. 9	172.
11	507.0	4894.	22.2	.044	53.7	.0036	-34.2			290.1	1.8	183.
12	492.0	5104.	19.9	.040	48.3	.0041	-34.7			292.0	2.0	154.
13	477.0	5320.	18.9	.040	46.0	.0046	-35.9			293.1	2.0	100.
14	463.0	5526.	18.4	. 040	45.0	.0050	-37.0			294.3	2.8	85.
15	452.0	5692.	19.4	. 043	47.6	.0054	-38.2			294.8	3.3	105.
16	440.0	5877.	16.2	. 037	40.1	.0058	-39.6			295.3	3.7	109.
17	428.0	6065.	12.5	.029	31.2	.0061	-41.1			295.8	15.5	103.
18	415.0	6274.	11.6	.028	29.0	.0064	-42.2			297.0	5.7	101.
19	402.0	6489.	11.6	.029	29.2	.0067	-43.9			297.5	5.7	283.
20	390.0	6692.	12.5	. 032	31.5	. 0070	-45.0			298.6	4.5	108.
21	378.0	6900.	12.5	. 033	31.8	. 0073	-46.3			299.6	4.4	106.
22	364.0	7150.	15.2	. 042	38.9	. 0077	-47.3			301.4	4.5	111.
23	352.0	7371.	17.9	. 051	46.2	.0081	-48.9			302.2	6.2	120.
24	340.0	7598.	14.3	.042	37.1	. 0086	-50.4			303.1	6.1	118.
25	329.0	7812.	12.9	. 039	33.7	.0089	-52.3			303.4	5.2	128.
26	318.0	8031.	12.0	. 038	31.5	.0092	-53.7			304.4	5.1	145.
27	308.0	8236.	10.6	.034	28.1	.0095	-55.6			304.5	3.3	139.
28	297.0	8467.	11.1	. 037	29.5	.0098	-56.8			306.1	1.6	123. 209.
29	287.0	8683.	12.8	.045	34.5	.0102	-58.0			307.4	4.0 7.2	
30	277.0	8907.	30.5	. 110	81.6	.0106	-57.7			311.0 317.1	6.6	211. 202.
31 32	268.0 260.0	9117. 9310.	46.3 48.5	. 173 . 187	122.9	.0115 .0126	-55.5 -55.0			320.6	4.9	195.
33	252.0	9510. 9510.		. 107	128.5	.0126	-53.6 -53.5			325.6	4.4	197.
34	245.0	9693.	52.6 50.9	.208	138.2 132.5	.0150	-51.2			331.7	5.6	208.
35	238.0	9881.	46.9	. 197	121.4	.0161	-50.1			336.1	5.5	200.
36		10105.	47.3	. 206	121.4	.0174	-49.7			340.1	4.5	179.
37		10308.	56.1	. 252	144.4	.0174	-48.6			344.7	4.5	212.
38		10488.	55.7		142.7	.0198				348.8	5.4	238.
39		10735.	53.8	.257	138.4	.0214	-48.6			351.2	5.6	•
40		10960.	52.3	. 259	133.3	.0214	-46.7			357.6	5.8	215.
41		11177.	52.4	.268	134.0	. 0242	-47.5			359.8	6.1	218.
42		11418.	52.4	.278	133.9	. 0242	-47.5			363.6	6.8	214.
43		11657.	56.6	.311	144.9	.0272	-47.5			367.3	6.0	205.
44		11905.	59.4	. 339	151.9	.0288	-47.5			371.3	6.1	203.
45		12104.	58.5	.344	149.8	.0302	-47.8			374.0	5.8	210.
46		12325.	57.6	. 351	147.7	.0317	-47.9			377.4	7.3	230.
47		12542.	57.4	. 361	147.4	.0332	-48.3			380.2	8.8	227.
48		12761.	63.3	.412	162.2	. 0347				384.6	5.1	219.
49		12997.	66.8	. 450	170.9		-47.5			389.3	3.2	5.
							•					


STATI	ION: SOUTH POLE		LAUNC	H DATE:	9 MAR	89 3	43 Z	ECC	SONDE:	4A4396	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	MIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
50	143.0 13242.	66.0	.462	168.9	. 0385	-47.5			393.4	7.8	0.
51	137.7 13492.	73.7	.535	188.2	.0405	-47.2			398.2	8.5	341.
52	133.2 13712.	84.8	. 637	216.6	. 0425	-47.2			402.0	9.3	323.
53	128.8 13934.	96.7	. 751	247.7	.0448	-47.8			404.8	10.4	307.
54	124.3 14168.	101.9	.820	262.1	.0475	-48.6			407.4	11.6	291.
55	119.9 14405.	103.0	. 859	265.0	.0504	-48.8			411.3	13.0	277.
56	115.5 14651.	105.8	.916	272.1	. 0534	-48.6			416.0	14.5	263.
57	111.0 14912.	111.3	1.003	285.8	. 0568	-48.3			421.3	16.3	250.
58	106.3 15198.	116.8	1.099	298.8	.0606	-47.5			428.2	18.1	238.
59	102.0 15470.	119.4	1.171	305.7	.0644	-47.8			432.7	20.0	225.
60	98.3 15714.	122.4	1.245	313.6	.0679	-47.8			437.3	21.9	213.
61 62	95.4 15912. 92.5 16116.	124.5	1.305	318.8	.0707	-47.8			441.1 445.0	22.2 23.0	195. 179.
63	89.0 16370.	127.4 134.3	1.377 1.509	326.3 344.0	. 0737 . 0776	-47.8 -47.8			449.9	24.3	169.
64	85.8 16613.	134.3	1.529	333.0	.0814	-47.0			456.1	25.1	155.
65	82.4 16880.	134.9	1.637	345.4	.0856	-47.6			460.2	19.7	148.
66	79.8 17092.	136.1	1.706	349.5	. 0889	-48.3			463.0	13.2	142.
67	77.1 17318.	139.0	1.803	356.6	.0926	-48.0			468.1	7.9	177.
68	74.4 17553.	141.0	1.895	362.0	.0966	-48.3			472.3	8.6	221.
69	71.8 17788.	142.9	1.990	366.8	. 1005	-48.2			477.5	5.7	213.
70	69.2 18031.	145.2	2.098	371.4	. 1047	-47.5			484.1	7.2	228.
71	66.2 18324.	150.9	2.279	386.0	.1097	-47.5			490.3	8.5	222.
72	64.0 18547.	149.4	2.334	382.6	.1137	-47.8			494.4	8.9	214.
73	61.5 18810.	149.4	2.429	383.0	.1183	-47.9			499.7	9.8	213.
74	59.0 19084.	151.5	2.568	387.9	.1232	-47.8			506.0	7.9	207.
75	56.5 19370.	151.7	2.685	388.1	.1283	-47.5			513.0	7.1	40.
76	54.5 19608.	149.9	2.750	383.9	.1326	-47.8			517.6	6.2	36.
77	52.4 19867.	144.5	2.758	372.1	. 1371	-48.9			520.7	21.8	217.
78	49.5 20241.	145.2	2.933	373.6	. 1435	-48.8			529.6	22.1	220.
79	47.5 20513.	147.5	3.105	377.8	. 1483	-47.8			538.3	9.2	223.
80	45.8 20753.	147.4	3.218	378.5	. 1525	-48.3			542.5	8.4	206.
81	43.9 21032.	140.2	3.194	359.9	. 1573	-48.2			549.5	9.9	195.
82	42.0 21324.	136.2	3.243	349.0	.1621	-47.9			557.2	10.7	182.
83	40.1 21629.	129.7	3.234	333.6	.1670	-48.6			562.8	9.6	164.
84	38.7 21862.	122.2	3.158	314.1	.1706	-48.5			568.9	7.3	157.
85	37.1 22141.	116.3	3.135	298.2	.1746	-47.9			577.3	4.5	170.
86	35.7 22393.	109.9	3.078	283.9	. 1780	-49.7			579.1	6.3	201.
87	34.2 22674.		3.164		. 1817				584.3		
88	32.8 22947.		3.195		. 1852	-49.8			592.9		186.
89	31.2 23275.		3.333	267.8	. 1893	-48.9			603.8		181.
90	30.0 23533.	95.7	3.190	245.8	.1924	-48.5			611.9		185.
91	28.9 23778.	87.6	3.031	225.3	. 1952	-48.8			617.6		182.
92	27.7 24057.	78.8	2.845	202.3	.1980	-48.3			626.4		185.
93 94	26.5 24349.	76.2	2.875	195.2	. 2007	-47.8			636.0	6.1	196.
	25.4 24629.	72.8		186.2	. 2032	-47.5			644.6	4.3	196.
95 96	24.6 24841. 23.8 25059.	66.1 62.4	2.687 2.622	169.5 160.2	. 2050 . 2067	-47.9 -48.2			649.3	6.5 7.4	196.
97	23.0 25284.	60.7	2.622	155.5		-48.2 -47.8			654.6		192.
98	22.1 25547.	59.1	2.639	155.5	. 2084 . 2102	-47.0 -48.0			662.3	4.5 7.5	187. 212.
99	21.5 25729.	57.7		148.2	. 2115	-48.2			669.0 673.8		202.
100	20.7 25979.	55.9	2.700	143.1	. 2132	-47.8			682.5		182.
101	20.0 26206.	54.0	2.700	138.8	. 2147	-48.6			686.6		175.
102	19.3 26440.	53.2	2.756	137.1	.2162	-48.9			692.7		169.
103	18.5 26718.	54.1		139.0	. 2180	-48.5			702.5	9.2	168.
104	17.9 26935.	51.0		130.9	. 2193	-48.2			710.1	9.7	166.
				_							-

STATI	ON: SO	JTH POLE		LAUNC	H DATE:	9 MAR	89 3	43 Z	ECC	SONDE:	4A4396	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	17.1	27237.	55.3	3.234	141.9	. 2212	-47.9			720.3	10.3	181.
106	16.5	27473.	56.0	3.394	143.4	. 2228	-47.5			729.2	9.9	194.
107	16.0	27676.	54.1	3.381	137.9	. 2241	-46.4			738.9	11.6	190.
108	15.3	27974.	53.8	3.516	136.2	.2260	-45.0			753.2	8.6	178.
109	14.7	28242.	51.4	3.497	129.9	. 2276	-44.7			762.8	7.6	180.
110	14.1	28521.	50.3	3.567	127.0	.2293	-44.6			772.4	12.1	198.
111	13.6	28762.	49.6	3.647	125.6	. 2307	-44.9			779.4	19.9	193.
112	13.0	29064.	47.7	3.669	120.4	. 2325	-44.6			790. 5	12.0	177.
113	12.5	29327.	46.5	3.720	117.1	. 2339	-43.6			802.9	4.3	124.
114	12.0	29602.	44.6	3.717	112.0	. 2354	-43.2			813.8	6.5	153.
115	11.4	29948.	42.7	3.746	107.1	. 2372	-43.0			826.3	7.2	123.
116	10.9	30250.	41.9	3.844	105.6	. 2387	-43.9			833.9	5.1	111.
117	10.3	30629.	41.4	4.019	104.8	. 2405	-44.9			843.8	4.6	172.
118	9.8	30948.	41.9	4.267	106.0	.2421	-44.9			855.4	8.6	187.
119	9.5	31170.	39.8	4.189	100.2	. 2431	-43.9			867.3	10.8	186.
120	9.2	31386.	37.7	4.098	94.5	. 2441	-42.9			879.1	15.5	169.
121	8.9	31625.	35.3	3.975	88.2	.2451	-41.8			892.3	12.3	152.
122	8.5	31938.	34.6	4.080	86.3	. 2464	-41.8			904.1	6.7	157.
123	8.2	32207.	34.8	4.270	87.0	. 2475	-42.1			913.3	7.2	182.
124	8.0	32375.	33.9	4.264	84.4	. 2481	-41.5			922.0	8.6	187.
125	7.7	32565.	31.7	4.101	78.9	. 2489	-41.5			929.5	8.6	187.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
15. 9	18.9	60.2	126.8	132.9	65.6	42.9	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110109038904	99 ECC TOTAL 03 FROM SONDE DATA 274
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110209038904	680 16-50 500 21-34170 2 300 11-56127 2 200 52-47216 6
1110309038904	150 66-48 69 4 100121-48219 21 70144-48223 7 50145-49219 22
1110409038904	30 96-49185 920.0 54-49175 810.0 42-45181 7 665 17-39250 33
1110509038904	649 16-32250 33 617 15-31250 12 568 13-35307 9 287 13-58209 4
1110609038904	277 31-58211 7 268 46-56202 7 238 47-50200 6 223 56-49212 5
1110709038904	143 66-48 0 8 124102-49291 12 57152-48 40 7 46147-48206 8
1110809038904	37116-48170 5 34108-50198 923.8 62-48192 712.0 45-43153 7
1110909038904	8.9 35-42152 12 7.7 32-42187 9



STATION: SOUTH POLE LAUNCH DATE: 16 MAR 89 253 Z ECC SONDE: 4A4393

SURFACE CONDITIONS: PRESSURE 691.3 MB, TEMPERATURE -44.4 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 25.5 C AT 70.0 ORD;

O3 ORD ZERO 29.3, BKGND 29.7, CAL 64.0; O3 BKGND 0.061 MICROAMP; FLOW RATE 24.4 S/100 M

FLIGHT NORMALIZED TO TOTAL 03 ; SONDE TOTAL 03 238.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	C	%	К .	M/S	DEG
0	691.3	2835.	13.0	.019	32.8	. 0000	-44.4	•		254.3	, -	• • • • • • • • • • • • • • • • • • • •
1	673.0	3019.	13.0	.019	31.5	.0003	-34.5	-36.8	81.2	267.3	16.8	227.
2	657.0	3187.	12.1	. 018	29.2	.0005	-33.7	-34.7	92.3	270.0	16.8	227.
3	640.0	3372.	11.2	.018	26.8	.0008	-32.4	-33.3	92.9	273.5	5.3	181.
4	622.0	3573.	11.2	.018	26.9	.0010	-32.5	-33.4	92.8	275.6	8.3	31.
5	606.0	3756.	10.3	.017	24.8	.0012	-33.4	-34.4	92.4	276.6	11.6	29.
6	588.0	3968.	10.3	.018	24.8	.0015	-34.1	-36.1	83.1	278.2	8.9	10.
7	572.0	4161.	9.5	. 017	22.9	.0017	-34.4	-37.3	76.2	280.1	3.8	338.
8	557.0	4346.	9.4	. 017	22.9	.0019	-35.4	-38.7	73.5	281.0	2.7	193.
9	540.0	4561.	9.4	. 017	23.0	.0021	-36.8			281.9	5.5	166.
10	527.0	4730.	9.3	.018	22.9	. 0023	-38.1			282.2	6.0	126.
11	512.0	4928.	8.0	.016	19.7	.0025	-39.2			283.3	6.4	105.
12	497.0	5131.	8.0	.016	19.9	.0027	-40.4			284.2	2.9	101.
13	482.0	5340.	8.5	.018	21.1	.0029	-41.7			285.1	1.1	300.
14	466.0	5568.	9.3	.020	23.3	. 0031	-42.5			286.9	3.6	247.
15	455.0	5729.	8.9	. 020	22.3	. 0033	-43.6			287.4	4.4	227.
16	443.0	5908.	9.7	.022	24.6	.0035	-45.5			287.3	3.9	203.
17	430.0	6106.	10.1	.023	25.7	. 0037	-46.7			288.3	3.9	197.
18	417.0	6309.	10.1	.024	25.9	.0039	-47.8			289.3	2.8	182.
19	403.0	6534.	9.2	.023	23.8	.0042	-49.5			290.0	2.8	180.
20	390.0	6748.	9.6	. 025	25.1	.0044	-51.1			290.5	3.5	180.
21	380.0	6916.	9.2	.024	24.1	.0046	-51.9			291.7	4.1	155.
22	369.0	7106.	9.6	.026	25.1	. 0048	-53.0			292.7	6.2	133.
23	357.0	7319.	9.6	.027	25.2	. 0051	-54.0			294.2	8.1	126.
24	346.0	7519.	10.4	. 030	27.6	.0053	-54.9			295.5	8.9	113.
25	334.0	7744.	11.3	. 034	30.0	.0056	-56.1			296.9	10.0	102.
26	323.0	7957.	15.0	.046	40.1	.0059	-57.5			297.9	9.5	104.
27	313.0	8155.	13.2	. 042	35.5	.0063	-58.1			299.6	9.2	107.
28	303.0	8359.	18.5	. 061	49.8	. 0067	-59.0			301.2	8.3	107.
29	293.0	8570.	30.9	. 105	83.2	.0072	-58.7			304.6	5.6	109.
30	283.0	8789.	42.6	. 151	113.8	. 0081	-57.1			309.9	2.1	134.
31	273.0	9018.	52.6	. 193	138.8	.0094	-54.5			316.9	2.1	217.
32	264.0	9233.	56.5	. 214	148.4	.0108	-53.3			321.6	4.0	225.
33	255.0	9457.	55.8	.219	145.4	. 0123	-51.8			327.1	4.0	191.
34	246.0	9691.	55.1	. 224	143.2	.0139	-51.0			331.7	4.2	158.
35	237.0	9934.	54.7	. 231	141.4	.0155	-49.8			337.1	3.0	185.
36		10130.	53.6	. 233	138.9	.0168	-50.2			339.3	2.8	211.
37	223.0		51.9	. 233	133.7	.0180	-49.2			343.9	2.7	203.
38		10542.	39.6		101.7					348.4		178.
39		10759.	51.0	.244	131.0	.0204	-48.3			351.7	1.4	168.
40		11016.	64.9	. 323	166.6	.0220	-48.1			355.9	2.2	196.
41		11209.	60.8	.311	156.3	. 0235	-48.7			357.9	2.5	211.
42	189.5		52.3	. 276	134.3	.0249	-48.4			361.5	3.1	214.
43	183.7		54.0	.294	138.7	. 0261	-48.3			364.9	3.6	197.
44	177.8		67.4	. 379	173.4	.0276	-48.7			367.6	3.2	177.
45	172.0		72.6	. 422	186.6	.0294	-48.4			371.6	2.2	171.
46	166.0		82.0	. 494	210.4	.0314	-48.1			375.9	2.1	185.
47		12510.	81.8	.511	209.8	.0337	~48.1	*		379.7	2.6	206.
48		12748.	81.7		209.9	.0360	-48.3			383.4	3.0	218.
49	149.1	12983.	86.5	. 580	221.9	. 0384	-48.1			387.6	2.6	196.


STATION: SOUTH POLE LAUNCH DATE: 16 MAR 89 253 Z ECC SONDE: 44 TIME PRESS ALT OZONE OZONE OZDEN TOTOZ TEMP DEWPT HUM POT T WIN MIN MB GPM NB PPMV GAMMA ATMCM C C K 50 144.0 13212. 65.1 .452 167.3 .0406 -48.6 390.7 51 138.8 13454. 62.9 .453 161.7 .0424 -48.6 394.8 52 133.8 13694. 66.7 .499 172.5 .0443 -49.9 396.6 53 129.2 13923. 97.4 .754 251.3 .0463 -49.3 401.7 54 124.9 14145. 81.9 .656 211.0 .0487 -49.2 405.8 55 120.5 14380. 78.6 .652 203.2 .0510 -49.8 408.9	1.8 1 3.0 1 2.7 1 1.8 1 3.3 2 3.8 1 3.4 1 2.5 1 2.1 2	MIND DEG 182. 193. 192. 182. 196. 217. 193.
MIN MB CPM NB PPMV GAMMA ATMCM C C % K 50 144.0 13212. 65.1 .452 167.3 .0406 -48.6 390.7 51 138.8 13454. 62.9 .453 161.7 .0424 -48.6 394.8 52 133.8 13694. 66.7 .499 172.5 .0443 -49.9 396.6 53 129.2 13923. 97.4 .754 251.3 .0463 -49.3 401.7 54 124.9 14145. 81.9 .656 211.0 .0487 -49.2 405.8	1.7 1 1.8 1 3.0 1 2.7 1 1.8 3.3 2 3.8 1 3.4 1 2.5 1 2.1 2	182. 193. 192. 182. 196. 217.
50 144.0 13212. 65.1 .452 167.3 .0406 -48.6 390.7 51 138.8 13454. 62.9 .453 161.7 .0424 -48.6 394.8 52 133.8 13694. 66.7 .499 172.5 .0443 -49.9 396.6 53 129.2 13923. 97.4 .754 251.3 .0463 -49.3 401.7 54 124.9 14145. 81.9 .656 211.0 .0487 -49.2 405.8	1.8 1 3.0 1 2.7 1 1.8 1 3.3 2 3.8 1 2.5 1 2.1 2	193. 192. 182. 196. 217.
51 138.8 13454. 62.9 .453 161.7 .0424 -48.6 394.8 52 133.8 13694. 66.7 .499 172.5 .0443 -49.9 396.6 53 129.2 13923. 97.4 .754 251.3 .0463 -49.3 401.7 54 124.9 14145. 81.9 .656 211.0 .0487 -49.2 405.8	3.0 1 2.7 1 1.8 1 3.3 2 3.8 1 3.4 1 2.5 1 2.1 2	192. 182. 196. 217.
52 133.8 13694. 66.7 .499 172.5 .0443 -49.9 396.6 53 129.2 13923. 97.4 .754 251.3 .0463 -49.3 401.7 54 124.9 14145. 81.9 .656 211.0 .0487 -49.2 405.8	2.7 1 1.8 1 3.3 2 3.8 1 3.4 1 2.5 1 2.1 2	182. 196. 217. 193.
53 129.2 13923. 97.4 .754 251.3 .0463 -49.3 401.7 54 124.9 14145. 81.9 .656 211.0 .0487 -49.2 405.8	1.8 1 3.3 2 3.8 1 3.4 1 2.5 1 2.1 2	196. 217. 193.
54 124.9 14145. 81.9 .656 211.0 .0487 -49.2 405.8	3.3 2 3.8 1 3.4 1 2.5 1 2.1 2	217. 193.
	3.8 1 3.4 1 2.5 1 2.1 2	193.
	3.4 1 2.5 1 2.1 2	
56 116.1 14624. 91.6 .789 236.2 .0534 -49.3 414.1	2.5 1 2.1 2	171
57 112.0 14859. 87.2 .779 225.4 .0560 -49.8 417.6	2.1 2	
58 107.8 15109. 92.5 .858 240.0 .0586 - 50.5 420.7		166.
59 103.7 15362. 92.6 .893 240.8 .0614 -51.1 424.2		221.
60 100.0 15598. 95.2 .952 247.5 .0641 -51.1 428.6	3.6 2	226.
61 96.2 15850. 101.5 1.055 262.8 .0670 -50.2 435.2	4.3 1	189.
62 92.5 16105. 101.8 1.101 265.9 .0702 -52.1 436.5	4.2 1	174.
63 88.8 16370. 107.8 1.214 281.6 .0735 -52.1 441.6	4.6 2	223.
64 85.8 16593. 118.5 1.381 308.1 .0765 -51.1 447.8	6.6 2	239.
65 82.6 16840. 128.3 1.553 334.5 .0801 -51.8 451.4	4.9 2	235.
66 79.5 17088. 130.9 1.647 341.3 .0839 -51.8 456.4	3.6 2	262.
67 76.4 17345. 135.4 1.772 354.4 .0880 -52.5 460.0	4.0 2	267.
68 73.7 17578. 139.5 1.893 364.1 .0918 -51.9 466.1	4.4 2	239.
69 70.7 17847. 140.3 1.984 367.1 .0963 -52.5 470.3		213.
70 67.7 18126. 138.4 2.044 362.2 .1010 -52.5 476.1	4.3 1	198.
71 65.0 18395. 137.0 2.109 358.3 .1055 -52.4 482.2	3.2 2	218.
72 62.2 18672. 139.8 2.247 365.1 .1101 -52.1 488.8		228.
73 59.7 18936. 144.0 2.410 377.0 .1146 -52.7 493.1		249.
74 57.2 19218. 145.4 2.542 381.3 .1195 -53.0 498.6		262.
75 54.6 19520. 141.0 2.584 368.1 .1248 -52.1 507.5	6.1 2	232.
76 52.3 19793. 134.0 2.561 350.1 .1294 -52.2 513.3	5.2 2	211.
		189.
		216.
79 45.9 20646. 124.4 2.713 325.6 .1429 -52.5 532.2		250.
80 44.1 20899. 123.0 2.790 322.4 .1467 -52.9 537.5	4.8 2	233.
81 42.2 21186. 113.8 2.699 297.9 .1509 -52.7 544.7		235.
82 40.6 21435. 98.8 2.435 258.7 .1542 -52.7 550.8		226.
		177.
84 37.4 21962. 90.8 2.428 237.5 .1604 -52.5 564.1	2.2 1	182.
85 35.8 22240. 89.3 2.492 233.5 .1634 -52.2 571.9	2.5 1	159.
86 34.5 22480. 90.2 2.614 236.8 .1660 -53.2 575.6	1.5	53.
87 33.1 22753. 89.7 2.712 235.6 .1690 - 53. 3 582.2	2.3 2	288.
88 31.7 23024. 89.7 2.828 235.5 .1720 -53.2 589.6	6.3 2	214.
89 30.3 23328. 87.9 2.905 230.7 .1752 -53.0 598.0	4.0 1	197.
		309.
91 27.9 23863. 81.5 2.926 214.1 .1808 -53.3 611.5	1.8 2	210.
92 26.7 24130. 77.7 2.908 203.5 .1834 -52.7 620.6	3.4 1	195.
93 25.5 24429. 68.7 2.693 180.1 .1861 -53.0 628.0	4.3 1	186.
94 24.2 24761. 61.1 2.522 160.3 .1888 -53.0 637.3	5.0 1	150.
95 23.5 24960. 59.1 2.516 154.9 .1903 -52.9 643.4		127.
96 22.7 25192. 56.8 2.507 149.0 .1919 -53.0 649.6		179.
		207.
98 20.9 25721. 51.0 2.444 134.0 .1954 -53.3 664.0	1.3 1	100.
		249.
		220.
101 18.6 26454. 45.2 2.426 118.3 .1997 -52.5 688.4	1.5 1	157.
102 17.8 26756. 44.2 2.485 115.2 .2013 -51.8 700.1		310.
103 17.2 26958. 41.6 2.413 108.3 .2024 -51.3 707.8		232.
104 16.6 27196. 38.7 2.329 100.0 .2035 - 49.8 720.2	1.4 1	197.

STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	16 MAR	89 2	5 3 Z	ECC	SONDE:	4A4393	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	15.9	27471.	37.1	2.327	96.0	. 2048	-50.1			727.9	3.3	286.
106	15.3	27746.	34.9	2.284	90.7	. 2060	-50.8			734.2	2.1	252.
107	14.7	27987.	35.6	2.418	92.8	.2070	-51.5			740.0	3.8	208.
108	14.1	28264.	35.7	2.530	93.0	. 2082	-51.8			748.0	3.0	187.
109	13.4	28577.	35.0	2.604	91.2	.2096	-51.6			758.9	5.0	140.
110	12.9	28824.	33.8	2.612	88.1	.2106	-51.5			767.7	3.6	180.
111	12.5	29072.	32.8	2.632	85.2	.2116	-51.0			7778	3.2	197.
112	12.1	29251.	32.4	2.673	84.0	.2123	-50.1			787.1	2.5	168.
113	11.6	29541.	31.4	2.709	80.8	.2134	-48.7			802.0	2.9	223.
114	11.2	2979 9 .	29.6	2.655	75.9	.2144	-48.3			812.6	5.9	214.
115	10.7	30096.	28.9	2.711	74.2	.2154	-48.3			823.2	6.2	154.
116	10.1	30473.	27.8	2.763	71.5	.2167	-48.3			836.7	7.8	109.
117	9.6	30817.	26.4	2.764	67.8	.2178	-48.7			847.7	2.1	145.
118	9.1	31167.	25.0	2.759	64.2	.2189	-48.3			862.3	6.9	188.
119	8.6	31483.	23.5	2.723	60.0	.2198	-47.2			878.2	7.9	143.
120	8.3	31764.	22.1	2.669	56.2	. 2206	-46.5			891.8	7.6	97.
121	8.0	31968.	20.9	2.606	53.3	.2211	-46.2			900.8	9.0	75.
122	7.8	32133.	21.0	2.682	53.3	.2215	-46.1			907.8	8.2	52.
123	7.7	32258.	21.0	2.734	53.3	. 2218	-45.4			915.6	5.1	20.
124	7.5	32384.	21.0	2.785	53.2	. 2222	-44.6			923.4	2.6	351.
125	7.4	32554.	21.1	2.871	53.1	. 2226	-43.9			933.0	1.1	34.
126	7.2	32683.	20.7	2.871	52.1	. 2229	-43.4			940.5	. 6	26.
127	7.2	32726.	20.8	2.901	52.1	. 2230	-42.7			945.1	. 6	26.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
10.3	19.3	64.9	111.5	115.8	59.1	29.6	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110116038903	99 ECC TOTAL 03 FROM SONDE DATA 238
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110216038903	691 13-44 500 8-40102 4 300 22-59108 7 200 64-48199 2
1110316038903	150 86-48200 3 100 95-51226 4 70140-53210 5 50130-53190 3
1110416038903	30 87-53220 320.0 48-53244 210.0 28-48113 7 673 13-35227 17
1110516038903	640 11-32181 5 572 10-34338 4 390 10-51180 4 313 13-58107 9
1110616038903	273 53-55217 2 237 55-50185 3 223 52-49203 3 216 40-48178 2
1110716038903	184 54-48197 4 166 82-48185 2 144 65-49182 2 139 63-49193 2
1110816038903	134 67-50192 3 129 97-49182 3 125 82-49196 2 121 79-50217 3
1110916038903	116 92-49193 4 89108-52223 5 83128-52235 5 57145-53262 6
1111016038903	44123-53233 5 41 99-53226 2 37 91-53182 216.6 39-50197 1
1111116038903	12.9 34-52180 4 7.8 21-46 52 8 7.2 21-43 26 1



STATION: SOUTH POLE LAUNCH DATE: 25 MAR 89 304 Z ECC SONDE: 4A4412

SURFACE CONDITIONS: PRESSURE 681.3 MB, TEMPERATURE -47.2 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 24.0 C AT 70.4 ORD;

O3 ORD ZERO 29.0, BKGND 30.1, CAL 62.9; O3 BKGND 0.170 MICROAMP; FLOW RATE 27.6 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 264.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	Κ .	M/S	DEG
0	681.3	2835.	12.5	.018	32.0	. 0000	-47.2			252.1		
1	667.0	2979.	13.1	. 020	31.7	. 0002	-34.1	-36.0	84.7	268.4	23.9	169.
2	652.0	3140.	12.7	.019	30.2	.0004	-31.2	-32.1	93.4	273.4	23.9	169.
3	635.0	3327.	12.7	. 020	30.2	.0007	-30.9	-31.8	93.5	275.8	17.6	103.
4	620.0	3496.	12.2	. 020	29.3	.0009	-32.1	-33.0	93.0	276.3	9.7	92.
5	603.0	3693.	12.3	. 020	29.3	.0012	-30.8	-31.6	93.6	280.1	4.8	55.
6	587.0	3884.	12.3	. 021	29.5	.0015	-32.1	-33.0	93.0	280.7	3.4	39.
7	571.0	4079.	12.4	. 022	29.8	.0017	-33.0	-34.0	92.6	281.8	8.5	105.
8	556.0	4265.	11.4	. 021	27.5	.0020	-33.8	-36.6	77.0	283.0	8.3	57.
9	540.0	4470.	10.5	.019	25.4	.0022	-35.0	-38.5	71.6	284.0	10.1	16.
10	526.0	4652.	11.6	. 022	28.2	.0025	-36.6	-40.1	71.7	284.2	2.2	69.
11	511.0	4852.	12.7	. 025	31.1	.0027	-37.4	-40.8	72.1	285.6	4.8	179.
12	496.0	5058.	11.7	. 024	28.9	.0030	-38.8	-41.9	73.9	286.3	10.4	185.
13	480.0	5282.	11.8	. 025	29.1	.0033	-39.9			287.7	12.7	187.
14	466.0	5484.	11.3	. 024	28.2	.0036	-41.3			288.4	10.8	181.
15	452.0	5690.	9.9	. 022	24.7	.0039	-42.5			289.4	9.8	187.
16	440.0	5871.	9.9	.023	25.0	.0041	-44.4			289.3	10.3	194. 195.
17	427.0	6072.	10.0	.023	25.4	.0043	-45.8			290.0	9.7	160.
18	415.0	6261.	11.0	. 027	28.1	.0045	-47.5			290.1	8.4	192.
19	405.0	6422.	12.0	. 030	30.9	.0047	-48.4			291.0	10.2	207.
20	392.0	6636.	12.1	. 031	31.2	.0050	-49.5			292.3	12.9	175.
21	378.0	6873.	13.2	. 035	34.4	. 0054	-51.8			292.3 293.8	9.1 8.8	178.
22	367.0	7064.	14.2	. 039	37.1	.0057	-52.5			294.9	8.3	175.
23	355.0	7278.	12.2	. 034	32.0	.0061	-53.8			294.9	7.8	162.
24 25	343.0 330.0	7499. 7746.	10.2	. 030	27.0	.0064	-54.5 -55.8			298.4	7.2	138.
26	322.0	7902.	13.8	. 042	36.7	.0067 .0070	-55.6 -55.6			300.7	7.1	137.
27	312.0	8103.	16.3	. 051	43.4		-56.6			302.1	7.5	152.
28	302.0	8309.	15.7 13.7	. 050 . 045	41.8 36.8	.0074 .0078	-50.6 -57.3			303.9	7.5	159.
29	292.0	8521.	13.7	. 046	35.8	.0078	-59.0			304.4	8.7	165.
30	282.0	8739.	13.4	.048	36.2	.0085	-59.7			306.4	8.8	178.
31	273.0	8941.	13.4	. 049	36.3	.0088	-61.0			307.5	7.8	191.
32	264.0	9150.	20.7	. 078	56.4	.0092	-61.0			310.4	9.4	181.
33	255.0	9366.	34.3	. 135	93.1	.0092	-60.1			314.9	11.7	17 7 .
34	248.0	9540.	45.4	. 183	121.6	.0197	-57.6			321.0	12.6	175.
35	240.0	9748.	50.8	. 212	135.0	.0119	-55.9			326.6	13.5	158.
36	233.0	9937.	51.2	. 220	135.6	.0130	-55.3			330.4	11.5	151.
37		10132.	52.0	. 230	136.6	.0143	-53.5			336.0	11.2	151.
38		10365.	53.7		139.9	.0157	-51.5			342.6	12.7	
39		10577.	56.4	. 246 . 267	146.9	.0171	-51.6			345.6	10.6	140.
40		10827.	55.0	. 271	144.1	.0171	-52.7			347.7	8.0	157.
41		11028.	55.3	. 281	144.3	.0202	-51.8			352.3	7.4	161.
42		11239.	57.6	. 302	150.2	.0202	-51.9			355.3	8.5	161.
43		11460.	58.1	.316	152.0	.0232	-51.9 -52.2			358.3	9.7	162.
44		11686.	56.5	.318	147.5	.0232	-51.8			362.6	9.7	158.
45		11901.	54.2	.315	141.0	.0262	-51.3			366.9	9.9	161.
46		12132.	54.7	. 330	141.9	.0202	-50.7			371.6	10.2	165.
47		12132.	54.7		141.9	.0297	-50.7 -51.0			374.9	9.4	165.
48		12591.	58.3	. 377	152.0	.0307	-51.8			377.3	9.4	158.
49		12812.	70.8	. 474	184.8	.0324	-52.1			380.5	9.8	152.
73	173.3	12012.	70.0	. 7/7	104.0	. 0324	J2. I			555.5		

STATI	ON: SOUTH POLE	Ξ	LAUNC	H DATE:	25 MAR	89 304 7	. ECC	SONDE:	4A4412	
TIME	PRESS ALT	OZONE		OZDEN	TOTOZ	TEMP DEV		POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	C C	%	K	M/S	DEG
50	144.2 13046.	80.0	. 555	209.4	. 0344	-52.5		383.6	9.9	158.
51	139.0 13283.	73.7	.530	192.6	. 0367	-52.2		388.2	9.7	162.
52	134.3 13506.	72.1	. 537	188.6	. 0387	-52.4		391.8	10.7	154.
53	129.9 13721.	72.1	. 555	188.3	.0405	-52.2		395.8	10.1	148.
54	125.3 13954.	74.1	. 591	194.3	.0426	-52.9		398.8	9.4	146.
55	121.0 14179.	84.5	. 698	221.4	. 0447	-52.9		402.8	9.3	148.
56	116.7 14413.	104.8	. 898	274.6	. 0472	-52.9		407.0	7.2	146.
57	112.6 14644.	119.6	1.062	313.6	. 0503	-53.0		410.9	7.2	145.
58	108.6 14877.	113.2	1.042	296.9	. 0536	-53.0		415.1	9.5	155.
59	104.5 15125.	113.9	1.090	299.1	. 0570	-53.2		419.4	10.9	160.
60	100.5 15376.	122.8	1.222	322.4	. 0605	-53.3		423.8	9.2	160.
61	97.2 15591.	119.0	1.224	313.0	.0637	-53.7		427.2	7.8	159.
62	93.7 15827.	117.9	1.258	310.4	.0672	-53.8		431.4	9.5	163.
63	90.2 16071.	124.4 130.6	1.379	327.5	. 0707 . 0744	-53.8 -53.5		436.2	9.6 8.6	163.
64 65	86.9 16311. 83.5 16567.	130.6	1.503 1.625	343.2 357.8	.0785	-53.5 -54.1		441.5		159. 150.
66	80.3 16818.	141.5	1.762	374.2	. 0827	-54.8		448.9	11.7 11.9	139.
67	77.5 17045.	140.4	1.812	370.7	.0867	-54.5		454.1	8.7	141.
68	74.7 17281.	139.8	1.871	369.0	.0907	-54.5		458.9	9.1	155.
69	71.5 17561.	139.8	1.955	368.5	.0955	-54.1		465.4	9.3	158.
70	68.8 17810.	142.2	2.068	376.0	.0998	-54.8		469.2	12.2	177.
71	66.1 18068.	144.8	2.192	383.1	. 1043	-54.9		474.3	13.7	144.
72	63.6 18311.	144.5	2.272	383.2	.1086	-55.4		478.4	13.7	116.
73	61.4 18534.	144.7	2.357	384.0	. 1125	-55.6		482.8	8.5	132.
74	59.5 18735.	148.2	2.491	392.6	.1161	-55.3		487.9	7.1	146.
75	57.0 19011.	146.8	2.576	390.1	.1211	-55.9		492.5	8.2	152.
76	54.6 19282.	145.0	2.656	385.9	.1260	-56.3		497.8	9.9	142.
77	52.4 19548.	140.1	2.676	373.8	. 1308	-56.8		502.6	10.4	143.
78	49.9 19848.	139.5	2.793	371.9	. 1360	-56.6		509.9	10.9	143.
79	47.7 20143.	139.6	2.928	371.9	.1411	-56.4		517.1	10.6	145.
80	45.5 20434.	138.3	3.038	368.5	. 1461	-56.4		523.9	12.1	147.
81	43.5 20721.	138.7	3.187	369.7	. 1510	-56.6		530.3	12.0	136.
82	41.9 20968.	140.7	3.362	375.1	. 1553	-56.6		536.2	9.9	139.
83	40.1 21248.	139.4	3.481	372.1	. 1602	-56.9		542.2	7.8	143.
84	38.5 21490.	137.3	3.563	366.8	. 1643	-57.1		547.7	9.5	142.
85	36.9 21764.	134.7	3.649	359.9	. 1689	-57.1		554.5	15.8	148.
86	35.2 22069.	127.9	3.637	342.1	. 1740	-57.3		561.8	18.3	149.
87		128.4		342.8	.1772				12.4	
88	32.7 22537.	125.4	3.840	336.0	. 1814			572.9		128.
89	31.3 22801.	121.9	3.891	327.6	. 1855	-58.3		577.9		134.
90 91	30.4 22998.	117.9	3.883	315.0	.1884	-57.1		586.4	14.8	139.
92	29.1 23259. 28.1 23487.	115.4	3.962	308.8	. 1922	-57.5		592.4	13.6	119.
93	26.8 23776.	105.6	3.758	283.7	. 1954	-58.3		596.1	14.6	117.
94	25.9 24000.	109.8 109.7	4.091 4.236	295.8 294.9	. 1992	-58.8 -58.3		602.6	14.5	133.
95	24.9 24256.	101.8	4.238	273.9	. 2022 . 2057	-58.3 -58.5		610.2 616.8	9.1 8.1	112. 104.
96	23.9 24510.	93.5	3.915	251.9	. 2088	-58.8		623.0	11.2	120.
97	22.9 24764.	86.5	3.772	232.4	. 2117	-58.1		632.3	14.8	113.
98	22.0 25018.	77.8	3.532	208.7	.2143	-57.8		640.6		113.
99	21.3 25241.	55.1	2.592	147.6	.2163	-57.6		647.6		134.
100	20.3 25527.	52.5	2.584	140.2	.2183	-57.1		657.6	11.0	126.
101	19.5 25781.	51.7	2.649	138.1	.2199	-57.3		664.7	10.9	120.
102	18.8 26035.	50.0	2.667	134.0	. 2215	-58.0		670.3	11.4	135.
103	18.1 26257.	48.2	2.663	129.7	. 2229	-58.3		675.9	8.3	140.
104	17.5 26479.	47.7	2.729	128.3	.2242	-58.5		682.2	8.2	113.


STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	25 MAR	89 3	304 Z	ECC	SONDE:	4A4412	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	16.8	26734.	46.5	2.771	124.4	. 2257	-57.6			692. 9	11.4	103.
106	16.0	27021.	45.2	2.818	121.0	. 2274	-57.5			702.6	7.4	106.
107	15.4	27278.	44.4	2.883	118.8	.2288	-57.5			710.8	8.7	114.
108	14.8	27536.	45.3	3.065	121.3	. 2302	-57.5			719.1	11.2	122.
109	14.1	27828.	41.0	2.904	109.5	. 2318	-57.1			729.8	10.9	126.
110	13.6	28089.	39.6	2.923	105.7	. 2331	-56.6			740.2	8.9	112.
111	13.0	28352.	39.7	3.054	105.7	. 2344	-56.4			749.6	8.4	117.
112	12.5	28617.	34.8	2.793	92.6	. 2357	-56.3			759:2	10.6	123.
113	12.0	28884.	33.1	2.770	87.6	. 2368	-55.3			771.8	11.1	119.
114	11.5	29154.	32.2	2.810	85.2	. 2379	-54.9			782.4	7.8	103.
115	10.9	29461.	32.2	2.949	85.6	. 2391	-55.6			790.8	4.2	86.
116	10.4	29804.	30.9	2.986	82.2	. 2405	-55.9			801.9	4.2	86.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 12.1
 13.7
 59.0
 123.9
 137.4
 77.7
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

I SNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110125038903	99 ECC TOTAL O3 FROM SONDE DATA 264
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110225038903	681 13-47 500 12-38183 9 300 14-58160 8 200 55-52159 8
1110325038903	150 70-52153 10 100122-53160 9 70141-54168 11 50140-57143 11
1110425038903	30117-57133 1420.0 52-57124 11 667 13-34169 24 652 13-31169 24
1110525038903	603 12-31 55 5 378 13-52175 9 264 21-61181 9 248 45-58175 13
1110625038903	218 54-52139 13 160 54-51165 9 144 80-53158 10 125 74-53146 9
1110725038903	113120-53145 7 105114-53160 11 94118-54163 10 80142-55139 12
1110825038903	60148-55146 7 40139-57143 828.1106-58117 1525.9110-58112 9
1110925038903	23.9 94-59120 1122.0 78-58113 1121.3 55-58134 817.5 48-59113 8
1111025038903	11.5 32-55103 810.4 31-56 86 4



STATION: SOUTH POLE LAUNCH DATE: 2 APR 89 312 Z ECC SONDE: 4A4410

SURFACE CONDITIONS: PRESSURE 702.9 MB, TEMPERATURE -41.5 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 22.0 C AT 70.6 ORD;

O3 ORD ZERO 29.0, BKGND 29.3, CAL 63.0; O3 BKGND 0.046 MICROAMP; FLOW RATE 27.8 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 241.; C.F.

T *	55500	=										
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	С	%	K	M/S	DEG
0	702.9	2835. 2993.	21.5	. 031	53.7	.0000	-41.5	7.4.7	D 2 4	,256.2	20.7	219.
1 2	687.0		20.2	.029	48.4	.0004	-32.1	-34.3	82.4	268.4	20.7	
3	670.0 654.0	3171.	17.1	.026	40.9	.0008	-31.4	-32.3	93.3	271.0	20.7	219.
4		3342.	18.5	.028	44.0	. 0011	-31.2	-32.1	93.4	273.2	22.0	221.
5	638.0 621.0	3519. 3715.	18.5	.029	43.1	.0014	-26.1 -24.6	-26.8	95.3 95.8	280.9	15.3 13.1	200. 194.
6	603.0	3929.	19.0 16.4	. 031 . 027	44.2 38.1	.0018		-25.2	89.2	284.9 286.5	12.6	187.
7	589.0	4100.	14.8	.027	34.7	.0023 .0026	-25.2 -26.1	-26.6 -27.8	87.1	287.3	11.0	160.
8	572.0	4311.	13.3	.023	31.2	.0020	-27.2	-27.8	84.0	288.5	10.1	140.
9	555.0	4528.	13.8	. 025	32.5	.0023	-27.2 -28.5	-30.8	82.3	289.5	9.8	143.
10	540.0	4724.	12.8	. 024	30.3	. 0032	-30.4	-32.6	82.4	289.5	10.1	149.
11	526.0	4910.	11.7	.022	28.0	.0033	-31.2	-33.7	79.5	299.8	9.5	163.
12	510.0	5129.	12.2	.024	29.3	.0040	-32.4	-33.7	, 3.5	291.9	9.7	169.
13	496.0	5325.	12.2	.025	29.4	.0043	-33.6			292.8	9.2	169.
14	481.0	5539.	12.2	.025	29.4	.0046	-34.8			293.9	8.9	180.
15	467.0	5745.	13.1	.023	31.8	.0049	-36.0			294.8	7.9	192.
16	453.0	5956.	13.5	.030	33.0	.0052	-37.3			295.7	8.2	203.
17	440.0	6157.	13.5	. 031	33.3	.0055	-38.4			296.8	9.9	203.
18	428.0	6346.	13.5	. 032	33.5	.0058	-40.2			296.9	10.1	200.
19	417.0	6524.	14.0	.034	34.7	.0061	-41.1			297.9	10.8	196.
20	405.0	6721.	13.5	. 033	33.8	.0064	-42.7			298.4	12.4	196.
21	392.0	6941.	13.0	. 033	32.8	.0067	-44.4			299.0	13.0	197.
22	380.0	7148.	12.5	. 033	31.7	.0070	-45.9			299.6	13.8	203.
23	368.0	7361.	11.5	. 031	29.3	.0073	-47.2			300.6	14.3	213.
24	357.0	7561.	11.4	. 032	29.3	.0076	-48.7			301.2	15.5	217.
25	347.0	7748.	10.9	. 031	28.2	.0079	-50.2			301.7	16.4	217.
26	336.0	7957.	10.9	. 032	28.4	. 0081	-51.8			302.3	16.1	215.
27	324.0	8192.	10.9	. 034	28.6	.0085	-53.3			303.3	16.4	215.
28	315.0	8373.	11.8	. 037	31.3	. 0087	-54.9			303.5	18.3	214.
29	303.0	8620.	10.9	. 036	28.9	.0090	-56.6			304.6	19.0	214.
30	293.0	8832.	10.3	. 035	27.7	. 0093	-58.0			305.6	18.0	216.
31	284.0	9028.	9.3	. 033	25.2	.0096	-59.4			306.3	18.7	220.
32	273.0	9275.	9.8	.036	26.6	. 0099	-60.6			308.0	17.7	223.
33	264.0	9483.	9.8	€ 77	26.6	.0101	-61.7			309.3	14.1	224.
34	255.0	9698.	10.2	.040	28.0	.0104	-€2.5			311.3	9.9	235.
35	247.0	9894.	11.6	. 047	32.1	.0107	-63.4			312.8	9.4	248.
36	239.0	10095.	12.6	. 053	34.9	.0110	-64.8			313.6	10.3	249.
37		10329.	12.6	. 055	35.2	.0113	-66.2			315.0	10.8	251.
38		10544.	16.8	. 076	46.8	.0117	-65.8			318.8	10.4	236.
39		10711.	30.9	. 143	84.9	.0121	-62.8			325.9	6.4	227.
40		10887.	47.1	. 224	126.7	.0129	-58.3			335.6	4.7	221.
41		11038.	53.5	. 261	143.8	. 0138	-58.3			337.9	9.3	191.
42		11274.	54.9	. 278	146.7	.0154	-57.1			343.4	13.2	198.
43		11552.	47.6	. 252	127.2	.0172	-56.9			348.0	7.0	208.
44		11836.	39.3	. 217	105.3	.0188	-57.5			351.7	3.6	192.
45		12076.	35.3	. 203	93.9	. 0200	-55.8			358.3	7.8	191.
46		12296.	33.1	. 197	87.6	.0209	-54.8			363.5	5.4	172.
47		12517.	32.2	. 198	85.1	.0218	-54.8			367.1	4.2	201.
48		12746.	38.3	. 244	100.9	.0228	-54.0			372.2	6.8	218.
49	151.3	12971.	46.3	. 306	122.1	. 0239	-54.1			375.7	2.7	193.

STATI	ON: SOUTH POLE	•	LAUNC	H DATE:	2 APR	89 312	2 Z	ECC	SONDE:	4A4410	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ		DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	С	С	7.	K	M/S	DEG
50	146.1 13195.	51.2	.350	135.4	.0252	-54.9			378.0	3.9	200.
51	141.0 13422.	58.9	.418	155.9	.0266	-55.1			381.6	9.5	202.
52	136.0 13652.	75.6	. 556	200.0	. 0284	-54.9			385.9	8.3	178.
53	131.0 13892.	90.1	.688	238.4	. 0308	-54.9			390.0	6.4	163.
54	126.1 14135.	96.8	.768	256.5	. 0335	-55.3			393.7	6.9	177.
55	121.3 14383.	96.3	.794	254.8	. 0364	-54.9			398.7	6.3	178.
56	117.0 14613.	89.2	.762	237.0	. 0391	-55.9			401.0	5.6	179.
57	113.0 14835.	86.1	.762	227.4	.0415	-54.6			407.4	8.4	186.
58	108.9 15072.	77.1	. 708	203.3	. 0439	-54.1			412.7	6.5	171.
59	104.9 15311.	82.5	.786	218.2	.0462	-54.9			415.6	3.7	132.
60	101.0 15553.	85.9	. 850	227.8	. 0487	-55.4			419.2	4.4	182.
61	97.0 15811.	87.0	.897	231.1	.0514	-55.8			423.4	7.0 8.6	193.
62	93.3 16058.	90.7	.972 1.026	240.8 245.2	. 0541 . 0569	-55.8 -56.6			428.1 431.3	10.1	188. 191.
63	89.7 16309.	92.0 93.2	1.020	243.2	. 0598	-56.6			436.4	10.1	182.
64	86.1 16568.	100.0	1.209	267.1	. 0628	-56.9			440.7	13.2	175.
65 66	82.7 16824. 79.5 17074.	102.3	1.287	273.4	.0660	-57.1			445.4	12.5	178.
66 67	76.5 17317.	102.3	1.422	290.6	.0691	-57.1 -57.1			450.3	9.6	183.
68	73.9 17536	115.8	1.567	309.3	.0720	-56.9			455.1	9.6	186.
69	71.0 17789.	124.2	1.749	333.7	. 0757	-58.3			457.4	13.2	180.
70	67.8 18077.	132.7	1.957	357.2	.0802	-58.7			462.7	13.8	178.
71	65.0 18346.	140.9	2.169	378.6	.0847	-58.3			469.2	10.8	186.
72	62.3 18614.	146.8	2.357	393.7	.0894	-57.8			476.1	12.0	191.
73	59.8 18870.	143.3	2.396	384.1	.0941	-57.8			481.6	16.3	192.
74	57.0 19173.	138.1	2.424	371.6	.0994	-58.7			486.3	17.6	192.
75	54.2 19489.	132.1	2.438	355.9	.1048	-58.8			493.0	17.8	190.
76	51.7 19780.	131.0	2.532	354.0	.1096	-59.5			497.9	23.0	191.
77	49.6 20048.	130.9	2.641	353.9	.1140	-59.5			504.0	18.9	182.
78	47.0 20379.	131.1	2.789	355.1	. 1195	-60.1			510.4	15.6	179.
79	44.9 20661.	131.8	2.933	358.1	. 1241	-60.6			515.8	20.3	180.
80	43.2 20904.	131.6	3.046	357.5	.1281	-60.6			521.5	19.1	169.
81	41.6 21145.	127.9	3.077	347.9	. 1321	-61.0			526.4	15.0	168.
82	39.8 21416.	117.0	2.941	319.7	. 1364	-61.9			530.8	15.1	177.
83	37.9 21718.	105.4	2.782	288.1	. 1408	-61.9			53 8 .2	16.7	187.
84	36.9 21885.	99.1	2.687	270.9	. 1429	-61.9			542.4	1 8 .9	183.
85	35.3 22150.	102.0	2.887	278.3	. 1463	-61.5			550.0	22.0	183.
86	33.7 22446.	101.1	3.001	276.4	. 1501	-61.9			556.6	19.8	183.
87	32.3 22707.		3.041	269.2	. 1535				561.9		
88		96.9		264.8		-61.9			571.0		182.
89	29.4 23289.		3.280	263.5	.1607	-61.9			578.7		191.
90 91	28.3 23514.	91.8	3.239	250.9	.1634	-61.9 -61.9			584.8		120.
92	27.3 23739. 26.0 24059.	91.6 89.2	3.352 3.436	250.5 243.1	.1660 .16 9 8	-61.3			590. 8 601.2		1 78 . 268.
93	25.0 24282.	89.3		244.2	. 1723	-61.9			605.8	16.2	162.
94	24.0 24537.	92.0		251.4	.1752	-61.9			613.0		163.
95	23.1 24791.	95.7	4.150	262.0	.1781	-62.3			619.2	17.1	166.
96	22.0 25077.		4.069	245.1	.1816	-62.1			628.0	16.8	168.
97	21.1 25331.	82.2		224.9	. 1844				635.4	16.1	162.
98	20.4 25553.	71.7		197.1	.1866	-63.2			638.5		152.
99	19.9 25712.	66.7	3.359	183.9	. 1880	-63.8			641.4		166.
100	19.1 25965.	64.4		177.1	. 1901	-63.2			650.8		177.
101	18.1 26283.		3.508	174.7	. 1927	-63.2			660.5		178.
102	17.2 26603.		3.655	172.6	. 1953	-63.2			670.4		175.
103	16.6 26827.			168.5	.1971	-63.2			677.4		177.
104	15.9 27085.	57.7		158.8	. 1991	-63.2			685.6	14.3	172.


STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	2 APR	89 3	312 Z	ECC	SONDE:	4A4410	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	MIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	7.	K	M/S	DEG
105	15.4	27279.	53.3	3.463	146.2	. 2005	-62.8			693.1	14.9	177.
106	14.7	27573.	48.6	3.311	132.9	. 2024	-61.9			705.7	18.5	190.
107	14.1	27804.	44.9	3.175	122.2	. 2038	-61.0			716.4	19.6	197.
108	13.4	28136.	41.2	3.075	112.9	. 2056	-62.5			722.3	22.6	193.
109	13.0	28335.	40.4	3.112	111.4	. 2067	-63.8			724.4	19.5	173.
110	12.7	28469.	39.6	3.118	109.0	. 2073	-63.4			730.3	15.5	171.
111	12.0	28805.	38.5	3.203	105.6	. 2090	-62.8			743.8	15.0	184.
112	11.4	29112.	37.7	3.295	103.4	.2105	-62.8			754.5	23.7	184.
113	10.8	29491.	37.3	3.470	102.5	.2123	-62.8			767.9	20.3	172.
114	10.3	29771.	35.3	3.434	96.5	.2136	-62.1			780.7	8.6	113.
115	9.8	30055.	33.2	3.381	90.7	.2149	-61.7			792.4	8.6	113.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 15.7
 11.6
 43.1
 100.3
 122.4
 80.0
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR C	COMMENTS		
1110102048903	99 E	CC TOTAL 03 FR	OM SONDE DATA 2	41
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPF	PP P3TTTDDDFFFPPPP	P3TTTDDDFFFPPPP	P3TTTDDDFFF
1110202048903	703 22-42 76	00 21-40 40 4 500	12-33169 9 300	11-57215 19
1110302048903	200 54-58196 12 15	50 48-54195 3 100	86-55185 5 70	127-58179 13
1110402048903	50131-60184 20 3	30 97-62187 2120.0	68-64162 1110.0	34-62113 9
1110502048903	687 20-32219 21 65	54 19-31221 22 638	19-26200 15 621	19-25194 13
1110602048903	230 13-66251 11 22	22 17-66236 10 210	47-58221 5 162	32-55201 4
1110702048903	141 59-55202 10 13	31 90-55163 6 126	97-55177 7 109	77-54171 7
1110802048903	86 93-57182 11 6	52147-58191 12 43	132-61169 19 37	99-62183 19
1110902048903	26.0 89-61268 5023.	1 96-62166 1714.1	45-61197 2013.0	40-64173 20
1111002048903	9.8 33-62113 9			



STATION: SOUTH POLE LAUNCH DATE: 21 APR 89 255 Z ECC SONDE: 4A4374

SURFACE CONDITIONS: PRESSURE 670.8 MB, TEMPERATURE -60.1 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 77.5 ORD; TBOX 21.0 C AT 70.5 ORD;

O3 ORD ZERO 30.3, BKGND 30.7, CAL 65.5; O3 BKGND 0.060 MICROAMP; FLOW RATE 26.4 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 262.; SONDE TOTAL O3 255.; C.F. 1.028

TIME MIN	PRESS MB	ALT GPM	OZONE NB	OZONE PPMV	OZDEN GAMMA	TOTOZ ATMCM	TEMP C	DEWPT C	HUM %	POT T	WIND M/S	WIND DEG
0	670.8	2835.	19.4	.029	52.8	.0000	-60.1	C	70	238.8	M/ 3	DEG
1	652.0	3017.	18.1	.023	46.6	.0004	-48.8			253.5	24.4	302.
2	631.0	3237.	17.2	.027	42.5	.0009	-39.8	-44.0	65.3	266.2	24.4	302.
3	613.0	3434.	17.1	.028	42.4	.0013	-40.3	11.0	00.0	267.8	14.5	296.
4	597.0	3614.	15.6	.026	38.8	.0016	-41.3			268.7	8.1	345.
5	580.0	3810.	14.7	.025	36.7	.0020	-42.2			269.8	9.3	17.
6	563.0	4011.	15.1	.027	38.0	.0023	-43.7			270.3	9.1	26.
7	545.0	4228.	15.2	.028	38.4	.0027	-44.7			271.8	10.3	41.
8	530.0	4415.	14.2	.027	35.9	.0030	-45.0			273.5	11.3	58.
9	513.0	4632.	14.2	.028	36.1	.0034	-46.0			274.8	12.7	61.
10	500.0	4803.	14.6	.029	37.2	.0037	-47.0			275.7	15.4	52.
11	485.0	5004.	14.6	. 030	37.4	.0040	-47.8			277.2	14.5	43.
12	471.0	5197.	15.4	. 033	39.8	.0044	-49.0			277.9	15.2	41.
13	459.0	5366.	15.9	. 035	41.0	.0047	-49.8			279.0	14.4	51.
14	448.0	5525.	16.3	. 036	42.5	.0050	-50.7			279.8	9.8	70.
15	438.0	5671.	16.3	. 037	42.7	.0053	-51.4			280.7	12.6	67.
16	421.0	5928.	16.5	. 039	43.0	.0058	-52.7			282.3	14.8	63.
17	406.0	6161.	17.8	. 044	46.8	.0062	-54.0			283.6	16.0	62.
18	390.0	6419.	17.8	.046	47.0	.0068	-54.9			285.6	15.4	64.
19	380.0	6585.	19.1	. 050	50.9	.0072	-55.8			286.5	13.3	61.
20	369.0	6771.	21.0	.057	56.0	.0076	-56.8			287.7	14.6	5 7.
21	357.0	6981.	22.8	. 064	61.0	.0082	-57.4			289.7	14.8	60.
22	344.0	7215.	30.1	. 088	80.6	.0089	-57.7			292.3	16.3	64.
23	331.0	7458.	39.8	.120	106.7	.0099	-57.9			295.2	15.9	69.
24	320.0	7671.	37.0	.116	99.4	.0109	-57.9			298.0	14.8	70.
25	310.0	7871.	45.6	. 147	122.5	.0119	-58.3			300.2	16.2	68.
26	300.0	8078.	55.3	.184	147.6	.0131	-56.8			305.2	15.1	68.
27	290.0	8293.	59.5	. 205	158.7	.0146	-56.4			308.7	14.7	73.
28	282.0	8471.	58.6	. 208	155.3	.0159	-55.4			312.7	14.3	79.
29	274.0	8655.	60.1	.219	158.8	.0172	-54.9			316.0	13.6	87.
30	266.0	8844.	61.2	. 230	161.4	.0186	-54.2			319.7	14.9	87.
31	257.0	9065.	61.6	.240	162.2	.0202	-53.8			323.3	14.9	85.
32	249.0	9269.	61.1	. 245	160.3	.0218	-53.3			327.1	13.2	85.
33	240.0	9506.	61.0	. 254	160.1	.0235	-53.2			330.8	13.5	76.
34	231.0	9753.	66.8	. 289	174.6	.0254	-52.0			336.2	12.7	71.
35	223.0	9981.	70.8	.318	185.5	.0272	-52.7			338.5	7.1	89.
36	217.0	10157.	69.8	.322	183.1	.0288	-53.0			340.6	8.2	9 8 .
37		10399.	50.5	.242	132.6	. 0307	-53.6			343.4	11.2	90.
38	202.0	10618.	46.9	. 232	123.4	.0320	-53.8			346.4		85.
39	196.2	10805.	5 5 .1	. 281	145.0	. 0331	-53.8			349.3		88.
40	190.2	11004.	59.2	. 311	156.2	. 0344	-54.2			351.8	9.9	98.
41	184.0	11216.	62.8	. 341	166.0	. 0360	-54.7			354.4	10.5	101.
42		11428.	65.3	. 367	173.3	.0376	-55.4			356.6	11.0	100.
43		11666.	66.6	. 389	176.5	. 0395	-55.0			361.0	13.3	96.
44		11885.	65.8	. 397	174.2	.0413	-55.2			364.2	11.8	107.
45		12117.	59.9	. 375	158.9	.0431	-55.4			367.8	10.2	113.
46		12352.	56.6	. 367	150.5	.0448	-56.1			370.5	11.7	102.
47		12605.	59.7		159.0	.0466	-56.3			374.3	9.3	111.
48		12823.	65.2	. 456	173.8	.0483	-56.6			377.4	8.8	115.
49	137.9	13053.	68.3	. 495	183.1	. 0501	-57 . 8			379.3	10.6	105.

STATI	ON: SOUTH POL	E	LAUNC	H DATE:	21 APR	89 25	5 Z	ECC	SONDE:	4A4374	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ		DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
50	132.9 13285.	71.4	. 537	192.1	. 0521	-58.5			382.0	10.8	106.
51	128.0 13521.	75.7	. 591	203.3	. 0543	-58.3			386.6	12.2	94.
52	123.1 13767.	82.9	. 673	222.6	. 0567	-58.3			390.9	14.2	88.
53	118.4 14012.	93.7	.791	251.8	.0593	-58.4			395.1	13.4	100.
54	113.6 14272.	90.7	. 798	244.3	.0623	-58.9			398.9	10.3	132.
55	109.0 14531.	84.9	.779	229.9	.0652	-59.9			401.8	13.0	131.
56	104.9 14769.	81.0	. 772	221.0	. 0677	-61.6			403.0	16.9	107.
57	100.4 15041.	97.8	.974	267.0	. 0706	-61.7			407.8	13.4	112.
58	97.2 15242.	114.4	1.177	312.4	.0732	-61.7			411.6	12.5	117.
59	93.8 15462.	138.2	1.473	377.9	.0766	-62.1			415.1	14.7	103.
60	90.0 15718.	152.5	1.694	416.0	.0812	-61.6			421.0	16.8	97.
61	85.4 16043.	158.7	1.858	434.4	. 0876	-62.3			425.9	15.0	101.
62	83.0 16218.	155.5	1.873	427.4	.0911	-63.0			427.8	11.9	121.
63	80.0 16445.	153.6	1.920	423.8	. 0956	-63.8			430.8	13.3	116.
64	76.8 16695.	154.1	2.007	425.1	. 1005	-63.8			435.9	13.2	109.
65	73.5 16964.	168.1	2.287	465.1	. 1059	-64.4			440.0	9.2	130.
66	70.7 17201.	159.4	2.254	442.2	.1109	-65.1			443.6	9.9	134.
67	67.6 17474.	152.1	2.250	423.4	.1164	-65.8			447.7	12.8	127.
68	64.9 17721.	149.6	2.305	417.6	.1213	-66.2			452.0	11.8	129.
69	62.3 17969.	151.1	2.425	421.8	.1260	-66.4			457.1	10.5	126.
70	59.9 18206.	142.1	2.372	398.6	. 1306	-67.3			460.2	13.1	119.
71	57.4 18463.	143.7	2.503	403.7	. 1354	-67.7			464.9	12.4	85.
72	55.2 18698.	138.3	2.505	388.5	. 1398	-67.7			470.1	14.9	115.
73	53.0 18943.	131.8	2.487	370.8	. 1441	-67.9			475.0	20.5	132.
74	50.9 19186.	126.7	2.489	355.2	. 1483	-67.3			482.1	16.2	118.
75	48.7 19453.	118.6	2.434	331.7	. 1526	-66.8			489.5	18.6	113.
76	46.8 19693.	112.9	2.412	316.7	.1563	-67.3			493.8	16.7	108.
77	45.0 19929.	108.8	2.418	306.0	. 1597	-67.8			498.1	13.9	111.
78	43.2 20175.	104.1	2.409	293.4	. 1632	-68.3			502.6	17.9	111.
79	41.4 20430.	106.5	2.573	301.1	. 1667	-68.9			507.4	17.3	110.
80	39.8 20665.	125.3	3.149	354.4	. 1701	-69.0			512.8	14.8	112.
81	38.0 20942.	108.5	2.855	307.2	. 1745	-69.3			518.9	15.7	111.
82	36.3 21215.	117.2	3.229	332.6	. 1785	-69.7			524.7	15.1	109.
83	34.7 21483.	111.9	3.224	317.8	. 1825	-69.8			531.1	15.4	105.
84	33.0 21782.	100.2	3.035	284.7	. 1868	-70.1			538.1	16.0	105.
85	31.4 22078.	85.6	2.725	243.6	. 1906	-70.4			545.0	17.3	119.
86	30.0 22348.	79.9	2.663	227.7	. 1936	-70.5			551.8	19.7	125.
87	28.4 22673.	80.0			. 1971	-70.8				18.9	
88	27.2 22929.	73.1	2.688	208.6	. 1997	-70.8			566.7	15.4	117.
89	26.0 23196.	68.0	2.614	194.4	.2022	-71.2			572.8	14.5	111.
90	24.9 23452.	71.6	2.874	205.0	.2046	-71.5			579.1	18.4	106.
91	23.7 23744.	70.1	2.959	200.2	.2073	-70.8			589.4	22.9	106.
92	22.6 24026.	68.4	3.026	194.8	.2099	-70.4			598.7	20.2	112.
93	21.5 24322.	63.2	2.941	180.3	.2126	-70.5			606.9	14.6	124.
94	20.4 24634.	57.5	2.818	164.1	.2151	-70.8			615.2	17.1	119.
95 06	19.5 24901.	55.2	2.832	157.5	.2171	-70.8			623.2	24.4	107.
96	18.4 25246.	52.5	2.856	149.6	.2196	-70.4			635.0	25.8	109.
97	17.5 25543.	50.7	2.897	144.3	. 2217	-70.4			644.1	21.4	118.
98	16.7 25821.	47.9	2.869	136.7	. 2235	-70.8			651.4	17.3	122.
99	15.9 26111.	45.1	2.839	129.6	. 2253	-71.8			657.4	22.5	115.
100	15.0 26455.	44.2	2.948	127.1	.2274	-72.1			667.5	23.5	121.
101	14.3 26736.	42.3	2.955	121.3	.2290	-72.2			676.2	29.4	116.
102	13.7 26988.	41.0	2.995	117.6	. 2304	-72.0			685.5	46.5	102.
103	13.0 27298.	38.8	2.982	111.2	. 2321	-71.8			696.3	25.4	106.
104	12.4 27577.	36.4	2.936	103.4	. 2335	-70.1			711.7	17.7	109.

STATION: SOUTH POLE LAUNCH DATE: 21 APR 89 255 Z ECC SONDE: 4A4374

TIME PRESS ALT OZONE OZONE OZDEN TOTOZ TEMP DEWPT HUM POT T WIND WIND
MIN MB GPM NB PPMV GAMMA ATMCM C C % K M/S DEG

105 11.7 27924. 33.6 2.874 95.1 .2351 -69.0 727.6 17.7 109.


UMKEHR LAYER AVERAGED OZONE PARTIAL PRESSURE IN NANOBARS

SFC-500MB 500-250 250-125 125-62.5 62.5-31.2 31.2-15.6 15.6-7.8 7.8-3.9 15.9 32.7 62.4 127.9 119.2 64.0 999.9 999.9

CODED SONDE DATA - WODC FORMAT

STATION: SOUTH POLE ANTARCTICA OZONE VERTICAL DISTRIBUTION INSTRUMENT: ECC

LSXXX XP T CORR COMMENTS ISNNNYYMMJJGG 1110121048903 00262 991.028 ECC TOTAL O3 FROM SONDE DATA 255 ISNNNYYMMJJGG PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF 1110221048903 671 19-60 500 15-47 52 15 300 55-57 68 15 200 50-54 86 11 1110321048903 150 59-56108 10 100100-62113 13 70158-65132 11 50123-67116 17 1110421048903 30 80-71125 2020.0 56-71114 20 652 18-49302 24 631 17-40302 24 1110521048903 369 21-57 57 15 310 46-58 68 16 231 67-52 71 13 217 70-53 98 8 1110621048903 209 50-54 90 11 172 67-55 96 13 128 76-58 94 12 118 94-58100 13 1110721048903 105 81-62107 17 94138-62103 15 90152-62 97 17 77154-64109 13 1110821048903 74168-64130 9 57144-68 85 12 43104-68111 18 41107-69110 17 1110921048903 40125-69112 15 38108-69111 16 36117-70109 15 35112-70105 15



STATION: SOUTH POLE LAUNCH DATE: 27 APR 89 328 Z ECC SONDE: 4A4393
SURFACE CONDITIONS: PRESSURE 665.3 MB, TEMPERATURE -67.7 C, HUMIDITY 0.0 %
CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 77.5 ORD; TBOX 25.0 C AT 72.1 ORD;
O3 ORD ZERO 34.0, BKGND 34.7, CAL 70.1; O3 BKGND 0.102 MICROAMP; FLOW RATE 27.4 S/100 M
FLIGHT NORMALIZED TO TOTAL 03 270.; SONDE TOTAL 03 288.; C.F. .936

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	MIND	MIND
MIN	мВ	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	665.3	2835.	17.9	.027	50.2	.0000	-67.7			230.9		
1	648.0	3001.	17.4	. 027	44.8	.0004	-49.1			253.6	32.0	257.
2	632.0	3165.	16.8	.027	43.2	.0007	-47.3			257.5	32.0	257.
3	615.0	3346.	16.5	. 027	41.9	.0011	-46.2			260.8	19.6	255.
4	597.0	3544.	16.0	. 027	40.3	.0014	-44.6			264.9	12.6	243.
5	580.0	3738.	16.1	.028	40.7	.0018	-44.8			266.8	7.0	237.
6	562.0	3948.	15.6	.028	39.7	.0022	-45.6			268.3	6.2	227.
7	545.0	4153.	15.7	.029	40.0	.0026	-45.9			270.3	9.1	222.
8	530.0	4338.	16.9	.032	43.2	.0029	-47.1			271.1	11.3	230.
9	512.0	4567.	16.1	. 031	41.3	.0034	-47.5			273.2	9.7	238.
10	497.0	4763.	16.5	.033	42.4	.0038	-48.7			274.1	8.3	253.
11	481.0	4977.	15.6	.032	40.5	.0042	-50.0			275.0	9.5	257.
12	467.0	5170.	17.0	. 036	44.1	.0045	-50.7			276.5	10.8	254.
13	453.0	5368.	16.6	.037	43.0	.0049	-51.1			278.5	13.4	259.
14	440.0	5557.	14.9	.034	38.8	.0053	-51.9			279.8	14.4	257.
15	427.0	5751.	12.6	.030	33.2	.0056	-53.2			280.6	14.7	253.
16	412.0	5981.	12.3	.030	32.4	.0060	-54.5			281.7	14.5	250.
17	397.0	6217.	13.1	.033	34.9	.0063	-56.2			282.5	13.8	250.
18	385.0	6412.	12.6	.033	33.8	.0067	-57.0			283.9	14.0	252.
19	372.0	6629.	12.6	.034	34.0	. 0070	-57.9			285.5	13.9	249.
20	360.0	6835.	11.8	.033	31.9	.0073	-58.9			286.9	13.3	242.
21	350.0	7012.	13.6	.039	36.7	.0076	-59.7			288.1	13.8	242.
22	340.0	7193.	18.3	.054	49.6	.0079	-60.3			289.6	14.8	242.
23	330.0	7378.	22.3	.068	60.7	.0084	-60.9			291.3	14.9	242.
24	318.0	7609.	33.3	. 105	90.7	.0091	-61.2			294.1	13.4	240.
25	307.0	7827.	42.9	. 140	116.7	.0101	-60.9			297.4	11.6	232.
26	295.0	8075.	46.0	.156	124.8	.0114	-60.3			301.6	8.9	229.
27 28	286.0 275.0	8269.	48.3	. 169	130.9	.0126	-60.1			304.7	7.5	227.
29	267.0	8514.	52.4	.191	141.5	.0141	-59.4			309.1	7.9	219.
30	258.0	8699. 8914.	56.6 57.2	.212	152.5 153.6	.0153	-58.9 -58.3			312.5 316.4	9.7 10.0	217. 221.
31	249.0	9138.	58.4	. 222 . 235	156.8	.0169 .0184	-57.9			320.2	10.1	225.
32	249.0	9370.	57.8	. 241	155.0	.0201	-57.9 -57.7			323.9	10.6	214.
33	231.0	9611.	54.5	. 236	145.8	.0201	-57.6			323.9	9.3	192.
34	222.0	9862.	56.4	. 254	151.3	.0216	-57.7			331.2	9.6	188.
35		10094.	58.6	. 274	156.8	.0252	-57.4			335.3	10.4	194.
36		10394.	58.2	. 281	155.7	.0252	-57.1			338.8	10.9	199.
37		10522.	60.3	. 301	161.2	.0283	-57.1 -57.4			341.8	11.4	203.
38		10740.	62.7	. 325			-57.7			344.6		202.
39		10960.	70.2	.376	188.0	.0233	-57.7 -57.7			348.1	11.0	192.
40		11187.	80.8	. 449	216.7	.0337	-58.1			351.1	12.7	187.
41		11429.	85.2	. 492	228.7	.0362	-58.1			355.0	10.9	181.
42		11655.	82.6	. 494	221.6	.0386	-58.1			358.6	9.0	167.
43		11889.	80.6	.501	217.3	.0410	-58.1 -58.9			361.1	10.4	163.
44		12131.	81.6	. 527	220.8	.0434	-59.7			363.6	10.4	167.
45		12374.	79.8	.536	216.4	.0459	-60.1			367.1	7.1	177.
46		12599.	81.1	. 564	220.3	.0439	-60.7			369.8	10.0	169.
47		12837.	88.1	. 637	240.0	.0506	-61.3			372.8	11.3	171.
48		13080.	97.7	.735	266.8	.0534	-61.6			376.6	8.7	188.
49		13307.	105.8	.825	288.6	.0562	-61.€			380.5	9.7	179.
73	120.2	10007.	100.0	. 52 5	200.0	. 0002	-01.0			500.5	3.7	173.

CTATI	ON: SOUTH F	2015	LAUNC	H DATE:	27 APR	80 7	328 Z	ECC	SONDE:	444393	
TIME	PRESS AL		OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB GF		PPMV	GAMMA	ATMCM	C	C	%	к .	M/S	DEG
50	123.5 1353		. 898	303.3	.0594	-61.9	•		384.0	10.1	169.
51	119.0 1376		1.015	330.7	.0626	-62.2			387.6	12.1	174.
	114.3 1401		1.162	363.9	.0665	-62.4			391.6	12.3	179.
52	110.0 1425		1.282	388.3	.0705	-63.5			393.8	10.7	176.
53	106.0 1448		1.378	403.9	.0747	-64.4			396.3	12.4	177.
54	101.6 1473		1.340	377.3	.0794	-64.8			400.4	12.8	174.
55	97.8 1497		1.595	433.4	.0836	-65.3			403.8	12.1	168.
56 57	94.0 1521		1.675	436.8	.0884	-65.1			408.9	12.4	168.
57 58	90.2 1546		1.813	453.8	.0936	-65.1			413.8	12.3	168.
59	86.5 1571		1.951	468.9	.0990	-65.3			418.2	11.2	173.
	83.0 1597		2.050	474.4	. 1045	-66.1			421.6	10.5	175.
60	79.7 1621		2.110	469.6	.1099	-66.4			426.0	11.4	171.
61	76.3 1648		2.168	462.9	. 1156	-66.9			430.3	12.7	172.
62 63	73.2 1673		2.180	448.9	.1210	-67.9			433.1	13.5	173.
64	70.3 1697		2.156	426.4	.1259	-67.9			438.2	14.0	170.
	67.4 1722		2.222	421.5	. 1309	-67.9			443.5	14.0	168.
65	64.9 1745		2.283	416.7	. 1353	-67.8			448.6	12.2	162.
66 67	62.0 1772		2.348	408.9	.1406	-67 .7			454.8	11.7	161.
68	59.2 1800		2.402	401.2	. 1458	-68.6			458.7	9.5	159.
69	56.7 1826		2.417	387.6	. 1506	-69.0			463.5	8.3	164.
7 9	54.2 1853		2.438	375.8	. 1553	-70.1			467.0	12.8	168.
71	51.8 1880		2.447	361.4	. 1599	-70. 7			471.8	16.2	162.
71	48.7 1916		2.554	356.1	.1661	-71.4			478.5	12.0	151.
73	47.5 1931		2.522	343.1	.1685	-71.5			481.6	8.6	148.
73 74	45.7 1954		2.607	341.6	.1721	-71.7			486.6	9.8	156.
7 4 75	43.7 1980		2.620	328.4	.1762	-71.8			492.5	10.8	146.
76	41.7 2008		2.815	336.7	.1804	-71.8			499.1	10.6	149.
77	39.7 2037		3.013	343.1	. 1850	-71.8			506.2	10.5	156.
78	38.0 2063		3.205	349.1	.1891	-71.8			512.5	10.8	160.
79	36.4 2088		3.371	352.6	.1932	-72.2			517.8	13.3	187.
80	34.7 2116		3.544	354.8	. 1978	-73.0			523.0	19.7	166.
81	33.1 2144		3.538	338.1	. 2023	-73.3			529.3	21.8	154.
82	31.5 2173		3.215	293.2	.2067	-73 .7			535.7	17.0	164.
83	30.0 2201		2.415	209.3	.2103	-73.3			544.4	14.3	155.
84	28.7 2227		2.231	184.8	.2128	-73.1			551.7	16.1	153.
85	27.5 2252		2.185	173.4	.2149	-73.3			558.1	19.0	154.
86	26.1 2283		2.245	169.0	.2174	-73.0			567.3	17.1	146.
87	24.9 2310			166.3						16.0	
88	23.7 2339			161.9	. 2217	-73.7			581.0	14.0	140.
89	22.8 2362			159.1	. 2234	-73.9			587.0	11.1	122.
90	22.0 2383		2.480	157.8	. 2249	-73.4			594.4	9.8	107.
91	21.0 2410		2.603	157.7	. 2269	-73.1			603.2	10.3	128.
92	20.2 2433		2.502	145.8	. 2286	-72.8			610.9	16.0	144.
93	19.4 2456		2.548	142.5	.2301	-73.0			617.5	16.2	147.
94	18.5 2484		2.646	141.0	. 2320	-72.5			627.3	11.1	152.
95	17.7 2510		2.507	128.0	. 2336	-72.8			634.4	10.9	176.
96	16.9 2537		2.459	120.0	. 2352	-73.3			641.4	16.1	165.
97	16.1 2566		2.407	112.0	. 2368	-73.6			649.4	18.4	155.
98	15.3 2596		2.368	104.6	. 2383	-73.3			659.9		145.
99	14.6 2623		2.411	101.5	. 2396	-73.0			669.7	13.7	133.
100	13.8 2656		2.530	100.5	.2412	-72.8			681.1	10.7	138.
101	13.3 2678		2.491	94.9	. 2421	-71.8			691.8	10.9	144.
102	12.7 2705			92.7	.2433	-71.1			703.5	14.1	141.
103	12.0 2739			89.6	.2448	-70.5			716.9	13.9	139.
104	11.5 2764			86.9	. 2458	-71.5			722.2	11.9	140.


STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	27 APR	89 3	28 Z	ECC	SONDE:	4A4393	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	11.0	27906.	29.2	2.655	83.8	. 2469	-71.5			731.4	11.9	133.
106	10.2	28353.	28.2	2.762	80.4	. 2486	-70.8			750.0	11.9	133.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 16.3
 26.7
 73.3
 148.7
 123.5
 55.4
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110127048903	00270 99 .936 ECC TOTAL 03 FROM SONDE DATA 288
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110227048903	665 18-68 500 16-48250 9 300 45-61230 10 200 60-57203 11
1110327048903	150 80-60175 8 100144-65172 13 70151-68170 14 50125-71156 14
1110427048903	30 72-73155 1420.0 50-73145 16 648 17-49257 32 632 17-47257 32
1110527048903	597 16-45243 13 350 14-60242 14 267 57-59217 10 173 85-58181 11
1110627048903	138 88-61171 11 110141-64176 11 106146-64177 12 102136-65174 13
1110727048903	98156-65168 12 83170-66175 11 44114-72146 11 35123-73166 20
1110827048903	32101-74164 1727.5 60-73154 1910.2 28-71133 12



STATION: SOUTH POLE LAUNCH DATE: 6 MAY 89 246 Z ECC SONDE: 4A4416
SURFACE CONDITIONS: PRESSURE 670.3 MB, TEMPERATURE -58.9 C, HUMIDITY 0.0 %
CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 78.3 ORD; TBOX 22.5 C AT 70.9 ORD;
O3 ORD ZERO 29.0, BKGND 29.3, CAL 64.0; O3 BKGND 0.045 MICROAMP; FLOW RATE 26.0 S/100 M
FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 241.; C.F.

							_					
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	670.3	2835.	9.2	.014	24.8	.0000	-58.9			240.2		
1	652.0	3017.	16.4	. 025	40.3	.0002	-37.8	-44.9	48.3	266.0	21.6	212.
2	635.0	3200.	18.7	.029	45.8	.0006	-37.4	-45.5	43.4	268.4	21.6	212.
3 4	618.0	3387.	19.0	. 031	46.5	.0010	-37.6	-46.0	41.7	270.3	5.6	219.
	600.0	3591.	18.4	.031	45.2	.0014	-37.7	-46.2	41.3	272.5	2.5	243.
5	583.0	3789.	18.6	.032	45.6	.0018	-38.0	-45.0	49.0	274.3	1.1	258.
6	568.0	3968.	18.6	.033	45.8	.0022	-38.9	-45.8	48.5	275.4	2.8	31.
7	551.0	4176.	17.2	.031	42.7	.0026	-39.9	-47.0	47.5	276.5	4.6	44.
8 9	535.0 518.0	4377.	16.3	. 030	40.7	.0030	-41.6			276.9	3.6	88.
		4595.	15.9	.031	39.8	.0034	-42.7			278.1	3.7	117.
10 11	500.0 487.0	4833. 5010.	12.7	.025	31.9	.0038	-43.9			279.5	2.3	84.
12	473.0	5206.	12.6 11.2	. 026	31.8	.0041	-44.1 -45.0			281.3	2.2 2.9	173. 179.
13				. 024	28.3	.0044				282.6		
	459.0 447.0	5406.	9.2	.020	23.4	.0046	-45.1			284.9	1.0	243.
14 15	432.0	5583. 5809.	7.7 6.7	.017	19.7	.0048	-46.2 -47.8			285.7	2.6 3.6	228. 195.
16	418.0	6026.		.016	17.3	.0050				286.5	2.4	
17	406.0	6217.	5.8	.014	15.0	.0052	-48.8			287.9	4.1	150. 196.
18	392.0		5.8	.014	15.1	.0053	-50.3			288.4	9.2	203.
19	380.0	6445. 6645.	6.3	.016 .014	16.4	.0055	-52.2 -53.6			288.7 289.5	9.1	195.
20	370.0	6816.	5.3 4.3		14.0	.0056				289.4	8.6	187.
21	356.0	7061.	3.8	.012	11.5	.0057	-55.4 -57.0			290.4	8.5	182.
22	346.0	7241.	3.8	.011 .011	10.2 10.4	.0059 .0060	-57.0 -58.7			290.4	8.7	188.
23	337.0	7406.	2.9	.009	7.8	.0060	-60.1			290.7	9.1	190.
24	327.0	7593.	2.9	.009	7.8	.0061	-61.3			291.6	10.0	190.
25	317.0	7785.	2.4	.008	6.6	.0062	-62.9			291.0	10.8	188.
26	307.0	7982.	2.4	.008	6.7	.0062	-64.4			292.5	11.4	182.
27	297.0	8184.	2.4	.008	6.8	.0063	-66.2			292.7	12.5	180.
28	285.0	8433.	1.5	.005	4.2	.0064	-67.7			294.1	14.0	184.
29	276.0	8625.	1.0	.004	2.9	.0064	-69.0			294.9	13.8	189.
30	265.0	8868.	2.9	.011	8.3	.0064	-69.7			297.3	13.2	189.
31	256.0	9074.	4.4	.017	12.4	.0065	-70.0			299.9	11.8	188.
32	248.0	9263.	14.7	.059	41.7	.0067	- 70.1			302.4	10.4	200.
33	240.0	9459.	17.3	.072	48.8	.0071	-68.3			307.9	11.8	207.
34	232.0	9662.	20.3	. 088	57.0	.0076	-67.3			312.5	13.5	206.
35	224.0	9875.	25.0	.112	69.7	.0081	-66.1			317.5	12.8	196.
36	218.0		34.2	. 157	95.0	.0087	-64.9			321.8	11.2	183.
37	210.0		41.0	. 195	112.8	.0098	-63.5			327.4	10.2	179.
38	202.0		42.1	. 208	115.7	.0110				332.0	9.6	176.
39	193.5		42.2	.218	115.8	.0125	-62.9			336.1	7.7	184.
40	185.9		40.4	.217	111.1	.0138	-63.2			339.6	8.6	182.
41	179.5		39.8	. 222	109.6	.0149	-63.3			342.8	9.6	178.
42	173.1		36.8	.213	101.3	.0160	-63.7			345.8	8.9	187.
43	166.8		37.4	. 224	103.1	.0170	-63.8			349.2	9.6	190.
44	161.1		35.1	.218	97.1	.0180	-64.2			352.1	8.9	185.
45	155.3		41.5	. 267	115.0	.0191	-64.9			354.5	7.7	183.
46	149.7	12345.	61.6	.411	171.1	. 0204	-65.5			357.4	8.4	180.
47	144.2	12573.	77.1	. 535	214.4	.0223	-65.6			361.0	8.6	179.
48	139.0	12796.	91.1		253.3	.0246	-65.5			365.0	12.7	180.
49	133.8	13028.	84.3	.630	235.1	.0273	-66.1			367.9	9.4	179.

TIME	STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	6 MAY	89 2	46 Z	ECC	SONDE:	4A4416	
No. No. No. PPMV CAMMA ATMCH C C X K M/S DEC DEC S 123.6 13277 78.1 1.686 218.6 129.9 -66.4 371.7 5.3 162.5 162.5 162.5 134.8 134.8 1327.7 78.1 136.8 218.6 129.9 -66.4 371.7 5.3 162.5 16				OZONE									WIND
99 128.4 13277. 78.1 .688 218.0 .0299 -66.4 371.7 5.3 182.1 51 123.8 13498 .66.3 .69.7 242.0 .023.2 -67.3 374.0 9.1 179. 52 119.2 13726. 115.7 .971 324.7 .8350 -67.7 381.4 9.3 184. 54 110.2 14199 143.2 1.299 402.3 .042.8 -67.7 381.4 9.3 184.1 55 101.3 14705. 160.8 167.6 478.0 .052.7 -68.1 394.5 104.1 177. 57 97.3 1494.7 169.9 1.746 478.0 .052.7 -68.1 393.45.9 104.1 177. 58 33.7 15174.1 170.5 182.0 480.0 1394.5 104.1 177. 59 90.8 15415.5 176.8 1479.5 1480.0 179.2 1482.2 1483.	MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	κ	M/S	DEG
51 1123.8 13498. 86.3 .697 242.0 .6322 -67.3 374.0 9.1 179.5 187. 353 114.8 13953. 130.3 1.135 366.2 .6385 -67.7 381.4 9.3 184. 54 116.2 14199. 143.2 1.299 482.3 .642.7 -67.7 389.3 12.0 170. 55 165.9 1438. 15.7 1.432. 426.2 .6472 -67.7 389.3 19.2 170. 56 161.3 1476.5 169.8 1.676 478.0 .685.6 -68.1 399.5 19.2 165.5 59 9.0 15415. 175.5 1.948.4 495.5 .668.5 -68.1 483.4 19.0 166.6 60 86.5 1565.2 168.8 1.951 476.5 .6791 -70.0 413.6 9.8 175. 61 83.1 15891 166.4 2.58 476.2 .6894		128.4	13277.				.0299	-66.4			371.7	5.3	182.
52 119, 2 13726 115, 7 .971 324, 7 .8350 -67, 4 337, 8 9, 5 187, 5 53 114, 8 13953 130, 3 135 366, 2 2, 835 -67, 7 381, 4 9, 3 184, 5 54 110, 2 14199 143, 2 1, 299 402, 3 .0428 -67, 7 385, 9 10, 1 162, 5 55 101, 3 1478, 16, 169, 8 1, 676 478, 0 .0527 -68, 1 394, 5 10, 4 177, 7 57 97, 3 14947 169, 9 1, 746 478, 3 .0550 -68, 1 399, 1 9, 2 165, 10, 10 166, 10, 10 166, 10, 10 166, 10, 10 166, 10, 10 166, 10, 10 166, 10, 10 166, 10, 10 166, 10, 10 166, 10, 10 166, 10, 10 166, 10, 10 167, 10, 10 167, 10 167, 10 167, 10 167, 10 167, 10 167, 10 167, 10 167, 10 167, 10 167, 10 167, 10 167, 10 167, 10 167,					.697						374.0	9.1	179.
53 114,8 13953, 130.3 1.135 366.2 2.0355 -67.7 381.4 9.3 186.2 54 116,2 1432,8 12.9 462.5 2.042 -67.7 385.9 10.1 182.5 55 105.9 14438. 151.7 1.432 426.2 .0472 -67.7 390.3 12.0 170.5 56 101.3 14947. 169.9 1.746 478.3 .0520 -68.1 394.15 10.4 10.9 1.756 59 90.0 15415. 175.3 1.948 495.5 .668.9 .66.1 11.0 166.6 66 86.5 15652. 168.8 1.951 478.1 .0799 -69.3 .410.2 10.4 11.0 166.6 60 86.5 15652. 168.8 175.7 2.018 475.1 .0799 -70.0 .413.6 9.0 175.6 .0 .411.0 166.2 .256 .256 .425.1 .0 .79		119.2	13726.	115.7	. 971	324.7		-67.4			377.8	9.5	187.
54 110.2 14199. 143.2 1.299 402.3 .0422 -67.7 385.9 10.1 162.0 170. 55 105.9 14438. 151.7 1.432 426.2 2.0472 -67.7 390.3 12.0 170. 56 101.3 14705. 1.689. 1.746 478.0 .0527 -68.1 399.1 9.2 165.5 59 90.0 15415. 175.3 1.948 495.5 .0663 -68.1 403.4 10.0 166. 60 86.5 15652. 168.8 1.951 478.1 197.9 -69.3 416.2 10.4 169. 61 83.1 15891 167.7 2.018 476.5 .0791 -70.0 413.6 9.8 175.6 61 83.1 15891 167.7 2.086 452.2 .0895 -70.8 421.4 83.3 165. 61 78.8 1666.1 166.4 166.4 12.2											381.4	9.3	184.
55 105.9 14438 151.7 1.432 426.2 .0472 -68.1 394.5 10.4 177. 57 97.3 14947. 169.9 1.746 478.3 .0580 -68.1 394.5 10.4 177. 58 93.7 15174. 176.5 1.826 480.0 .0631 -68.1 399.1 92.2 165. 59 90.0 151415. 175.3 1.948 495.5 .0685 -68.9 406.4 11.0 166. 60 86.5 15652. 168.8 1.951 478.1 .0739 -69.3 410.2 10.4 116.6 61 83.1 15891 167.7 2.018 476.5 2.066 48.2 2.00 417.1 417.8 9.3 175. 62 80.0 16118. 163.7 2.018 476.2 .0945 -71.4 425.1 10.2 10.5 65 76.8 163.1 156.2 2.251 <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>385.9</td><td>10.1</td><td></td></th<>											385.9	10.1	
56 181,3 14795. 169,8 1,676 478,0 .0527 -68.1 394,5 10.4 177. 57 97,3 14947 169,9 1,746 478.3 .0580 -68.1 394,5 10.4 10.0 166. 59 90.0 15415. 175.3 1,948 495.5 .0685 -68.9 406.4 11.0 166. 60 86.5 15652. 168.8 1,951 478.1 .0739 -69.3 410.2 10.2 16.4 165.6 61 83.1 15891. 167.7 2,048 455.4 .0841 70.1 413.6 9.8 175. 63 76.7 16368. 158.5 2,066 485.2 .0994 -70.1 413.6 9.3 175. 63 76.8 16894. 166.6 2,283 447.2 .0994 -71.8 429.0 12.1 166. 67.8 17996. 152.6 2,283 447.2 <												12.0	170.
57 97,3 14947, 169,9 1,746 478,3 .6850 -68.1 399,1 9,2 165. 165. 58 93.7 15174, 170.5 1.820 480.0 .6631 -68.1 403.4 10.0 166. 60 86.5 15652. 168.8 1.951 478.1 .0739 -69.3 410.2 10.4 169. 169.8 175. 61 83.1 15891. 167.7 2 2.018 476.5 .0791 -70.0 413.6 9.8 175. 169.8 175. 62 80.0 16118. 163.7 2 2.066 452.2 .0891 -70.8 421.4 8 8.3 165. 165.6 66.6 452.2 .0895 -70.8 421.4 8 8.3 165. 166.6 42.2 .0895 -70.8 421.4 4 425.1 10.2 156. 10.2											394.5	10.4	177.
58 93.7 15174. 170.5 1.820 480.0 .0631 -68.1 403.4 10.0 166. 69 90.0 15415. 175.3 1.948 495.5 .0685 -68.9 406.4 11.0 166. 60 86.5 15652 168.8 1.951 478.1 .0739 -69.3 410.2 10.4 4169.6 61 83.1 15891 167.7 2.018 476.5 .0791 -70.0 413.6 9.8 175. 63 76.7 16368.1 158.5 2.066 452.2 .0895 -70.8 421.4 8.3 165.6 64 73.7 16804.1 156.6 2.263 447.4 .0996 -71.8 422.1 433.8 12.6 156.6 65 70.8 16811.3 143.6 2.283 447.1 11.0 168.4 425.1 10.2 156. 66 67.8 17996.1 131.3 141.0 .1150.2							. 0580					9.2	165.
59 90.0 15415. 175.3 1.948 495.5 .0685 -68.9 4406.4 11.0 166. 60 86.5 15652. 168.8 1.951 478.1 .0739 -69.3 410.2 10.4 169. 61 83.1 15891. 167.7 2.048 465.5 .0841 -70.0 413.6 9.8 175. 62 80.0 16118. 163.7 2.046 465.4 .0841 -70.1 417.8 9.3 175. 64 73.7 16604. 166.4 2.258 476.2 .0945 -71.4 425.1 10.2 156.6 65 70.8 16841. 156.0 2.258 476.2 .0945 -71.4 429.0 12.1 159. 66 62.1 17513. 143.0 2.287 410.5 110.7 -72.8 437.6 21.1 160. 69 59.8 17832. 143.0 2.287 410.5 1152.7								-68.1			403.4	10.0	166.
60 86.5 15652. 168.8 1.951 478.1 .0739 -69.3 410.2 10.4 169. 61 83.1 15891. 167.7 2.018 476.5 .0791 -70.0 413.6 9.8 175. 62 80.0 16118. 163.7 2.046 465.4 .0841 -70.1 417.8 9.3 175. 63 76.7 16308. 158.5 2.066 452.2 .0895 -70.8 421.4 8.3 165. 64 73.7 16604. 166.4 2.258 476.2 .0895 -71.4 425.1 10.2 156. 65 70.8 16841. 156.0 2.203 447.4 .0996 -71.8 429.0 12.1 159. 66 67.8 17096. 152.6 2.251 438.2 .1049 -72.1 433.8 12.6 158. 67 64.9 17353. 143.6 2.213 413.7 .1101 -72.8 437.6 21.1 160. 68 62.1 17611. 142.0 2.287 410.5 .1150 -73.4 441.9 13.4 150. 68 62.1 17611. 142.0 2.287 410.5 .1150 -73.4 441.9 13.4 150. 69 59.8 17832. 143.0 2.391 414.6 .1192 -73.7 446.0 5.7 138. 70 57.1 18101. 137.2 2.403 398.4 .1243 -74.3 450.6 14.4 177. 71 54.6 18362. 137.1 2.511 399.0 .1291 -74.8 455.3 15.1 156. 72 52.3 18612. 136.6 2.497 379.3 .1337 -74.3 462.0 17.3 140. 73 50.2 18851. 117.6 2.343 342.3 .1376 -74.8 466.4 18.1 154. 74 48.0 19111. 109.6 2.283 319.0 .1419 -74.8 478.5 11.1 142. 75 45.9 19371. 118.1 2.573 343.8 .1458 -74.8 466.4 18.1 154. 76 43.8 19643. 121.3 2.769 353.1 .1502 -74.8 484.9 11.4 136. 77 41.5 19956. 120.1 2.894 351.0 .1553 -75.5 490.6 11.7 150. 78 40.0 20169. 117.0 2.925 342.5 .1587 -75.8 499.6 11.7 150. 78 40.0 20169. 17.0 2.925 342.5 .1587 -75.8 499.6 11.7 150. 78 40.0 20169. 17.0 2.925 342.5 .1587 -75.8 499.6 11.7 150. 78 52.2 2995. 87.4 2.483 257.1 .1693 -77.0 510.5 13.8 162. 83 32.1 21433. 85.2 2.664 251.8 .1757 -77.8 522.0 17.0 155. 84 40.0 20169. 157.0 2.925 342.5 .1587 -75.8 499.6 10.0 164. 85 29.2 21978. 66.4 2.274 193.6 .1814 -75.1 531.4 15.3 162. 86 27.9 22241. 61.9 2.219 181.7 .1837 -76.3 594.4 10.1 153. 87 24.2 23861. 52.8 2.284 251.8 .1757 -77.8 522.0 17.0 155. 89 24.2 23861. 52.8 2.826 17.2 1993 -76.5 559.6 14.9 155. 99 23.0 23564. 47.8 2.274 193.6 .1814 -75.1 531. 531.4 15.3 160. 161 22.0 23610. 50.0 2.273 146.5 .1992 -76.6 624.3 13.3 159. 91 12.0 2.0 23610. 50.0 2.273 146.5 .1992 -76.6 624.3 13.3 159. 91 12.0 2.0 23613. 42.6 2.840 125.3 .2070 -76.8 651.1 15.5 152. 91 15.0 25813. 42.6 2.877 115.4 .2091											406.4	11.0	166.
61 83.1 15891. 167.7 2.018 476.5 .0791 -70.0 413.6 9.8 175.62 80.0 16118. 163.7 2.046 465.4 .0841 -70.1 417.8 9.3 175.63 76.7 16368. 158.5 2.066 452.2 .0895 -70.8 421.4 8.3 165. 64 73.7 16604. 166.4 2.258 476.2 .0895 -70.8 421.4 8.3 165. 65 70.8 16841. 156.0 2.203 447.4 .0996 -71.8 422.0 12.1 159. 66 67.8 17096. 152.6 2.251 438.2 .1049 -72.1 433.8 12.6 158. 67 64.9 17353. 143.6 2.213 413.7 .1101 -72.8 437.6 21.1 160. 68 62.1 17611. 142.0 2.274 741.5 .1150 -73.4 441.9 13.4 150. 69 59.8 17832. 143.0 2.391 414.0 .1192 -73.7 446.0 5.7 138. 70 57.1 16101. 137.2 2.403 398.4 .1243 -74.3 450.6 14.4 177. 171 54.6 18362. 137.1 2.511 399.0 .1291 -74.8 455.3 15.1 156. 72 52.3 18612. 130.6 2.497 379.3 .1337 -74.3 462.0 17.3 144. 177. 173 54.6 18362. 137.1 2.511 399.0 .1291 -74.8 455.3 15.1 156. 73 50.2 18851. 117.6 2.343 342.3 .1378 -74.8 466.4 18.1 154. 74 48.0 19111. 109.6 2.283 319.0 .1419 -74.8 466.4 18.1 154. 75 45.9 19371. 118.1 2.573 343.8 .1458 -74.8 466.4 18.1 154. 75 45.9 19371. 118.1 2.573 343.8 .1458 -74.8 478.5 11.1 142. 142. 142. 142. 142. 142. 142.				168.8		478.1	.0739				410.2	10.4	169.
62 80.0 16118. 163.7 2.046 465.4 .0841 -70.1 417.8 9.3 175.63 76.7 16368. 158.5 2.086 452.2 .0895 -70.8 421.4 8.3 165.64 73.7 16604. 166.4 2.258 476.2 .0895 -71.8 421.4 8.3 165.65 70.8 16841. 156.0 2.203 447.4 .0996 -71.8 429.0 12.1 159. 166.6 67.8 17096. 152.6 2.21 432. 1049 -72.1 433.8 12.6 158. 66 67.8 17096. 152.6 2.21 43.7 .1101 -72.8 437.6 21.1 160. 168 62.1 17611. 142.0 2.287 410.5 .1150 -73.4 441.9 133.8 12.6 158. 69 59.8 17832. 143.0 2.391 414.0 .1192 -73.7 446.0 5.7 138. 70 57.1 18101. 137.2 2.403 398.4 .1243 -74.3 450.6 14.4 177. 175. 46.1 8362. 137.1 2.511 399.0 .1291 -74.8 455.3 15.1 156. 72 52.3 18612. 139.6 2.497 379.3 .1337 -74.3 450.6 14.4 177. 175. 46.8 18362. 137.1 2.511 399.0 .1291 -74.8 455.3 15.1 156. 72 52.3 18612. 139.6 2.497 379.3 .1337 -74.3 462.0 17.3 140. 73 50.2 18851. 117.6 2.343 342.3 .1378 -74.8 466.4 18.1 154. 75 45.9 19371. 118.1 2.573 343.8 .1458 -74.8 466.4 18.1 154. 75 45.9 19371. 118.1 2.573 343.8 .1458 -74.8 478.5 11.1 142. 43.8 19643. 121.3 2.769 353.1 .1502 -74.8 484.9 111. 142. 43.8 19643. 121.3 2.769 353.1 .1502 -74.8 484.9 111. 142. 43.8 19643. 121.3 2.769 353.1 .1502 -74.8 484.9 111. 142. 43.8 19643. 121.3 2.769 353.1 .1502 -74.8 484.9 111. 160.0 164. 68.0 20169. 117.0 2.925 342.5 .1587 -75.8 499.6 11.7 150. 78 40.0 20169. 117.0 2.925 342.5 .1587 -75.8 499.6 11.7 150. 164. 80.0 164. 80.0 20169. 117.0 2.925 342.5 .1587 -75.8 499.6 10.0 164. 80.0 20169. 117.0 2.925 342.5 .1587 -75.8 499.6 9.4 166. 80 36.8 20650. 99.0 2.690 291.0 .1659 -76.6 504.9 13.4 167. 81.5 162. 163. 89.9 2.668 265.8 .1723 -77.0 510.5 13.8 162. 153. 812. 2.2241. 61.9 2.226 150.2 .176.6 504.9 13.4 167. 155. 155. 152. 2.2241. 61.9 2.219 181.7 .1837 -76.3 594.9 6.0 11.7 150. 162. 163. 162. 163. 162. 163. 162. 163. 162. 163. 162. 163. 162. 163. 162. 163. 162. 163. 162. 163. 162. 163. 162. 163. 163. 162. 163. 163. 163. 162. 163. 163. 163. 163. 163. 162. 163. 163. 163. 163. 163. 163. 163. 163												9.8	
63 76.7 16368. 158.5 2.066 452.2 .0895 -70.8 421.4 8.3 165. 64 73.7 16664. 166.4 2.258 476.2 .0945 -71.4 425.1 10.2 156. 65 70.8 16841. 156.0 2.203 447.4 .0996 -71.8 429.0 12.1 159. 66 67.8 17095. 152.6 2.251 438.2 .1049 -72.1 433.8 12.6 158. 67 64.9 17353. 143.6 2.213 413.7 .1101 -72.8 437.6 21.1 160. 68 62.1 17611. 142.0 2.287 410.5 .1150 -73.4 441.9 13.4 150. 69 59.8 17832. 143.0 2.391 414.0 .1192 -73.7 446.0 5.7 138. 70 57.1 18101. 137.2 2.403 398.4 .1243 -74.3 450.6 14.4 177. 71 54.6 18362. 137.1 2.511 399.0 .1291 -74.8 455.3 15.1 156. 72 52.3 18612. 130.6 2.497 379.3 .1337 -74.3 462.0 17.3 140. 73 50.2 18851. 117.6 2.343 342.3 .1378 -74.8 455.3 15.1 156. 74 48.0 19111. 109.6 2.283 319.0 .1419 -74.8 472.4 15.5 154. 75 43.8 19643. 121.3 2.769 353.1 .1502 -74.8 478.5 11.1 142. 76 43.8 19643. 121.3 2.769 353.1 .1502 -74.8 478.5 11.1 142. 77 41.5 19956. 120.1 2.894 351.0 .1553 -75.5 490.6 11.7 150. 80 20169. 117.0 2.925 342.5 .1587 -75.8 499.6 11.7 150. 80 36.8 20650. 99.0 2.690 291.0 .1659 -76.6 504.9 13.4 167. 81 35.2 20905. 87.4 2.483 257.1 .1693 -770.9 514.3 16.2 153. 83 32.1 21433. 85.2 2.668 265.8 .1723 -777.9 514.3 16.2 153. 84 30.5 21726. 72.9 2.390 214.6 .1790 -777.1 531.4 15.5 154. 16.2 153. 84 30.5 21726. 72.9 2.390 214.6 .1790 -777.1 531.4 15.3 160. 85 29.2 21978. 66.4 2.274 193.6 .1814 -75.1 543.7 18.0 162. 86 27.9 22241. 61.9 2.219 181.7 .1837 -76.3 547.3 15.9 16.2 153. 87 20.2 2495. 59.5 2.228 174.5 .1868 -76.5 553.8 12.5 144. 88 25.4 22762. 55.4 2.181 162.9 .1881 -76.6 561.3 15.7 151. 90 23.0 23354. 51.2 2.226 150.2 .1923 -76.5 577.9 12.6 149. 91 22.0 23610. 50.0 2.273 146.5 .1990 -77.0 566. 624.3 13.3 150. 91 22.0 23610. 50.0 2.273 146.5 .1990 -77.0 641.8 14.5 159. 91 12.0 2383. 32.7 2152. 38.3 2.280 117.2 .2022 -76.6 624.3 13.3 150. 91 12.2 24394. 44.4 2.313 130.9 .1991 -77.3 666.0 12.2 163. 91 12.2 24394. 44.4 2.313 130.9 .1991 -77.3 666.0 12.2 163. 91 13.6 26378. 39.4 2.897 115.4 .2091 -76.8 651.9 14.6 152. 91 13.6 26383. 32.2 280 117.2 .2022 -76.6 624.3 13.3 150. 101 13.6 26378. 39.4 2.897								-70.1			417.8	9.3	175.
64 73.7 16604. 166.4 2.258 476.2 .0945 -71.4 425.1 10.2 156. 65 70.8 16841. 156.0 2.203 447.4 .0996 -71.8 429.0 12.1 159. 66 67.8 17096. 152.6 2.251 438.2 .1049 -72.1 433.8 12.6 158. 67 64.9 17353. 143.6 2.213 413.7 .1101 -72.8 437.6 21.1 160. 68 62.1 17611. 142.0 2.287 410.5 .1150 -73.4 441.9 13.4 150. 69 59.8 17832. 143.0 2.391 414.0 .1192 -73.7 446.0 5.7 138. 70 57.1 18101. 137.2 2.403 398.4 .1243 -74.3 450.6 14.4 177. 71 54.6 18362. 137.1 2.511 399.0 .1291 -74.8 455.3 15.1 156. 72 52.3 18612. 130.6 2.497 379.3 .1337 -74.3 462.0 17.3 140. 73 50.2 18851. 117.6 2.343 342.3 .1378 -74.8 466.4 18.1 154. 74 48.0 19111. 109.6 2.283 319.0 .1419 -74.8 472.4 15.5 154. 75 45.9 19371. 118.1 2.573 343.8 .1458 -74.8 478.5 11.1 142. 76 43.8 19643. 121.3 2.769 353.1 .1502 -74.8 484.9 111.4 136. 77 41.5 19956. 120.1 2.994 351.0 .1553 -75.5 490.6 11.7 150. 78 40.0 20169. 117.0 2.925 342.5 .1587 -75.8 495.0 10.0 164. 79 38.4 20465. 188.6 2.689 318.5 .1624 -76.3 499.6 9.4 166. 80 36.8 26650 99.0 2.6590 291.0 .1659 -76.6 504.9 13.4 167. 81 35.2 20905. 87.4 2.483 257.1 .1693 -77.0 510.5 13.8 162. 82 33.7 21155. 89.9 2.668 265.8 .1723 -77.9 514.3 16.2 153. 84 30.5 21726. 72.9 2.390 214.6 .1790 -77.1 531.4 16.3 16.2 153. 85 29.2 21978. 66.4 2.274 193.6 .1814 -75.1 531.4 16.3 16.2 153. 86 27.9 22241. 61.9 2.219 181.7 .1837 -76.3 547.3 13.9 160. 87 26.7 22495. 59.5 2.228 174.5 .1858 -76.5 553.8 12.5 144. 99 24.2 23061. 52.8 2.182 154.9 .1902 -76.5 569.6 14.0 156. 90 23.0 23354. 51.2 2.226 150.2 .1923 -76.5 553.8 12.5 144. 91 20.9 23906. 47.8 2.287 140.1 .1960 -76.3 594.4 10.8 152. 93 20.0 24159. 46.6 2.330 136.9 .1991 -77.3 666.0 12.3 13.3 150. 94 17.5 24957. 39.9 2.268 174.5 .1990 -76.5 569.6 14.0 156. 96 17.5 24957. 39.9 2.280 171.2 .2027 -76.6 621.3 15.7 151. 97 15.8 25515. 40.5 2.563 119.3 .2054 -77.0 641.8 14.5 159. 91 12.2 23561. 52.8 2.182 154.9 .1902 -76.5 661.0 11.3 169. 91 12.6 26820. 34.4 2.277 109.5 5.2155 -75.4 664.0 13.3 159. 91 13.6 26378. 39.4 2.897 115.4 2.202 -76.8 661.9 10.5 115.											421.4		
66											425.1	10.2	
66 67.8 17996. 152.6 2.251 438.2 .1049 .72.1 .433.8 12.6 .158.6											429.0		159.
67 64.9 17353. 143.6 2.213 413.7 .1101 -72.8 437.6 21.1 160. 68 62.1 17611. 142.0 2.287 410.5 .1150 -73.4 441.9 13.4 150. 69 59.8 17832. 143.0 2.391 414.0 .1192 -73.7 446.0 5.7 138. 70 57.1 18101. 137.2 2.403 398.4 .1243 -74.3 450.6 14.4 177. 71 54.6 18362. 137.1 2.511 399.0 .1291 -74.8 455.3 15.1 156. 72 52.3 18612. 130.6 2.497 379.3 .1337 -74.3 462.0 17.3 140. 73 50.2 18851. 117.6 2.343 342.3 .1378 -74.8 466.4 18.1 154. 74 48.0 19111. 109.6 2.283 319.0 .1419 -74.8 472.4 15.5 154. 75 45.9 19371. 118.1 2.573 343.8 .1458 -74.8 472.4 15.5 154. 76 43.8 19643. 121.3 2.769 353.1 .1502 -74.8 484.9 11.4 136. 77 41.5 19956. 120.1 2.894 351.0 .1553 -75.5 490.6 11.7 150. 78 40.0 20169. 117.0 2.925 342.5 .1587 -75.5 490.6 11.7 150. 80 36.8 20650. 99.0 2.690 291.0 .1659 -76.6 504.9 13.4 167. 81 35.2 20905. 87.4 2.483 257.1 1693 -77.0 514.3 16.2 153. 83 32.1 21433. 88.2 2.654 251.8 .1723 -77.9 514.3 16.2 153. 83 32.1 21433. 88.2 2.654 251.8 .1757 -77.8 522.0 17.0 155. 86 29.2 21978. 66.4 2.274 193.6 .1814 -75.1 543.7 18.0 162. 86 27.9 22241. 61.9 2.299 181.7 .1837 -76.3 547.3 13.9 160. 87 26.7 22495. 59.5 2.28 118.7 162.9 .77.6 56.6 561.3 15.7 151. 89 24.2 23061. 52.8 2.182 154.9 .1902 -77.5 553.8 12.5 143. 90 23.0 23554. 51.2 2.295 144.6 .1790 -77.1 553.4 16.2 153. 91 22.0 23610. 50.0 2.273 146.5 .1940 -76.5 569.6 14.0 156. 91 22.0 23610. 50.0 2.273 146.5 .1940 -76.3 585.8 13.2 143. 92 20.9 23906. 47.8 2.287 140.1 1.960 -76.3 585.8 13.2 143. 92 20.9 23906. 47.8 2.287 140.1 1.960 -76.3 585.8 13.2 143. 92 20.9 23906. 47.8 2.287 140.1 1.960 -76.3 585.8 13.2 143. 92 20.9 23906. 47.8 2.287 140.1 1.960 -76.3 585.8 13.2 143. 92 20.9 23906. 47.8 2.287 140.1 1.960 -76.3 585.8 13.2 143. 93 10.0 24159. 46.6 2.330 136.9 1.977 -76.6 601.0 11.3 169. 94 19.2 24394. 44.4 2.313 130.9 1.991 -77.3 606.0 12.2 163. 95 18.2 24701. 41.8 2.297 122.8 .2010 -76.8 610.0 11.3 16.5 152. 98 15.8 25162. 38.3 2.280 112.8 .2020 -76.8 610.0 11.3 16.5 152. 98 15.8 25162. 38.3 2.280 112.8 .2035 -76.8 631.1 15.5 152. 100 14.1 26170. 38.3 2.716 112.4 .2091 -76													
68 62.1 17611. 142.0 2.287 410.5 .1150 -73.4 441.9 13.4 150. 69 59.8 17832. 143.0 2.391 414.0 1192 -73.7 446.0 5.7 138. 70 57.1 18101. 137.2 2.2403 398.4 .1243 -74.3 450.6 14.4 177. 71 54.6 18362. 137.1 2.511 399.0 .1291 -74.8 455.3 15.1 156. 72 52.3 18612. 130.6 2.497 379.3 .1377 -74.8 455.3 15.1 156. 73 56.2 18851. 117.6 2.343 342.3 1378 -74.8 466.4 18.1 15.5 154. 74 48.0 19111. 190.6 2.283 319.0 .1419 -74.8 472.4 15.5 154. 75 45.9 19371. 118.1 2.573 343.8 165.2													
69 59.8 17832 143.0 2.391 414.0 .1192 -73.7 446.0 5.7 138. 70 57.1 18101 137.2 2.403 398.4 .1243 -74.3 456.6 14.4 177. 71 54.6 18362 137.1 2.511 399.0 .1291 -74.8 455.3 15.1 156. 72 52.3 18612 130.6 2.497 379.3 .1337 -74.3 462.0 17.3 140. 73 50.2 18851 .117.6 2.343 342.3 .1378 -74.8 466.4 18.1 154. 74 48.0 19111 109.6 2.2653 313.1 1502 -74.8 472.4 15.5 154. 75 45.9 19371 118.1 2.573 343.8 .1458 -74.8 472.4 15.5 154. 76 45.9 19371 118.1 2.573 343.8 .1458 -74.													
70 57.1 18101. 137.2 2.403 398.4 .1243 -74.3 450.6 14.4 177. 71 54.6 18362. 137.1 2.511 399.0 .1291 -74.8 455.3 15.1 156. 72 52.3 18612. 130.6 2.497 379.3 .1337 -74.3 462.0 17.3 140. 73 50.2 18851. 117.6 2.343 342.3 .1378 -74.8 466.4 18.1 154. 74 48.0 19111. 109.6 2.283 319.0 .1419 -74.8 472.4 15.5 154. 76 43.8 19643. 121.3 2.769 353.1 .1502 -74.8 478.5 11.1 136. 77 41.5 19956. 120.1 2.894 351.0 .1557 -75.5 499.6 11.7 150. 78 49.0 20169. 117.0 2.925 342.5 .1587												5.7	138.
71 54.6 18362. 137.1 2.511 399.0 .1291 -74.8 455.3 15.1 156. 72 52.3 18612. 130.6 2.497 379.3 .1337 -74.3 462.0 17.3 140. 73 50.2 18851. 117.6 2.343 319.0 .1419 -74.8 466.4 18.1 15.5 154. 75 45.9 19371. 118.1 2.573 343.8 .1458 -74.8 478.5 11.1 142. 76 43.8 19643. 121.3 2.769 355.1 .1553 -75.5 490.6 11.7 136. 78 40.0 20169. 117.0 2.925 342.5 .1587 -75.8 495.0 10.0 164. 79 38.4 20405. 108.6 2.828 318.5 .1624 -76.6 504.9 13.4 167. 80 36.8 20650. 99.0 2.690 291.0 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>14.4</td><td>177.</td></t<>												14.4	177.
72 52.3 18612 130.6 2.497 379.3 .1337 -74.3 462.0 17.3 140. 73 50.2 18851 117.6 2.343 342.3 .1378 -74.8 466.4 18.1 154. 74 48.0 19111. 109.6 2.283 319.0 .1419 -74.8 472.4 15.5 154. 75 45.9 19371. 118.1 2.573 343.8 .1458 -74.8 478.5 11.1 142. 76 43.8 19643. 121.3 2.769 355.1 .1502 -74.8 484.9 11.4 136. 78 40.0 20169. 117.0 2.925 342.5 .1587 -75.8 499.6 11.7 150. 78 40.20169. 117.0 2.925 342.5 .1659 -75.8 499.6 10.4 162. 80 36.8 20659. 39.0 2.1699 291.0 .1659 -76.6								-74.8					
73 50.2 18851. 117.6 2.343 342.3 .1378 -74.8 466.4 18.1 154. 74 48.0 19111. 109.6 2.283 319.0 .1419 -74.8 472.4 15.5 154. 75 45.9 19371. 118.1 2.573 343.8 .1458 -74.8 478.5 11.1 142. 76 43.8 19643. 120.1 2.894 351.0 .1553 -75.5 490.6 11.7 150. 78 40.0 20169. 117.0 2.925 342.5 .1587 -75.8 499.6 11.7 150. 79 38.4 20405. 108.6 2.828 318.5 .1624 -76.3 499.6 9.4 166. 80 36.8 20650. 99.0 2.690 291.0 .1659 -76.6 504.9 13.4 167. 81 35.2 20905. 87.4 2.483 257.1 .1693 -77.0 510.5 13.8 162. 82 33.7 2								-74.3					
74 48.0 19111 109.6 2.283 319.0 .1419 -74.8 472.4 15.5 154. 75 45.9 19371 118.1 2.573 343.8 .1458 -74.8 478.5 11.1 142. 76 43.8 19643 121.3 2.769 353.1 .1502 -74.8 484.9 11.4 136. 77 41.5 19956 120.1 2.894 351.0 .1553 -75.5 496.6 11.7 150. 78 40.0 20169 117.0 2.925 342.5 .1587 -75.8 499.0 10.0 164. 79 38.4 20405 108.6 2.828 318.5 .1624 -76.3 499.0 9.4 166. 80 36.8 20650 99.0 2.690 291.0 .1659 -77.0 510.5 13.4 162. 81 35.2 20905 87.4 2.483 257.1 .1693 -77.0 510.5 13.8 162. 82 33.7 211433 85.2 </td <td></td>													
75 45.9 19371. 118.1 2.573 343.8 .1458 -74.8 478.5 11.1 142. 76 43.8 19643. 121.3 2.769 353.1 .1502 -74.8 484.9 11.4 136. 77 41.5 19956. 120.1 2.894 351.0 .1553 -75.5 490.6 11.7 150. 78 40.0 20169. 117.0 2.925 342.5 .1587 -75.8 495.0 100.0 164. 79 38.4 20405. 108.6 2.828 318.5 .1624 -76.3 499.6 9.4 166. 80 36.8 20650. 99.0 2.690 291.0 .1659 -76.6 504.9 13.4 167. 81 35.2 20905. 87.4 2.483 257.1 .1693 -77.0 510.5 13.8 162. 82 33.7 21155. 89.9 2.668 251.8 .1727 -77.8 522.0 17.0 155. 84 30.5 21726. <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>													
76 43.8 19643. 121.3 2.769 353.1 .1502 -74.8 484.9 11.4 136. 77 41.5 19956. 120.1 2.894 351.0 .1553 -75.5 490.6 11.7 150. 78 40.0 20169. 117.0 2.925 342.5 .1587 -75.8 499.6 19.0 164. 79 38.4 20405. 108.6 2.828 318.5 .1624 -76.3 499.6 9.4 166. 80 36.8 20650. 99.0 2.690 291.0 .1659 -76.6 504.9 13.4 167. 81 35.2 20905. 87.4 2.483 257.1 .1693 -77.0 510.5 13.8 162. 82 33.7 21155. 89.9 2.6684 255.8 .1723 -77.9 514.3 16.2 153. 84 30.5 21726. 72.9 2.390 214.6 .1790 -77.1 531.4 15.3 160. 85 29.2 21978. <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>													
77 41.5 19956. 120.1 2.894 351.0 .1553 -75.5 490.6 11.7 150. 78 40.0 20169. 117.0 2.925 342.5 .1587 -75.8 499.0 10.0 164. 79 38.4 20405. 108.6 2.828 318.5 .1624 -76.3 499.6 9.4 166. 80 36.8 20650. 99.0 2.690 291.0 .1659 -76.6 504.9 13.4 167. 81 35.2 20905. 87.4 2.483 257.1 .1693 -77.0 510.5 13.8 162. 82 33.7 21155. 89.9 2.668 265.8 .1723 -77.9 514.3 16.2 153. 84 30.5 21726. 72.9 2.390 214.6 .1790 -77.1 531.4 15.3 160. 85 29.2 21978. 66.4 2.274 193.6 .1814 -75.1 543.7 18.0 162. 86 27.9 22241. 6													
78 40.0 20169. 117.0 2.925 342.5 .1587 -75.8 495.0 10.0 164. 79 38.4 20405. 108.6 2.828 318.5 .1624 -76.3 499.6 9.4 166. 80 36.8 20650. 99.0 2.690 291.0 .1659 -76.6 504.9 13.4 167. 81 35.2 20905. 87.4 2.483 257.1 .1693 -77.0 510.5 13.8 162. 82 33.7 21155. 89.9 2.668 265.8 .1723 -77.0 514.3 16.2 153. 83 32.1 21433. 85.2 2.654 251.8 .1757 -77.8 522.0 17.0 155. 84 30.5 21726. 72.9 2.390 214.6 .1790 -77.1 531.4 15.3 160. 85 29.2 221978. 66.4 2.274 193.6 .1814 -75.1 543.7 18.0 162. 86 27.9 22241. 6													
79 38.4 20405. 108.6 2.828 318.5 .1624 -76.3 499.6 9.4 166. 80 36.8 20650. 99.0 2.690 291.0 .1659 -76.6 504.9 13.4 167. 81 35.2 20905. 87.4 2.483 257.1 .1693 -77.0 510.5 13.8 162. 82 33.7 21155. 89.9 2.668 265.8 .1757 -77.8 514.3 16.2 153. 83 32.1 21433. 85.2 2.654 251.8 .1757 -77.8 522.0 17.0 155. 84 30.5 21726. 72.9 2.390 214.6 .1790 -77.1 531.4 15.3 160. 85 29.2 21978. 66.4 2.274 193.6 .1814 -75.1 543.7 18.0 162. 86 27.9 22241. 61.9 2.219 181.7 .1837 -76.5 553.8 12.5 144. 88 25.4 22782. .55											495.0	10.0	164.
80 36.8 20650. 99.0 2.690 291.0 .1659 -76.6 504.9 13.4 167. 81 35.2 20905. 87.4 2.483 257.1 .1693 -77.0 510.5 13.8 162. 82 33.7 21155. 89.9 2.668 265.8 .1723 -77.9 514.3 16.2 153. 83 32.1 21433. 85.2 2.654 251.8 .1757 -77.8 522.0 17.0 155. 84 30.5 21726. 72.9 2.390 214.6 .1790 -77.1 531.4 15.3 160. 85 29.2 21978. 66.4 2.274 193.6 .1814 -75.1 543.7 18.0 162. 86 27.9 22241. 61.9 2.219 181.7 .1837 -76.3 547.3 13.9 160. 87 26.7 22495. 59.5 2.228 174.5 .1858 -76.5 553.8 12.5 144. 89 24.2 23061. 52.													166.
81 35.2 20905. 87.4 2.483 257.1 .1693 -77.0 510.5 13.8 162. 82 33.7 21155. 89.9 2.668 265.8 .1723 -77.9 514.3 16.2 153. 83 32.1 21433. 85.2 2.654 251.8 .1757 -77.8 522.0 17.0 155. 84 30.5 21726. 72.9 2.390 214.6 .1790 -77.1 531.4 15.3 160. 85 29.2 21978. 66.4 2.274 193.6 .1814 -75.1 543.7 18.0 162. 86 27.9 22241. 61.9 2.219 181.7 .1837 -76.3 547.3 13.9 160. 87 26.7 22495. 59.5 2.228 174.5 .1858 -76.5 553.8 12.5 144. 88 25.4 22782. 55.4 2.181 162.9 .1881 -76.6 561.3 15.7 151. 89 24.2 23061. 52.												13.4	
82 33.7 21155. 89.9 2.668 265.8 .1723 -77.9 514.3 16.2 153. 83 32.1 21433. 85.2 2.654 251.8 .1757 -77.8 522.0 17.0 155. 84 30.5 21726. 72.9 2.390 214.6 .1790 -77.1 531.4 15.3 160. 85 29.2 21978. 66.4 2.274 193.6 .1814 -75.1 543.7 18.0 162. 86 27.9 22241. 61.9 2.219 181.7 .1837 -76.3 547.3 13.9 160. 87 26.7 22495. 59.5 5.228 174.5 .1858 -76.5 553.8 12.5 144. 88 25.4 22782. 55.4 2.181 162.9 .1881 -76.6 561.3 15.7 151. 89 24.2 23061. 52.8 2.182 154.9 .1902 -76.5 569.6 14.0 156. 90 23.0 23354. 51.													
83 32.1 21433. 85.2 2.654 251.8 .1757 -77.8 522.0 17.0 155. 84 30.5 21726. 72.9 2.390 214.6 .1790 -77.1 531.4 15.3 160. 85 29.2 21978. 66.4 2.274 193.6 .1814 -75.1 543.7 18.0 162. 86 27.9 22241. 61.9 2.219 181.7 .1837 -76.3 547.3 13.9 160. 87 26.7 22495. 59.5 2.228 174.5 .1881 -76.5 553.8 12.5 144. 88 25.4 22782. 55.4 2.181 162.9 .1881 -76.5 553.8 12.5 144. 89 24.2 23061. 52.8 2.182 154.9 .1902 -76.5 569.6 14.0 156. 90 23.0 23354. 51.2 2.226 150.2 .1923 -76.5 577.9 12.6 149. 91 22.0 23610. 50.													
84 30.5 21726. 72.9 2.390 214.6 .1790 -77.1 531.4 15.3 160. 85 29.2 21978. 66.4 2.274 193.6 .1814 -75.1 543.7 18.0 162. 86 27.9 22241. 61.9 2.219 181.7 .1837 -76.3 547.3 13.9 160. 87 26.7 22495. 59.5 2.228 174.5 .1858 -76.5 553.8 12.5 144. 88 25.4 22782. 55.4 2.181 162.9 .1881 -76.6 561.3 15.7 151. 89 24.2 23061. 52.8 2.182 154.9 .1902 -76.5 569.6 14.0 156. 90 23.0 23354. 51.2 2.226 150.2 .1923 -76.5 577.9 12.6 149. 91 22.0 23610. 50.0 2.273 146.5 .1940 -76.3 585.8 13.2 143. 92 20.9 23906. 47.												17.0	
85 29.2 21978. 66.4 2.274 193.6 .1814 -75.1 543.7 18.0 162. 86 27.9 22241. 61.9 2.219 181.7 .1837 -76.3 547.3 13.9 160. 87 26.7 22495. 59.5 2.228 174.5 .1858 -76.5 553.8 12.5 144. 88 25.4 22782. 55.4 2.181 162.9 .1881 -76.6 561.3 15.7 151. 89 24.2 23061. 52.8 2.182 154.9 .1902 -76.5 569.6 14.0 156. 90 23.0 23354. 51.2 2.226 150.2 .1923 -76.5 577.9 12.6 149. 91 22.0 23610. 50.0 2.273 146.5 .1940 -76.3 585.8 13.2 143. 92 20.9 23906. 47.8 2.287 140.1 .1960 -76.3 594.4 10.8 152. 93 20.0 24159. 46.													
86 27.9 22241. 61.9 2.219 181.7 .1837 -76.3 547.3 13.9 160. 87 26.7 22495. 59.5 2.228 174.5 .1858 -76.5 553.8 12.5 144. 88 25.4 22782. 55.4 2.181 162.9 .1881 -76.6 561.3 15.7 151. 89 24.2 23061. 52.8 2.182 154.9 .1902 -76.5 569.6 14.0 156. 90 23.0 23354. 51.2 2.226 150.2 .1923 -76.5 577.9 12.6 149. 91 22.0 23610. 50.0 2.273 146.5 .1940 -76.3 585.8 13.2 143. 92 20.9 23906. 47.8 2.287 140.1 .1960 -76.3 594.4 10.8 152. 93 20.0 24159. 46.6 2.330 136.9 .1977 -76.6 601.0 11.3 169. 94 19.2 24394. 44.											543.7		
87 26.7 22495. 59.5 2.228 174.5 .1858 -76.5 553.8 12.5 144. 88 25.4 22782. 55.4 2.181 162.9 .1881 -76.6 561.3 15.7 151. 89 24.2 23061. 52.8 2.182 154.9 .1902 -76.5 569.6 14.0 156. 90 23.0 23354. 51.2 2.226 150.2 .1923 -76.5 577.9 12.6 149. 91 22.0 23610. 50.0 2.273 146.5 .1940 -76.3 585.8 13.2 143. 92 20.9 23906. 47.8 2.287 140.1 .1960 -76.3 594.4 10.8 152. 93 20.0 24159. 46.6 2.330 136.9 .1977 -76.6 601.0 11.3 169. 94 19.2 24394. 44.4 2.313 130.9 .1991 -77.3 606.0 12.2 163. 95 18.2 24701. 41.													
88 25.4 22782. 55.4 2.181 162.9 .1881 -76.6 561.3 15.7 151. 89 24.2 23061. 52.8 2.182 154.9 .1902 -76.5 569.6 14.0 156. 90 23.0 23354. 51.2 2.226 150.2 .1923 -76.5 577.9 12.6 149. 91 22.0 23610. 50.0 2.273 146.5 .1940 -76.3 585.8 13.2 143. 92 20.9 23906. 47.8 2.287 140.1 .1960 -76.3 594.4 10.8 152. 93 20.0 24159. 46.6 2.330 136.9 .1977 -76.6 601.0 11.3 169. 94 19.2 24394. 44.4 2.313 130.9 .1991 -77.3 606.0 12.2 163. 95 18.2 24701. 41.8 2.297 122.8 .2010 -76.8 616.9 10.5 158. 96 17.5 24927. 39.		26.7	22495.			174.5					553.8	12.5	144.
89 24.2 23061. 52.8 2.182 154.9 .1902 -76.5 569.6 14.0 156. 90 23.0 23354. 51.2 2.226 150.2 .1923 -76.5 577.9 12.6 149. 91 22.0 23610. 50.0 2.273 146.5 .1940 -76.3 585.8 13.2 143. 92 20.9 23906. 47.8 2.287 140.1 .1960 -76.3 594.4 10.8 152. 93 20.0 24159. 46.6 2.330 136.9 .1977 -76.6 601.0 11.3 169. 94 19.2 24394. 44.4 2.313 130.9 .1991 -77.3 606.0 12.2 163. 95 18.2 24701. 41.8 2.297 122.8 .2010 -76.8 616.9 10.5 158. 96 17.5 24927. 39.9 2.280 117.2 .2022 -76.6 624.3 13.3 150. 97 16.8 25162. 38.	88			55.4	2.181						561.3	15.7	
90 23.0 23354. 51.2 2.226 150.2 .1923 -76.5 577.9 12.6 149. 91 22.0 23610. 50.0 2.273 146.5 .1940 -76.3 585.8 13.2 143. 92 20.9 23906. 47.8 2.287 140.1 .1960 -76.3 594.4 10.8 152. 93 20.0 24159. 46.6 2.330 136.9 .1977 -76.6 601.0 11.3 169. 94 19.2 24394. 44.4 2.313 130.9 .1991 -77.3 606.0 12.2 163. 95 18.2 24701. 41.8 2.297 122.8 .2010 -76.8 616.9 10.5 158. 96 17.5 24927. 39.9 2.280 117.2 .2022 -76.6 624.3 13.3 150. 97 16.8 25162. 38.3 2.280 112.8 .2035 -76.8 631.1 15.5 152. 98 15.8 25515. 40.								-76.5					156.
91 22.0 23610. 50.0 2.273 146.5 .1940 -76.3 585.8 13.2 143. 92 20.9 23906. 47.8 2.287 140.1 .1960 -76.3 594.4 10.8 152. 93 20.0 24159. 46.6 2.330 136.9 .1977 -76.6 601.0 11.3 169. 94 19.2 24394. 44.4 2.313 130.9 .1991 -77.3 606.0 12.2 163. 95 18.2 24701. 41.8 2.297 122.8 .2010 -76.8 616.9 10.5 158. 96 17.5 24927. 39.9 2.280 117.2 .2022 -76.6 624.3 13.3 150. 97 16.8 25162. 38.3 2.280 112.8 .2035 -76.8 631.1 15.5 152. 98 15.8 25515. 40.5 2.563 119.3 .2054 -77.0 641.8 14.5 159. 99 15.0 25813. 42.													
92 20.9 23906. 47.8 2.287 140.1 .1960 -76.3 594.4 10.8 152. 93 20.0 24159. 46.6 2.330 136.9 .1977 -76.6 601.0 11.3 169. 94 19.2 24394. 44.4 2.313 130.9 .1991 -77.3 606.0 12.2 163. 95 18.2 24701. 41.8 2.297 122.8 .2010 -76.8 616.9 10.5 158. 96 17.5 24927. 39.9 2.280 117.2 .2022 -76.6 624.3 13.3 150. 97 16.8 25162. 38.3 2.280 112.8 .2035 -76.8 631.1 15.5 152. 98 15.8 25515. 40.5 2.563 119.3 .2054 -77.0 641.8 14.5 159. 99 15.0 25813. 42.6 2.840 125.3 .2070 -76.8 651.9 14.6 162. 100 14.1 26170. 38		22.0	23610.	50.0			. 1940				585.8	13.2	143.
93 20.0 24159. 46.6 2.330 136.9 .1977 -76.6 601.0 11.3 169. 94 19.2 24394. 44.4 2.313 130.9 .1991 -77.3 606.0 12.2 163. 95 18.2 24701. 41.8 2.297 122.8 .2010 -76.8 616.9 10.5 158. 96 17.5 24927. 39.9 2.280 117.2 .2022 -76.6 624.3 13.3 150. 97 16.8 25162. 38.3 2.280 112.8 .2035 -76.8 631.1 15.5 152. 98 15.8 25515. 40.5 2.563 119.3 .2054 -77.0 641.8 14.5 159. 99 15.0 25813. 42.6 2.840 125.3 .2070 -76.8 651.9 14.6 162. 100 14.1 26170. 38.3 2.716 112.4 .2091 -76.3 665.1 13.3 159. 101 13.6 26378. 3		20.9	23906.	47.8		140.1					594.4	10.8	152.
94 19.2 24394. 44.4 2.313 130.9 .1991 -77.3 606.0 12.2 163. 95 18.2 24701. 41.8 2.297 122.8 .2010 -76.8 616.9 10.5 158. 96 17.5 24927. 39.9 2.280 117.2 .2022 -76.6 624.3 13.3 150. 97 16.8 25162. 38.3 2.280 112.8 .2035 -76.8 631.1 15.5 152. 98 15.8 25515. 40.5 2.563 119.3 .2054 -77.0 641.8 14.5 159. 99 15.0 25813. 42.6 2.840 125.3 .2070 -76.8 651.9 14.6 162. 100 14.1 26170. 38.3 2.716 112.4 .2091 -76.3 665.1 13.3 159. 101 13.6 26378. 39.4 2.897 115.4 .2102 -75.8 673.7 12.4 147. 102 13.0 26639.								-76.6					
95 18.2 24701. 41.8 2.297 122.8 .2010 -76.8 616.9 10.5 158. 96 17.5 24927. 39.9 2.280 117.2 .2022 -76.6 624.3 13.3 150. 97 16.8 25162. 38.3 2.280 112.8 .2035 -76.8 631.1 15.5 152. 98 15.8 25515. 40.5 2.563 119.3 .2054 -77.0 641.8 14.5 159. 99 15.0 25813. 42.6 2.840 125.3 .2070 -76.8 651.9 14.6 162. 100 14.1 26170. 38.3 2.716 112.4 .2091 -76.3 665.1 13.3 159. 101 13.6 26378. 39.4 2.897 115.4 .2102 -75.8 673.7 12.4 147. 102 13.0 26639. 36.1 2.777 105.5 .2115 -75.4 684.0 13.0 136. 103 12.6 26820. <td< td=""><td></td><td>19.2</td><td>24394.</td><td></td><td></td><td></td><td></td><td>-77.3</td><td></td><td></td><td></td><td></td><td></td></td<>		19.2	24394.					-77.3					
96 17.5 24927. 39.9 2.280 117.2 .2022 -76.6 624.3 13.3 150. 97 16.8 25162. 38.3 2.280 112.8 .2035 -76.8 631.1 15.5 152. 98 15.8 25515. 40.5 2.563 119.3 .2054 -77.0 641.8 14.5 159. 99 15.0 25813. 42.6 2.840 125.3 .2070 -76.8 651.9 14.6 162. 100 14.1 26170. 38.3 2.716 112.4 .2091 -76.3 665.1 13.3 159. 101 13.6 26378. 39.4 2.897 115.4 .2102 -75.8 673.7 12.4 147. 102 13.0 26639. 36.1 2.777 105.5 .2115 -75.4 684.0 13.0 136. 103 12.6 26820. 34.4 2.730 99.9 .2124 -74.6 692.8 15.2 125.													
97 16.8 25162. 38.3 2.280 112.8 .2035 -76.8 631.1 15.5 152. 98 15.8 25515. 40.5 2.563 119.3 .2054 -77.0 641.8 14.5 159. 99 15.0 25813. 42.6 2.840 125.3 .2070 -76.8 651.9 14.6 162. 100 14.1 26170. 38.3 2.716 112.4 .2091 -76.3 665.1 13.3 159. 101 13.6 26378. 39.4 2.897 115.4 .2102 -75.8 673.7 12.4 147. 102 13.0 26639. 36.1 2.777 105.5 .2115 -75.4 684.0 13.0 136. 103 12.6 26820. 34.4 2.730 99.9 .2124 -74.6 692.8 15.2 125.													
98 15.8 25515. 40.5 2.563 119.3 .2054 -77.0 641.8 14.5 159. 99 15.0 25813. 42.6 2.840 125.3 .2070 -76.8 651.9 14.6 162. 100 14.1 26170. 38.3 2.716 112.4 .2091 -76.3 665.1 13.3 159. 101 13.6 26378. 39.4 2.897 115.4 .2102 -75.8 673.7 12.4 147. 102 13.0 26639. 36.1 2.777 105.5 .2115 -75.4 684.0 13.0 136. 103 12.6 26820. 34.4 2.730 99.9 .2124 -74.6 692.8 15.2 125.													
99 15.0 25813. 42.6 2.840 125.3 .2070 -76.8 651.9 14.6 162. 100 14.1 26170. 38.3 2.716 112.4 .2091 -76.3 665.1 13.3 159. 101 13.6 26378. 39.4 2.897 115.4 .2102 -75.8 673.7 12.4 147. 102 13.0 26639. 36.1 2.777 105.5 .2115 -75.4 684.0 13.0 136. 103 12.6 26820. 34.4 2.730 99.9 .2124 -74.6 692.8 15.2 125.								-77.0					
100 14.1 26170. 38.3 2.716 112.4 .2091 -76.3 665.1 13.3 159. 101 13.6 26378. 39.4 2.897 115.4 .2102 -75.8 673.7 12.4 147. 102 13.0 26639. 36.1 2.777 105.5 .2115 -75.4 684.0 13.0 136. 103 12.6 26820. 34.4 2.730 99.9 .2124 -74.6 692.8 15.2 125.		15.0	25813.										
101 13.6 26378. 39.4 2.897 115.4 .2102 -75.8 673.7 12.4 147. 102 13.0 26639. 36.1 2.777 105.5 .2115 -75.4 684.0 13.0 136. 103 12.6 26820. 34.4 2.730 99.9 .2124 -74.6 692.8 15.2 125.													
102 13.0 26639. 36.1 2.777 105.5 .2115 -75.4 684.0 13.0 136. 103 12.6 26820. 34.4 2.730 99.9 .2124 -74.6 692.8 15.2 125.													
103 12.6 26820. 34.4 2.730 99.9 .2124 -74.6 692.8 15.2 125.													
	104	12.0	27105.					-73.7			705.7	15.2	


STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	6 MAY	89 2	246 Z	ECC	SONDE:	4A4416	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	мВ	GPM	NB	PPMV	GAMMA	ATMCM	С	С	7.	K	M/S	DEG
105	11.5	27354.	30.8	2.678	88.9	. 2148	-73.3			716.0	8.8	116.
106	11.3	27456.	30.8	2.726	88.8	. 2152	-73.1			720.1	4.5	141.
107	10.8	27722.	30.8	2.852	88.8	. 2163	-72.8			730.5	4.1	174.
108	10.4	27943.	31.1	2.990	89.7	. 2172	-72.8			738.4	4.6	152.
109	10.1	28115.	25.8	2.554	74.3	. 2179	-72.7			745.2	10.4	134.
110	9.7	28359.	29.3	3.024	83.9	. 2187	-71.5			758.4	11.8	132.
111	9.3	28595.	29 . 4	3.158	84.4	.2197	-71.7			766.6	10.6	148.
112	8.9	28841.					-71.5			776.3	10.6	157.
113	8.6	29091.					-71.4			786.3	15.7	149.
114	8.2	29352.					-71.5			795.7	19.7	140.
115	7.8	29640.					-71.7			806.3	19.7	140.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 16.6
 5.1
 45.6
 151.1
 115.4
 51.7
 25.4
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110106058903	99 ECC TOTAL 03 FROM SONDE DATA 241
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110206058903	670 9-59 500 13-44 84 2 300 2-66181 12 200 42-63178 9
1110306058903	150 61-65180 8 100170-68173 10 70155-72159 12 50117-75154 18
1110406058903	30 70-76161 1620.0 47-77169 1110.0 27-72134 11 652 16-38212 22
1110506058903	583 19-38258 1 418 6-49150 2 256 4-70188 12 248 15-70200 10
1110606058903	161 35-64185 9 155 42-65183 8 139 91-66180 13 128 78-66182 5
1110706058903	124 86-67179 9 119116-67187 10 90175-69166 11 77159-71165 8
1110806058903	74166-71156 10 65144-73160 21 55137-75156 15 48110-75154 16
1110906058903	42120-76150 12 35 87-77162 14 34 90-78153 1615.0 43-77162 15
1111006058903	9.3 29-72148 11 8.9 -72157 11 7.8 -72140 20



STATION: SOUTH POLE LAUNCH DATE: 11 MAY 89 254 Z ECC SONDE: 4A4413

SURFACE CONDITIONS: PRESSURE 671.9 MB, TEMPERATURE -67.3 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 78.3 ORD; TBOX 22.5 C AT 70.9 ORD;

O3 ORD ZERO 26.4, BKGND 26.9, CAL 61.0; O3 BKGND 0.076 MICROAMP; FLOW RATE 26.4 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 269.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	тотог	TEMP	DEWPT	ним	POT T	WIND	WIND
MIN	мВ	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	671.9	2835.	18.3	. 027	51.3	.0000	-67.3			230.7		
1	655.0	2996.	17.8	. 027	45.5	.0004	-47.3			254.9	10.1	298.
2	640.0	3151.	17.4	.027	43.4	.0007	-42.1			262.4	10.1	298.
3	621.0	3355.	17.4	.028	43.5	.0011	-42.4			264.5	2.0	101.
4	603.0	3554.	17.8	.030	44.4	.0015	-41.9			267.2	2.4	42.
5	587.0	3736.	17.9	.030	44.6	.0019	-42.1			269.0	1.7	248.
6	570.0	3934.	17.9	.031	45.1	.0023	-43.3			269.9	3.0	201.
7	551.0	4162.	16.1	. 029	40.7	.0027	-44.8			270.8	2.8	179.
8	535.0	4359.	15.7	.029	39.9	.0031	-45.8			271.8	2.4	132.
9	519.0	4560.	16.5	. 032	42.1	. 0035	-46.5			273.4	3.9	132.
10	504.0	4755.	16.6	. 033	42.5	.0039	-47.2			274.8	5.8	134.
11	490.0	4941.	17.0	. 035	43.6	.0042	-48.2			275.8	7.3	131.
12	476.0	5132.	16.1	.034	41.4	.0046	-48.8			277.4	10.1	129.
13	461.0	5341.	16.1	. 035	41.7	.0050	-49.9			278.5	11.4	125.
14	447.0	5543.	15.7	. 035	40.7	.0054	-50.8			279.8	11.6	127.
15	432.0	5764.	18.8	.044	49.2	.0058	-51.9			281.2	12.3	125.
16	419.0	5962.	20.6	. 049	54.1	.0063	-53.0			282.2	13.3	121.
17	405.0	6180.	18.9	. 047	49.8	.0068	-54.3			283.3	15.2	119.
18	392.0	6389.	20.7	. 053	54.9	.0073	-55.6			284.3	16.3	122.
19	381.0	6570.	13.9	.036	37.0	.0077	-56.5			285.4	16.7	124.
20	370.0	6755.	14.4	. 039	38.5	.0081	-57.6			286.4	16.2	125.
21	359.0	6946.	14.4	. 040	38.7	.0084	-58.5			287.6	16.3	125.
22	348.0	7141.	15.7	. 045	42.5	.0088	-59.5			288.9	17.1	120.
23	336.0	7360.	17.9	. 053	48.7	.0092	-60.3			290.6	16.5	116.
24	326.0	7548.	23.2	. 071	63.3	.0097	-61.6			291.5	17.8	116.
25	315.0	7760.	34.4	. 109	94.2	.0104	-62.2			293.5	19.9	117.
26	305.0	7959.	32.6	. 107	89.4	.0112	-62.9			295.2	22.1	126.
27	293.0	8206.	37.2	. 127	102.4	.0123	-63.7			297.5	19.2	120.
28	284.0	8397.	32.9	.116	90.8	.0131	-64.1			299.6	14.3	114.
29	275.0	8594.	44.0	. 160	121.3	.0140	-63.8			302.8	13.9	120.
30	265.0	8822.	48.9	. 185	134.8	.0153	-63.8			306.0	11.6	119.
31	255.0	9058.	52.5	. 206	144.3	.0169	-63.2			310.3	8.1	127.
32	247.0	9254.	54.9	. 222	150.4	.0182	-62.5			314.0	6.5	135.
33	239.0	9458.	54.9	. 230	150.0	.0196	-61.9			317.9	6.3	138.
34	230.0	9695.	55.3	.240	151.1	.0212	-61.7			321.8	3.3	163.
35	223.0	9887.	56.4	. 253	153.6	.0226	-61.3			325.2	3.2	169.
36		10113.	56.8	. 264	155.1	.0242	-61.7			328.1	6.3	153.
37		10348.	56.9	. 275	155.6	.0259	-62.2			330.9	5.3	169.
38		10591.	55.3		151.5					334.2		187.
39		10796.	49.2	. 256	135.0	.0290	-62.8			336.8		171.
40		11007.	49.0	. 263	134.6	.0304	-63.2			339.6	4.2	169.
41		11216.	52.8	. 294	145.3	.0317	-63.5			342.2	4.1	195.
42		11445.	52.2	. 301	144.2	.0332	-64.1			345.1	4.1	2 0 7.
43		11664.	53.4	.320	148.1	. 0347	-65.1			346.9	4.1	223.
44		11891.	58.8	. 365	163.1	.0362	-65.1			350.7	3.7	206.
45		12126.	59.7	. 385	165.9	.0380	-65.5			353.9	3.0	193.
46		12346.	57.8	.387	161.0	. 0397	-66.0			356.7	3.7	228.
47		12573.	84.6	.588	235.7	.0416	-66.0			360.5	5.9	237.
48		12796.	101.5	.732	283.5	.0442	-66.4			363.6	6.9	239.
49	133.4	13032.	109.0	.817	305.4	. 0473	-6/.0			366.5	7.3	208.

STATI	ON: SOUTH POLE		LAUNC	H DATE:	11 MAY	89 254 Z	ECC SONDE	: 4A4413	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM POT		MIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	СС	% K	M/S	DEG
50	128.6 13253.	146.8	1.142	411.8	.0507	-67.3	369.		188.
51	123.0 13521.	165.4	1.345	464.8	.0560	-67.7	373.		259.
52	118.8 13730.	153.1	1.289	431.6	.0603	-68.3	376.	4 9.5 2	258.
53	114.3 13961.	126.3	1.105	357.3	.0648	-69.0	379.		235.
54	110.0 14190.	127.8	1.162	362.3	.0685	-69.4	382.		238.
55	105.7 14428.	123.1	1.165	349.5	.0725	-69.8	386.		234.
56	101.6 14663.	120.5	1.186	343.2	.0763	-70.4	389.	7 8.6 2	217.
57	97.5 14908.	126.9	1.302	362.6	. 0803	-71.1	392.		212.
58	93.5 15155.	145.4	1.555	416.0	.0846	-71.4	397.	1 9.9 2	221.
59	89.5 15414.	152.2	1.701	436.5	.0896	-71.8	401.		226.
60	85.6 15676.	171.5	2.004	493.2	.0950	-72.4	405.	2 8.7 2	211.
61	82.0 15928.	181.3	2.211	522.7	.1009	-72.8	409.	3 8.1 1	198.
62	78.6 16177.	178.1	2.266	513.2	.1068	-72.8	414.	3 6.1 2	209.
63	75.5 16413.	174.1	2.306	503.0	.1124	-73.3	418.	2 5.0 2	235.
64	72.4 16658.	170.3	2.352	492.0	.1181	- 73.3	423.	2 4.8 2	243.
65	69.3 16914.	162.8	2.349	472.4	.1239	-74.2	426.	6 7.2 2	240.
66	66.3 17171.	155.3	2.342	452.1	.1295	-74.8	430.	8 9.6 2	233.
67	63.7 17403.	147.7	2.319	430.9	.1343	-75.2	434.	7 9.9 2	243.
68	61.0 17654.	147.2	2.413	430.6	.1393	- 75.8	438.	7 10.9 2	256.
69	58.3 17915.	146.3	2.509	429.2	. 1445	-76.3	443.	4 10.6 2	238.
70	55.7 18178.	141.0	2.531	413.6	.1497	-76.3	449.		222.
71	53.3 18432.	141.1	2.647	414.0	. 1545	-76.3	454.	9 9.7 2	224.
72	51.0 18686.	134.7	2.641	397.1	. 1593	-77.3	458.		206.
73	48.7 18950.	120.3	2.470	355.8	.1640	-77.9	463.	0 7.8 2	201.
74	46.6 19203.	122.0	2.618	360.7	.1682	-77.9	468.		233.
75	44.5 19466.	125.4	2.818	371.3	.1726	-78.1	474.		234.
76	42.5 19728.	123.4	2.904	367.1	. 1771	-79.1	478.		224.
77	40.7 19974.	123.5	3.034	368.0	.1813	-79.4	483.		234.
78	38.8 20246.	115.1	2.966	342.0	.1858	-78.9	491.		224.
79	37.0 20516.	104.7	2.830	311.4	.1900	-79.1	497.	8 8.5 2	212.
80	35.2 20799.	97.5	2.770	290.5	.1940	-79.4	504.	1 7.4 2	231.
81	33.5 21080.	90.6	2.704	269.6	. 1978	-79.3	511.		244.
82	32.0 21340.	81.0	2.531	240.9	.2010	-79.1	518.	9 7.4 2	244.
83	30.7 21576.	84.1	2.739	250.1	.2036	-79.1	525.	1 9.6 2	231.
84	29.2 21861.	83.2	2.849	247.2	.2069	-78.9	533.	1 8.6 2	214.
85	27.8 22140.	73.3	2.637	218.5	.2100	-79.4	539.	2 5.8 2	216.
86	26.5 22412.	63.7	2.404	189.8	.2127	-79.3	547.	1 4.5 2	258.
87	25.4 22652.	58.8	2.315	175.3	.2148	-79.6	552.	B 6.0 2	263.
88	24.2 22927.	57.9	2.393	172.8	.2170	-79.6	560.		237.
89	23.0 23215.	57.0	2.478	170.0	.2193	-79.6	568.	7 6.4 2	216.
90	21.9 23493.	58.7	2.680	174.6	.2215	-79.1	578.	3 5.4 1	199.
91	20.8 23786.	58.2	2.798	173.5	.2239	-79.6	585.	3 6.5 2	213.
92	19.6 24123.	54.1	2.760	161.0	. 2265	-79.1	596.	9 7.9 2	231.
93	18.8 24360.	51.6	2.745	153.1	. 2283	-78.8	605.	1 7.8 2	226.
94	18.0 24608.	48.6	2.700	144.3	.2300	-78.8	612.	6 7.3 2	219.
95	17.0 24934.	45.6	2.682	135.2	. 2321	-78.4	623.	8 5.3 2	211.
96	16.2 25208.	41.9	2.586	124.4	. 2338	-78.8	631.	4 2.8 2	230.
97	15.6 25424.	37.8	2.423	112.1	. 2350	-78.3	639.	9 4.9 2	281.
98	15.0 25648.	36.6	2.440	108.4	. 2362	-7 7.9	648.	2 4.8 2	267.
99	14.3 25921.	34.1	2.385	100.8	.2375	-77.9	657.	1 1.5 2	248.
100	13.8 26124.	34.0	2.464	100.7	. 2385	-77.9	663.	B 1.2 1	183.
101	13.3 26336.	31.0	2.331	91.3	. 2394	-77.1	673.		198.
102	12.7 26602.	30.3	2.386	88.9	. 2405	-76.3	685.	3 7.2 1	197.
103	12.2 26834.	29.6	2.426	86.5	.2415	-75.5	696.	0 5.7 1	174.
104	11.6 27126.	31.5	2.716	91.9	. 2427	-75 .1	707.	7 6.1 1	28.


STATION: SOUTH POLE				LAUNCH DATE:		11 MAY 89 254 Z		ECC SONDE:		4A4413		
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	11.0	27434.	31.6	2.873	92.3	. 2440	-75.2			718.0	5.5	92.
106	10.5	27704.	32.3	3.076	93.8	. 2452	-74.5			730.4	5.5	92.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 17.1
 25.1
 66.5
 150.7
 120.5
 59.3
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110111058903	99 ECC TOTAL 03 FROM SONDE DATA 269
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110211058903	672 18-67 500 17-47133 6 300 34-63124 21 200 56-62185 4
1110311058903	150 58-66224 4 100123-71215 9 70165-74241 7 50129-78204 8
1110411058903	30 84-79223 920.0 55-79225 7 655 18-47298 10 640 17-42298 10
1110511058903	587 18-42248 2 359 14-59125 16 284 33-64114 14 275 44-64120 14
1110611058903	247 55-63135 7 186 49-63169 4 139102-66239 7 133109-67208 7
1110711058903	129147-67188 6 123165-68259 6 119153-68258 10 114126-69235 10
1110811058903	82181-73198 8 64148-75243 10 53141-76224 10 49120-78201 8
1110911058903	41124-79234 10 32 81-79244 725.4 59-80263 613.3 31-77198 6
1111011058903	10.5 32-75 92 6



STATION: SOUTH POLE LAUNCH DATE: 18 MAY 89 243 Z ECC SONDE: 4A4417

SURFACE CONDITIONS: PRESSURE 662.3 MB, TEMPERATURE -60.9 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 78.3 ORD; TBOX 25.0 C AT 71.5 ORD;

03 ORD ZERO 30.0, BKGND 30.9, CAL 65.7; O3 BKGND 0.132 MICROAMP; FLOW RATE 27.2 S/100 M

FLIGHT NORMALIZED TO TOTAL 03 ; SONDE TOTAL 03 238.; C.F.


TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	662.3	2835.	18.7	.028	50.8	.0000	-60.9			238.7	45.0	074
1	646.0	2997.	17.9	.028	44.8	.0004	-42.2		75.4	261.6	45.6	234.
2	627.0	3200.	18.0	.029	44.3	. 0008		-41.4		268.3	45.6	234.
3	609.0	3401.	18.1	.030	44.4	.0012	-38.0	-40.7	77.6	270.9	27.3	226.
4	590.0	3619.	17.6	. 030	43.2	.0016	-38.0	44.0	75.0	273.4	19.7	212.
5	571.0	3844.	17.6	. 031	43.3	.0021	-38.2	-41.0	75.8	275.8	12.7	207.
6	557.0	4015.	18.1	. 032	44.7	.0024		-41.6	74.9	277.2	9.9	212.
7	541.0	4215.	17.3	. 032	42.9	.0029	-40.4			277.4	10.7	220.
8	526.0	4406.	16.8	. 032	41.9	.0032	-41.3			278.6	13.5	215.
9	510.0	4615.	16.4	.032	41.0	. 0036	-42.2			279.9	15.2	211.
10	497.0	4790.	16.0	.032	40.0	.0040	-42.8			281.3	16.2	205.
11	482.0	4996.	16.0	. 033	40.3	.0043	-43.9			282.5	15.9	200.
12	467.0	5208.	16.1	. 034	40.7	.0047	-45.2			283.3	14.7	189.
13	452.0	5425.	16.5	. 037	42.0	.0052	-46.2			284.8	15.3	177.
14	440.0	5604.	15.6	. 035	39.9	. 0055	-47.6			285.1	16.3	173.
15	427.0	5801.	15.2	. 036	39.2	.0059	-49.4			285.4	18.1	175.
16	412.0	6035.	14.4	. 035	37.2	.0063	-50.4			287.0	19.0 18.8	173.
17	400.0	6227.	12.4	. 031	32.4	.0066	-51.3			288.2		176.
18	386.0	6458.	12.5	.032	32.7	.0069	-52.7			289.4	18.2 16.6	183.
19	374.0	6661.	11.6	.031	30.6	.0072	-54.5			289.6		188.
20	362.0	6869.	10.2	.028	27.2	.0075	-56.5			289.6	18.6	192.
21	352.0	7046.	9.8	. 028	26.1	.0077	-57.6			290.5	22.3 21.8	192. 1 89 .
22	341.0	7246.	9.8	.029	26.3	.0080	-58.8			291.5 292.0	20.5	182.
23	330.0	7451.	9.3	. 028	25.3	.0082	-60.5			292.3	19.1	179.
24	320.0	7642.	10.3	. 032	28.1	.0085	-62.1				18.3	176.
25	310.0	7838.	10.8	. 035	29.6	.0087	-63.4			293.1 294.6	21.3	183.
26	300.0	8039.	10.8	.036	29.7	.0090	-64.3			296.3	22.2	189.
27 28	289.0 279.0	8267. 8480.	11.2 10.3	. 039 . 037	31.0 28.9	.0093 .0096	-65.3 -67.3			296.5	20.6	189.
29	269.0	869 9 .		.037	35.7	.0090	-69.0			297.1	36.2	200.
30		8903.	12.6				-69.0			300.0	18.1	186.
31	260.0 250.0	9138.	20.8 30.6	. 080 . 122	58.9 86.0	.0103 .0110	-67.9			304.9	7.8	99.
32	241.0	9359.	47.6	. 198	132.6	.0120	-66.1			310.9	13.1	192.
33	233.0	9564.	53.0	. 227	147.9	.0133	-66.4			313.5	12.3	202.
34	225.0	9776.	54.6	.243	152.4	.0148	-66.2			316.9	13.2	193.
35	217.0	9996.	59.2	.273	163.5	.0164	-64.2			323.4	14.7	177.
36		10197.	60.6	.273	166.7	.0179	-63.3			327.8	15.5	170.
37		10406.	63.0	.310	173.1	.0175	-62.9			331.6	12.6	159.
38		10619.	65.0	.331	178.8	.0212	-63.2			334.5		159.
39		10826.	60.2	.318	165.3	.0212	-62.9			338.1	7.8	169.
40		11044.	49.9	.273	137.2	.0245	-63.3			340.9	8.0	169.
41		11263.	52.5	.297	143.8	. 0259	-62.5			345.6	9.4	161.
42		11498.	50.7	.298	139.1	.0275	-62.8			349.0	8.7	149.
43		11727.	50.7	.306	137.7	.0273	-62.8			352.7	7.5	150.
44		11949.	54.2	. 343	149.1	.0304	-63.2			355.8	7.1	151.
45		12183.	54.2	. 356	149.6	.0320	-63.8			358.6	6.9	156.
46		12421.	58.5	. 400	161.4	.0336	-63.8			362.6	8.5	161.
47		12647.	61.9	. 439	171.5	.0354	-64.7			364.9	9.6	166.
48		12867.	83.7	.615	232.3	.0373	-65.1			368.0	7.8	160.
49		13104.	68.1	.521	189.8	.0373	-66.1			370.2	6.8	151.
7.0	.55.0	.0104.	00.1	. 52 1	.03.0	. 0037	00.1			J. J. =		

STATI	ON: SOUTH POLE		LAUNC	H DATE:	18 MAY	89 243 Z	FCC SO	NDE:	4A4417	
TIME	PRESS ALT	OZONE	-	OZDEN	TOTOZ	TEMP DEWPT		OT T		WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	СС	%	K	M/S	DEG
50	125.7 13345.	93.6	.745	261.3	.0420	-66.4	3	74.0	8.4	157.
51	121.0 13576.	68.5	.566	191.2	. 0447	-66.4	3	78.1	11.1	156.
52	116.3 13816.	86.8	. 746	242.3	. 0469	-66.4	3	82.4	12.2	152.
53	111.6 14065.	124.9	1.119	351.0	. 0500	-67.7	3	84.5	10.7	146.
54	107.0 14318.	129.9	1.214	366.2	.0541	-68.3	3	87.9	10.6	144.
55	102.7 14564.	131.5	1.280	372.0	. 0583	-69.0	3	91.1	12.3	139.
56	98.3 14825.	138.5	1.409	391.8	.0629	-69.0	3	96.1	9.5	130.
57	94.6 15054.	121.1	1.280	343.6	.0669	-69.7	3	99.1	9.7	155.
58	90.8 15299.	107.9	1.188	306.6	. 0707	-70.0	4	03.2	11.1	169.
59	87.0 15553.	104.0	1.195	296.2	.0743	-70.4	4	07.4	9.0	160.
60	83.7 15782.	110.8	1.324	317.0	. 0774	-71.4	4	09.9	10.2	150.
61	80.2 16034.	132.6	1.653	380.3	. 0813	-71.8	4	14.0	10.3	150.
62	77.0 16274.	139.9	1.817	402.7	. 0856	-72.5	4	17.4	9.5	150.
63	74.0 16507.	142.3	1.923	410.0	.0900	-72.8	4	21.5	11.6	154.
64	71.0 16749.	137.9	1.942	398.8	. 0945	-73.6	4	25.0	15.0	153.
65	68.0 17001.	144.0	2.118	418.1	.0992	-74.3	4	28.6	15.9	151.
66	65.0 17264.	150.3	2.312	437.5	. 1044	-74.8	4	33.2	15.9	153.
67	62.0 17538.	148.2	2.390	432.0	. 1099	-75.1	4	38.4	13.8	153.
68	59.0 17826.	143.9	2.439	420.3	. 1156	-75.5		43.6	13.0	149.
69	56.7 18055.	143.6	2.533	420.6	. 1200	-76.0	4	47.6	14.5	153.
70	54.1 18326.	141.3	2.612	416.1	. 1253	-77.1		51.1		155.
71	51.8 18575.	136.2	2.629	400.5	. 1300	-76.8		57.5		150.
72	49.5 18836.	130.7	2.640	386.5	. 1348	-77.9		60.8		153.
73	47.0 19132.	125.3	2.666	371.9	. 1401	-78.6		66.1		156.
74	45.1 19367.	121.0	2.683	358.5	. 1441	-78.3		72.4		154.
75	43.3 19599.	119.4	2.758	355.7	. 1480	-79.3		75.5		147.
76	41.3 19868.	121.5	2.942	361.7	. 1524	-79.3		82.0		147.
77	39.6 20107.	117.5	2.967	349.0	. 1563	-78.8		89.1		147.
78	37.6 20401.	113.2	3.011	337.6	. 1610	-79.6		94.2	17.2	147.
79	35.7 20695.	111.0	3.109	331.2	. 1655	-79.6 -70.4		01.6	17.0	145.
80	34.0 20972.	106.5	3.132	316.8	. 1697	-79.1 70.6		10.0		150.
81 82	32.4 21246.	100.5	3.102 2.870	299.9	. 1737	-79.6 70.6		15.7		158.
	30.8 21533.	88.4		263.7	. 1776	-79.6 70.6		23.2		150.
83 84	29.2 21835. 28.0 22073.	70.4 65.2	2.411	210.0	. 1811	-79.6 80.5		31.2 35.2		142. 143.
85	26.8 22320.	61.6	2.329 2.299	195.3 184.8	. 1833 . 1855	-80.5 -80.8		41.0		164.
86	25.6 22578.	59.8	2.336	178.8	. 1877	-80.1		50.1		167.
87	24.4 22849.	58.5		175.3	. 1900	_			17.0	
88	23.3 23110.	60.3	2.588	180.0	. 1921	-79.6		66.6		154.
89	22.2 23384.	60.5	2.725	180.4	. 1944	-79. 4		75.0		157.
90	21.2 23646.	57.5	2.712	171.6	. 1965	-79.6		82.1		157.
91	20.1 23948.	50.3	2.502	150.2	. 1988	-79.6		91.1		152.
92	19.2 24208.	45.8	2.385	136.3	. 2006	-78.9		00.9		148.
93	18.2 24512.	44.6	2.451	132.5	. 2025	-78.9		10.2		152.
94	17.2 24834.	40.8	2.372	121.3	. 2045	-79.1		19.6		157.
95	16.6 25036.	37.8	2.277	112.0	. 2056	-78.3		28.6		159.
96	15.7 25354.	33.9	2.159	100.3	.2072	-77.9		39.8		151.
97	14.9 25654.	33.9	2.275	100.2	.2086	-77.9		49.4		147.
98	14.1 25970.	33.9	2.404	100.0	.2101	-77.4		61.4		140.
99	13.6 26177.	35.1	2.581	103.2	.2110	-76.8		70.4		132.
100	13.0 26436.	34.3	2.638	101.0	. 2122	-76.8		79.1		132.
101	12.3 26755.	31.4	2.553	92.0	. 2137	-76.0		92.7		137.
102	11.6 27094.	29.4	2.534	85.6	. 2151	-75.2		07.2		151.
103	11.0 27402.	28.5	2.591	83.2	.2163	-75.5	7	16.9	16.8	151.

SFC-500MB 500-250 250-125 125-62.5 62.5-31.2 31.2-15.6 15.6-7.8 7.8-3.9 17.5 13.1 57.4 121.6 123.4 56.3 999.9 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR	COMMENTS		
1110118058903	99	ECC TOTAL	. 03 FROM SONDE D	ATA 238
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPF	PPP P3TTTDDDF	FFPPPP P3TTTDDDF	FFPPPP P3TTTDDDFFF
1110218058903	662 19-61	500 16-43206	16 300 11-64183	21 200 64-63159 11
1110318058903	150 56-64158 7	100136-69134	11 70140-74152	15 50132-78152 15
1110418058903	30 80-80146 1626	0.0 50-80152	15 646 18-42234	46 627 18-38234 46
1110518058903	557 18-39212 10 2	260 21-69186	18 241 48-66192	13 183 50-63169 8
1110618058903	141 62-65166 10	136 84-65160	8 131 68-66151	7 126 94-66157 8
1110718058903	121 69-66156 11	116 87-66152	12 112125-68146	11 98139-69130 10
1110818058903	91108-70169 11	87104-70160	9 77140-73150	10 65150-75153 16
1110918058903	34107-79150 1520	6.8 62-81164	1522.2 61-79157	1715.7 34-78151 16
1111018058903	11.0 29-76151 17			



STATION: SOUTH POLE LAUNCH DATE: 27 MAY 89 303 Z ECC SONDE: 4A4418
SURFACE CONDITIONS: PRESSURE 679.1 MB, TEMPERATURE -81.3 C, HUMIDITY 0.0 %
CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 77.9 ORD; TBOX 19.0 C AT 69.2 ORD;
O3 ORD ZERO 30.3, BKGND 30.5, CAL 66.9; O3 BKGND 0.029 MICROAMP; FLOW RATE 28.1 S/100 M
FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 274.; C.F.


TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	LILIKA	DOT T	WIND	WIND
TIME MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	C	HUM %	POT T K	WIND M/S	WIND DEG
0	679.1	2835.	25.6	. 038	76.9	.0000	-81.3	C	70	214.2	M/ J	DEG
1	665.0	2965.	24.8	.037	61.9	.0004	-41.4			260.4	6.3	334.
2	650.0	3121.	24.3	. 037	59.9	.0009	-39.0	-47.0	42.9	264.9	6.3	334.
3	632.0	3314.	22.8	.036	56.1	.0014	-38.2	-47.3	38.1	267.9	4.5	327.
4	615.0	3501.	22.8	. 037	56.0	.0019	-38.6	-48.3	35.8	269.5	4.4	264.
5	598.0	3694.	21.8	. 036	53.8	.0024	-39.2	-49.2	34.2	271.0	3.1	198.
6	580.0	3903.	20.5	. 035	51.0	.0029	-40.4		0	272.0	2.1	88.
7	564.0	4093.	20.1	. 036	50.0	.0033	-41.6			272.8	3.4	58.
8	548.0	4288.	20.6	. 038	51.5	.0038	-42.5			273.9	3.9	118.
9	532.0	4487.	20.1	. 038	50.4	.0043	-43.3			275.3	6.2	142.
10	518.0	4666.	20.0	. 039	50.7	.0047	-45.0			275.3	7.0	160.
11	505.0	4836.	19.0	. 038	48.1	.0051	-45.6			276.6	7.0	167.
12	490.0	5036.	18.4	. 038	47.1	.0055	-47.3			276.9	7.2	163.
13	475.0	5241.	18.4	. 039	47.4	.0060	-48.7			277.7	7.9	168.
14	462.0	5423.	18.3	.040	47.5	.0064	-50.2			278.0	8.4	171.
15	450.0	5595.	16.9	. 038	43.9	.0067	-51.3			278.7	8.8	159.
16	435.0	5814.	15.8	.036	41.5	.0072	-52.8			279.5	8.8	157.
17	421.0	6025.	15.9	.038	41.7	.0076	-53.4			281.4	8.7	172.
18	408.0	6226.	14.4	. 035	38.1	.0080	-55.6			281.1	8.3	176.
19	394.0	6447.	16.3	. 041	43.5	.0084	-57.2			281.8	6.4	172.
20	383.0	6626.	16.3	.043	43.9	.0087	-59.0			281.7	5.4	177.
21	372.0	6808.	15.3	. 041	41.4	.0091	-60.1			282.6	5.6	189.
22	360.0	7012.	14.8	.041	40.3	.0095	-61.6			283.3	6.7	190.
23	349.0	7204.	16.2	. 046	44.6	.0098	-62.9			284.0	10.0	175.
24	337.0	7418.	18.2	. 054	50.4	.0103	-64.7			284.5	11.8	166.
25	324.0	7658.	19.6	.060	54.5	.0109	-65.5			286.6	10.6	174.
26	314.0	7848.	21.9	.070	61.4	.0114	-66.9			287.2	11.0	180.
27	302.0	8083.	23.4	. 077	66.0	.0121	-68.6			288.0	11.2	180.
28	293.0	8263.	25.7	. 088	72.8	.0126	-69.6			289.1	12.8	185.
29	284.0	8449.	27.1	.095	77.1	.0133	-70.4			290.5	14.0	185.
30	275.0	8640.	28.4	. 103	80.9	.0140	-70.4			293.2	12.1	179.
31	266.0	8838.	27.9	. 105	79.6	.0147	-70.5			295.8	12.1	173.
32	257.0	9041.	29.3	. 114	84.1	.0154	-71.8			296.8	13.4	174.
33	247.0	9275.	33.1	. 134	95.4	.0164	-73.0			298.5	12.3	179.
34	239.0	9468.	34.5	. 144	99.5	. 0172	-72.7			301.8	12.3	180.
35	230.0	9694.	34.4	. 150	98.9	.0183	-72.1			306.0	11.3	181.
36	225.0	9823.	34.4	. 153	99.2	.0188	-73.3			306.1	10.0	177.
37		10035.	37.5	. 173	108.2	.0198	-73.0			309.8	10.7	164.
38		10312.				.0213				315.8		157.
39		10563.	48.3	. 243	138.7	.0228	-72.0			319.4	7.4	163.
40		10765.	49.3	. 257	141.0	.0241	-71.1			323.9	6.5	163.
41		10979.	46.1	. 249	131.6	.0254	-70.8			327.7	6.4	162.
42		11205.	44.8	. 252	128.0	.0268	-71.1			330.9	6.2	172.
43		11422.	46.0	.268	131.1	.0281	-70.4 70.4			335.5	5.2	179.
44		11633.	48.4	. 292	137.7	.0294	-70.4 70.9			338.9	6.3	163.
45		11848.	54.1	. 339	154.5	.0308	-70.8 -70.5			341.7	4.8	153.
46		12075.	58.4	. 380	166.3	.0325	-70.5 -71.2			346.0 348.4	1.5	143. 153
47		12291. 12515.	59.6	. 402 . 471	170.5	.0342	-71.2·			351.7	2.0 3.1	153. 182.
48 49			67.2	.467	192.5	. 0360 . 0381	-71.5			354.3	4.7	176.
+3	137.0	12755.	64.0	. 40/	184.2	. 6361	-72.4			554.5	7./	170.

STATI	ON: SOUTH POLE	-	LAUNC	H DATE:	27 MAY	89 3	303 Z	ECC	SONDE:	4A4418	
TIME	PRESS ALT	OZONE		OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T		WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
50	131.9 12978.	72.5	.550	208.8	.0400	-72.5	-		357.9	3.9	177.
51	126.9 13205.	73.0	.575	210.8	.0422	-73.3			360.5	3.8	192.
52	122.0 13435.	85.5	.701	247.7	.0446	-73.9			363.5	4.9	183.
5 3	117.0 13679.	94.0	.803	273.2	.0474	-74.5			366.8	5.0	167.
54	112.4 13912.	102.1	.908	297.4	.0504	-74.9			370.2	6.6	150.
	107.9 14149.	127.3	1.180	371.3	.0539	- 75.2			373.9	6.9	145.
55 56	103.2 14407.	158.7	1.538	462.6	.0586	-75.1			379.0	5.8	146.
56	99.0 14648.		1.342	389.6	.0636	-76.2			381.4	2.6	134.
57	94.9 14891.	132.9	1.277	356.4	.0678	-76.8			384.8	.6	64.
58		121.2	1.472	394.7	.0720	-77.4			388.3		154.
59	90.9 15139.	133.8	1.539	393.5	.0772	-77.9			392.9	4.8	165.
60	86.5 15423.	133.1				-78.4				6.2	184.
61	81.9 15735.	119.4	1.458	354.1	. 0827				3 98.1 403.7	5.6	195.
62	77.0 16086.	150.4	1.953	447.5	.0889	-79.1					
63	72.6 16419.	169.1	2.329	506.3	.0960	-80.3			408.1	2.3	222.
64	69.0 16706.	170.5	2.471	513.3	. 1027	-81.3			411.8	1.0	223.
65	65.5 16998.	167.9	2.563	505.3	.1096	-81.3			417.9	3.3	205.
66	63.0 17217.	160.1	2.541	481.9	.1147	-81.3			422.6	4.6	226.
67	60.3 17463.	152.0	2.521	458.7	. 1201	-81.9			426.7	4.8	216.
68	57.7 17710.	143.0	2.478	432.1	. 1253	-82.1			431.7	8.2	173.
69	55.0 17977.	137.2	2.495	416.1	. 1306	-82.8			436.0	9.0	160.
70	52.3 18258.	137.4	2.627	417.5	. 1360	-83.2			441.4	7.4	147.
71	49.7 18542.	139.8	2.813	424.1	. 1415	-82.8			448.8	6.6	136.
72	47.0 18854.	143.3	3.049	433.1	. 1477	-82.1			457.8	2.6	125.
73	44.5 19159.	146.5	3.292	444.7	. 1539	-83.0			462.7	1.0	137.
74	42.4 19428.	136.6	3.222	415.1	. 1593	-83.2			468.7	4.1	152.
75	40.4 19696.	127.7	3.161	389.3	. 1643	-83.8			473.8	5.3	137.
76	38.3 19993.	119.9	3.131	36 5.5	. 1696	-83.8			481.0	3.6	105.
77	36.4 20274.	108.5	2.981	331.5	.1743	-84.1			487.1	2.2	77.
78	34.7 20540.	96.5	2.781	294.1	.1783	-83.8			494.8	3.3	123.
79	32.8 20852.	95.3	2.905	290.4	. 1825	-83.8			502.8	5.0	135.
80	31.0 21165.	93.3	3.010	284.4	. 1867	-83.8			511.0	6.0	130.
81	29.3 21478.	86.1	2.939	261.8	.1907	-83.2			520.9	5.1	125.
82	27.8 21771.	81.6	2.935	247.9	.1942	-83.2			528.7	3.1	141.
83	26.2 22100.	79.9	3.050	243.4	. 1980	-83.6			536.7	3.6	155.
84	24.9 22382.	75.3	3.024	229.9	.2011	-84.1			542.9	4.4	140.
85	23.5 22703.	65.6	2.791	199.9	. 2044	-83.8			553.1	5.5	142.
86	22.5 22944.	61.4	2.729	187.9	. 2066	-84.3			558.3	7.1	154.
87	21.5 23195.	57.8	2.688	176.9	.2088	-84.5			565.0	10.4	159.
88	20.3 23514.	57.4	2.828	174.0	.2114	-82.6			580.2	8.0	160.
89	19.4 23768.	57.9	2.985	174.7	.2134	-81.9			590.0	2.9	146.
90	18.4 24065.	58.0	3.152	174.5	.2158	-81.3			600.7	6.4	143.
91	17.3 24411.	57.0	3.295	171.5	.2186	-81.3			611.4	11.1	150.
92	16.5 24677.	54.2		163.5	. 2207	-81.7			618.5	12.2	140.
93	15.6 24990.	51.4		156.2	. 2230	-83.0			624.3		114.
94	14.7 25323.	49.0		147.2	. 2254				641.1		83.
95	13.9 25638.		3.396	141.4	. 2276	-80.5			653.8		79.
96	13.2 25930.	48.1			. 2295				666.5		88.
97	12.5 26240.	50.1		148.6	.2316					11.2	89.
98	11.8 26569.	49.4		146.0	.2338	-77.9			694.2		81.
99	11.0 26970.	46.2		136.7	. 2365	-78.1			707.6		126.
100	10.4 27291.	43.8		129.3	. 2385	-77.4			721.5		160.
101	10.0 27516.		4.350	128.0	. 2399	-77.1			730.8		151.
102	9.5 27835.		4.482		.2417				743.7		131.
103	8.9 28161.		4.385	114.9	. 2417				757.6		131.
104	8.4 28500.			107.5	.2454						
. 0 -	0.7 20000.	30.0	7.303	107.5	. 404	-/5./			772.9	4.0	131.

SFC-500MB 500-250 250-125 125-62.5 62.5-31.2 31.2-15.6 15.6-7.8 7.8-3.9 21.6 19.9 49.5 132.6 128.7 67.3 46.2 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110127058903	99 ECC TOTAL 03 FROM SONDE DATA 274
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110227058903	679 26-81 500 19-46166 7 300 24-69181 12 200 47-72162 8
1110327058903	150 59-71150 2 100139-76137 3 70170-81223 1 50140-83137 7
1110427058903	30 89-83127 520.0 58-82155 610.0 44-77151 15 665 25-41334 6
1110527058903	650 24-39334 6 615 23-39264 4 360 15-62190 7 247 33-73179 12
1110627058903	172 46-70179 5 127 73-73192 4 112102-75150 7 103159-75146 6
1110727058903	95121-77 64 1 91134-77154 3 87133-78165 5 82119-78184 6
1110827058903	77150-79195 6 73169-80222 2 66168-81205 3 55137-83160 9
1110927058903	45147-83137 1 35 97-84123 321.5 58-85159 1015.6 51-83114 10
1111027058903	8.4.37-76131 5



STATION: SOUTH POLE LAUNCH DATE: 4 JUN 89 728 Z ECC SONDE: 4A4419
SURFACE CONDITIONS: PRESSURE 675.6 MB, TEMPERATURE -58.9 C, HUMIDITY 0.0 %
CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 78.3 ORD; TBOX 23.0 C AT 71.5 ORD;
O3 ORD ZERO 31.3, BKGND 31.8, CAL 67.9; O3 BKGND 0.072 MICROAMP; FLOW RATE 26.5 S/100 M
FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 283.; C.F.


TIME	PRESS	ALT	OZONE	OZONE	OZDEN	тотог	TEMP	DEWPT	ним	POT T	WIND	WIND
MIN	мВ	GPM	NB	PPMV	GAMMA	ATMCM	С	С	7.	K	M/S	DEG
0	675.6	2835.	18.8	.028	50.6	.0000	-58.9			239.7		
1	660.0	298 7 .	20.2	.031	51.0	. 0004	-44.4			257.6	40.2	251.
2	646.0	3132.	20.6	.032	51.0	. 0007	-40.0			264.1	40.2	251.
3	630.0	3304.	20.1	.032	49.4	. 0011	-38.0	-40.5	79.0	268.3	17.9	253.
4	613.0	3492.	20.1	. 033	49.3	.0015	-38.2	-42.2	67.3	270.3	14.6	238.
5	593.0	3720.	19.6	. 033	48.4	. 0020	-39.1	-44.9	55.2	271.8	11.8	234.
6	576.0	3919.	19.2	. 033	47.4	. 0025	-39.2	-45.7	50.9	273.9	8.1	224.
7	560.0	4112.	19.6	.035	48.6	.0029	-40.4			274.7	8.1	219.
8	545.0	4296.	19.0	. 035	47.4	. 0033	-41.6			275.5	9.8	209.
9	530.0	4485.	18.6	. 035	46.6	. 0037	-42.9			276.0	9.7	195.
10	515.0	4678.	17.6	. 034	44.5	.0041	-44.3			276.6	9.0	188.
11	500.0	4875.	16.3	.033	41.4	. 0045	-46.2			276.7	9.4	190.
12	483.0	5105.	15.8	. 033	40.5	.0050	-47.5			277.8	10.5	193.
13	467.0	5326.	16.3	.035	42.3	.0054	-50.6			276.6	11.3	199.
14	450.0	5567.	16.3	. 036	42.3	. 0059	-50.7			279.4	12.0	209.
15	435.0	57 87 .	15.9	. 037	41.5	.0063	-52.5			280.0	12.0	223.
16	420.0	6014.	15.9	.038	41.8	. 0067	- 53.5			281.4	11.5	240.
17	410.0	6168.	14.5	. 035	38.5	. 0070	-55.2			281.1	9.3	250.
18	400.0	6325.	14.5	. 036	38.6	.0073	-56.2			281.9	7.8	248.
19	387.0	6535.	14.9	. 039	40.1	. 0077	-58.2			282.0	7.5	257.
20	376.0	6716.	14.4	.038	39.0	. 0080	-59.5			282.6	7.3	262.
21	365.0	6901.	14.4	.039	39.2	. 0083	-60.9			283.0	9.3	247.
22	352.0	7125.	14.4	.041	39.4	. 0087	-62.4			284.0	10.9	242.
23	339.0	735 7 .	13.9	. 041	38.4	.0092	-63.8			285.2	9.7	251.
24	326.0	7596.	14.8	. 045	41.1	. 0096	-65.1			286.6	9.2	275.
25	315.0	7805.	15.7	.050	43.8	.0100	-66.2			287.8	11.2	286.
26	305.0	7999.	17.0	. 056	47.9	.0104	-68 .2			287.7	13.1	281.
27	293.0	8240.	17.5	.060	49.5	.0109	-69.0			289.9	11.7	277.
28	283.0	8447.	17.5	.062	49.7	.0114	- 70.3			291.0	11.1	289.
29	274.0	8638.	18.0	.066	51.4	.0119	-71.1			292.5	11.8	288.
30	263.0	8880.	12.6	. 048	36.1	.0124	- 72.2			294.3	10.0	284.
31	255.0	9061.	22.7	. 089	65.6	.0128	- 73.1			295.6	10.3	298.
32	247.0	9248.	22.3	. 090	64.4	.0133	- 73.7			297.4	22.7	282.
33	240.0	9416.	25.3	. 105	73.2	.0138	- 73.7			299.9	9.4	289.
34	230.0	9665.	32.0	. 139	92.4	.0147	- 73.6			303.8	2.8	62.
35	221.0	9898.	39.2	. 177	113.0	.0158	-72.7			308.6	13.0	287.
36		10115.	44.3	. 208	127.1	.0169	-71.8			313.2	14.8	292.
37		10370.	48.3	. 237	138.6	.0185	-71.8			317.1	9.9	298. 319.
38		10487.		. 247		.0192				318.9	_	304.
39		10727.	51.3	. 267	147.2	.0208	-72.0			322.4	8.3	294.
40		10976.	48.6	. 264	138.8	.0225	-71.1			327.7	7.0	305.
41		11229.	54.6	. 310	155.7	. 0241	-70.8			332.2	6.7	314.
42		11479.	65.7	.389	188.3	.0261	-71.7			334.8	7.5	322.
43		11695.	71.2	. 437	204.5	.0280	-72.1			337.6	7.6 7.2	327.
44		11916.	81.4	.518	233.8	.0302	-72.2			341.0	7.4	306.
45		12145.	88.1	. 583	253.8	.0327	- 72.7			344.1 347.5	5.8	283.
46		12379.	98.7	. 680	284.6	.0355	- 73.0			351.0	2.6	287.
47		12614.	109.2	.783	315.5	.0387	-73.3			354.2	1.4	
48		12862.	121.7		352.6	.0424	-73.9			357.9	.8	
49	120.2	13103.	129.7	1.012	376.3	.0464	-74.2			557.3	.0	5.0.

STATI	ON: SOU	TH POLE		LAUNC	H DATE:	4 JUN	89 7	728 Z	ECC	SONDE:	4A4419	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
50	123.5	13320.	145.1	1.175	422.9	.0503	-75.1			360.1	1.7	292.
51	118.8	13545.	165.1	1.390	481.5	. 0549	-75.2			363.8	3.0	301.
52	114.0	13784.	158.4	1.389	461.9	.0601	-75.2			368.1	2.9	20.
53	109.5	14017.	142.4	1.300	417.6	.0649	-76.3			370.3	3.5	318.
54	105.0		126.0	1.200	370.1	.0695	-76.6			374.2	4.6	281.
55	100.5		147.6	1.469	434.7	.0740	-77.1			378.0	1.9	281.
56		14743.	165.9	1.719	490.6	.0788	-77.9			380.8	4.2	286.
57		14985.	174.8	1.890	516.8	. 0844	-77.9			385.4	2.3	281.
58		15206.	183.8	2.065	543.6	.0897	-77.9			389.7	. 8	211.
59		15428.	180.5	2.109	535.9	.0953	-78.8			392.4	1.3	281.
60		15666.	172.7	2.104	514.3	.1011	-79.3			396.1	2.1	69.
61		15906.	175.2	2.226	522.7	.1069	-79.6			400.2	3.4	82.
62		16163.	177.4	2.359	530.5	. 1131	-80.1			404.3	1.9	65.
63		16408.	172.3	2.393	517.6	.1192	-81.0			407.5	1.5	54.
64		16648.	164.9	2.390	494.0	. 1249	-80.5			413.7	3.1	94.
65		16916.	157.0	2.386	472.5	.1310	-81.3			417.4	3.8	101.
66		17160.	153.7	2.440	463.0	. 1362	-81.5			422.2	2.3	63.
67		17406.	149.8	2.484	451.2	. 1415	-81.5			427.5	1.8	47.
68		17653.	149.8	2.596	452.2	.1466	-81.9			432.1	. 9	78.
69		17921.	149.1	2.711	450.2	. 1522	-81.9			438.1	1.9	55.
70		18192.	147.9	2.823	449.5	. 1579	-83.2			441.2	17.1	288.
71		18452.	148.4	2.968	451.6	.1634	-83.4			446.7	4.0	50.
72		18702.	146.4	3.063	446.2	.1686	-83.8			451.5	21.0	89.
73		18951.	142.4	3.116	435.4	. 1737	-84.3			456.0	15.7	19.
74 75		19212.	126.0	2.890	384.6	.1788	-84.0			463.1	3.4	66.
75 76		19445.	121.9	2.916	373.0	. 1829	-84.5			467.2	9.2	165.
76		19702.	115.7	2.900	353.6	. 1873	-84.1			474.5	9.1	60.
77 78		19972.	110.8	2.916	340.3	.1917	-85.1			478.6	8.4	54.
76 79		20224. 20456.	107.6 103.2	2.964 2.966	330.3 315.9	.1956 .1992	-85.1 -84.5			484.9 492.4	4.8 2.6	43. 43.
80		20450. 20750.	88.0	2.667	268.7	. 1992	-84.1			500.9	3.4	72.
81		20730. 21025.	78.8	2.510	240.7	. 2066	-84.1			508.1	4.8	71.
82		21023. 21278.	74.8	2.493	228.3	. 2000	-84.0			515.3	3.8	59.
83		21562.	71.9	2.523	219.0	. 2124	-83.8			523.4	3.7	118.
84		21822.	70.4	2.588	214.0	.2124	-83.2			532.1	7.7	125.
85		22116.	70.5	2.733	214.3	.2179	-83.2			540.1	7.0	118.
86		22425.	70.0	2.869	214.2	.2209	-84.3			545.5	4.1	125.
87		22704.	61.9		189.0					554.0		
88		22948.	59.8	2.694	183.1	. 2257	-84.5			559.8	10.3	103.
89		23229.	59.7	2.829	182.9	.2281	-84.7			567.4	9.3	94.
90		23470.	58.8	2.911	179.2	.2301	-83.6			578.1	10.2	88.
91		23723.	56.4	2.922	171.1	. 2322	-82.8			588.0	13.4	85.
92		23960.	55.2	2.984	166.6	. 2341	-81.7			598.6	12.6	84.
93		24240.	55.3	3.142	166.5	.2362	-81.3			608.4	10.1	79.
94		24468.	56.4	3.337	170.0	. 2380	-81.5			614.9	6.6	69.
95		24775.	55.1	3.444	166.3	. 2404	-81.9			623.4	6.1	55.
96		25026.	52.3	3.418	156.9	. 2423	-80.8			635.0	10.6	62.
97		25328.	50.0	3.448	150.4	. 2445	-81.3			643.0	13.0	56.
98		25689.	49.9	3.669	149.4	. 2470	-80.3			658.5	12.6	51.
99		25945.	44.4	3.415	132.5	.2488	-79.6			669.4	11.1	58.
100		26167.	39.9	3.192	118.5	. 2501	78.8			679.9	14.1	71.
101		26400.	38.9	3.242	115.1	. 2513	-78.3			689.7	15.7	82.
102	11.4	26693.	38.0	3.333	112.3	. 2529	-77.9			701.0	15.9	83.
103	10.8	27003.	37.0	3.426	108.7	. 2545	-76.8			716.1	15.9	83.

SFC-500MB 500-250 250-125 125-62.5 62.5-31.2 31.2-15.6 15.6-7.8 7.8-3.9 19.0 15.7 65.7 161.2 127.4 63.0 999.9 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110104068907	99 ECC TOTAL 03 FROM SONDE DATA 283
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110204068907	676 19-59 500 16-46190 9 300 17-69279 13 200 49-72319 8
1110304068907	150 90-73302 7 100150-77282 2 70167-81 80 3 50148-83 50 4
1110404068907	30 75-84 59 420.0 58-83 87 11 660 20-44251 40 630 20-38253 18
1110504068907	576 19-39224 8 263 13-72284 10 247 22-74282 23 176 55-71305 7
1110604068907	128130-74346 1 119165-75301 3 114158-75 20 3 105126-77281 5
1110704068907	89184-78211 1 60150-82 47 2 35103-85 43 310.8 37-77 83 16



STATION: SOUTH POLE LAUNCH DATE: 10 JUN 89 239 Z ECC SONDE: 4A4420 SURFACE CONDITIONS: PRESSURE 672.6 MB, TEMPERATURE -59.0 C, HUMIDITY 0.0 % CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 77.5 ORD; TBOX 19.0 C AT 69.0 ORD; O3 ORD ZERO 31.1, BKGND 31.8, CAL 69.4; O3 BKGND 0.096 MICROAMP; FLOW RATE 25.7 S/100 M FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 276.; C.F.

MIN	TIME	PRESS	ALT	OZONE	OZONE	OZDEN	тотог	TEMP	DEWPT	ним	POT T	WIND	WIND
0 672 6 2255 22 9 .034 61.7 .0000 -59 0 .259 8 .258 7 .265 267 .266 .2997 .268 .2997 .268 .2997 .268 .2997 .268 .2997 .268 .2998 .267 .2													
1									·	,,		, 0	525
2 640.0 3165. 21.5 0.34 52.8 .0009 -37.6 -40.0 79.5 267.6 20.5 227.0 3 623.0 3351. 22.9 .037 55.8 .0013 -36.8 -38.9 83.1 270.5 9.2 270. 5 590.0 3728. 21.1 .036 53.7 .0018 -37.0 -39.5 76.9 272.5 9.2 260. 6 573.0 3929. 19.8 .035.5 48.9 .0022 -39.8 -42.8 74.7 275.7 5.4 66.5 7 558.0 4110. 19.9 .036 49.2 .0032 -40.7 77.7 277.0 5.4 65.3 18.8 .026.0 46.9 .0042 -41.6 277.6 14.8 328.1 14.8 227.5 14.8 227.1 14.8 328.2 14.8 228.1 15.9 247.2 280.1 15.3 292.1 28.0 24.4 28.2 <td></td> <td>20.5</td> <td>267.</td>												20.5	267.
3 623.0 3351. 22.9 .037 55.8 .0e18 -37.0 -38.9 83.1 270.5 51.8 270.2 260.5 59.0 3728.2 22.0 .036 53.7 .0e18 -37.0 -39.5 78.9 272.5 9.2 260.5 59.0 3728.2 11.0 .036 53.7 .0e18 -37.0 -39.5 78.9 272.5 47.8 257.6 6 573.0 3929.1 19.8 .035 48.9 .0e28 -39.1 -42.0 75.7 274.4 6.4 258. 78.9 273.0 18.8 .035 46.9 .0e37 -40.7 277.0 5.9 274. 95.2 18.8 .035 46.9 .0e04 -42.8 279.5 10.9 19.2 274. 19.0 277.7 14.8 2279.5 10.9 192. 274. 275.7 14.8 2279.5 10.9 192. 274. 275.0 277.0 5.9 274. 279.5 10.9 192. <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-40.0</td> <td>79.5</td> <td></td> <td></td> <td></td>									-40.0	79.5			
4 686.0 3543. 22.0 .036 53.7 .0e18 -37.0 -39.5 78.9 272.5 9.2 226.1 5 590.0 3728. 21.1 .036 51.8 .0e23 -38.0 -40.7 77.4 273.4 6.4 258.7 558.0 4110. 19.9 .035 48.9 .0e32 -39.8 -42.8 74.7 275.7 5.4 263. 9 523.0 4551. 18.8 .036 46.9 .0e42 -41.6 278.7 14.8 228.1 11 493.0 4949.1 17.6 .036 44.5 .0e50 -44.8 279.5 14.8 288.1 12 480.0 5128. 17.1 .036 43.5 .0e54 -46.0 280.2 280.1 5.3 299. 12 480.0 5128. 17.1 .035 40.2 .0e66 -50.2 281.8 9.0 312. 15 467.0 5745.5													
5 590.0 3728. 21.1 .035 51.8 .0023 -39.1 -42.0 75.7 274.4 6.4 258. 6 573.0 3929. 19.8 .035 48.9 .0028 -39.1 -42.0 75.7 274.4 6.4 258. 8 541.0 4321. 19.9 .037 49.5 .0037 -40.7 277.0 5.9 274. 9 523.0 4551. 18.8 .0036 46.9 .0042 -41.6 279.5 14.8 232. 10 508.0 474.8 18.0 .035 45.1 .0046 -42.8 279.5 14.8 281. 11 493.0 4949.1 17.6 .036 44.5 .0050 -44.8 279.5 14.8 281.1 5.3 299. 13 465.0 5338.1 17.1 .037 43.9 .0056 -49.2 281.1 6.5 395.1 312.1 34.0 297.5													
6 573.0 3929. 19.8 0.935 48.9 .0022 -39.1 -42.0 75.7 274.4 6.4 258. 7 558.0 4110. 19.9 .036 49.2 .0032 -39.8 -42.8 74.7 275.7 5.4 263. 8 541.0 4351. 18.8 .036 46.9 .0042 -41.6 278.7 14.8 322. 10 508.0 4748. 18.0 .035 45.1 .0046 -22.8 279.5 14.8 229.1 11 493.0 4949. 17.6 .036 44.5 .0050 -44.8 279.5 14.8 281.1 12 480.0 5128. 17.1 .036 43.5 .0050 -44.8 279.5 10.9 192. 12 480.0 5128. 17.1 .036 49.2 .0066 -50.7 281.8 90.2 5.0 395. 14 457.0 52745. <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>													
7 558.0 4110. 19.9 .037 49.5 .0037 -40.7 277.0 277.0 5.9 274. 9 523.0 4551. 18.8 .036 46.9 .0047 -41.6 278.7 14.8 328.1 10 588.0 4748. 18.0 .035 45.1 .0046 -42.8 279.5 14.8 229.1 11 493.0 4949.1 17.6 .036 44.5. .0050 -44.8 279.5 10.9 192. 12 480.0 5128. 17.1 .036 43.5 .0054 -46.0 280.1 5.3 299. 13 455.0 5338. 17.1 .037 43.9 .0068 -48.0 280.2 280.1 5.3 299. 13 455.0 5357 16.2 .0366 -49.2 .0066 -58.7 281.8 9.0 313. 16 423.0 5957 15.1 .035 39.4 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>													
8 541.0 4321. 19.9 .037 49.5 .06037 -40.7 277.0 5.9 274.1 328.1 10 508.0 4748. 18.0 .035 45.1 .0046 -42.8 279.5 4.8 281. 11 493.0 4949.1 17.6 .036 44.5 .0050 -44.8 279.5 10.9 192. 12 480.0 5128.1 17.1 .036 43.5 .0054 -46.0 280.1 5.3 299. 13 465.0 5538.1 17.1 .037 43.9 .0068 -48.0 280.1 5.3 299. 14 451.0 5539.1 16.2 .036 41.9 .0062 -49.2 281.1 6.5 312. 16 423.0 5957.1 15.1 .036 39.4 .0070 -52.2 282.5 9.5 313. 17 410.6 6158.1 .038 39.3 .0082 -55.6	7												
9 523.0 4551. 18.8 .036 46.9 .0042 -41.6 278.7 14.8 328. 10 508.0 4748. 18.0 .035 45.1 .0046 -42.8 279.5 16.9 9192. 12 480.0 5128. 17.1 .036 43.5 .0056 -44.6 280.1 5.3 299. 13 465.0 5338. 17.1 .037 43.9 .0058 -48.0 280.2 5.0 305. 14 451.0 5539. 16.2 .036 41.9 .0062 -49.2 281.1 6.5 312. 15 437.0 5745.1 15.5 .035 40.2 .0066 -50.7 281.8 9.0 312. 15 437.0 5957. 15.1 .036 39.4 .0070 -52.2 282.5 9.5 313. 16 423.0 5957. 15.1 .037 38.9 .0078 -55.6 2	8												
10													
11 493.0 4949. 17.6 .036 44.5 .0650 -44.8 279.5 10.9 192. 12 480.0 5128. 17.1 .036 43.5 .0656 -46.0 280.1 5.3 299. 13 465.0 5538. 17.1 .037 43.9 .0658 -48.0 280.2 5.0 305. 14 451.0 5559. 16.2 .036 41.9 .0662 -49.2 281.1 6.5 312. 15 437.0 5745. 15.5 .035 40.2 .0666 -50.7 281.8 9.0 312. 16 423.0 5957. 15.1 .036 39.4 .0070 -52.2 228.5 9.5 313. 282.3 10.7 319. 18 396.0 6380. 14.7 .038 39.3 .0674 -54.3 282.3 10.7 319. 282.3 11.6 325. 19 383.0 6591. 14.7 .038 39.3 .0682 -57.8 283.3 11.6 329. 21 360.0 6981. 15.1 .041 40.6 .0086 -58.4 285.3 10.9 325. 21 360.0 6981. 15.1 .041 40.6 .0086 -58.4 285.3 10.9 325. 22 337.0 7391. 13.0 .039 35.6 .0096 -62.7 287.2 12.5 313. 23 337.0 7793. 11.8 .036 32.7 .0100 -65.2 286.5 11.0 322. 25 316.0 7783. 11.8 .037 32.9 .0103 -65.7 288.3 11.4 323. 26 305.0 7998. 12.2 .040 34.1 .0106 -66.8 289.8 11.7 315. 29 272.0 8865. 22.0 .081 62.1 .0106 -66.8 299.0 329.0 9.0 315.	10							-42.8					
12	11												
13 465.0 5338. 17.1 .037 43.9 .0058 -48.0 280.2 5.0 305. 14 451.0 5539. 16.2 .036 41.9 .0062 -49.2 281.1 6.5 312. 15 437.0 5745. 15.5 .035 40.2 .0066 -50.7 281.8 9.0 312. 16 423.0 5957. 15.1 .036 39.4 .0070 -52.2 282.5 9.5 313. 17 410.0 6158. 15.4 .038 40.7 .0074 -54.3 282.3 10.7 319. 18 396.0 6380. 14.7 .038 39.3 .0082 -57.8 283.5 11.8 325. 20 370.0 6809. 15.1 .041 40.7 .0089 -59.6 285.9 12.3 321.6 .029.2 347.0 7210.1 14.3 .041 38.8 .0093 -61.3 286.6 13.2 316. 23 337.0 7391. 13.0 .039	12	480.0	5128.					-46.0				5.3	
14 451.0 5539. 16.2 .036 41.9 .0062 -49.2 281.1 6.5 312. 15 437.0 5745. 15.5 .035 40.2 .0066 -50.7 281.8 9.0 312. 16 423.0 5957. 15.1 .036 39.4 .0070 -52.2 282.5 9.5 313. 17 410.0 6158. 15.4 .038 40.7 .0074 -54.3 282.3 10.7 319. 18 396.0 6380. 14.7 .038 39.3 .0082 -57.8 283.3 11.8 325. 20 370.0 6809. 15.1 .041 40.6 .0086 -58.4 285.3 10.9 325. 21 360.0 6981. 15.1 .042 40.7 .0089 -59.6 285.9 12.3 316. 23 37.0 7391. 13.0 .039 35.6 .0096 -62.7 286.5 11.0 322. 11.0 202. 26.6 13.2 286.5 1	13	465.0						-48.0				5.0	305.
15 437.0 5745. 15.5 .035 40.2 .0066 -50.7 281.8 9.0 312. 16 423.0 5957. 15.1 .036 39.4 .0070 -52.2 282.5 9.5 313. 17 410.0 6158. 15.4 .038 40.7 .0074 -54.3 282.3 10.7 319. 18 396.0 6380. 14.7 .037 38.9 .0078 -55.6 283.5 11.8 325. 19 383.0 6591. 14.7 .038 39.3 .0082 -57.8 283.3 11.6 329. 21 360.0 6981. 15.1 .041 40.6 .0086 -58.4 285.9 12.3 321. 22 347.0 7210. 14.3 .041 38.8 .0093 -61.3 286.6 13.2 316. 23 337.0 7391. 13.0 .039 35.6 .0096 -62.7 286.5 11.0 322. 25 316.0 7783. 11.8 .	14	451.0	5539.									6.5	312.
16 423.0 5957. 15.1 .036 39.4 .0070 -52.2 282.5 9.5 313. 17 410.0 6158. 15.4 .038 40.7 .0074 -54.3 282.3 10.7 319. 18 396.0 6380. 14.7 .038 39.3 .0082 -57.8 283.5 11.8 325. 19 383.0 6591. 14.7 .038 39.3 .0082 -57.8 283.3 11.6 329. 20 370.0 6809. 15.1 .041 40.6 .0086 -58.4 285.9 12.3 321. 21 360.0 6981. 15.1 .042 40.7 .0089 -59.6 285.9 12.3 321. 23 337.0 7391. 13.0 .039 35.6 .0096 -62.7 287.2 12.5 313. 24 326.0 7594. 11.8 .036 32.7 .0100 -65.7 288.3 11.4 322. 25 316.0 7783. 11.8	15	437.0										9.0	
17 410.0 6158. 15.4 .038 40.7 .0074 -54.3 282.3 10.7 319. 18 396.0 6380.1 14.7 .037 38.9 .0068 -55.6 283.5 11.8 325. 20 370.0 6809. 15.1 .041 40.6 .0086 -58.4 285.3 11.6 329. 21 360.0 6891. 15.1 .041 40.6 .0086 -58.4 285.3 11.6 329. 21 360.0 6981. 15.1 .042 40.7 .0089 -59.6 285.9 12.3 321. 22 347.0 7210. 14.3 .041 38.8 .0093 -61.3 286.6 13.2 316. 23 337.0 7391. 13.0 .039 35.6 .0096 -62.7 287.2 12.5 313. 24 326.0 7594. 11.8 .037 32.9 .0103 -65.7 288.3 11.4 323. 25 316.0 77998. 12.2 <	16												
18 396.0 6380. 14.7 .037 38.9 .0078 -55.6 283.5 11.8 325. 19 383.0 6591. 14.7 .038 39.3 .0082 -57.8 283.3 11.6 329. 20 370.0 6809. 15.1 .041 40.6 .0086 -58.4 285.3 10.9 325. 21 360.0 6891. 15.1 .042 40.7 .0089 -59.6 225.9 12.3 321. 22 347.0 7210. 14.3 .041 38.8 .0093 -61.3 286.6 13.2 316. 23 337.0 7391. 13.0 .039 35.6 .0096 -62.7 286.5 11.0 322. 25 316.0 7783. 11.8 .037 32.9 .0103 -65.7 288.3 11.4 323. 26 305.0 7998. 12.2 .040 34.1 .0106 -66.8 289.8 11.1 313. 28 283.0 8448. 18.7 <td< td=""><td>17</td><td>410.0</td><td>6158.</td><td>15.4</td><td>. 038</td><td></td><td>. 0074</td><td></td><td></td><td></td><td>282.3</td><td>10.7</td><td></td></td<>	17	410.0	6158.	15.4	. 038		. 0074				282.3	10.7	
19 383.0 6591. 14.7 .038 39.3 .0082 -57.8 283.3 11.6 329. 20 370.0 6809. 15.1 .041 40.6 .0086 -58.4 285.3 10.9 325. 21 360.0 6981. 15.1 .042 40.7 .0089 -59.6 285.9 12.3 321. 22 347.0 7210. 14.3 .041 38.8 .0093 -61.3 286.6 13.2 316. 23 337.0 7391. 13.0 .039 35.6 .0096 -62.7 287.2 12.5 313. 24 326.0 7594. 11.8 .037 32.9 .0100 -65.7 288.3 11.4 322. 26 305.0 7998. 12.2 .040 34.1 .0106 -66.8 289.8 11.7 315. 27 294.0 8219. 13.8 .047 39.0 .0109 -68.3 296.1 11.1 313. 28 283.0 8448. 18.7 <td< td=""><td>18</td><td></td><td>6380.</td><td>14.7</td><td>. 037</td><td>38.9</td><td>.0078</td><td>-55.6</td><td></td><td></td><td>283.5</td><td>11.8</td><td></td></td<>	18		6380.	14.7	. 037	38.9	.0078	-55.6			283.5	11.8	
20 370.0 6809. 15.1 .041 40.6 .0086 -58.4 285.3 10.9 325. 21 360.0 6981. 15.1 .042 40.7 .0089 -59.6 285.9 12.3 321. 22 347.0 7210. 14.3 .041 38.8 .0093 -61.3 286.6 13.2 316. 23 337.0 7391. 13.0 .039 35.6 .0096 -62.7 287.2 12.5 313. 24 326.0 7594. 11.8 .036 32.7 .0100 -65.2 286.5 11.0 322. 25 316.0 7783. 11.8 .037 32.9 .0103 -65.7 288.3 11.4 323. 26 305.0 7998. 12.2 .040 34.1 .0106 -66.8 289.8 11.7 315. 27 294.0 8219.1 13.8 .047 39.0 .0109 -68.3 290.6 11.1 313.3 28 283.0 8448.1 18.7	19	383.0	6591.			39.3					283.3	11.6	329.
22 347.0 7210. 14.3 .041 38.8 .0093 -61.3 286.6 13.2 316. 23 337.0 7391. 13.0 .039 35.6 .0096 -62.7 287.2 12.5 313. 24 326.0 7594. 11.8 .036 32.7 .0100 -65.7 288.5 11.0 322. 25 316.0 7783. 11.8 .037 32.9 .0103 -65.7 288.3 11.4 323. 26 305.0 7998. 12.2 .040 34.1 .0106 -66.8 289.8 11.7 315. 27 294.0 8219. 13.8 .047 39.0 .0109 -68.3 290.6 11.1 313. 29 272.0 8685. 22.0 .081 62.1 .0120 -69.0 293.0 9.0 315. 30 263.0 8886. 25.5 .097 72.3 .0126 -69.0 296.1 6.0 291.1 31 255.0 9070. 27.0	20	370.0		15.1	. 041	40.6						10.9	325.
22 347.0 7210. 14.3 .041 38.8 .0093 -61.3 286.6 13.2 316. 23 337.0 7391. 13.0 .039 35.6 .0096 -62.7 287.2 12.5 313. 24 326.0 7594. 11.8 .036 32.7 .0100 -65.2 286.5 11.0 322. 25 316.0 7783. 11.8 .037 32.9 .0103 -65.7 288.3 11.4 323. 26 305.0 7998. 12.2 .040 34.1 .0106 -66.8 289.8 11.7 315. 27 294.0 8219. 13.8 .047 39.0 .0109 -68.3 290.6 11.1 313. 29 272.0 8685. 22.0 .081 62.1 .0120 -69.0 296.1 6.6 306. 30 263.0 8886. 25.5 .097 72.3 .0126 -69.0 296.1 6.0 291. 31 255.0 .9070. 27.0	21	360.0	6981.	15.1	.042	40.7	.0089	-59.6			285.9	12.3	321.
24 326.0 7594. 11.8 .036 32.7 .0100 -65.2 286.5 11.0 322. 25 316.0 7783. 11.8 .037 32.9 .0103 -65.7 288.3 11.4 323. 26 305.0 7998. 12.2 .040 34.1 .0106 -66.8 289.8 11.7 315. 27 294.0 8219. 13.8 .047 39.0 .0109 -68.3 290.6 11.1 313. 28 283.0 8448. 18.7 .066 52.9 .0114 -68.9 293.0 9.0 315. 29 272.0 8685. 22.0 .081 62.1 .0120 -69.0 296.1 6.6 306. 30 263.0 8886. 25.5 .097 72.3 .0126 -69.4 298.4 6.0 291. 31 255.0 .9970. 27.0 .106 76.6 .0132 -70.0 300.2 4.7 288. 32 247.0 .9260. .32.4 .131	22	347.0	7210.	14.3	.041	38.8	.0093	-61.3			286.6	13.2	316.
25 316.0 7783. 11.8 .037 32.9 .0103 -65.7 288.3 11.4 323. 26 305.0 7998. 12.2 .040 34.1 .0106 -66.8 289.8 11.7 315. 27 294.0 8219. 13.8 .047 39.0 .0109 -68.3 290.6 11.1 313. 28 283.0 8448. 18.7 .066 52.9 .0114 -68.9 293.0 9.0 315. 29 272.0 8685. 22.0 .081 62.1 .0120 -69.0 296.1 6.6 306. 30 263.0 8886. 25.5 .097 72.3 .0126 -69.4 298.4 6.0 291. 31 255.0 9070. 27.0 .106 76.6 .0132 -70.0 300.2 4.7 288. 32 247.0 9260. 32.4 .131 92.2 .0139 -70.4 302.3 4.5 271. 34 229.0 9708. 38.6 .169	23	337.0	7391.	13.0	.039	35.6	.0096	-62.7			287.2	12.5	313.
26 305.0 7998. 12.2 .040 34.1 .0106 -66.8 289.8 11.7 315. 27 294.0 8219. 13.8 .047 39.0 .0109 -68.3 290.6 11.1 313. 28 283.0 8448. 18.7 .066 52.9 .0114 -68.9 293.0 9.0 315. 29 272.0 8685. 22.0 .081 62.1 .0120 -69.0 296.1 6.6 306. 30 263.0 8886. 25.5 .097 72.3 .0126 -69.4 298.4 6.0 291. 31 255.0 9070. 27.0 .106 76.6 .0132 -70.0 300.2 4.7 288. 32 247.0 9260. 32.4 .131 92.2 .0139 -70.4 302.3 4.5 271. 33 238.0 9480. 33.2 .139 94.8 .0149 -70.8 304.9 6.6 267. 34 229.0 9708. 38.6 .169<	24	326.0	7594.	11.8	.036	32.7	.0100	-65.2			286.5	11.0	322.
27 294.0 8219. 13.8 .047 39.0 .0109 -68.3 290.6 11.1 313. 28 283.0 8448. 18.7 .066 52.9 .0114 -68.9 293.0 9.0 315. 29 272.0 8685. 22.0 .081 62.1 .0120 -69.0 296.1 6.6 306. 30 263.0 8886. 25.5 .097 72.3 .0126 -69.4 298.4 6.0 291. 31 255.0 9970. 27.0 .106 76.6 .0132 -70.0 300.2 4.7 288.4 32 247.0 9260. 32.4 .131 92.2 .0139 -70.4 302.3 4.5 271. 33 238.0 9480. 33.2 .139 94.8 .0149 -70.8 304.9 6.6 267. 34 229.0 9708. 38.6 .169 110.1 .0159 -70.5 308.7 8.3 263. 35 220.0 9946. 44.6 .203	25	316.0	7783.	11.8	. 037	32.9	.0103	-65.7			288.3	11.4	323.
28 283.0 8448. 18.7 .066 52.9 .0114 -68.9 293.0 9.0 315. 29 272.0 8685. 22.0 .081 62.1 .0120 -69.0 296.1 6.6 306. 30 263.0 8886. 25.5 .097 72.3 .0126 -69.4 298.4 6.0 291. 31 255.0 9070. 27.0 .106 76.6 .0132 -70.0 300.2 4.7 288. 32 247.0 9260. 32.4 .131 92.2 .0139 -70.4 302.3 4.5 271. 33 238.0 9480. 33.2 .139 94.8 .0149 -70.8 304.9 6.6 267. 34 229.0 9708. 38.6 .169 110.1 .0159 -70.5 308.7 8.3 263. 35 220.0 9946. 44.6 .203 127.1 .0172 -70.4 312.5 9.1 259. 36 213.0 10138. 47.1 .221	26	305.0	7998.	12.2	.040	34.1	.0106	-66.8			289.8	11.7	315.
29 272.0 8685. 22.0 .081 62.1 .0120 -69.0 296.1 6.6 306. 30 263.0 8886. 25.5 .097 72.3 .0126 -69.4 298.4 6.0 291. 31 255.0 9070. 27.0 .106 76.6 .0132 -70.0 300.2 4.7 288. 32 247.0 9260. 32.4 .131 92.2 .0139 -70.4 302.3 4.5 271. 33 238.0 9480. 33.2 .139 94.8 .0149 -70.8 304.9 6.6 267. 34 229.0 9708. 38.6 .169 110.1 .0159 -70.5 308.7 8.3 263. 35 220.0 9946. 44.6 .203 127.1 .0172 -70.4 312.5 9.1 259. 36 213.0 10138. 47.1 .221 134.1 .0183 -70.4 316.9 8.7 268. 38 198.4 10559. 48.8 .2	27	294.0	8219.	13.8	. 047	39.0	.0109	-68.3			290.6	11.1	313.
30 263.0 8886. 25.5 .097 72.3 .0126 -69.4 298.4 6.0 291. 31 255.0 9070. 27.0 .106 76.6 .0132 -70.0 300.2 4.7 288. 32 247.0 9260. 32.4 .131 92.2 .0139 -70.4 302.3 4.5 271. 33 238.0 9480. 33.2 .139 94.8 .0149 -70.8 304.9 6.6 267. 34 229.0 9708. 38.6 .169 110.1 .0159 -70.5 308.7 8.3 263. 35 220.0 9946. 44.6 .203 127.1 .0172 -70.4 312.5 9.1 259. 36 213.0 10138. 47.1 .221 134.1 .0183 -70.4 315.4 9.1 264. 37 206.0 10336. 47.4 .230 135.6 .0195 -71.4 316.9 8.7 268. 38 198.4 105768. 53.8 <td< td=""><td>28</td><td>283.0</td><td>8448.</td><td>18.7</td><td>.066</td><td>52.9</td><td>.0114</td><td>-68.9</td><td></td><td></td><td>293.0</td><td>9.0</td><td>315.</td></td<>	28	283.0	8448.	18.7	.066	52.9	.0114	-68.9			293.0	9.0	315.
31 255.0 9070. 27.0 .106 76.6 .0132 -70.0 300.2 4.7 288. 32 247.0 9260. 32.4 .131 92.2 .0139 -70.4 302.3 4.5 271. 33 238.0 9480. 33.2 .139 94.8 .0149 -70.8 304.9 6.6 267. 34 229.0 9708. 38.6 .169 110.1 .0159 -70.5 308.7 8.3 263. 35 220.0 9946. 44.6 .203 127.1 .0172 -70.4 312.5 9.1 259. 36 213.0 10138. 47.1 .221 134.1 .0183 -70.4 315.4 9.1 264. 37 206.0 10336. 47.4 .230 135.6 .0195 -71.4 316.9 8.7 268. 38 198.4 10559. 48.8 .246 139.7 .0209 -71.4 320.3 9.7 263. 39 191.5 10768. 53.8 <t< td=""><td>29</td><td>272.0</td><td>8685.</td><td>22.0</td><td>.081</td><td>62.1</td><td>.0120</td><td>-69.0</td><td></td><td></td><td>296.1</td><td>6.6</td><td>306.</td></t<>	29	272.0	8685.	22.0	.081	62.1	.0120	-69.0			296.1	6.6	306.
32 247.0 9260. 32.4 .131 92.2 .0139 -70.4 302.3 4.5 271. 33 238.0 9480. 33.2 .139 94.8 .0149 -70.8 304.9 6.6 267. 34 229.0 9708. 38.6 .169 110.1 .0159 -70.5 308.7 8.3 263. 35 220.0 9946. 44.6 .203 127.1 .0172 -70.4 312.5 9.1 259. 36 213.0 10138. 47.1 .221 134.1 .0183 -70.4 315.4 9.1 264. 37 206.0 10336. 47.4 .230 135.6 .0195 -71.4 316.9 8.7 268. 38 198.4 10559. 48.8 .246 139.7 .0209 -71.4 320.3 9.7 263. 39 191.5 10768. 53.8 .281 153.2 .0223 -70.5 324.9 10.7 250. 40 184.5 10989. 59.5	30	263.0	8886.	25.5	.097	72.3	.0126	-69.4			298.4	6.0	291.
33 238.0 9480. 33.2 .139 94.8 .0149 -70.8 304.9 6.6 267. 34 229.0 9708. 38.6 .169 110.1 .0159 -70.5 308.7 8.3 263. 35 220.0 9946. 44.6 .203 127.1 .0172 -70.4 312.5 9.1 259. 36 213.0 10138. 47.1 .221 134.1 .0183 -70.4 315.4 9.1 264. 37 206.0 10336. 47.4 .230 135.6 .0195 -71.4 316.9 8.7 268. 38 198.4 10559. 48.8 .246 139.7 .0209 -71.4 320.3 9.7 263. 39 191.5 10768. 53.8 .281 153.2 .0223 -70.5 324.9 10.7 250. 40 184.5 10989. 59.5 .322 169.9 .0239 -71.1 327.5 10.7 243. 41 177.5 11218. 61.7	31	255.0	9070.	27.0	.106	76.6	.0132	-70.0			300.2	4.7	288.
34 229.0 9708. 38.6 .169 110.1 .0159 -70.5 308.7 8.3 263. 35 220.0 9946. 44.6 .203 127.1 .0172 -70.4 312.5 9.1 259. 36 213.0 10138. 47.1 .221 134.1 .0183 -70.4 315.4 9.1 264. 37 206.0 10336. 47.4 .230 135.6 .0195 -71.4 316.9 8.7 268. 38 198.4 10559. 48.8 .246 139.7 .0209 -71.4 320.3 9.7 263. 39 191.5 10768. 53.8 .281 153.2 .0223 -70.5 324.9 10.7 250. 40 184.5 10989. 59.5 .322 169.9 .0239 -71.1 327.5 10.7 243. 41 177.5 11218. 61.7 .348 175.9 .0257 -70.5 332.0 10.8 244. 42 170.9 11442. 62.5	32	247.0	9260.	32.4	.131	92.2	.0139	-70.4			302.3	4.5	271.
35 220.0 9946. 44.6 .203 127.1 .0172 -70.4 312.5 9.1 259. 36 213.0 10138. 47.1 .221 134.1 .0183 -70.4 315.4 9.1 264. 37 206.0 10336. 47.4 .230 135.6 .0195 -71.4 316.9 8.7 268. 38 198.4 10559. 48.8 .246 139.7 .0209 -71.4 320.3 9.7 263. 39 191.5 10768. 53.8 .281 153.2 .0223 -70.5 324.9 10.7 250. 40 184.5 10989. 59.5 .322 169.9 .0239 -71.1 327.5 10.7 243. 41 177.5 11218. 61.7 .348 175.9 .0257 -70.5 332.0 10.8 244. 42 170.9 11442. 62.5 .366 179.3 .0275 -71.8 337.2 8.2 266. 44 158.0 11904. 63.8 <td>33</td> <td>238.0</td> <td>9480.</td> <td>33.2</td> <td>. 139</td> <td>94.8</td> <td>.0149</td> <td>-70.8</td> <td></td> <td></td> <td>304.9</td> <td>6.6</td> <td>267.</td>	33	238.0	9480.	33.2	. 139	94.8	.0149	-70.8			304.9	6.6	267.
36 213.0 10138. 47.1 .221 134.1 .0183 -70.4 315.4 9.1 264. 37 206.0 10336. 47.4 .230 135.6 .0195 -71.4 316.9 8.7 268. 38 198.4 10559. 48.8 .246 139.7 .0209 -71.4 320.3 9.7 263. 39 191.5 10768. 53.8 .281 153.2 .0223 -70.5 324.9 10.7 250. 40 184.5 10989. 59.5 .322 169.9 .0239 -71.1 327.5 10.7 243. 41 177.5 11218. 61.7 .348 175.9 .0257 -70.5 332.0 10.8 244. 42 170.9 11442. 62.5 .366 179.3 .0275 -71.8 337.2 8.2 266. 43 164.5 11667. 61.3 .373 175.8 .0294 -71.8 337.2 8.2 266. 44 158.0 11904. 63.8 <td>34</td> <td>229.0</td> <td>9708.</td> <td>38.6</td> <td>. 169</td> <td>110.1</td> <td>.0159</td> <td>-70.5</td> <td></td> <td></td> <td>308.7</td> <td>8.3</td> <td>263.</td>	34	229.0	9708.	38.6	. 169	110.1	.0159	-70.5			308.7	8.3	263.
37 206.0 10336. 47.4 .230 135.6 .0195 -71.4 316.9 8.7 268. 38 198.4 10559. 48.8 .246 139.7 .0209 -71.4 320.3 9.7 263. 39 191.5 10768. 53.8 .281 153.2 .0223 -70.5 324.9 10.7 250. 40 184.5 10989. 59.5 .322 169.9 .0239 -71.1 327.5 10.7 243. 41 177.5 11218. 61.7 .348 175.9 .0257 -70.5 332.0 10.8 244. 42 170.9 11442. 62.5 .366 179.3 .0275 -71.8 333.5 9.2 255. 43 164.5 11667. 61.3 .373 175.8 .0294 -71.8 337.2 8.2 266. 44 158.0 11904. 63.8 .404 184.0 .0313 -73.0 339.1 9.0 259. 45 152.0 12131. 67.5 <td>35</td> <td>220.0</td> <td>9946.</td> <td>44.6</td> <td>. 203</td> <td>127.1</td> <td>.0172</td> <td>-70.4</td> <td></td> <td></td> <td>312.5</td> <td>9.1</td> <td>259.</td>	3 5	220.0	9946.	44.6	. 203	127.1	.0172	-70.4			312.5	9.1	259.
38 198.4 10559. 48.8 .246 139.7 .0209 -71.4 320.3 9.7 263. 39 191.5 10768. 53.8 .281 153.2 .0223 -70.5 324.9 10.7 250. 40 184.5 10989. 59.5 .322 169.9 .0239 -71.1 327.5 10.7 243. 41 177.5 11218. 61.7 .348 175.9 .0257 -70.5 332.0 10.8 244. 42 170.9 11442. 62.5 .366 179.3 .0275 -71.8 333.5 9.2 255. 43 164.5 11667. 61.3 .373 175.8 .0294 -71.8 337.2 8.2 266. 44 158.0 11904. 63.8 .404 184.0 .0313 -73.0 339.1 9.0 259. 45 152.0 12131. 67.5 .444 195.2 .0333 -73.6 341.9 8.5 259. 46 146.5 12346. 69.9 <td>36</td> <td>213.0</td> <td>10138.</td> <td>47.1</td> <td>. 221</td> <td>134.1</td> <td>.0183</td> <td>-70.4</td> <td></td> <td></td> <td>315.4</td> <td>9.1</td> <td>264.</td>	36	213.0	10138.	47.1	. 221	134.1	.0183	-70.4			315.4	9.1	264.
39 191.5 10768. 53.8 .281 153.2 .0223 -70.5 324.9 10.7 250. 40 184.5 10989. 59.5 .322 169.9 .0239 -71.1 327.5 10.7 243. 41 177.5 11218. 61.7 .348 175.9 .0257 -70.5 332.0 10.8 244. 42 170.9 11442. 62.5 .366 179.3 .0275 -71.8 333.5 9.2 255. 43 164.5 11667. 61.3 .373 175.8 .0294 -71.8 337.2 8.2 266. 44 158.0 11904. 63.8 .404 184.0 .0313 -73.0 339.1 9.0 259. 45 152.0 12131. 67.5 .444 195.2 .0333 -73.6 341.9 8.5 259. 46 146.5 12346. 69.9 .477 202.7 .0353 -74.2 344.5 9.8 266. 47 141.0 12569. 76.3 <td></td>													
40 184.5 10989. 59.5 .322 169.9 .0239 -71.1 327.5 10.7 243. 41 177.5 11218. 61.7 .348 175.9 .0257 -70.5 332.0 10.8 244. 42 170.9 11442. 62.5 .366 179.3 .0275 -71.8 333.5 9.2 255. 43 164.5 11667. 61.3 .373 175.8 .0294 -71.8 337.2 8.2 266. 44 158.0 11904. 63.8 .404 184.0 .0313 -73.0 339.1 9.0 259. 45 152.0 12131. 67.5 .444 195.2 .0333 -73.6 341.9 8.5 259. 46 146.5 12346. 69.9 .477 202.7 .0353 -74.2 344.5 9.8 266. 47 141.0 12569. 76.3 .541 221.0 .0374 -73.9 348.8 12.2 263. 48 135.6 12797. 94.0 <td>38</td> <td>198.4</td> <td>10559.</td> <td>48.8</td> <td>. 246</td> <td>139.7</td> <td>.0209</td> <td>-71.4</td> <td></td> <td></td> <td>320.3</td> <td>9.7</td> <td></td>	38	198.4	10559.	48.8	. 246	139.7	.0209	-71.4			320.3	9.7	
41 177.5 11218. 61.7 .348 175.9 .0257 -70.5 332.0 10.8 244. 42 170.9 11442. 62.5 .366 179.3 .0275 -71.8 333.5 9.2 255. 43 164.5 11667. 61.3 .373 175.8 .0294 -71.8 337.2 8.2 266. 44 158.0 11904. 63.8 .404 184.0 .0313 -73.0 339.1 9.0 259. 45 152.0 12131. 67.5 .444 195.2 .0333 -73.6 341.9 8.5 259. 46 146.5 12346. 69.9 .477 202.7 .0353 -74.2 344.5 9.8 266. 47 141.0 12569. 76.3 .541 221.0 .0374 -73.9 348.8 12.2 263. 48 135.6 12797. 94.0 .693 272.6 .0399 -74.2 352.2 10.6 257.	39			53.8	. 281		.0223	-70.5					
42 170.9 11442. 62.5 .366 179.3 .0275 -71.8 333.5 9.2 255. 43 164.5 11667. 61.3 .373 175.8 .0294 -71.8 337.2 8.2 266. 44 158.0 11904. 63.8 .404 184.0 .0313 -73.0 339.1 9.0 259. 45 152.0 12131. 67.5 .444 195.2 .0333 -73.6 341.9 8.5 259. 46 146.5 12346. 69.9 .477 202.7 .0353 -74.2 344.5 9.8 266. 47 141.0 12569. 76.3 .541 221.0 .0374 -73.9 348.8 12.2 263. 48 135.6 12797. 94.0 .693 272.6 .0399 -74.2 352.2 10.6 257.	40			59.5	. 322	169.9	.0239				327.5	10.7	
43 164.5 11667. 61.3 .373 175.8 .0294 -71.8 337.2 8.2 266. 44 158.0 11904. 63.8 .404 184.0 .0313 -73.0 339.1 9.0 259. 45 152.0 12131. 67.5 .444 195.2 .0333 -73.6 341.9 8.5 259. 46 146.5 12346. 69.9 .477 202.7 .0353 -74.2 344.5 9.8 266. 47 141.0 12569. 76.3 .541 221.0 .0374 -73.9 348.8 12.2 263. 48 135.6 12797. 94.0 .693 272.6 .0399 -74.2 352.2 10.6 257.				61.7	. 348	175.9							
44 158.0 11904. 63.8 .404 184.0 .0313 -73.0 339.1 9.0 259. 45 152.0 12131. 67.5 .444 195.2 .0333 -73.6 341.9 8.5 259. 46 146.5 12346. 69.9 .477 202.7 .0353 -74.2 344.5 9.8 266. 47 141.0 12569. 76.3 .541 221.0 .0374 -73.9 348.8 12.2 263. 48 135.6 12797. 94.0 .693 272.6 .0399 -74.2 352.2 10.6 257.													
45 152.0 12131. 67.5 .444 195.2 .0333 -73.6 341.9 8.5 259. 46 146.5 12346. 69.9 .477 202.7 .0353 -74.2 344.5 9.8 266. 47 141.0 12569. 76.3 .541 221.0 .0374 -73.9 348.8 12.2 263. 48 135.6 12797. 94.0 .693 272.6 .0399 -74.2 352.2 10.6 257.													
46 146.5 12346. 69.9 .477 202.7 .0353 -74.2 344.5 9.8 266. 47 141.0 12569. 76.3 .541 221.0 .0374 -73.9 348.8 12.2 263. 48 135.6 12797. 94.0 .693 272.6 .0399 -74.2 352.2 10.6 257.													
47 141.0 12569. 76.3 .541 221.0 .0374 -73.9 - 348.8 12.2 263. 48 135.6 12797. 94.0 .693 272.6 .0399 -74.2 352.2 10.6 257.													
48 135.6 12797. 94.0 .693 272.6 .0399 -74.2 352.2 10.6 257.													
49 130.5 13020. 108.8 .834 316.5 .0428 -74.6 355.3 7.7 248.													
	49	130.5	13020.	108.8	.834	316.5	.0428	-74.6			355.3	7.7	248.

STATI	ON: SOUTH POLE	-	LAUNC	H DATE:	10 JUN	89 23	59 Z	ECC	SONDE:	4A4420	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ		DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
50	125.6 13243.	114.7	. 913	333.9	. 0461	-74.8	-		358.9	7.0	251.
51	120.8 13469.	125.0	1.035	364.3	.0496	-75.1			362.3	11.0	265.
52	115.9 13709.	117.9	1.017	343.9	. 0537	-75.2			366.4	13.4	266.
53	111.6 13928.	137.2	1.229	402.6	. 0573	-76.5			368.0	13.0	257.
54	107.2 14159.	147.9	1.380	436.0	.0617	-77.3			370.8	11.4	250.
55	103.0 14388.	141.1	1.370	417.1	.0662	-77.9			373.8	9.3	249.
56	98.7 14631.	134.9	1.367	399.9	.0708	-78.4			377.4	10.7	240.
57	94.9 14855.	144.4	1.522	430.6	. 0750	-79.6			379.3	8.1	255.
58	91.0 15093.	141.8	1.558	422.9	.0797	- 79.6			383.9	7.4	265.
59	87.2 15334.	168.8	1.936	503.8	.0847	-79.8			388.3	6.8	246.
60	83.8 15559.	181.3	2.163	542.1	. 0901	-80.1			392.0	3.4	209.
61	80.3 15800.	181.6	2.262	546.5	.0961	-81.3			394.3	3.8	209.
62	77.0 16036.	178.3	2.316	536.8	. 1021	-81.3			399.0	5.0	248.
63	73.9 16266.	171.2	2.317	517.3	. 1078	-82.1			402.2	6.3	243.
64	71.0 16490.	166.9	2.351	504.8	.1131	-82.3			406.5	8.6	247.
65	67.8 16747.	164.6	2.428	499.7	.1191	-83.0			410.3	9.4	250.
66	65.0 16982.	158.6	2.440	482.6	.1245	-83.4			414.4	9.2	250.
67	62.2 17227.	151.5	2.436	462.0	. 1300	-83.8			418.8	9.3	249.
68	59.5 17473.	146.5	2.462	446.6	. 1352	-83.8			424.1	8.8	245.
69	56.8 17730.	142.1	2.502	433.5	. 1405	-84.0			429.4	10.8	252.
70	54.0 18010.	139.8	2.589	426.7	. 1461	-84.0			435.6	8.5	236.
71	51.3 18294.	140.0	2.729	427.5	. 1517	-84.1			441.6	3.8	192.
72	48.8 18571.	144.0	2.729	440.7	. 1572	-84.5			447.0	1.5	267.
73	46.5 18837.	139.7	3.004	429.8	. 1627	-85.5			450.8	5.4	244.
74	44.2 19115.	133.4	3.018	412.9	. 1681	-86.6			454.9	9.2	234.
7 5	42.1 19381.	125.6	2.983	388.7	. 1732	-86.6			461.3	6.9	243.
76	40.4 19606.	115.3	2.854	357.9	.1772	-87.2			465.1	7.8	258.
7 7	38.6 19855.	101.9	2.640	314.5	. 1811	-86.2			473.9	7.3	243.
77 78	36.7 20131.	96.6	2.632	298.9	. 1851	-86.6				7.3	206.
78 79	35.0 20390.	90.8	2.594	281.6	. 1886	-87.0			479.7 485.2	6.9	214.
						-85.7					
80	33.3 20662.	85.5	2.568	263.5	.1921				495.4	5.8	234.
81	31.6 20949.	79.7	2.522	246.2	. 1956	-86.4			501.2	9.8	220.
82	30.0 21233.	74.8	2.493	231.6	. 1987	-86.8 -87.2			507.6	15.0	204.
83	28.4 21532.	71.7		222.8	. 2019	-87.2			514.4	13.1	191.
84	27.0 21807.	68.8 66.9	2.548	213.8	. 2047	-87.4			521.3	4.8	174.
85 86	25.9 22034. 24.9 22248.		2.583 2.578	207.6	.2070 .2090	-87.2 -87.2			528.1	2.5	253.
		64.2	2.586	199.2					534.1	6.7	245.
87 88	23.7 22518. 22.5 22802.			181.1	.2115	-86.4			543.6		234.
89	21.2 23128.								552.3		242.
90			2.693 2.685	175.8	. 2166 . 2185	-85.5			564.3		249.
91	20.3 23367. 19.5 23588.			167.3		-85.1			572.5		260.
92			2.687	160.8	. 2202	-85.1 -84.5			579.1		92.
93	18.6 23849.	50.6	2.720 2.756	154.8	. 2222				588.9		146.
94	17.6 24154. 16.8 24412.			148.4	. 2244	-84.5			598.2		246.
95	15.9 24717.		2.815	144.2	. 2261	-84.0 -83.6			608.1	38.9	95. 06
95 96	15.9 24/1/.		2.906	140.6	. 2282	-83.6			619.0		96.
97			3.060	139.9	. 2302	-83.8 -84.1			628.8	9.2	170.
98	14.5 25228.		3.021	133.8	. 2314	-84.1 -83.0			633.6	7.8	164.
99	13.8 25502.		3.022	127.3	. 2331	-83.8			643.9	9.6	203.
100	13.2 25749. 12.6 26008.		3.159	127.1	.2346	-83.8			652.2		203.
101			3.357	128.0	. 2361	-82.6			664.9		193.
	12.0 26281.		3.542	127.9	. 2377	-81.2			679.3	8.0	180.
102 103	11.5 26521.		3.687	127.2	.2391	-80.5			690.2		187.
103	10.8 26876.			123.0		-80.1			703.9		184.
104	10.2 27199.	40./	3.990	121.5	. 2430	-79.6			717.5	8.4	139.


STATI	ON: SOU	ITH POLE		LAUNC	H DATE:	10 JUN	89 2	39 Z	ECC	SONDE:	4A4420	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	9.7	27515.	40.5	4.197	119.8	.2448	-77.9			735.2	5.0	115.
106	9.3	27750.	37.9	4.093	112.7	. 2461	-78.8			740.8	5.0	115.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 20.6
 16.1
 60.1
 151.5
 122.1
 59.4
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110110068903	99 ECC TOTAL 03 FROM SONDE DATA 276
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110210068903	673 23-59 500 18-44234 8 300 13-67314 11 200 49-71264 9
1110310068903	150 68-74262 9 100137-78243 10 70166-83248 9 50142-84231 3
1110410068903	30 75-87204 1520.0 54-85198 4110.0 41-79130 7 656 22-44267 21
1110510068903	640 22-38267 21 606 22-37260 9 383 15-58329 12 178 62-71244 11
1110610068903	141 76-74263 12 131109-75248 8 121125-75265 11 116118-75266 13
1110710068903	107148-77250 11 91142-80265 7 87169-80246 7 84181-80209 3
1110810068903	57142-84252 11 44133-87234 9 40115-87258 8 39102-86243 7
1110910068903	13.2 42-84203 11 9.3 38-79115 5



STATION: SOUTH POLE LAUNCH DATE: 17 JUN 89 640 Z ECC SONDE: 4A4376
SURFACE CONDITIONS: PRESSURE 665.1 MB, TEMPERATURE -66.4 C, HUMIDITY 0.0 %
CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 77.9 ORD; TBOX 21.0 C AT 70.2 ORD;
O3 ORD ZERO 29.0, BKGND 29.7, CAL 65.2; O3 BKGND 0.102 MICROAMP; FLOW RATE 25.6 S/100 M
FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 298.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	тотог	TEMP	DEWPT	ним	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	665.1	2835.	22.8	. 034	63.7	. 0000	-66.4			232.4		
1	648.0	2997.	22.9	. 035	60.4	. 0005	-54.4			247.6	36.4	235.
2	631.0	3169.	21.2	. 034	55.1	. 0009	-50.6			253.8	36.4	235.
3	615.0	3337.	20.0	. 033	51.5	. 0014	-49.4			257.1	20.7	236.
4	597.0	3533.	19.5	. 033	49.8	.0018	-46.7			262.4	15.6	245.
5	579.0	3736.	19.6	. 034	49.9	.0023	-47.0			264.4	12.8	260.
6	561.0	3945.	18.3	. 033	46.9	. 0028	-47.3			266.4	14.7	264.
7	544.0	4148.	18.3	. 034	46.8	. 0032	-47.8			268.2	12.6	259.
8	528.0	4345.	17.4	. 033	44.7	. 0036	-48.1			270.1	11.3	249.
9	513.0	4534.	17.1	. 033	44.3	.0040	-49.9			270.1	12.9	231.
10	499.0	4715.	18.0	. 036	46.4	.0044	-49.9			272.3	11.7	227.
11	484.0	4915.	17.2	. 036	44.5	.0048	-50.6			273.8	9.0	226.
12	471.0	5092.	16.0	. 034	41.6	.0052	-51.2			275.2	8.3	223.
13	458.0	5273.	15.9	. 035	41.7	. 0055	-53.0			275.1	9.3	231.
14	444.0	5472.	15.9	. 036	42.0	.0059	-54.5			275.7	10.7	233.
15	431.0	5662.	14.7	. 034	38.9	.0063	-55.7			276.6	10.9	236.
16	418.0	5857.	13.9	. 033	36.9	.0066	-56.5			277.9	11.0	239.
17	404.0	6073.	13.8	.034	36.9	.0070	-57.5			279.4	11.6	239.
18	390.0	6295.	14.6	. 037	39.3	.0074	-58.4			281.0	10.0	235.
19	379.0	6474.	17.9	.047	48.3	.0077	-59.4			282.1	9.2	227.
20	367.0	6676.	20.3	. 055	55.0	.0082	-59.5			284.5	10.3	220.
21	356.0	6866.	19.5	. 055	52.9	.0087	-59.9			286.5	8.5	221.
22	345.0	7062.	19.6	. 057	53.3	.0091	-60.7			287.9	6.2	227.
23	333.0	7282.	21.2	. 064	57.9	.0097	-61.7			289.5	4.5	208.
24	322.0	7489.	26.1	.081	71.6	.0103	-62.8			290.8	5.3	202.
25	312.0	7683.	28.1	.090	77.4	.0109	-63.4			292.6	9.1	223.
26	301.0	7904.	34.1	.113	94.0	.0118	-63.8			295.0	10.5	221.
27	291.0	8111.	40.6	. 140	112.0	.0127	-63.8			297.9	10.5	219.
28	281.0	8325.	40.4	. 144	111.5	.0138	-63.8			300.9	10.3	226.
29	270.0	8570.	47.0	. 174	129.8	.0151	-63.8			304.3	10.0	221.
30	262.0	8754.	56.1	. 214	155.5	.0163	-64.8			305.5	11.1	219.
31	252.0	8991.	50.4	. 200	140.0	.0179	-65.2			308.3	11.6	217.
32	242.0	9238.	53.3	. 220	147.7	.0195	-64.8			312.5	11.6	211.
33	234.0	9443.	56.8	.243	157.5	.0210	-64.8			315.5	9.9	208.
34	229.0	9575.	58.3	. 255	161.8	.0219	-65.1			317.1	9.0	196.
35	223.0	9737.	57.8	. 259	160.1	.0231	-64.7			320.1	8.9	188.
36	218.0	9875.	61.5	. 282	170.9	.0242	-65.3			321.2	9.7	190.
37	209.0	10132.	65.1	.311	181.2	.0262	-65.6			324.7	11.3	194.
38	200.0	10399.	71.1	. 356	198.0	. 0285	-65.7			328.6	12.7	202.
39	192.8	10622.	71.5	. 371	199.5	.0306	-66.4				13.8	204.
40	185.7	10849.	64.1	. 345	179.4	. 0326	-67.0			333.5	14.2	188.
41	179.0	11070.	67.9	. 379	191.0	. 0345	-67.9			335.5	17.4	189.
42	172.4	11296.	76.9	. 446	216.2	. 0365	-67.7			339.6	19.5	197.
43	166.0	11524.	89.9	.542	252.5	. 0389	-67.7			343.2	16.1	199.
44	161.0	11708.	107.4	. 667	302.3	.0411	-67.9			345.8	10.4	197.
45		11897.	119.8	.768	338.1	. 0438	-68.6			347.8	10.1	200.
46	151.0	12091.	129.4	. 857	367.8	.0469	-70.0			348.7	10.9	208.
47		12291.	125.3	.858	357.6	.0503	-70.8			350.6	12.6	206.
48	139.9	12544.	128.0	.915	365.9	.0545	-71.2			354.2		208.
49		12807.	137.2		393.6	.0590	-71.8			357.7	19.7	207.
							-					


STATI	ON: SOUTH POLE		LAUNC	H DATE:	17 JUN	89 640 Z	ECC	SONDE:	4A4376	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	СС	%	K	M/S	DEG
50	127.3 13100.	145.4	1.142	418.4	.0644	-72.5		361.5	18.5	198.
51	122.9 13307.	151.2	1.230	436.4	.0684	-73.1		364.1	14.9	190.
52	118.1 13540.	155. 3	1.315	449.3	.0732	-73.6		367.5	14.1	198.
53	113.3 13782.	162.3	1.432	473.4	. 0783	-75.2		368.8	16.2	210.
54	108.8 14017.	165.0	1.517	480.6	.0835	-74.9		373.6	18.9	214.
55	104.8 14234.	170.1	1.623	497.7	.0883	-75.8		375.9	19.0	209.
56	101.2 14435.	172.6	1.706	507.5	.0930	-76.8		377.8	19.5	203.
57	96.7 14697.	154.0	1.593	451.7	.0990	-76.3		383.7	19.6	200.
58	92.5 14952.	160.6	1.736	473.8	. 1044	-77.4		386.4	20.9	200.
59	89.0 15173.	156.1	1.754	461.5	. 1093	-77.9		389.7	20.0	199.
60	85.8 15382.	162.8	1.897	483.0	.1137	-78.6		392.5	20.3	189.
61	82.4 15612.	170.8	2.073	508.6	.1190	-79.3		395.7	22.3	196.
62	79.0 15851.	181.9	2.303	542.4	.1246	-79.6		399.7	16.9	206.
63	75.5 16108.	180.6	2.392	539.8	.1311	-79.9		404.2	15.0	206.
64	72.3 16353.	177.5	2.455	532.7	. 1372	-80.8		407.4	17.8	196.
65	69.5 16575.	174.3	2.508	522.6	.1427	-80.6		412.4	19.8	198.
66	66.7 16807.	171.2	2.567	514.7	.1483	-81.2		416.1	19.6	212.
67	63.6 17074.	165.6	2.604	498.5	.1546	-81.3		421.4	27.5	218.
68	61.0 17308.	160.2	2.626	484.4	. 1599	-82.3		424.5	14.0	213.
69	58.6 17532.	154.8	2.642	469.9	.1648	-83.0		427.7	6.2	173.
70	55.0 17885.	150.2	2.731	457.8	.1725	-83.8		433.8	18.6	205.
71	53.5 18038.	145.0	2.710	444.3	. 1756	-84.7		435.0	18.8	209.
72	51.0 18302.	139.0	2.725	424.1	.1810	-84.0		442.8	19.3	214.
73	48.5 18580.	134.7	2.777	413.3	. 1864	-84.9		446.9	18.6	216.
74	46.5 18812.	129.2	2.778	398.0	. 1908	-85.7		450.3	18.1	210.
75	44.5 19053.	118.1	2.654	364.3	. 1951	-85.9		455.5	18.2	210.
76	42.7 19280.	114.6	2.684	353.0	. 1989	-85.7		461.4	18.4	207.
77	40.9 19516.	113.7	2.780	350.6	.2028	-85.9		466.7	20.6	197.
78	39.0 19777.	111.4	2.856	344.1	.2070	-86.2		472.5	21.4	195.
79	37.3 20020.	107.1	2.871	331.9	.2109	-86.8		477.0	21.6	191.
80	35.7 20259.	100.6	2.818	312.4	.2144	-87.2		481.9	22.6	186.
81	34.2 20493.	92.2	2.696	286.3	.2177	-87.2		487.8	17.4	192.
82	32.8 20722.	83.6	2.549	256.8	.2207	-85.1		499.2	14.4	210.
83	31.0 21032.	81.4	2.626	251.8	.2244	-86.6		503.4	16.9	214.
84	29.2 21358.	80.8	2.767	251.2	. 2282	-87.4		509.8	14.9	210.
85	28.0 21586.	82.1	2.932	255.7	.2308	-87.9		514.7	14.9	214.
86	27.0 21783.	78.4	2.904	244.8	. 2331	-88.3		518.9	15.2	206.
87	25.9 22009.		2.903		. 2357			528.1		200.
88	24.8 22246.	72.8	2.935	225.3	. 2382	-86.6		536.6	22.0	209.
89	23.5 22540.	69.8	2.970	215.4	. 2412	-86.2		546.1	13.1	217.
90	22.7 22730.	66.8	2.943	206.4	.2431	-86.2		551.5	11.1	217.
91	21.8 22951.	66.9	3.069	207.3	.2452	-86.8		556.1	16.1	201.
92	21.0 23155.	67.1	3.195	207.9	. 2472	-87.0		561.4	17.6	198.
93	20.0 23421.	63.7	3.185	198.3	.2497	-87.6		567.3	16.0	208.
94	19.4 23587.	53.6	2.763	166.1	.2512	-86.8		574.9	18.8	202.
95	18.7 23788.	49.3	2.636	151.2	.2527	-84.9		586.7	21.7	197.
96	17.9 24029.	45.5	2.542	139.7	.2544	-85.1		593.5	20.0	195.
97	17.0 24313.	44.8	2.635	138.1	. 2562	-85.9		599.7	10.2	188.
98	16.4 24510.	44.8	2.732	137.6	. 2574	-85.1		608.5	6.0	204.
99	15.9 24681.	44.8	2.818	137.6	. 2585	-85.1		613.9	11.5	215.
100	15.2 24928.	44.8	2.947	137.0	. 2601	-85.7		619.9	13.3	188.
101	14.7 25112.	44.5	3.027	136.3	.2613	-84.5		629.8	12.9	187.
102	14.1 25343.	44.5	3.156	136.3	.2627	-84.7		636.7	11.8	215.
103	13.6 25542.	44.4	3.265	135.2	.2640	-83.6		647.3	11.8	215.
						30.0		• • • • • •		.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 19.3
 25.4
 88.2
 165.1
 122.5
 64.5
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110117068907	99 ECC TOTAL 03 FROM SONDE DATA 298
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110217068907	665 23-66 500 18-50227 12 300 35-64221 11 200 71-66202 13
1110317068907	150129-70208 11 100168-77202 20 70175-81198 19 50137-84215 19
1110417068907	30 81-87212 1620.0 64-88208 16 648 23-54235 36 597 20-47245 16
1110517068907	379 18-59227 9 333 21-62208 5 262 56-65219 11 252 50-65217 12
1110617068907	179 68-68189 17 140128-71208 17 105170-76209 19 97154-76200 20
1110717068907	89156-78199 20 79182-80206 17 45118-86210 18 37107-87191 22
1110817068907	33 84-85210 1418.7 49-85197 2215.2 45-86188 1313.6 44-84215 12



STATION: SOUTH POLE LAUNCH DATE: 25 JUN 89 352 Z ECC SONDE: 4A4378

SURFACE CONDITIONS: PRESSURE 670.3 MB, TEMPERATURE -62.5 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 77.8 ORD; TBOX 26.5 C AT 72.9 ORD;

O3 ORD ZERO 35.2, BKGND 35.8, CAL 71.0; O3 BKGND 0.088 MICROAMP; FLOW RATE 28.0 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 263.; C.F.


TIME	DDECC	ALT	070NE	07015	07DEN	TOTO7	TEMP	הבשחד	ыш	DOT T	WIND	WILD
TIME	PRESS	ALT	OZONE	OZONE PPMV	OZDEN	TOTOZ	TEMP C	DEWPT C	HUM %	POT T	WIND	WIND
MIN 0	MB 670.3	GPM 2835.	NB 21.4	.032	GAMMA 58.6	ATMCM .0000	-62.5	C	/6	K ∙236.1	M/S	DEG
1	652.0	3012.	21.4	.034	56.2	. 0005	-62.3 -47.9			254.6	33.5	252.
2	635.0	3188.	21.9	. 035	56.0	.0009	-42.1			263.0	33.5	252. 252.
3	619.0	3362.	22.3	. 036	55.2	.0014	-40.5			266.8	30.5	230.
4	602.0	3551.	22.3	.037	55.4	.0019	-40.6			268.8	41.1	225.
5	585.0	3746.	21.9	.037	54.5	.0013	-41.3			270.2	18.8	215.
6	570.0	3922.	20.5	.036	51.0	.0024	-41.3 -41.7			271.8	19.1	214.
7	550.0	4164.	19.6	.036	49.0	.0034	-42.5			273.7	16.7	208.
8	540.0	4288.	18.1	.034	45.7	.0036	-43.7			273.6	12.9	199.
9	523.0	4502.	18.2	.035	46.0	.0041	-45.0			274.6	10.3	210.
10	506.0	4722.	18.2	.036	46.3	.0046	-46.0			275.9	9.0	233.
11	491.0	4922.	18.7	.038	47 .7	.0050	-46.8			277.3	14.2	223.
12	477.0	5114.	18.2	.038	46.6	.0054	-47.9			278.3	18.6	211.
13	461.0	5338.	18.2	.039	46.9	.0059	-49.5			279.1	14.2	204.
14	448.0	5525.	17.2	. 038	44.8	.0063	-51.2			279.2	11.9	199.
15	432.0	5760.	15.8	.037	41.5	.0068	-52.7			280.2	13.5	201.
16	420.0	5942.	15.8	. 038	41.6	.0071	-53.5			281.4	14.0	190.
17	409.0	6112.	15.3	.037	40.6	.0074	-55.4			281.2	14.5	189.
18	395.0	6333.	14.4	.036	38.4	.0079	-56.5			282.5	15.3	188.
19	382.0	6545.	14.4	. 038	38.6	.0082	-57.9			283.3	14.9	184.
20	371.0	6728.	14.4	.039	38.9	.0086	-59.6			283.5	13.7	185.
21	360.0	6916.	14.0	. 039	37.9	.0089	-60.3			285.0	13.5	182.
22	347.0	7145.	13.5	.039	36.8	.0093	-60.9			287.1	13.6	180.
23	335.0	7363.	13.6	.041	37.2	. 0097	-62.3			288.2	15.1	181.
24	324.0	7569.	10.2	.031	28.2	.0100	-63.8			288.9	16.7	181.
25	313.0	7780.	9.8	. 031	27.2	.0103	-65.3			289.6	15.6	175.
26	302.0	7997.	10.7	. 035	29.8	.0105	-66.6			290.8	14.4	172.
27	291.0	8221.	10.7	. 037	30.0	.0109	-67.9			292.0	15.1	173.
28	280.0	8451.	11.2	.040	31.7	.0112	-69.7			292.7	14.7	173.
29	272.0	8623.	11.6	.043	33.3	.0114	-71.4			292.7	13.3	176.
30	263.0	8821.	11.7	.044	33.6	.0117	-73.0			293.2	11.9	173.
31	255.0	9002.	13.1	. 051	37.8	.0120	-73.6			294.9	12.7	173.
32	247.0	9188.	17.3	.070	50.2	.0124	-74.8			295.8	13.8	178.
33	238.0	9403.	22.3	.094	65.2	.0129	-75.5			297.8	13.5	161.
34	228.0	9651.	31.8	. 139	93.2	.0137	-76.3			300.3	10.5	168.
35	220.0	9857.	36.2	. 165	106.3	.0147	-76.3			303.4	9.0	187.
36	212.0	10071.	40.9	. 193	120.1	.0157	-76.6			306.1	9.2	172.
37	206.0	10236.	41.7	. 202	122.6	.0167	-76.6			308.6	8.2	184.
38	198.6	10446.	43.4	. 219	127.5	.0179	- 76. 8			311.6	7.9	188.
39		10659.	49.6	. 259	145.6	.0192	-76.3			315.7	4.5	147.
40	184.1	10883.	53.0	. 288	1 5 5.5	.0207	-76.3			319.2	5.0	160.
41		11110.	49.1	. 277	144.7	. 0223	-77.1			321.5	6.8	180.
42		11311.	44.7	.262	131.7	.0236	- 77.3			324.5	5.0	165.
43		11533.	46.7	. 284	137.6	.0250	-7 7.1			328.4	4.8	156.
44		11761.	46.3	. 293	136.9	.0264	-77.9			330.8	3.7	144.
45		11975.	46.7	. 307	138.2	.0278	-7 7.9			334.3	4.4	137.
46		12201.	47.5	.325	140.4	.0292	-77.9			338.1	6.3	152.
47		12428.	53.0	. 377	156.8	.0307	-77.9			342.0	6.0	168.
48		12648.	61.2	. 452	181.1	.0324	-78.3			345.2	3.3	163.
49	130.2	12867.	84.6	. 650	251.1	. 0344	- 78.8			348.1	2.9	175.

CTATI	ON: SOUTH POLE		LAUNC	H DATE:	25 JUN	89 3	52 Z	ECC	SONDE:	4A4378	
TIME	PRESS ALT		OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	C	C	7.	K	M/S	DEG
M1N 50	125.2 13089.	106.0	.847	316.1	. 0371	-79.6			350.5	3.4	163.
50 51	120.2 13320.	117.2	.975	349.7	.0406	-79.6			354.6	4.2	148.
	115.6 13541.	137.7	1.191	413.1	. 0444	-80.6			356.6	4.2	146.
52 57	111.0 13770.	143.0	1.288	429.2	.0487	-80.8			360.5	2.5	101.
53	106.3 14013.	139.9	1.316	421.5	. 0535	-81.5			363.6	2.6	127.
54		141.3	1.388	427.7	. 0583	-82.4			366.4	6.1	149.
55	101.8 14255.	146.7	1.506	445.9	.0632	-83.2			369.5	5.6	122.
56	97.4 14502.	176.1	1.881	536.4	.0680	-83.6			373.0	5.9	107.
57	93.6 14723.	183.9	2.048	562.3	.0738	-84.3			375.9	5.0	107.
58	89.8 14953.	185.5	2.154	567.2	.0799	-84.3			380.5	3.9	121.
59	86.1 15185.		2.196	555.9	.0857	-84.5			384.5	6.2	133.
60	82.7 15408.	181.6	2.190	551.9	.0915	-85.1			387.8	7.3	112.
61	79.4 15633.	179.7	2.229	520.8	.0973	-85.1			392.5	7.3	111.
62	76.1 15866.	169.6	2.229	514.8	.1028	-85.1			397.2	6.4	106.
63	73.0 16095.	167.7		507.0	.1020				402.2		
64	69.6 16358.	164.9	2.369			-85.3 -85.5				8.2	111.
65	66.7 16592.	161.7	2.424	497.6	.1144				406.7	10.0	120.
66	63.6 16853.	156.2	2.456	481.6	.1204	-85.9			411.3	8.5	116.
67	60.8 17100.	153.2	2.520	474.2	. 1259	-86.6			415.3	8.0	111.
68	58.4 17319.	150.2	2.572	466.4	. 1306	-87.2			418.7	7.0	92.
69	56.1 17538.	146.7	2.615	454.5	. 1353	-86.8			424.5	7.8	99.
70	53.8 17767.	142.0	2.639	439.8	. 1400	-86.8			429.6	10.2	122.
71	51.5 18005.	137.4	2.668	426.1	. 1448	-87.0			434.5	7.3	148.
72	49.2 18254.	131.2	2.667	407.3	. 1496	-87.2			439.7	8.6	163.
73	47.0 18503.	124.3	2.645	386.0	. 1542	-87.2			445.5	11.7	146.
74	44.8 18764.	114.8	2.563	357.8	. 1588	-87.9			450.0	10.2	103.
75	42.9 18999.	110.8	2.583	346.8	. 1627	-88.7			453.5	12.0	94.
76	41.0 19244.	109.4	2.668	342.0	. 1667	-88.5			459.9	11.1	120.
77	39.3 19472.	110.5	2.812	345.8	. 1703	-88.7			465.0	9.3	116.
78	37.7 19697.	96.9	2.570	303.3	. 1738	-88.7			470.5	9.2	104.
79	35.9 19961.	86.0	2.396	269.2	. 1774	-88.7			477.1	9.8	111.
80	34.2 20223.	88.7	2.594	277.2	. 1807	-88.5			484.4	8.5	106.
81	32.6 20482.	90.1	2.764	281.9	. 1840	-88.7			490.5	10.3	123.
82	30.9 20771.	90.4	2.926	283.7	. 1877	-89.2			496.8	12.5	125.
83	29.6 21003.	83.6	2.824	262.1	. 1907	-89.0			503.6	18.3	143.
84	28.2 21265.	75.0	2.660	234.8	. 1938	-88.7			511.2	9.2	120.
85	27.0 21500.	70.6	2.615	220.8	. 1964	-88.5			518.2	9.5	51.
86	25.8 21746.	67.3	2.609	210.1	. 1989	-88.3			525.6	10.7	118.
87	24.7 21982.		2.583	198.8	. 2011	-87.9			533.5	9.0	124.
88	23.7 22207.	60.5	2.553	188.0	.2032	- 87.2			541.7	10.2	117.
89	22.7 22441.	56.8	2.502	176.2	. 2052	-87.2			548.4	12.6	113.
90	21.5 22737.	53.0	2.465	164.6	. 2076	-87.2			557.0	9.5	123.
91	20.7 22944.	47.0	2.271	146.1	. 2091	-87.2			563.1	8.3	123.
92	19.8 23186.	50.4	2.545	156.6	.2108	-87.2			570.3	11.0	111.
93	19.0 23411.	51.6	2.716	159.9	.2124	-86.8			578.3	12.2	104.
94	18.0 23707.	50.2	2.789	154.4	.2146	-85.5			591.3	18.9	92.
95	17.3 23926.	49.4	2.855	150.7	.2161	-84.0			603.1	21.9	85.
96	16.4 24222.	49.7	3.030	151.1	. 2182	-83.2			614.8	9.8	88.
97	15.6 24501.	48.5	3.109	147.3	. 2201	-83.2			623.6	5.0	119.
98	14.8 24794.	47.7	3.223	144.8	. 2221	-82.8			634.4	8.1	105.
99	14.4 24947.	47.2	3.278	142.6	. 2231	-82.1			641.8	8.6	102.
100	13.9 25145.	47.2	3.396	141.7	.2244	-81.0			652.0	12.0	113.
101	13.3 25395.	46.3	3.481	138.2	.2261	-79.6			665.1	12.3	118.
102	12.9 25568.	45.0	3.488	133.5	. 2272	- 78.6			674.4	10.1	119.
103	12.4 25794.	44.1	3.556	129.9	. 2285	-77.0			687.8	9.8	116.
104	11.9 26031.	43.6	3.664	127.9	. 2300	-76.3			698.2	9.8	116.

SFC-500MB 500-250 250-125 125-62.5 62.5-31.2 31.2-15.6 15.6-7.8 7.8-3.9 20.4 13.8 45.8 155.9 117.7 60.5 999.9 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110125068904	99 ECC TOTAL 03 FROM SONDE DATA 263
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110225068904	670 21-63 500 18-46229 11 300 11-67172 15 200 43-77187 8
1110325068904	150 47-78143 5 100143-83138 6 70165-85110 8 50133-87158 8
1110425068904	30 86-89137 1620.0 50-87114 10 652 22-48252 34 635 22-42252 34
1110525068904	619 22-41230 31 247 17-75178 14 184 53-76160 5 171 45-77165 5
1110625068904	135 61-78163 3 125106-80163 3 116138-81146 4 97147-83122 6
1110725068904	94176-84107 6 90184-84108 5 45115-88103 10 39111-89116 9
1110825068904	36 86-89111 1014 8 48-83105 811 9 44-76116 10



STATION: SOUTH POLE LAUNCH DATE: 30 JUN 89 253 Z ECC SONDE: 4A4377

SURFACE CONDITIONS: PRESSURE 675.2 MB, TEMPERATURE -66.0 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 77.9 ORD; TBOX 25.5 C AT 71.4 ORD;

O3 ORD ZERO 26.3, BKGND 27.0, CAL 60.8; O3 BKGND 0.106 MICROAMP; FLOW RATE 27.6 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 253.; C.F.


TIME	PRESS	ALT	OZONE	OZONE	OZDEN	тотог	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	Ķ	M/S	DEG
0	675.2	2835.	22.5	. 033	62.8	. 000 0	-66.0			231.8		
1	659.0	2991.	22.1	. 034	55.3	.0004	-42.6			259.7	9.6	189.
2	642.0	3168.	20.7	. 032	51.3	.0009	-40.3			264.3	9.6	189.
3	625. 0	3351.	21.2	. 034	52.4	. 0013	-39.7	-46.1	51.4	267.0	7.7	115.
4	610.0	3518.	20.7	. 034	51.0	. 0017	-39.2	-45.6	51.7	269.4	8.5	94.
5	590.0	3746.	20.5	. 035	50.5	. 0023	-38.5	-45.0	51.0	272.8	10.3	96.
6	576.0	3911.	20.0	. 035	49.3	. 0026	-38.6	-45.3	50.2	274.6	10.0	109.
7	561.0	4092.	18.6	. 033	46.1	.0030	-40.3			274.7	10.6	124.
8	542.0	4326.	18.1	. 033	45.2	.0035	-41.6			275.9	9.9	122.
9	525.0	4542.	17.7	. 034	44.3	.0040	-43.2			276.5	10.7	116.
10	509.0	4750.	18.1	. 036	45.7	.0044	-44.9			276.8	12.6	112.
11	491.0	4990.	15.7	. 032	39.9	.0049	-46.4			277.9	11.5	106.
12	475.0	5209.	15.2	. 032	39.1	. 0053	-48.2			278.3	12.1	119.
13	461.0	5405.	15.2	. 033	39.2	.0057	-49.6			278.9	13.0	123.
14	449.0	5577.	14.7	. 033	38.3	.0060	-51.2			279.0	12.9	109.
15	435.0	5783.	14.7	. 034	38.4	.0063	-52.1			280.4	13.1	110.
16	422.0	5979.	14.7	. 035	38.5	.0067	-53.0			281.7	13.7	108.
17	410.0	6164.	14.7	. 036	38.7	.0070	-53.8			282.9	16.0	105.
18	399.0	6339.	14.6	. 037	38.7	. 0073	-55.4			283.2	19.7	105.
19	385.0	6566.	14.5	. 038	38.6	.0077	-56.5			284.6	3.7	129.
20	373.0	6766.	14.0	. 038	37.7	.0081	-58.5			284.5	19.4	106.
21	360.0	6988.	14.0	. 039	37.8	.0085	-60.1			285.3	36.9	104.
22	347.0	7217.	13.9	. 040	37.9	.0089	-61.8			286.0	16.9	109.
23	335.0	7434.	13.0	. 039	35.7	.0093	-63.4			286.7	20.3	103.
24	322.0	7675.	12.4	. 039	34.7	.0097	-66.4			285.9	23.9	104.
25	310.0	7905.	13.8	. 045	38.5	.0100	-66.4			289.0	18.6	108.
26	299.0	8123.	16.0	. 054	44.9	.0105	-67.4			290.5	15.8	103.
27 28	288.0 276.0	8349. 8604.	17.3 17.2	. 060 . 062	48.8 48.8	.0109 .0115	-67.9			292.9 294.5	15.4 11.7	101. 101.
29	269.0	8757.	17.2	.064	49.2	.0119	-69.3 -70.4			294.5	8.5	101.
30	260.0	8958.	19.1	.073	54.8	.0123	-71.8			295.1	9.0	103.
31	250.0	9190.	24.8	.099	71.2	.0130	-72.0			299.0	6.7	109.
32	240.0	9429.	30.4	. 127	87.8	.0138	-73.3			300.5	3.8	122.
33	230.0	9678.	30.8	. 134	89.0	.0148	-73.3			304.2	5.9	119.
34	220.0	9939.	34.7	. 158	100.2	.0159	-73.4			307.9	2.6	134.
35		10127.	41.4	. 194	120.1	.0168	-74.2			309.6	5.4	266.
36		10294.	54.5	. 263	158.0	.0178	-74.0			312.3	5.5	272.
37		10530.	52.5	. 264	151.8	.0195	-73.6			316.7	5.2	272.
38		10757.		.264		.0211				318.5	4.0	
39		10980.	54.9	.298	159.7	. 0226	-74.8			321.8	2.2	258.
40		11219.	67.2	. 381	195.5	.0245	-74.6			325.8	5.1	261.
41		11441.	67.6	. 398	196.7	. 0265	-74.8			329.2	7.3	2~2.
42		11684.	55.5	. 340	162.5	.0286	-76.0			331.1	8.8	<u>~/1.</u>
43		11937.	50.9	.326	150.2	.0305	-77.4			332.8	11.6	263.
44		12161.	54.3	. 362	160.3	.0320	-77.4			336.6	11.7	260.
45		12395.	55.6	.386	164.2	.0338	-77.6			340.2	9.2	265.
46		12639.	55.5	. 402	164.0	.0356	-77.8			344.1	6.6	277.
47		12854.	62.4		185.1	. 0373	-78.6			346.3	5.6	280.
48		13077.	69.8	.546	208.1	. 0393	-79.4			348.7	9.2	267.
49	122.4	13322.	74.1	. 605	221.0	. 0417	-79.6			352.7	11.0	262.

CTATI	ON COUTH DOLE		LALINO	U DATE.	70 11151	90 2	5 7 7	FCC	SONDE.	444377	
	ON: SOUTH POLE			H DATE:			53 Z		SONDE:		WILLIA
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM		WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	C	С	%	K 355.9	M/S	DEG 268.
50	117.5 13553.	75.0	.638	224.4	.0440	-80.1				10.4	278.
51	112.9 13778.	81.2	.719	244.2	.0465	-81.2 -81.5			358.0	11.0	279.
52	108.0 14027.	77.7	.719	234.0	.0492				361.9	9.9	279.
53	103.0 14293.	104.9	1.018	317.4	.0524	-82.3			365.5	9.0	
54	99.0 14514.	110.6	1.117	336.1	. 0557	-83.2			367.8	11.4	287.
55 56	95.2 14731.	118.8	1.248	362.5	.0591	-84.0			370.5	15.7	289.
56	91.4 14957.	117.0	1.280	357.8	.0629	-84.3			374.0	11.9	280.
57	87.3 15210.	135.9	1.557	417.2	.0672	-85.1 -85.9			377.4	7.4	264. 267.
58	83.2 15474.	137.7	1.655	424.8	.0723				381.0	8.1	277.
59	79.8 15703.	157.4	1.972	486.6	.0769	-86.4			384.7	8.9	
60	76.3 15948.	171.3	2.245	530.0	.0826	-86.6			389.2	10.1	284.
61	73.0 16189.	171.1	2.344	531.3	.0886	-87.2			392.8	9.4	268.
62	70.0 16417.	163.5	2.336	510.6	.0941	-88.3			395.2	9.2	258.
63	66.2 16720.	159.0	2.402	495.5	.1012	-87.9			402.5	11.0	272.
64	63.0 16989.	155.2	2.463	483.7	.1073	-87.9			408.3	11.4	280.
65 66	60.2 17235.	151.8	2.522	475.9	.1128	-89.0			411.1	12.0	281.
66	57.5 17482.	149.9	2.607	469.8	.1182	-89.0			416.5	12.2	275.
67	54.6 17761.	146.9	2.690	460.4	.1242	-89.0			422.7	11.0	266.
68	52.0 18024.	143.1	2.752	450.3	.1298	-89.7			427.1	13.1	268.
69	49.5 18289.	136.4	2.756	430.3	. 1353	-90.1			432.0	10.9	265.
70	47.0 18566.	130.0	2.766	411.8	.1407	-90.8			436.8	7.8	258.
71	44.8 18822.	123.8	2.763	391.5	. 1456	-90.6			443.4	7.8	269.
72	42.5 19104.	122.1	2.873	386.2	. 1507	-90.6			450.1	9.3	278.
73	40.4 19375.	111.2	2.752	352.2	. 1554	-90.8			456.0	10.9	268.
74	38.6 19618.	102.1	2.645	323.7	. 1593	-91.1			461.4	12.1	261.
75 76	36.9 19859.	98.9	2.680	312.2	.1629	-90.4			469.2	12.3	256.
76	34.9 20156.	93.3	2.673	295.9	.1671	-91.1			474.9	11.8	258.
77	33.0 20455.	82.1	2.488	260.0	.1711	-90.8			483.2	10.8	266.
78 70	31.1 20771.	79.9	2.569	253.6	.1749	-91.3			490.1	8.1	263.
79	29.7 21017.	85.0	2.862	269.6	. 1778	-91.1			497.3	8.1	257.
80	28.2 21294.	84.3	2.989	266.8	.1813	-90.6			506.1	4.7	316.
81	26.9 21546.	81.0	3.011	256.9	. 1844	-91.1			511.6	9.4	248.
82	25.8 21769.	73.8	2.860	233.5	.1869	-90.6			519.1	15.5	231.
83	24.4 22068.	69.3	2.840	218.0	. 1901	-89.7			530.1	8.4	248.
84	23.3 22316.	66.7	2.863	208.9	.1926	-88.7			539.9	9.9	238.
85	22.3 22553.	65.1	2.919	203.7	.1948	-88.7			546.7	6.8	198.
86	21.2 22827.	58.7	2.769	183.4	. 1974	-88.3			556.0	2.4	180.
87	20.1 23116.	56.0	2.786	174.1	. 1998	-87.4			567.2	5.2	288.
88	19.1 23394.	52.9	2.770	164.4	.2020	-87.4			575.5	9.0	263.
89	18.1 23686.	51.8	2.862	160.9	.2042	-87.2			585.1	10.9	239.
90	17.3 23933.	52.6	3.040	163.1	.2060	-87.0			593.4	10.0	238.
91	16.5 24191.	53.5	3.242	165.6	.2080	-86.8			602.1	9.3	246.
92	15.8 24428.	53.1	3.361	163.8	.2098	-86.2			611.7	9.1	240.
93	15.0 24713.	50.9	3.393	157.1	.2119	-86.2			620.8	7.4	233.
94	14.2 25013.	50.5	3.556	155.8	.2141	-86.2			630.6	6.3	254.
95 06	13.8 25170.	47.8	3.464	146.8	. 2153	-85.3			638.6	6.5	267.
96 07	13.0 25497.	44.1	3.392	136.5	.2174	-86.6			645.3	5.1	257.
97	12.2 25845.	43.1	3.533	132.4	.2196	-85.3			661.5	2.9	247.
98	11.8 26030.	40.6	3.441	123.3	. 2207	-83.2			675.4	2.9	247.

SFC-500MB 500-250 250-125 125-62.5 62.5-31.2 31.2-15.6 15.6-7.8 7.8-3.9 19.7 15.2 50.3 123.9 121.2 65.1 999.9 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110130068903	99 ECC TOTAL 03 FROM SONDE DATA 253
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110230068903	675 23-66 500 17-46109 12 300 16-67103 16 200 53-74272 5
1110330068903	150 54-77260 12 100109-83285 11 70164-88258 9 50138-90266 11
1110430068903	30 84-91258 820.0 56-87286 6 659 22-43189 10 642 21-40189 10
1110530068903	576 20-39109 10 322 12-66104 24 260 19-72103 9 240 30-73122 4
1110630068903	220 35-73134 3 207 55-74272 6 191 51-75268 4 170 68-75272 7
1110730068903	163 56-76271 9 138 56-78277 7 113 81-81278 11 108 78-82279 10
1110830068903	103105-82279 9 91117-84280 12 87136-85264 7 83138-86267 8
1110930068903	76171-87284 10 43122-91278 9 33 82-91266 1113.0 44-87257 5
1111030068903	11.8 41-83247 3



STATION: SOUTH POLE LAUNCH DATE: 11 JUL 89 252 Z ECC SONDE: 4A4379
SURFACE CONDITIONS: PRESSURE 658.4 MB, TEMPERATURE -73.3 C, HUMIDITY 0.0 %
CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 78.3 ORD; TBOX 24.5 C AT 71.5 ORD;
O3 ORD ZERO 31.2, BKGND 31.6, CAL 66.6; O3 BKGND 0.059 MICROAMP; FLOW RATE 26.1 S/100 M
FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 275.; C.F.


TIME	PRESS	ALT	OZONE	OZONE	OZDEN	тотог	TEMP	DEWPT	ним	РОТ Т	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	658.4	2835.	24.1	. 037	69.6	.0000	-73.3			225.2	,	
1	641.0	2999.	22.8	. 036	60.5	. 0005	-55.4			247. 3	54.3	242.
2	626.0	3154.	22.0	. 035	55.7	.0009	-44.7			261.2	54.3	242.
3	611.0	3317.	21.5	. 035	53.9	.0013	-42.4			265.7	26.9	234.
4	595.0	3496.	22.0	. 037	54.8	.0018	-41.6			268.6	18.9	231.
5	576.0	3717.	20.2	.035	50.4	.0023	-41.4			271.3	16.5	239.
6	559.0	3919.	19.0	.034	47.6	.0028	-42.7			272.1	14.4	238.
7	540.0	4152.	19.8	. 037	50.0	.0033	-44.4			272.8	11.6	215.
8	522.0	4379.	19.9	. 038	50.3	.0038	-44.8			275.0	13.0	223.
9	505.0	4600.	18.6	. 037	47.3	.0044	-45.6			276.6	13.7	235.
10	490.0	4800.	18.1	.037	46.1	.0048	-46.6			277.8	11.2	218.
11	476.0	4992.	17.7	. 037	45.2	.0052	-47.8			278.7	11.9	215.
12	460.0	5217.	17.2	.037	44.5	.0057	-49.2			279.5	11.5	215.
13	448.0	5390.	16.4	.037	42.4	.0060	-50.6			279.9	12.1	218.
14	430.0	5657.	14.5	.034	37.9	.0065	-51.7			281.9	12.1	211.
15	420.0	5809.	14.6	. 035	38.3	.0068	-53.0			282.0	12.1	209.
16	405.0	6043.	15.5	.038	40.8	.0072	-54.3			283.3	13.3	217.
17	391.0	6267.	15.0	.038	39.9	.0076	-55.9			284.1	11.7	220.
18	380.0	6448.	14.1	. 037	37.6	.0080	-57.2			284.7	10.6	221.
19	370.0	6617.	13.6	. 037	36.6	.0082	-58.9			284.7	13.0	222.
20	359.0	6805.	12.7	. 035	34.3	.0086	-60.1			285.5	15.7	225.
21	347.0	7017.	13.2	. 038	35.9	.0089	-61.3			286.6	13.9	219.
22	338.0	7180.	12.8	.038	35.0	.0092	-62.5			287.1	13.4	216.
23	325.0	7420.	11.0	. 034	30.4	.0095	-64.3			287.9	16.5	225.
24	312.0	7669.	10.5	. 034	29.2	.0099	-66.0			289.0	18.0	226.
25	301.0	7886.	10.9	. 036	30.5	.0102	-67.7			289.6	17.3	220.
26	290.0	8109.	11.3	. 039	32.0	.0105	-69.0			290.8	16.1	219.
27	280.0	8318.	11.7	.042	33.5	.0108	-70.7			291.3	17.0	223.
28	270.0	8533.	13.1	. 049	37.5	.0112	-71.8			292.7	15.9	223.
29	260.0	8756.	17.0	. 065	48.8	.0116	-71.8			295.9	15.8	224.
30	250.0	8987.	18.8	. 075	54.0	.0121	-72.4			298.3	17.4	226.
31	240.0	9227.	22.2	. 093	64.1	.0127	-73.1			300.7	15.1	226.
32	230.0	9476.	26.1	.113	75.3	. 0135	-73.4			304.0	13.9	232.
33	221.0	9709.	29.4	. 133	85.3	.0143	-74.0			306.5	10.9	238.
34	215.0	9870.	33.3	. 155	96.4	.0150	-73.6			309.7	7.8	235.
35		10063.	35.7	.172	103.9	.0159	-74.8			310.7	10.5	233.
36		10291.	38.1	.191	110.7	.0170	-74.3			314.9	13.0	236.
37		10480.	34.3	. 177	99.9	.0179	-74.8			317.2	14.5	237.
38		10712.	39.3		114.5	.0190				320.3		239.
39		10951.	47.7	. 267	139.4	. 0203	-75.7			323.1	13.9	245.
40		11196.	55.4	.324	161.9	.0220	-75.5			327.3	10.1	250.
41		11257.	63.4	. 374	186.0	.0225	-76.3			327.0	14.0	244.
42		11674.	66.4	.422	194.8	.0261	-76.3			333.8	16.8	240.
43		11920.	69.3	. 459	203.7	.0284	-76.6			337.4	10.6	243.
44		12130.	59.3	. 408	174.7	. 0303	-77.3			339.8	9.9	247.
45		12342.	73.0	.521	216.3	. 0321	-78.3			341.7	10.0	244.
46		12557.	55.0	. 407	163.5	.0341	-79.1			343.9	10.0	244.
47		12771.	49.7		-148.4	. 0357	-79.6			346.7	10.2	244.
48		12994.	55.1	. 441	164.8	.0373	-80.1			349.7	7.2	243.
49	120.0	13224.	76.6	. 638	230.6	.0392	-81.3			351.5	5. 8	239.

STATI	ON: SOUTH POLE		LAUNC	H DATE:	11 JUL	89 252 Z	ECC	SONDE:	4A4379	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	СС	%	K	M/S	DEG
50	115.0 13462.	97.6	.849	294.2	.0419	-81.7		355.2	3.3	239.
51	111.0 13661.	117.9	1.062	356.5	. 0447	-82.3		357.8	. 8	239.
52	107.0 13865.	122.1	1.141	371.1	.0481	-83.2		359.8	4.4	239.
53	102.9 14083.	143.8	1.397	437.1	.0520	-83.2		363.8	6.8	239.
54	98.5 14325.	165.2	1.677	504.6	.0570	-84.1		366.5	7.7	239.
55	94.0 14584.	175.8	1.870	539.9	.0631	-85.1		369.5	18.9	240.
56	89.3 14866.	183.6	2.056	563.9	.0703	-85.1		375.0	8.8	246.
57	84.9 15144.	192.2	2.264	593.3	.0776	-86.2		378.3	4.3	43.
58	81.1 15394.	189.5	2.337	587.0	.0845	-86.8		382.0	6.8	244.
59	77.8 15621.	181.7	2.335	563.5	.0906	-87.0		386.2	7.0	239.
60	74.1 15886.	172.9	2.333	536.7	.0975	-87.2		391.1	7.0	234.
61	70.0 16196.	168.1	2.401	522.0	. 1052	-87.2		397.5	9.8	235.
62	67.0 16434.	165.2	2.466	515.3	.1109	-88.1		400.7	8.4	239.
63	64.0 16683.	162.4	2.538	506.5	.1168	-88.1		405.9	6.2	239.
64	61.5 16899.	160.7	2.613	501.3	.1218	-88.1		410.6	4.2	213.
65	59.0 17123.	158.6	2.688	496.4	.1270	-88.7		414.0	5.8	199.
		155.9	2.769	490.0	.1328	-89.4		418.0	10.7	177.
66	56.3 17376. 53.6 17640.	154.5	2.882	485.6	. 1328	-89.4		423.9	10.7	190.
67		144.1	2.814	452.9	. 1441	-89.4		429.5	9.8	237.
68	51.2 17887.	138.1	2.818	433.9	.1491	-89.4		434.9	9.8	237.
69	49.0 18123.	128.5	2.746	404.3	. 1539	-89.7		440.1	9.7	265.
70	46.8 18370.		2.740	383.6	. 1590	-91.1		443.0	6.7	243.
71	44.5 18640.	121.0				-91.3				
72	42.5 18885.	113.2	2.664	359.4	.1633			448.3	7.7	178.
73	40.7 19115.	107.8	2.649	343.3	. 1671	-91.8		452.6	6.2	187.
74	38.8 19369.	98.4	2.536	312.4	.1710	-91.3		460.1	10.3	225.
75	37.0 19623.	91.0	2.459	287.3	. 1746	-90.4		468.9	5.2	236.
76	35.0 19920.	86.7	2.477	274.9	.1785	-91.1		474.5	1.2	236.
77	33.4 20170.	85.2	2.551	269.0	. 1817	-90.4		482.8	6.5	204. 204.
78 70	32.0 20400.	86.6	2.706	272.8	. 1846	-89.9		490.0	7.8	212.
79	30.2 20711.	80.7	2.672	253.8	. 1885	-89.7		498.8	8.8	
80	28.5 21022.	77.5	2.719	244.2	.1921	-89.9		506.5	10.1	191.
81	26.6 21392.	76.1	2.861	239.8	.1963 .1995	-89.9		516.6	7.0	169.
82	25.2 21683.	73.8	2.929	231.4		-89.0		527.3	3.9	121.
83	24.1 21923.	70.3	2.917	221.2	. 2021	-89.7 -89.4		532.0	4.3	139.
84	23.0 22175.	67.9	2.952	213.5	. 2046			539.9	5.4	119.
85	22.0 22414.	65.0	2.955	204.2	.2070	-89.4		546.8	5.4	85.
86	21.1 22639.	60.7	2.877	190.6	.2091	-89.4		553.3	1.5	205.
87	20.1 22900.	59.9		188.4	.2114			561.0	6.1	234.
88	19.4 23091.	59.9	3.088	188.0	.2130	-89.2		567.5	4.6	195.
89	18.6 23318.	60.6	3.258	189.8	.2150	-88.7		575.8	7.8	178.
90	17.8 23556.	59.3	3.331	185.0	.2171	-88.1		585.1	9.9	202.
91	17.0 23806.	57.5	3.382	178.6	.2192	-87.2		595.7	9.4	205.
92	16.3 24035.	57.1	3.503	177.3	.2211	-87.2		602.9	15.9	195.
93	15.8 24205.	56.7	3.589	175.9	. 2225	-87.2		608.3	15.9	197.
94	15.1 24452.	56.6	3.748	174.1	. 2245	-85.5		621.7	6.1	209.
95 06	14.6 24638.	55.9	3.829	171.0	. 2260	-84.3		631.7	6.0	168.
96	14.1 24831.	55.8	3.957	169.8	. 2275	-83.4		641.3	7.1	171.
97	13.5 25073.	54.1	4.007	164.3	. 2294	-83.2		649.9	4.0	219.
98	13.0 25283.	52.5	4.038	159.8	. 2310	-83.6		655.7	6.4	216.
99	12.4 25545.	51.8	4.177	158.6	. 2329	-84.5		661.2	7.5	199.
100	11.9 25773.	50.1	4.210	152.4	. 2346	-83.2		673.8	11.0	199.
101	11.0 26211.	48.7	4.427	147.5	.2377	-82.6		691.2	13.9	190.
102	10.4 26525.	46.6	4.481	140.5	. 2398	-81.5		706.4	13.9	190.

SFC-500MB 500-250 250-125 125-62.5 62.5-31.2 31.2-15.6 15.6-7.8 7.8-3.9 20.7 13.9 46.0 150.9 121.3 67.2 999.9 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110111078903	99 ECC TOTAL 03 FROM SONDE DATA 275
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110211078903	658 24-73 500 18-46229 13 300 11-68220 17 200 38-74236 13
1110311078903	150 68-77244 10 100158-84239 7 70168-87235 10 50141-89237 10
1110411078903	30 80-90210 920.0 60-89229 6 641 23-55242 54 626 22-45242 54
1110511078903	576 20-41239 17 270 13-72223 16 194 34-75237 15 169 63-76244 14
1110611078903	146 59-77247 10 140 73-78244 10 135 55-79244 10 130 50-80244 10
1110711078903	125 55-80243 7 111118-82239 1 107122-83239 4 85192-86 43 4
1110811078903	54155-89190 10 41108-92187 6 37 91-90236 515.8 57-87197 16
1110911078903	14.1 56-83171 712.4 52-85199 810.4 47-82190 14



STATION: SOUTH POLE LAUNCH DATE: 17 JUL 89 240 Z ECC SONDE: 4A4380 SURFACE CONDITIONS: PRESSURE 688.5 MB, TEMPERATURE -55.9 C, HUMIDITY 0.0 % CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 78.3 ORD; TBOX 25.5 C AT 71.1 ORD; 03 ORD ZERO 36.6, BKGND 37.2, CAL 71.9; 03 BKGND 0.089 MICROAMP; FLOW RATE 27.8 S/100 M FLIGHT NORMALIZED TO TOTAL 03 256.; SONDE TOTAL 03 270.; C.F. .947

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	тотог	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	C	%	K	M/S	DEG
0	688.5	2835.	24.1	. 035	64.0	.0000	-55.9	J	7.	241.7	1117 3	DEO
1	673.0	2986.	23.7	. 035	58.1	.0004	-37.8	-42.5	62.3	263.6	33.3	280.
2	656.0	3164.	23.7	.036	57.0	.0009	-33.7	-38.4	63.8	270.1	33.3	280.
3	639.0	3348.	22.4	.035	53.7	.0014	-33.2	-37.0	69.9	272.7	11.9	258.
4	622.0	3538.	22.6	. 036	54.6	.0019	-33.2	-35.3	83.1	274.8	6.3	258.
5	605.0	3733.	22.2	. 037	53.4	.0024	-33.2	-34.9	86.5	277.0	6.1	260.
6	587.0	3944.	20.5	. 035	49.6	.0029	-34.7	-37.3	78.7	277.7	7.2	252.
7	570.0	4149.	20.0	. 035	48.9	.0033	-36.5	-40.4	68.0	277.9	6.9	222.
8	555.0	4333.	19.1	. 034	46.8	.0037	-37.6	-43.0	58.0	278.8	6.1	201.
9	539.0	4534.	20.0	. 037	49.3	.0042	-39.1	-44.2	59.7	279.3	4.0	217.
10	523.0	4740.	18.9	. 036	47.0	.0047	-40.5			280.0	5.0	219.
11	510.0	4911.	18.8	. 037	47.1	.0050	-41.7			280.6	7.2	206.
12	495.0	5113.	18.9	. 038	47.5	.0055	-43.5			280.7	7.6	190.
13	480.0	5320.	18.5	. 038	46.8	.0059	-44.7			281.8	9.9	185.
14	466.0	5517.	17.6	. 038	44.8	.0063	-46.2			282.3	10.9	198.
15	450.0	5748.	17.2	. 038	44.2	. 0068	-47.9			283.0	10.7	201.
16	437.0	5941.	17.3	.040	44.7	.0072	-49.7			283.1	11.4	194.
17	421.0	6184.	18.2	. 043	47.3	.0077	-51.4			283.9	13.1	186.
18	407.0	6403.	19.5	.048	51.0	.0082	-53.0			284.6	13.6	179.
19	393.0	6628.	19.0	. 048	50.2	.0087	-54.7			285.3	11.0	181.
20	381.0	6826.	17.6	.046	46.8	.0092	-56.2			285.9	9.8	180.
21	370.0	7011.	17.1	. 046	46.0	.0096	-57.7			286.2	12.5	170.
22	358.0	7219.	16.7	. 047	45.0	.0100	-59.0			287.2	15.7	166.
23	345.0	7450.	17.1	. 050	46.5	.0105	-60.7			287.9	17.2	169.
24	333.0	7669.	17.5	. 053	48.0	.0110	-62.5			288.4	17.5	175.
25	321.0	7894.	17.6	. 055	48.8	.0115	-64.7			288.4	18.1	179.
26	310.0	8106.	17.6	. 057	49.3	.0120	-66.4			289.0	17.0	183.
27	300.0	8304.	17.1	. 057	48.2	.0124	-67.7			289.8	13.5	192.
28	290.0	8508.	18.0	. 062	50.9	.0129	-69.0			290.8	9.8	202.
29	280.0	8717.	19.8	. 071	56.2	.0134	-70.1			292.1	6.9	207.
30	270.0	8933.	24.2	. 089	68.9	.0140	-70.4			294.7	7.6	191.
31	260.0	9156.	24.2	. 093	69.2	.0147	-71.8			295.9	8.8	190.
32	250.0	9387.	21.1	. 084	61.0	.0154	-73.4			296.8	7.1	204.
33	240.0	9625.	20.6	. 086	60.0	.0161	-74.8			298.3	4.2	217.
34	230.0	9871.	23.7	. 103	69.5	.0168	-76.3			299.6	2.8	247.
35		10101.	25.9	. 117	75.9	. 0175	-76.3			303.0	3.6	271.
36		10313.	26.2	. 123	77.5	.0183	-77.4			304.5	5. 5	281.
37		10505.	28.3	. 137	83.8	.0190	-77.9			306.6	6.1	285.
38		10731.	39.7		117.1	.0200				310.9		
39		10943.	45.5	. 238	134.4	.0211	-77.9			313.4	8.4	332.
40		11166.	48.5	. 264	144.7	. 0225	-79.6			314.2	6.8	323.
41		11395.	49.5	. 281	148.4	. 0241	-80.5			316.4	5.8	302.
42		11598.	50.9	. 299	152.2	. 0255	-80.3			320.0	7.6	300.
43		11807.	52.6	. 321	158.4	.0269	-81.3			321.6	5.5	293.
44		12031.	54.2	. 344	162.9	.0286	-81.3			325.3	4.0	318.
45		12253.	58.1	. 384	175.0	. 0303	-81.7			328.4	5.8	334.
46		12475.	64.3	. 442	194.5	.0321	-82.3			331.2	5.0	333.
47		12711.	63.0	. 452	190.6	.0342	-82.3			335.2	4.9	326.
48		12948.	64.0		194.2	.0363	-82.8			338.3	5.4	306.
49	128.0	13161.	68.1	. 530	206.6	. 0383	-82.8			342.0	4.5	293.


STATI	ON: SOUTH POLE		LAUNC	H DATE:	17 .1111	89 240 Z	FCC	SONDE:	444380	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	C C	76	К .	M/S	DEG
50	123.8 13373.	75.7	. 611	230.1	.0404	-83.2		345.1	3.4	312.
51	118.9 13597.	92.0	. 773	281.2	.0428	-84.3		347.0	3.2	310.
52	114.0 13829.	106.1	. 931	325.7	.0460	-85.1		349.7	4.0	335.
53	109.4 14056.	119.2	1.090	366.6	.0495	-85.3		353.4	7.7	5.
54	104.6 14301.	125.5	1.200	389.1	.0537	-87.0		354.8	9.9	358.
55	100.0 14547.	108.7	1.087	337.6	.0581	-87.2		359.0	10.2	337.
56	96.0 14768.	80.0	.834	249.8	.0613	-88.1		361.5	8.2	330.
57	91.6 15023.	93.5	1.021	291.9	.0644	-88.3		366.0	6.9	331.
58	87.9 15246.	123.0	1.400	384.1	.0676	-88.3		370.3	7.6	326.
59	84'.1 15484.	141.2	1.679	443.8	.0720	-89.4		372.7	5.9	319.
60	80.6 15713.	151.4	1.879	474.8	.0767	-89.0		378.2	7.5	321.
61	77.0 15960.	153.1	1.988	479.1	.0822	-88.7		383.7	7.6	326.
62	74.0 16174.	152.8	2.064	480.1	.0869	-89.4		386.6	4.0	303.
63	70.5 16435.	143.4	2.034	450.6	.0926	-89.4		392.0	4.7	305.
64	67.3 16684.	130.0	1.932	412.4	.0976	-91.1		393.6	5.0	330.
65	64.2 16936.	143.1	2.229	452.7	. 1026	-90.6		400.0	4.0	15.
66	61.2 17191.	140.6	2.298	445.9	.1079	-91.1		404.5	4.8	26.
67	58.6 17422.	137.9	2.353	439.0	.1127	-91.8		407.9	5.2	2.
68	55.6 17701.	137.0	2.465	436.3	. 1183	-91.8		414.0	5.9	1.
69	53.1 17945.	137.4	2.588	441.3	. 1232	-93.4		415.9	7.4	346.
70	50.6 18199.	134.6	2.660	432.7	.1284	-93.6		421.1	8.3	330.
71	48.1 18465.	128.3	2.668	411.5	. 1336	-93.1		428.5	6.7	336.
72	46.0 18701.	124.2	2.699	398.1	. 1381	-93.1		434.0	5.4	333.
73	43.6 18983.	123.7	2.837	396.8	. 1433	-93.1		440.7	3.0	327.
74	41.6 19230.	113.3	2.723	366.1	. 1478	-94.5		443.3	1.7	8.
75	3 9.5 19501.	108.9	2.757	352.0	. 1523	-94.5		449.9	5.4	359.
76	37.4 19789.	96.4	2.578	307.7	. 1569	-92.3		462.4	8.2	355.
77	36.8 19874.	92.8	2.522	298.5	. 1581	-93.6		461.2	7.9	349.
78	34.0 20290.	85.1	2.504	274.4	. 1637	-93.9		471.0	7.9	348.
79	33.2 20415.	78.6	2.368	253.7	. 1653	-94.2		473.5	8.7	338.
80	30.8 20810.	75.0	2.435	239.6	. 1699	-92.3		488.8	10.1	318.
81	29.1 21111.	75.0	2.578	239.7	. 1733	-92.6		496.1	9.5	294.
82	27.8 21353.	75.0	2.698	239.6	.1760	-92.3		503.3	4.3	280.
83	26.3 21646.	73.2	2.784	234.6	.1792	-93.1		509.1	1.3	77.
84	25.0 21914.	71.5	2.860	227.5	.1821	-91.8		520.2	3.4	65.
85	24.0 22131.	68.0	2.833	216.6	. 1843	-91.8		526.4	6.8	29.
86 87	22.9 22379.	64.1	2.800	205.6	. 1868	-93.1		529.7	6.1	343.
88	21.9 22615.	59.0	2.694	189.1	.1890	-93.1 -91.8		536.5	5.0	295.
89	21.0 22837. 20.0 23097.	60.3 61.0	2.873	192.0	.1909			546.8	5.2 4.1	356.
90	19.0 23370.	62.2	3.050 3.275	193.1 197.4	. 1933 . 1957	-90.8 -91.1		557.5 565.0	4.1	346. 298.
91	18.1 23630.	63.0	3.480	198.4	.1937	-89.9		576.6	2.2	330.
92	17.5 23810.	56.4	3.220	178.1	.1997	-90.6		580.0	.8	56.
93	16.8 24029.	55.9	3.326	176.1	. 2015	-90.6		586.8	3.5	78.
94	16.0 24290.	55.9	3.493	176.5	. 2013	-90.4		595.8	4.8	57.
95	15.0 24636.	56.3	3.751	176.6	.2065	-89.2		610.7	6.2	353.
96	14.3 24895.	56.0	3.914	174.3	. 2086	-87.6		624.4	9.6	323.
97	13.6 25167.	55.2	4.060	172.7	.2108	-88.5		630.4	9.4	301.
98	13.0 25412.	54.8	4.218	170.3	.2128	-87.2		643.1	6.9	260.
99	12.1 25803.	53.6	4.430	165.9	.2158	-86.6		658.7	6.9	260.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 21.1
 18.4
 44.7
 120.2
 115.9
 65.2
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110117078903	00256 99 .947 ECC TOTAL 03 FROM SONDE DATA 270
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110217078903	689 24-56 500 19-43195 7 300 17-68192 14 200 37-78304 6
1110317078903	150 59-82334 6 100109-87337 10 70141-90309 5 50133-93331 8
1110417078903	30 75-92307 1020.0 61-91346 4 673 24-38280 33 656 24-34280 33
1110517078903	605 22-33260 6 230 24-76247 3 129 68-83293 5 109119-85 5 8
1110617078903	105125-87358 10 96 80-88330 8 92 93-88331 7 88123-88326 8
1110717078903	84141-89319 6 81151-89321 8 74153-89303 4 67130-91330 5
1110817078903	64143-91 15 4 40109-95359 5 37 96-92355 8 33 79-94338 9
1110917078903	21.9 59-93295 512.1 54-87260 7



STATION: SOUTH POLE LAUNCH DATE: 20 JUL 89 236 Z ECC SONDE: 4A4381

SURFACE CONDITIONS: PRESSURE 683.6 MB, TEMPERATURE -61.2 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 78.3 ORD; TBOX 24.0 C AT 70.8 ORD;

O3 ORD ZERO 29.8, BKGND 30.5, CAL 69.8; O3 BKGND 0.092 MICROAMP; FLOW RATE 26.8 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 286.; SONDE TOTAL O3 299.; C.F. .958


TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K٠	M/S	DEG
0	683.6	2835.	25.7	. 038	69.8	. 0000	-61.2			236.3		
1	660.0	3062.	23.1	. 035	58.2	.0007	-43.9			258.2	23.0	253.
2	647.0	3197.	22.1	. 034	54.7	. 0011	-39.1	-42.8	69.1	265.1	23.0	253.
3	631.0	3370.	21.7	. 034	53.1	.0015	-36.7	-41.0	65.5	269.7	11.4	236.
4	616.0	3536.	20.9	. 034	50.8	.0019	-36.2	-41.1	61.7	272.1	9.9	233.
5	600.0	3719.	20.0	. 033	48.9	.0023	-36.4	-39.4	74.8	274.0	11.2	239.
6	585.0	3894.	19.4	. 033	47.6	.0027	-36.8	-39.9	75.0	275.4	11.3	252.
7	569.0	4086.	20.0	. 035	49.2	.0031	-38.6	-42.1	71.3	275.5	11.7	268.
8	550.0	4319.	18.3	. 033	44.9	.0037	-38.5	-42.1	70.2	278.4	10.6	266.
9	534.0	4521.	17.4	. 033	43.4	.0041	-40.6			278.2	7.2	248.
10	518.0	4728.	17.4	. 034	43.5	. 0045	-41.8			279.2	4.6	231.
11	501.0	4954.	17.4	. 035	43.6	.0049	-42.1			281.5	5.4	213.
12	488.0	5131.	17.3	. 036	43.8	. 0053	-44.0			281.3	7.2	220.
13	474.0	5325.	16.6	. 035	42.2	.0057	-46.2			281.0	7.0	232.
14	460.0	5524.	15.7	. 034	40.4	.0061	-48.1			281.0	5.2	231.
15	445.0	5742.	15.7	. 035	40.7	.0065	-49.6			281.8	7.3	212.
16	431.0	5951.	15.2	. 035	39.4	.0069	-49.6			284.3	12.8	192.
17	419.0	6135.	15.6	. 037	40.6	.0072	-50.7			285.2	15.6	188.
18	404.0	6372.	15.2	. 038	39.8	.0076	-52.9			285.3	15.7	195.
19	391.0	6582.	14.7	. 038	39.0	.0080	-54.2			286.4	16.2	197.
20	380.0	6764.	13.4	. 035	35.5	.0083	-56.1			286.2	9.2	189.
21	369.0	6950.	12.9	. 035	34.6	.0086	-57.7			286.5	7.6	196.
22	355.0	7193.	12.1	. 034	32.6	. 0090	-59.7			286.9	13.3	208.
23	342.0	7426.	12.9	. 038	35.1	.0094	-61.3			287.8	14.4	209.
24	330.0	7647.	12.9	. 039	35.3	.0097	-61.9			289.9	16.3	207.
25	321.0	7817.	13.4	. 042	37.2	.0100	-65.1			287.9	25.1	193.
26 27	310.0 300.0	8029.	12.4 10.2	. 040	34.9 29.0	.0104	-66.6			288.6	26.5	194. 205.
28	290.0	8226. 8428.	12.0	. 034	34.2	.0107 .0110	-68.9 -70.4			288.1 288.8	20.0 17.2	200.
29	280.0	8636.	12.9	.041 .046	37.1	.0113	-71.2			290.5	12.6	195.
30	270.0	8850.	15.7	. 058	45.2	.0117	-71.2 -72.8			290.3	7.9	191.
31	262.0	9026.	17.9	. 068	51.6	.0121	-73.3			293.1	4.1	192.
32	255.0	9184.	21.0	. 082	61.0	.0121	-74.8			293.1	1.7	216.
33	247.0	9369.	24.5	. 099	71.3	.0130	-74.9			295.6	2.3	291.
34	235.0	9658.	28.9	.123	84.6	.0140	-75.7			298.7	4.0	290.
35	225.0	9909.	34.2	. 152	100.1	.0150	-76.0			301.9	4.2	298.
36		10171.	38.9	.181	114.5	.0163	-77.0			304.4	4.2	318.
37		10417.	39.3	.191	115.4	.0176	-76.6			308.6	4.4	315.
38		10627.	39.3	.198	116.1	.0187	-77.6			310.4	5.3	339.
39		10827.	43.5	. 227	128.4	.0198	-77.9			312.9	6.3	349.
40		11055.	46.3	. 251	136.8	.0212	-78.3			316.0	5.7	339.
41		11285.	51.3	. 290	152.2	.0227	-78.4			319.4	6.7	344.
42		11522.	52.6	.310	156.1	.0244	-78.8			322.7	8.3	359.
43		11740.	63.3	. 387	188.4	.0260	-79.3			325.4	10.0	9.
44		11963.	61.2	. 389	182.4	.0280	-79.6			328.5	8.9	360.
45		12187.	62.4	. 413	187.3	.0299	-80.8			330.1	7.8	353.
46		12416.	69.1	. 477	207.5	.0319	-80.6			334.3	9.1	1.
47		12634.	78.7	.564	236.1	. 0340	-80.8			337.7	9.0	352.
48		12860.	82.1	.612	247.0	.0365	-81.3			340.6	6.5	341.
49		13112.	84.8	.662	256.7	.0394	-82.4			343.1	5.0	2.
		•					-					

STATI	ON COUTH BOLE		LAUNC	H DATE:	20 .1111	89 236 Z	FOO	SONDE:	444381	
TIME	ON: SOUTH POLE PRESS ALT	OZONE		OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	C C	%	K .	M/S	DEG
50	123.1 13334.	102.5	. 832	311.3	.0422	-83.2		345.6	6.3	9.
51	118.0 13570.	121.7	1.031	370.0	.0458	-83.2		349.8	5.3	351.
52	112.9 13815.	121.6	1.077	372.6	. 0500	-84.7		351.4	3.6	347.
53	108.0 14059.	133.9	1.240	411.2	. 0543	-85.1		355.1	3.2	27.
54	103.7 14282.	128.9	1.243	397.9	. 0585	-86.2		357.3	4.1	54.
55	99.4 14514.	132.4	1.332	409.0	.0628	-86.2		361.7	6.1	38.
56	95.3 14744.	149.2	1.565	462.7	.0673	-87.0		364.4	7.6	19.
57	91.5 14966.	156.8	1.713	487.3	.0721	-87.4		367.8	7.5	360.
58	87.1 15234.	162.7	1.868	505.2	.0782	-87.2		373.5	8.4	351.
59	82.9 15504.	165.9	2.001	514.9	. 0846	-87.2		378.8	9.7	342.
60	78.5 15800.	162.2	2.066	504.6	.0916	-87.6		383.8	9.0	333.
61	74.3 16099.	155.3	2.090	483.8	. 0985	-87.9		389.5	5.4	337.
62	70.8 16361.	141.2	1.995	440.1	. 1043	-87.9		394.9	4.3	348.
63	68.0 16579.	134.7	1.981	422.3	. 1086	-89.0		397.1	5.0	346.
64	65.0 16822.	137.3	2.113	432.5	. 1134	-89.9		400.2	4.5	5.
65	62.1 17067.	143.2	2.305	451.0	.1184	-89.9		405.4	5.1	354.
6 6	58.1 17423.	149.8	2.578	474.2	.1260	-90.8		411.1	6.4	356.
67	56.2 17 60 1.	147.8	2.631	468.9	. 1298	-91.1		414.5	8.6	14.
68	53.4 17873.	143.3	2.684	456.3	. 1357	-91.8		418.8	8.2	8.
6 9	50.9 18127.	138.8	2.728	442.0	.1410	-91.8		424.6	6.1	18.
70	48.1 18428.	126.8	2.636	403.8	. 1470	-91.8		431.5	8.2	37.
71	45.8 18688.	126.8	2.768	403.7	. 1519	-91.8		437.6	22.6	49.
72	43.6 18950.	120.1	2.754	382.5	.1568	-91.8		443.8	11.2	61.
73	41.5 19211.	107.6	2.594	343.6	.1613	-92.3		448.9	1.5	193.
74	39.4 19487.	108.2	2.746	344.9	. 1657	-92.1		456.2	12.1	62.
75	37.4 19762.	106.8	2.855	341.9	. 1701	-92.8		461.1	12.6	81.
76	35.4 20052.	106.0	2.994	339.9	. 1747	-93.1		467.7	8.7	90.
77	33.5 20343.	102.7	3.067	329.4	.1793	-93.1		475.1	5.1	90.
78	31.5 20668.	98.6	3.131	316.7	. 1842	-93.4		482.8	4.7	84.
79	30.0 20925.	93.2	3.106	298.9	.1880	-93.1		490.3	8.4	73.
80	28.6 21177.	82.6	2.889	264.7	. 1913	-92.8		497.8	8.4	38.
81	27.0 21482.	77.6	2.873	247.0	. 1951	-91.8		508.9	6.1	26.
82	25.8 21723.	79.0	3.062	252.2	. 1978	-92.3		514.1	9.6	60.
83	24.3 22041.	82.7	3.405	263.4	.2016	-91.8		524.5	7.7	68.
84	23.0 22332.	86.5	3.759	276.0	. 2052	-92.3		531.3	5.6	103.
85	21.7 22641.	81.4	3.751	259.2	. 2091	-91.8		541.7	6.9	92.
86	20.8 22866.	73.8	3.549	234.4	.2117	-91.3		549.8	4.9	126.
87	19.9 23102.		3.320		.2142			557.6		
88	19.0 23350.	64.2		202.0	. 2166	-89.9		568.7	4.3	71.
89	18.0 23640.	60.9	3.383	191.3	.2193	-89.4		579.0	6.8	58.
9 0 91	17.0 23948.	58.9		185.0	. 2220	-89.4		588.6	8.7	32.
92	16.1 24241. 15.2 24550.	58.9 58.0	3.658 3.818	185.0 182.3	. 2245	-89.4		597.8	9.6	31.
93	14.5 24804.	57.4	3.956		. 2271	-89.4		607.7	7.5	40.
94	13.9 25033.	56.7	4.078	179.4 177.8	. 2292 . 2311	-88.5 -89.0		619.0	9.3	91. 97
95	13.9 25035.	55.7	4.078	174.0	. 2341	-88.3		624.9 639.3	13.4	87. 106.
96	12.2 25739.	55.7	4.568	174.0	.2368	-87.2		654.9	10.5	
97	11.9 25876.	54.1	4.546	166.6	. 2379	-85.5		665.5	12.2 11.1	117. 104.
98	11.2 26209.	53.6	4.788	164.7	. 2405	-85.5 -85.1		678.6	6.0	104.
99	10.6 26513.	53.0		162.3	. 2428	-84.7		690.8	7.0	111.
100	10.0 26835.	52.2	5.219	159.5	.2452	-84.3		703.8	12.8	81.
101	9.4 27178.	50.9	5.419	154.8	.2477	-83.2		720.8	12.8	81.
								5 . 5		

SFC-500MB 500-250 250-125 125-62.5 62.5-31.2 31.2-15.6 15.6-7.8 7.8-3.9 20.2 14.3 51.8 140.0 122.7 74.9 999.9 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110120078903	00286 99 .958 ECC TOTAL 03 FROM SONDE DATA 299
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110220078903	684 26-61 500 17-42214 6 300 10-69205 20 200 39-77334 5
1110320078903	150 64-81295 8 100132-86 40 6 70139-88347 4 50135-92 24 7
1110420078903	30 93-93 73 820.0 67-91103 310.0 52-84 81 13 660 23-44253 23
1110520078903	647 22-39253 23 631 22-37236 11 585 19-37252 11 460 16-48231 5
1110620078903	330 13-62207 16 255 21-75216 2 170 53-79359 8 163 63-79 9 10
1110720078903	128 85-82 2 5 118122-83351 5 113122-85347 4 108134-85 27 3
1110820078903	92157-87360 8 83166-87342 10 74155-88337 5 68135-89346 5
1110920078903	58150-91356 6 42108-92193 227.0 78-92 26 623.0 86-92103 6
1111020078903	9.4 51-83 81 13



STATION: SOUTH POLE LAUNCH DATE: 27 JUL 89 258 Z ECC SONDE: 4A4382

SURFACE CONDITIONS: PRESSURE 676.2 MB, TEMPERATURE -63.8 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 78.3 ORD; TBOX 21.0 C AT 69.9 ORD;

O3 ORD ZERO 33.5, BKGND 34.0, CAL 70.7; O3 BKGND 0.071 MICROAMP; FLOW RATE 26.5 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 283.; C.F.


TIME	PRESS	ALT	OZONE	OZONE	OZDEN	тотог	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	676.2	2835.	21.6	. 032	59.7	.0000	-63.8			234.1		
1	660.0	2992.	22.2	. 034	54.8	.0004	-39.7	-44.4	61.7	262.9	41.8	201.
2	643.0	3172.	21.4	. 033	52.0	.0009	-35.6	-38.7	75.1	269.5	41.8	201.
3	629.0	3326.	21.0	. 033	50.7	.0012	-34.6	-37.1	79.1	272.4	35.7	185.
4	609.9	3541.	21.1	.035	51.0	.0018	-35.0	-38.5	71.7	274.3	30.9	177.
5	590.0	3772.	20.6	.035	50.0	.0023	-35.6	-39.9	65.9	276.2	27.3	177.
6	572.0	3987.	19.7	. 034	48.0	.0028	-36.5	-40.6	66.5	277.6	21.7	171.
7	569.0	4024.	20.1	. 035	49.3	.0029	-37.9	-42.2	65.4	276.4	18.7	161.
8	541.0 528.0	4372.	20.1	. 037	49.4	.0037	-37.8	-44.9	48.2	280.5	20.4	158.
9	513.0	4539.	19.2	. 036	47.4	.0040	-39.2	-43.7	63.6	280.8	24.7	161.
10		4736.	18.4	. 036	45.3	.0045	-39.3	-43.7	64.5	283.0	24.6	159.
11	500.0	4912.	17.9	. 036	44.5	.0048	-40.4			283.8	22.6	157.
12	486.0 471.0	5105.	17.1	. 035	42.6	.0052	-41.3			284.9	25.2	160.
13		5317.	17.1	. 036	42.9	.0056	-42.7			285.8	24.6	167. 175.
14	459.0	5491.	17.2	.037	43.2	.0060	-44.0			286.3	24.4	175.
15 16	445.0 432.0	5698. 5895.	15.9 13.6	. 036	40.3	.0064	-45.7 -47.2			286.7 287.2	26.4 25.4	181.
17	419.0	6096.	15.3	. 031 . 037	34.7	.0067 .0071	-47.2 -49.4			286.9	25.8	183.
18	405.0	6318.	16.2	.040	39.6 41.9	.0075	-49.4 -50.6			288.1	27.6	182.
19	392.0	6530.	16.6	.042	43.4	.0079	-50.6 -51.9			289.2	26.6	183.
20	381.0	6714.	15.7	.042	41.3	.0079	-51.9 -53.3			289.7	25.6	181.
21	370.0	6902.	14.9	.040	39.4	.0086	-55.4			289.4	26.5	180.
22	360.0	7076.	14.9	.040	39.4	.0089	-57.0			289.4	26.9	179.
23	348.0	7290.	14.4	. 041	38.8	.0093	-58.7			290.0	28.4	177.
24	335.0	7528.	12.7	.038	34.5	.0097	-60.7			290.4	29.2	176.
25	321.0	7792.	10.9	. 034	29.9	.0101	-62.5			291.4	31.4	175.
26	311.0	7987.	12.7	. 041	35.0	.0104	-63.8			292.3	30.0	173.
27	301.0	8187.	11.8	. 039	32.9	.0107	-65.2			293.1	30.3	169.
28	290.0	8413.	11.0	.038	30.7	.0111	-67.0			293.6	34.2	166.
29	281.0	8602.	11.4	.041	32.1	.0114	-69.0			293.4	32.9	164.
30	274.0	8752.	12.2	. 045	34.7	.0116	-71.1			292.5	30.7	160.
31	266.0	8926.	12.6	. 047	36.3	.0119	-73.3			291.8	32.3	155.
32	256.0	9150.	12.6	.049	36.7	.0122	-74.8			292.8	27.1	153.
33	247.0	9357.	13.5	. 055	39.4	.0126	-75.7			294.5	19.8	158.
34	237.0	9596.	14.7	.062	43.3	.0130	-76.3			297.0	23.1	170.
35	229.0	9795.	16.9	. 074	49.2	.0134	-75.1			301.8	27.9	181.
36	220.0	10027.	19.3	.088	56.6	.0140	-75.8			304.1	26.6	188.
37	211.0	10268.	18.5	. 088	54.2	.0146	-76.3			307.0	21.8	189.
38	203.0	10490.	24.7	. 122	72.8	.0152				308.4	19.6	190.
39		10685.	26.7	. 136	79.2	.0159	-78.8			309.6	19.5	193.
40	189.0	10897.	31.5	. 167	94.0	.0167	-79.6			311.6	23.8	181.
41	182.2	11105.	38.8	. 213	115.6	.0177	-79.6			314.8	22.8	171.
42	176.0	11300.	43.1	. 245	129.7	.0187	-81.2			315.4	12.8	179.
43		11499.	39.6	. 233	119.2	.0199	-81.3			318.3	13.8	186.
44	163.6	11711.	45.6	. 279	137.4	.0211	-81.3			321.7	19.1	182.
45		11921.	52.7	.334	158.7	.0225	-81.3			325.2	19.3	180.
46	151.5	12142.	61.0	. 403	183.9	.0242	-81.7			328.3	15.2	179.
47	145.2	12380.	61.7	. 425	186.7	.0262	-82.3			331.3	9.7	177.
48	139.6	12600.	70.7	. 506	214.3	.0282	-82.8			334.1	8.4	172.
49	134.4	12812.	81.1	. 603	245.4	.0304	-82.4			338.4	2.0	352.

STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	27 JUL	89 258 Z	ECC	SONDE:	4A4382	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T	WIND	WIND
MIN	мв	GPM	NB	PPMV	GAMMA	ATMCM	СС	%	K	M/S	DEG
50	129.2	13032.	88.0	. 681	266.6	. 0330	-82.6		341.9	3.6	172.
51	124.0	13261.	93.4	.753	283.8	. 0358	-83.2		344.9	19.2	175.
52	119.0	13490.	102.2	.859	311.3	. 0388	-83.6		348.3	20.0	189.
53	114.2	13718.	104.7	.917	320.7	.0421	-84.7		350.2	14.0	224.
54	109.5	13949.	108.0	.986	331.7	.0456	-85.1		353.7	13.2	217.
55	104.6	14201.	110.9	1.060	340.7	.0495	-85.1		358.4	14.4	194.
56	100.8	14405.	120.2	1.192	369.1	.0527	-85.1		362.2	13.0	197.
57	96.9	14622.	130.7	1.349	401.8	. 0565	-85.3		36 5.9	15.2	198.
58	92.5	14877.	138.4	1.496	427.4	. 0614	-86.2		369.2	16.2	193.
59	88.3	15131.	140.3	1.589	435.5	. 0664	-87.2		372.0	21.8	195.
60	84.3	15383.	140.3	1.664	436.7	.0715	-87.6		376.1	17.4	213.
61	80.9	15607.	140.7	1.739	439.3	.0760	-88.3		379.2	14.0	214.
62	76.2	15931.	146.2	1.919	456.1	.0826	-88.1		386.2	15.5	201.
63		16097.	157.5	2.131	492.5	.0862	-88.5		388.7	11.1	206.
64	71.0	16313.	161.8	2.279	507.2	.0911	-89.0		392.2	15.3	203.
65	67.5	16586.	158.5	2.348	496.2	. 0975	-88.7		398.4	24.4	190.
66	63.5	16916.	156.0	2.457	488.9	. 1051	-89.0		404.9	19.0	187.
67		17062.	155.8	2.521	488.3	. 1084	-89.0		408.0	16.6	193.
68	58.9	17322.	154.3	2.620	483.8	. 1143	-89.0		413.7	32.5	183.
69	56.2	17574.	151.2	2.690	475.0	.1199	-89.4		418.2	7.7	186.
70	5 3 .7	17819.	145.2	2.704	456.9	.1253	-89.7		423.2	3.8	357.
71	51.0	18096.	143.2	2.808	451.8	.1312	-90.1		428.4	21.1	177.
72	48.5	18365.	141.0	2.907	445.5	. 1367	-90.4		434.0	20.4	177.
73	46.2	18624.	137.8	2.983	438.8	.1420	-91.8		436.5	20.5	181.
74		18896.	135.3	3.082	430.9	. 1475	-91.8		442.9	22.1	181.
75		19194.	135.1	3.255	429.5	. 1534	-91.6		450.7	19.7	181.
76	39.9	19404.	134.1	3.361	424.2	. 1576	-90.6		458.3	26.1	186.
77		19693.	128.6	3.402	406.1	. 1632	-90.4		466.0	28.4	188.
78		19954.	120.6	3.350	381.5	.1681	-90.6		471.9	22.5	195.
79		20244.	116.8	3.425	369.2	. 1732	-90.6		479.3	19.5	194.
80		20436.	108.6	3.301	343.5	. 1764	-90.6		484.2	17.9	183.
81		20702.	100.5	3.211	319.5	. 1806	-91.6		488.6	19.1	178.
82		20927.	95.6	3.187	304.3	.1839	-91.8		493.8	20.1	178.
83		21218.	94.9	3.342	302.3	.1880	-91.8		501.6	21.8	178.
84		21487.	91.8	3.400	292.3	. 1917	-91.8		508.9	22.5	186.
85		21791.	85.3	3.345	270.8	. 1958	-91.3		518.7	23.1	189.
86		22070.	77.7	3.211	246.3	. 1991	-91.1		527.3	29.3	187.
87		22341.		3.339		. 2022				40.1	
88		22701.	79.3		251.5	. 2064	-91.1		545.4		182.
89		22852.	80.9	3.871	255.7	. 2081	-90.6			15.4	
90 91		23087.	74.3	3.715	234.8	.2109	-90.4		559.0		182.
92		23306. 23594.	69.0 66.1	3.594 3.632	217.2 207.4	.2132 .2161	-89.7 -89.2		567.7		184.
93		23775.	65.2		207.4	.2178	-88.5		577.9	27.2	182.
94		23995.	65.1	3.705 3.852	202.3	.2176	-87.4		585.6 596.0	.7 3.8	3 59. 179.
95		24294.	63.9	3.994	197.7	.2199	-86.6		608.1	30.1	179.
96		24539.	62.5	4.085	192.8	. 2249	-85.9		618.0	28.5	179.
97		24796.	63.5	4.349	194.8	.2272	-85.1		629.1	25.0	218.
98		25027.	63.4	4.529	194.7	. 2293	-85.1		636.6	22.8	166.
99		25352.	62.1	4.705	189.3	. 2322	-83.8		652.2	41.3	145.
100		25655.	62.4	4.992	189.5	. 2349	-83.0		665.1	39.8	176.
101		25883.	61.4		185.6	. 2368	-82.1		676.1	39.8	176.
						· 	3				• •

SFC-500MB 500-250 250-125 125-62.5 62.5-31.2 31.2-15.6 15.6-7.8 7.8-3.9 20.3 14.0 41.6 131.3 134.6 78.7 999.9 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR	COMMENTS		
1110127078903	99	ECC TOTAL	. 03 FROM SONDE DA	TA 283
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFF	PPPP P3TTTDDDF	FFPPPP P3TTTDDDFF	FPPPP P3TTTDDDFFF
1110227078903	676 22-64	500 18-40157	23 300 12-65169 3	31 200 26-78191 20
1110327078903	150 61-82179 14	100122-85197	13 70161-89199 1	8 50142-90177 21
1110427078903	30 96-92178 20	20.0 74-90182	26 660 22-40201 4	2 643 21-36201 42
1110527078903	590 21-36177 27	256 13-75153	27 176 43-81179 1	3 170 40-81186 14
1110627078903	119102-84189 20	105111-85194	14 93138-86193 1	6 81141-88214 14
1110727078903	40134-91186 26	24.2 78-91187	2912.0 61-82176 4	0



STATION: SOUTH POLE LAUNCH DATE: 5 AUG 89 244 Z ECC SONDE: 4A4384

SURFACE CONDITIONS: PRESSURE 668.3 MB, TEMPERATURE -65.1 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 78.8 ORD; TBOX 24.0 C AT 70.5 ORD;

O3 ORD ZERO 32.3, BKGND 32.8, CAL 67.0; O3 BKGND 0.076 MICROAMP; FLOW RATE 26.4 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 299.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	тотох	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	C	%	K	M/S	DEG
0	668.3	2835.	17.6	.026	48.8	.0000	-65.1	Ū	,,	233.5	, 5	020
1	651.0	3000.	21.6	.033	56.3	.0004	-52.0			250.0	47.9	243.
2	638.0	3132.	21.6	. 034	54.9	.0007	-45.9			258.4	47.9	243.
3	625.0	3270.	18.3	.029	46.3	.0011	-45.4			260.5	27.7	253.
4	608.0	3453.	16.9	.028	42.9	.0014	-46.2			261.7	24.0	262.
5	591.0	3642.	17.7	. 030	45.2	.0018	-46.6			263.3	20.6	258.
6	575.0	3823.	19.4	. 034	49.5	.0022	-47.3			264.5	18.9	255.
7	560.0	3998.	19.0	. 034	48.6	.0026	-47.4			266.4	17.4	249.
8	545.0	4178.	19.5	.036	49.8	.0030	-47.4			268.5	19.3	239.
9	530.0	4362.	19.0	. 036	48.7	.0034	-48.0			270.0	20.6	231.
10	515.0	4551.	17.5	. 034	44.9	.0039	-48.8			271.2	17.1	225.
11	501.0	4732.	18.5	. 037	47.5	.0042	-48.6			273.6	18.4	215.
12	487.0	4919.	16.1	.033	41.5	.0046	-49.0			275.3	22.9	211.
13	473.0	5110.	17.0	.036	44.1	.0050	-50.2			276.2	20.6	205.
14	460.0	5291.	16.0	. 035	41.7	.0054	-51.3			277.0	16.6	202.
15	448.0	5462.	16.5	.037	43.2	.0057	-53.0			276.9	15.4	210.
16	437.0	5622.	15.1	.035	39.7	.0060	-54.0			277.7	16.9	211.
17	426.0	5786.	16.1	.038	42.6	.0063	-54.5			279.0	16.7	216.
18	413.0	5984.	17.1	.041	45.4	.0067	-55.6			280.1	15.5	217.
19	401.0	6171.	18.0	.045	48.0	.0071	-56.5			281.3	16.2	214.
20	390.0	6347.	17.5	.045	47.0	.0071	-57.6			282.1	17.1	207.
21	378.0	6544.	17.0	.045	45.8	.0079	-58.8			283.1	17.1	210.
22	367.0	6729.	17.8	.049	48.3	.0073	-60.1			283.7	18.3	217.
23	358.0	6883.	17.6	.049	47.4	.0087	-61.2			284.3	18.5	209.
24	347.0	7077.	18.3	.053	50.1	.0091	-61.9			285.8	19.4	212.
25	336.0	7276.	18.4	. 055	50.4	.0091	-62.9			287.1	21.3	216.
26	325.0	7480.	18.8	.058	51.9	.0100	-64.2			288.1	21.8	215.
27	313.0	7710.	18.8	.060	52.2	.0106	-65.2			289.8	20.2	206.
28	307.0	7827.	19.2	.063	53.6	.0100	-66.2			290.0	21.5	205.
29	297.0	8028.	18.7	.063	52.4	.0114	-67.0			291.6	20.2	208.
30	290.0	8171.	20.4	.070	57.5	.0117	-68.2			291.9	19.3	209.
31	280.0	8381.	19.4	.069	55.0	.0117	-69.3			293.3	20.0	208.
32	273.0	8532.	21.3	.078	60.2	.0123	-69.0			295.8	19.7	204.
33	263.0	8755.	25.3	.096	71.6	.0133	-69.4			298.4	20.5	209.
34	257.0	8893.	27.4	. 107	78.1	.0138	-70.5			298.7	19.0	209.
35	250.0	9056.	25.7	. 107	73.6	.0143	-71.7			299.4	18.6	205.
36	241.0	9272.	28.3	. 117	81.4	.0151	-72.4			301.5	18.6	207.
37	232.0	9496.	34.4	.148	98.9	.0160	-72.2			305.0	17.2	203.
38		9650.	40.0	. 177	115.6		-73.3			305.7	19.0	199.
39		9834.	41.1	.188	119.3	.0177	-74.3			306.9	24.4	191.
40		10078.	40.6	. 193	118.3	.0190	-74.8			309.9	19.7	203.
41		10076.	41.8	. 206	122.2	.0201	-75.5			311.7	13.9	216.
42		10274.	45.7	. 232	134.0	.0201	-75.5 -76.0			313.7	12.5	198.
43		10626.	52.2	. 232	153.0	.0211	-76.8 -76.3			315.7	13.4	210.
44		10020.	55.5	.273	162.9	.0234	-76.5 -76.6			318.0	16.6	204.
		10791.	54.9	. 305	162.5	.0234	-76.6 -77.9			318.7	16.2	192.
45 46				. 340	175.5	.0246	-77.9 -77.9			321.6	18.3	192.
46 47		11148. 11328.	59.3 63.7	.377	188.5	.0251	-77.9 -78.1			321.6	18.4	196.
										324.2	13.6	
48		11502.	65.6 74.6	. 400	194.9	.0291	-78.9 -78.8			328.9	12.3	190. 199.
49	156.8	11682.	74.6	. 470	221.6	.0308	-78.8			320.9	12.3	133.


CTATI	ON COUTH BOLD		LAUNC	H DATE:	5 AUG	89 2	44 Z	FCC	SONDE:	444384	
TIME	ON: SOUTH POLE	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T		WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	C	C	7	K	M/S	DEG
		81.2	.527	240.8	.0326	-78.4	C	/•	332.3	11.0	209.
50	154.1 11854.	83.2	.556	247.7	.0344	-79.3			333.6	11.4	206.
51	149.7 12018.	80.2	.553	239.7	.0365	-79.9			335.5	12.3	200.
52	145.0 12199.		.586	247.8	.0385	-81.2			336.4	11.4	208.
53	140.5 12377.	82.4		248.2	.0404	-81.7			338.3	11.2	204.
54	136.3 12548.	82.3	. 604	251.7	.0423	-82.1			340.6	12.2	194.
55	132.3 12714.	83.3	. 630								
56	128.2 12891.	96.9	. 756	293.0	.0445	-82.3			343.3	12.1 12.3	201. 200.
57	124.1 13072.	93.6	. 754	283.8	.0469	-82.6			345.9		
58	120.1 13255.	101.3	. 843	307.6	.0494	-83.0			348.4 350.9	9.4	188.
59	116.7 13415.	113.2	.970	343.9	.0517	-83.2				9.3	186.
60	113.0 13594.	117.1	1.036	355.8	.0545	-83.2			354.2	9.2	191.
61	109.5 13769.	119.4	1.090	362.1	.0575	-82.8			358.1	8.9	195.
62	106.0 13950.	134.4	1.268	408.0	.0606	-83.0			361.1	12.6 13.2	198.
63	102.3 14147.	153.7	1.502	469.9	.0645	-84.3			362.2		199.
64	98.7 14345.	166.8	1.690	510.5	.0688	-84.5			365.5	12.1	196.
65	95.9 14504.	177.6	1.852	545.4	.0726	-85.1			367.4 370.6	11.0	198.
66	93.0 14673.	184.8	1.987	567.5	.0768	-85.1				11.9	195.
67	90.0 14854.	187.5	2.083	577.6	.0816	-85.7			372.9	9.1	186.
68	87.2 15027.	185.0	2.122	572.5	. 0862	-86.6			374.6	6.1	176.
69	84.3 15211.	181.0	2.147	561.5	.0909	-87.0			377.4	5.6	171.
70	82.0 15362.	175.0	2.134	540.3	.0948	-86.2			382.1	7.7	185.
71	79.5 15532.	171.6	2.158	531.1	. 0991	-86.6			384.7	9.8	174.
72	77.0 15706.	171.4	2.226	531.4	. 1033	-87.0			387.3	7.9	159.
73	74.5 15886.	171.4	2.301	531.5	.1078	-87.0			391.0	6.3	163.
74	72.3 16050.	172.7	2.389	535.6	.1118	-87.0			394.3	5.9	128.
75	70.1 16218.	173.1	2.469	537.5	.1159	-87.2			397.4	6.5	100.
76	67.9 16392.	172.7	2.543	536.1	. 1202	-87.2			401.0	5.6	167.
77	65.8 16563.	171.9	2.612	534.2	.1244	-87.4			404.2	7.6	196.
78	63.6 16748.	169.0	2.657	525.2	.1290	-87.4			408.1	7.9	196.
79	61.5 16930.	166.2	2.702	518.5	. 1334	-88.1			410.6	19.2	195.
80	59.8 17082.	163.5	2.734	511.7	. 1370	-88.7			412.4	9.8	194.
81	58.0 17247.	160.6	2.769	503.3	. 1409	-89.0			415.5	10.5	195.
82	56.1 17426.	158.4	2.824	497.8	. 1450	-89.4			418.4	7.3	185.
83	54.5 17582.	154.7	2.839	486.2	. 1486	-89.4			421.9	5.7	146.
84	53.0 17732.	151.2	2.853	473.4	. 1520	-88.7			426.9	8.3	140.
85	51.4 17898.	151.1	2.940	475.0	. 1556	-89.4			429.0	8.3	139.
86	50.0 18046.	148.1	2.962	465.9	. 1588	-89.7			431.9	7.7	169.
87	48.5 18210.	143.1			.1623				436.2		
88	46.8 18402.	137.0	2.927	432.1	. 1662	-90.1			439.0	6.2	166.
89	45.1 18600.	126.6		398.3	. 1701	-89.7			444.8	9.1	168.
90	43.8 18757.	119.8	2.735	378.0	. 1729	-90.1			447.4	9.9	156.
91	42.5 18919.	125.8	2.960	395.4	. 1758	-89.4			453.0	13.6	163.
92	41.2 19086.	127.0	3.083	398.9	. 1788	-89.4			457.0	5.9	193.
93	40.0 19245.	125.4	3.135	394.1	. 1817	-89.4			460.9	10.3	130.
94	38.9 19395.	120.9	3.108	380.3	. 1845	-89.7			464.0		135.
95	37.7 19564.	113.1	3.000	355.4	. 1873	-89.4			468.8	14.3	143.
96	36.5 19738.	110.1	3.016	346.1	. 1901	-89.4			473.1	17.2	129.
97	35.2 19933.	108.4	3.080	341.5	. 1933	-89.9			476.8	16.3	128.
98	34.1 20104.	105.3	3.088	330.9	. 1960	-89.4			482.4		131.
99	33.0 20280.	102.3	3.100	322.1	. 1987	-89.9			485.7		161.
100	32.0 20445.	102.3	3.197	322.6	. 2011	-90.1			489.4	10.6	173.
101	31.0 20615.	103.2	3.329	324.6	. 2037	-89.7			495.1	12.0	165.
102	30.0 20791.	102.3	3.410	322.1	. 2063	-89.9			499.1	12.1	171.
103	28.9 20992.	97.9	3.388	308.7	. 2093	-90.1			503.8	12.8	172.
104	27.8 21200.	92.1	3.313	291.4	.2122	-90.6			508.1	12.5	165.

STATI	ON: SOUTH POLE		LAUNC	H DATE:	5 AUG	89 2	44 Z	ECC	SONDE:	4A4384	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	Κ -	M/S	DEG
105	27.0 21356.	84.7	3.137	267.8	.2143	-90.6			512.4	11.6	160.
106	26.2 21517.	77.9	2.973	245.3	.2163	-89.9			518.8	13.3	154.
107	25.4 21683.	77.1	3.035	242.5	.2181	-89.7			524.1	15.4	151.
108	24.5 21877.	78.0	3.184	245.0	. 2203	-89.4			530.2	16.2	147.
109	23.8 22033.	77.0	3.235	242.0	. 2221	-89.4			534.6	17.8	142.
110	23.0 22217.	75.3	3.274	236.6	.2241	-89.4			539.9	15.9	150.
111	22.2 22408.	73.6	3.315	231.4	.2262	-89.4			545.3	14.2	153.
112	21.5 22580.	72.2	3.358	226.9	. 2280	-89.4			550.4	14.0	151.
113	20.8 22759.	66.2	3.183	207.7	. 2298	-89.2			556.3	15.9	167.
114	20.1 22943.	63.1	3.139	197.7	. 2315	-88.7			563.1	15.6	161.
115	19.6 23080.	64.8	3.306	201.3	. 2328	-87.2			571.9	13.6	146.
116	19.0 23250.	70.0	3.684	215.3	. 2344	-85.5			582.2	16.5	145.
117	18.3 23456.	73.3	4.005	226.4	. 2365	-86.2			586.6	14.9	143.
118	17.9 23577.	76.3	4.263	235.0	. 2378	-85.7			591.6	9.3	169.
119	17.3 23764.	77.8	4.497	239.6	. 2398	-85.7			597.4	8.7	182.
120	16.9 23893.	71.7	4.243	221.2	.2412	-85.9			600.7	9.6	161.
121	16.4 24058.	70.4	4.293	216.7	. 2429	-85.5			607.2	11.2	159.
122	15.9 24228.	68.5	4.308	210.4	. 2446	-85.1			613.9	11.7	167.
123	15.3 24440.	63.4	4.144	194.8	. 2466	-85.1			620.7	11.5	172.
124	14.8 24623.	63.5	4.291	194.9	. 2483	-85.1			626.6	15.7	169.
125	14.3 24812.	62.2	4.350	190.6	. 2499	-84.7			634.1	17.0	152.
126	14.0 24929.	60.9	4.350	186.5	. 2509	-84.5			638.7	12.7	147.
127	13.5 25130.	61.4	4.548	187.9	. 2527	-84.5			645.3	13.8	157.
128	13.0 25338.	53.3	4.100	163.7	. 2544	-85.1			650.3	19.8	157.
129	12.5 25555.	51.5	4.120	157.6	. 2561	-84.5			659.7	21.0	154.
130	12.0 25781.	51.0	4.250	155.6	.2577	-83.8			670.2	19.3	143.
131	11.5 26017.	50.7	4.409	153.5	.2594	-82.6			682.4	18.9	146.
132	11.0 26266.	49.0	4.455	147.8	. 2611	-81.9			693.8	18.6	150.
133	10.5 26527.	49.2	4.686	148.1	. 2629	-81.3			705.1	14.3	130.
134	10.2 26690.	45.8	4.490	137.6	. 2640	-81.2			711.6	10.5	117.
135	10.0 26801.	39.7	3.970	119.0	. 2647	-80.6			717.6	10.8	135.
136	9.8 26921.	31.7	3.238	94.7	. 2653	-79.9			724.6	9.1	113.
137	9.6 27044.	37.4	3.904	111.5	. 2659	-79.8			729.8	6.7	118.
138	9.4 27170.	38.5	4.109	114.8	. 2666	-79.4			735.7	8.6	153.
139	9.2 27305.	38.6	4.219	114.1	. 2673	-78.1			745.8	9.8	149.
140	8.9 27451.	40.5	4.540	119.6	. 2681	-77.8			752.6	8.2	119.
141	8.7 27581.	38.6	4.427	114.0	. 2688	-77.4			758.7	8.2	118.
142	8.5 27720.	38.3	4.501	113.0	. 2695	-77.3			764.6	7.1	123.
143	8.3 27864.	36.9	4.446	108.6	. 2702	-76.8			772.0	6.1	130.
144	8.1 28011.	37.4	4.623	109.6	. 2710	-76.3			779.6	6.1	130.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
18.6	18.4	58.6	155.2	131.2	77.5	50.1	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110105088903	99 ECC TOTAL 03 FROM SONDE DATA 299
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110205088903	668 18-65 500 18-49215 19 300 19-67207 21 200 44-76207 13
1110305088903	150 83-79206 11 100162-84197 13 70173-87103 6 50148-90169 8
1110405088903	30102-90171 1220.0 63-88158 1510.0 40-81135 11 651 22-52243 48
1110505088903	638 22-46243 48 132 83-82194 12 128 97-82201 12 124 94-83200 12
1110605088903	117113-83186 9 110119-83195 9 90188-86186 9 80172-87174 10
1110705088903	44120-90156 10 41127-89193 6 37110-89129 1726.2 78-90154 13
1110805088903	19.0 70-86145 1717.3 78-86182 913.0 53-85157 2010.5 49-81130 14
1110905088903	9.8 32-80113 9 8.9 41-78119 8 8.1 37-76130 6



STATION: SOUTH POLE LAUNCH DATE: 10 AUG 89 240 Z ECC SONDE: 4A4385

SURFACE CONDITIONS: PRESSURE 690.4 MB, TEMPERATURE -57.7 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 77.5 ORD; TBOX 26.0 C AT 71.9 ORD;

03 ORD ZERO 37.3, BKGND 38.0, CAL 74.8; O3 BKGND 0.098 MICROAMP; FLOW RATE 26.0 S/100 M

FLIGHT NORMALIZED TO TOTAL 03 ; SONDE TOTAL 03 259.; C.F.

				0705			7510	D. 5W.D. T		DOT T	W7.15	W.T. I. I.
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB 26.1	PPMV	GAMMA	ATMCM	C -57.7	С	%	K 239.5	M/S	DEG
0 1	690.4 671.0	2835. 3021.	24.0	. 038 . 036	70.0 60.4	. 0000 . 0006	-37.7 -43.5			257.4	39.2	287.
2	656.0	3175.	22.7	. 035	55.6	.0010	-36.8	-40.7	68.6	266.6	39.2	287.
3	640.0	3175. 3346.		.035	55.2	.0014	-35.5	-40.7	62.3	270.0	20.5	286.
4	620.0	3567.	22.7 21.2	.034	51.6	.0014	-35.5 -35.6	-41.5	55.8	270.0	16.4	289.
5	603.0	3761.	20.0	.033	48.6	.0020	-36.0	-42.9	50.1	274.0	13.9	272.
6	588.0	3935.	18.7	. 032	45.7	.0024	-36.8	-44.2	46.9	275.0	9.5	284.
7	571.0	4138.	18.8	. 033	46.1	.0033	-38.0	-45.9	44.1	276.0	7.5	311.
8	558.0	4296.	18.4	. 033	45.3	.0036	-38.9	-47.2	41.5	276.8	8.6	314.
9	541.0	4508.	18.8	. 035	46.6	.0040	-40.3	-47.2	41.5	277.6	8.0	301.
10	527.0	4686.	18.8	. 036	46.7	.0044	-41.3			278.4	5.2	276.
11	511.0	4895.	18.4	.036	46.0	.0049	-42.5			279.5	4.7	292.
12	496.0	5096.	18.3	. 037	46.0	.0053	-43.9			280.2	4.4	275.
13	480.0	5316.	17.5	.036	44.2	.0058	-44.8			281.7	6.6	226.
14	466.0	5513.	17.5	. 038	44.6	.0062	-46.7			281.6	8.5	209.
15	451.0	5729.	16.7	. 037	42.7	.0066	-47.5			283.3	10.8	188.
16	439.0	5907.	16.3	.037	41.9	.0070	-49.2			283.3	13.0	187.
17	425.0	6119.	16.3	. 038	42.3	.0074	-50.3			284.6	16.7	188.
18	413.0	6306.	16.3	. 039	42.4	.0077	-51.3			285.6	22.2	182.
19	401.0	6497.	16.3	.041	42.8	.0081	-52.7			286.2	27.3	180.
20	389.0	6692.	15.9	. 041	41.8	.0085	-53.8			287.2	34.0	170.
21	378.0	6876.	14.2	. 038	37.5	.0088	-55.4			287.6	32.4	177.
22	365.0	7098.	13.7	. 038	36.7	.0092	-57.0			288.3	30.1	195.
23	353.0	7309.	14.1	. 040	38.0	.0096	-58.8			288.7	31.8	193.
24	342.0	7507.	14.1	. 041	38.4	.0099	-60.3			289.2	32.3	192.
25	331.0	7710.	15.8	. 048	43.2	.0103	-62.1			289.5	34.3	191.
26	322.0	7880.	15.4	. 048	42.3	.0106	-63.2			290.3	36.6	188.
27	312.0	8074.	16.2	. 052	44.8	.0110	-64.2			291.5	35.4	183.
28	303.0	8252.	15.4	. 051	42.8	.0114	-65.6			292.0	33.9	183.
29	293.0	8456.	15.0	. 051	42.0	.0118	-67.0			292.7	31.3	187.
30	284.0	8643.	15.0	. 053	42.3	.0121	-68.6			293.1	19.9	177.
31	274.0	8857.	14.5	. 053	41.3	.0126	-70.4			293.5	20.5	176.
32	263.0	9099.	14.5	. 055	41.8	.0130	-72.1			294.5	24.0	187.
33	252.0	9350.	14.9	. 059	43.1	.0135	-73.1			296.6	16.9	184.
34	241.0	9612.	17.0	. 071	49.2	.0140	-73.6			299.7	13.3	177.
35	232.0	9833.	18.9	. 081	55.1	.0146	-75.2			300.5	8.0	184.
36	226.0	9985.	22.9	. 101	67.0	.0150	-75.5			302.3	6.5	204.
37	218.0	10193.	27.2	. 125	80.0	.0156	-76.6			303.7	7.0	220.
38		10407.	28.5	. 136	84.5	.0164	-78.4			304.2	7.8	243.
39	202.0	10628.	30.9	. 153	91.8	. 0173	-79.1			306.5	8.3	242.
40		10826.	38.0	. 195	112.9	.0182	-78.8			310.1	5.9	225.
41		11040.	45.9	. 244	136.2	.0194	-78.4			314.0	3.1	248.
42		11257.	36.0	. 199	107.1	. 0207	-79.1			316.3	5.7	272.
43		11481.	42.5	. 244	126.7	.0218	-79.6			319.1	7.6	254.
44		11710.	51.4	. 308	153.9	. 0232	-80.3			321.6	5.8	240.
45		11924.	44.7	. 278	133.5	.0247	-79.9			325.7	4.4	237.
46		12150.	47.6	. 308	142.4	. 0261	-80.1			329.2	5.7	263.
47		12388.	52.0	. 351	156.6	. 0277	-81.3			331.0	4.8	286.
48		12593.	52.6	. 368	158.4	.0292	-81.5			334.2	3.0	318.
49	137.1	12821.	53.4	. 389	161.2	. 0309	-81.7			337.8	3.6	298.


STAT	ON: SOUTH POLE		LAUNC	H DATE:	10 AUG	89 2	40 Z	FCC	SONDE:	444385	
TIME	PRESS ALT	OZONE		OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	С	С	76	K	M/S	DEG
50	131.8 13042.	57.3	.435	173.4	. 0325	-82.3			340.6	5.8	250.
51	126.5 13271.	58.6	.463	177.5	. 0344	-82.6			344.0	4.4	241.
52	121.1 13514.	59.9	. 495	182.5	. 0364	-83.8			346.2	1.9	260.
53	116.0 13752.	73.5	.634	225.5	.0385	-85.1			348.0	4.0	228.
54	111.0 13995.	85.9	.774	263.0	.0411	-84.5			353.5	2.6	220.
55	106.7 14214.	86.3	. 809	262.6	. 0438	-83.4			359.7	2.0	32.
56	102.3 14447.	82.3	. 804	252.0	. 0465	-84.5			361.8	2.5	15.
57	97.8 14696.	76.9	. 786	236.0	. 0494	-84.9			365.7	1.7	19.
58	93.8 14925.	71.1	.758	219.3	.0518	-85.9			368.1	2.8	39.
59	90.0 15152.	69.8	.776	215.8	. 0541	-86.4			371.7		41.
60	86.5 15368.	70.2	.812	218.2	.0563	-87.4			373.8	1.0	190.
61	83.2 15580.	70.5	.847	219.1	.0584	-87.4			378.0	1.6	1 9 9.
62	80.0 15793.	99.9	1.249	311.6	.0608	-88.1			380.9	2.1	149.
63	76.7 16021.	117.4	1.531	367.4	.0642	-88.7			384.1	3.9	170.
64	73.3 16265.	134.3	1.832	421.9	.0685	-89.4			387.7	5.7	200.
65	70.0 16513.	145.1	2.073	456.1	.0734	-89.4			392.8	6.5	211.
66	66.8 16765.	145.1	2.172	455.9	.0787	-89.4			398.1	6.4	211.
67	63.9 17003.	137.4	2.150	433.0	.0836	-89.9			402.1	8.2	182.
68	61.0 17252.	148.0	2.426	467.3	.0887	-90.4			406.5	6.4	185.
69	58.1 17513.	146.9	2.528	462.8	.0943	-89.9			413.2	2.5	201.
70	55.3 17778.	148.7	2.689	470.3	.1001	-90.6			417.5	3.4	140.
71 72	52.9 18015.	148.5	2.807	469.7	.1052	-90.6			422.8	3.4	154.
73	50.4 18274.	153.5	3.046	485.6	.1109	-90.6			428.7	3.3	188.
73 74	48.0 18534. 46.1 18749.	153.0 146.5	3.188	487.2	.1168	-91.8			431.8	2.4	209.
75	44.0 18996.	145.0	3.178 3.295	467.2 461.8	.1216 .1269	-92.1 -91.8			436.2	4.0 6.5	215. 190.
76	42.0 19243.	140.8	3.352	448.3	. 1322	-91.8			448.6	7.1	181.
77	40.0 19502.	132.6	3.315	422.1	. 1374	-91.8			454.9	9.5	179.
78	38.1 19761.	117.6	3.087	373.5	.1423	-91.3			462.5	11.4	173.
79	36.2 20033.	103.5	2.859	329.4	.1469	-91.8			468.0	10.2	170.
80	34.2 20335.	99.1	2.898	315.9	.1514	-92.1			475.0	8.0	155.
81	32.6 20589.	97.7	2.997	310.7	.1551	-91.6			482.9	4.9	140.
82	30.8 20891.	99.2	3.221	315.4	. 1595	-91.6			490.8	6.8	137.
83	29.1 21194.	103.3	3.550	327.1	. 1639	-90.8			500.9	8.4	130.
84	28.0 21401.	92.0	3.286	288.5	. 1670	-89.0			511.6	5.6	140.
85	26.8 21638.	85.9	3.205	267.6	.1701	-87.9			521.2	5.2	158.
86	25.7 21865.	84.7	3.296	263.9	.1729	-87.9			527.5	9.0	164.
87	24.8 22058.	83.1	3.351	259.6	.1752	-88.3			531.6	7.5	149.
88	23.6 22328.	82.2	3.483	255.5	. 1785	-87.4			541.7	4.8	124.
89	22.6 22563.	82.1	3.633	255.0	.1813	-87.2			549.1	4.8	140.
90	21.4 22860.	79.2	3.701	247.4	.1848	-88.3			554.5	3.7	161.
91	20.3 23146.	78.3	3.857	243.2	. 1880	- 87.2			566.2	3.9	193.
92	19.5 23366.	80.2	4.113	247.5	. 1905	-86.2			576.0	3.8	170.
93	18.7 23596.	81.2	4.342	248.7	.1932	-84.7			587.4	8.4	165.
94	17.8 23869.	78.5	4.410	239.1	. 1963	-83.6			599.4	9.1	174.
95	17.0 24125.	72.9	4.288	221.5	. 1991	-83.2			608.5	8.3	192.
96	16.2 24393.	69.7	4.302	211.9	.2018	-83.2			617.0	9.2	190.
97	15.8 24532.	67.5	4.272	205.8	. 2031	-83.8			619.5	10.1	187.
98	14.9 24857.	65.2	4.376	198.8	. 2062	-83.8			630.0	13.0	187.
99	14.2 25125.	62.4	4.394	189.6	.2087	-83.2			640.6	10.1	180.
100	13.6 25365.	60.2	4.426	182.0	. 2108	-82.3			651.8	6.8	170.
101	13.0 25619.	58.2	4.477	175.0	. 2129	-81.0			664.6	9.9	168.
102	12.2 25977.	56.3	4.615	167.9	. 2157	- 79.6			681.7		182.
103	11.8 26166.	53.8	4.559	160.4	. 2172	-79.6			688.2	23.5	182.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 20.3
 15.4
 39.0
 93.5
 132.2
 82.9
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110110088903	99 ECC TOTAL 03 FROM SONDE DATA 259
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110210088903	690 26-58 500 18-44280 4 300 15-66184 33 200 33-79237 8
1110310088903	150 51-81279 5 100 80-85 17 2 70145-89211 7 50153-91191 3
1110410088903	30101-91134 820.0 79-87184 4 671 24-44287 39 656 23-37287 39
1110510088903	640 23-36286 21 263 15-72187 24 188 46-78248 3 181 36-79272 6
1110610088903	167 51-80240 6 161 45-80237 4 121 60-84260 2 116 74-85228 4
1110710088903	111 86-85220 3 83 71-87199 2 80100-88149 2 64137-90182 8
1110810088903	61148-90185 6 42141-92181 7 36104-92170 1029.1103-91130 8
1110910088903	26.8 86-88158 517.8 79-84174 914.9 65-84187 1311.8 54-80182 24



STATION: SOUTH POLE LAUNCH DATE: 20 AUG 89 218 Z ECC SONDE: 4A4398

SURFACE CONDITIONS: PRESSURE 667.8 MB, TEMPERATURE -64.8 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 77.9 ORD; TBOX 26.0 C AT 71.0 ORD;

O3 ORD ZERO 29.9, BKGND 30.2, CAL 65.5; O3 BKGND 0.044 MICROAMP; FLOW RATE 27.5 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 267.; C.F.


_		-4		070115	070511	T0707	T5145	DEWDE	111114	DOT T	WITHE	WILLIE
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	7.	K	M/S	DEG
0	667.8	2835.	23.5	. 035	65.1	.0000	-64.8			233.8	70 5	07.6
1	651.0	2996.	23.9	.037	61.4	.0005	-48.8			253.6	38.5	236.
2	635.0	3163.	23.7	. 037	58.8	.0009	-40.9			264.5	38.5	236.
3	619.0	3337.	23.6	. 038	58.4	.0014	-40.3			267.1	20.6	241.
4	601.0	3538.	23.1	.038	57.4	.0020	-41.2			268.3	21.1	238.
5	585.0	3721.	22.1	.038	55.1	.0024	-41.2			270.4	14.9	262.
6	567.0	3933.	21.2	. 037	52.9	.0030	-41.9			272.0	11.7	257.
7	550.0	4139.	20.3	.037	50.8	.0035	-42.7			273.4	8.2	258.
8	530.0	4388.	19.3	.036	48.7	.0040	-43.9			274.9	7.9	258.
9	514.0	4594.	19.4	.038	48.9	.0045	-44.7			276.3	8.6	241.
10	499.0	4792.	19.3	.039	48.9	. 0050	-44.7			278.7	10.5	231.
11	483.0	5010.	18.9	.039	47.7	.0054	-45.0			280.9	10.6	231.
12	470.0	5191.	17.4	. 037	44.5	. 0058	-47.0			280.7	8.8	239.
13	455.0	5405.	17.5	.038	45.2	. 0063	-49.1			280.6	8.0	251.
14	441.0	5610.	17.6	.040	45.7	.0067	-50.6			281.2	7.6	259.
15	429.0	5789.	16.6	.039	43.3	. 0071	-51.9			281.8	6.7	262.
16	415.0	6003.	15.2	.037	39.8	.0075	-53.2			282.9	7.3	258.
17	401.0	6224.	16.0	.040	42.3	. 0079	-54.2			284.3	8.2	248.
18	389.0	6418.	16.1	.041	42.6	.0083	-55.4			285.2	7.5	245.
19	378.0	6601.	16.0	.042	42.6	.0086	-56.6			285.9	7.0	254.
20	367.0	6787.	16.4	.045	44.1	.0090	-58.3			286.1	7.0	258.
21	356.0	6978.	15.9	.045	43.0	.0094	-60.1			286.2	7.2	256.
22	346.0	7155.	15.8	.046	43.1	.0098	-61.3			286.9	7.6	253.
23	335.0	7355.	14.8	. 044	40.7	.0102	-62.8			287.5	6.3	259.
24	325.0	7541.	13.9	.043	38.4	.0105	-64.4			287.8	5.3	269.
25	313.0	7770.	13.9	.044	38.8	.0109	-66.4			288.2	5.0	279.
26	302.0	7986.	12.5	.041	35.2	.0113	-67.8			289.1	4.4	300.
27	291.0	8208.	12.0	.041	34.1	.0116	-69.4			289.9	5.4	314.
28	281.0	8416.	12.5	. 044	35.5	.0120	-70.4			291.4	7.1	317.
29	270.0	8652.	12.9	. 048	37.2	.0124	-72.4			291.9	7.7	323.
30	260.0	8874.	13.8	.053	40.0	.0128 .0131	-73.3			293.7	8.8	320.
31	251.0	9080.	14.8 18.4	. 059 . 076	42.7 53.3		-73.3 -73.7			296.7	9.7 9.3	325. 331.
32 33	242.0	9294.			62.3	.0136	-73.7 -73.7			299.1	9.0	
	233.0	9515.	21.5	.092		.0142	-74.5			302.4		323.
34 35	226.0 218.0	9693. 9903.	26.0 21.0	.115 .096	75.5 60.8	.0147 .0154	-74.5 -74.0			303.9 307.7	8.4 8.3	319. 322.
36		10121.	25.8	.123	75.1	.0160	-74.8				9.6	319.
37		10403.	33.2	.166	97.1	.0171	-75.7			309.9	7.5	313.
			45.2							312.8		
38 39		10580. 10761.	56.4	.233 .300	132.2 165.8	.0179	-75.8			315.2	5.6	309. 300.
40		10972.	54.7	.302	161.7	.0191 .0207	-76.8 -77.0			316.6	5.3	303.
41		11177.	60.7	.347			-77.9 -78.4			318.1	5.2	
42		11401.	73.2	. 435	179.9 216.4	.0223 .0243	-78.4 -77.8			320.5 325.2	6.4 5.2	317. 3 35 .
43		11616.	78.4	. 435	231.9	.0243	-77.9			328.5	5.∠ 5.3	332.
44		11824.	78.9	. 505	231.9	. 0287	-78.6			330.8	4.4	330.
45		12043.	81.2	. 541	241.9	.0311	-79.4			333.0	3.2	332.
46		12255.	79.2	. 547	236.1	.0334	-79.4 -79.4			336.6	4.9	309.
47		12487.	87.1	. 627	259.5	.0360	-79.4 -79.3			340.8	5.8	307.
48		12733.	88.7	. 667	264.6	.0390	-79.5 -79.6			344.5	4.9	326.
49		12985.	81.0	.637	242.6	.0420	-79.6 -80.5			347.3	4.7	347.
73	121.2	12300.	51.0	. 557	472.0	. 0720	-60.5			377.3	7./	J=/.

STATI	ON: SOUTH POLE	•	LAUNC	H DATE:	20 AUG	89 2	18 Z	ECC	SONDE:	4A4398	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	Κ	M/S	DEG
50	122.0 13220.	95.2	.780	286.7	.0448	-81.3			349.9	4.9	345.
51	117.0 13455.	75.7	.647	228.8	.0478	-82.3			352.4	4.8	344.
52	112.0 13699.	72.5	. 647	220.2	.0503	-83.2			355.1	5.0	334.
53	107.0 13952.	71.7	.670	218.4	.0529	-83.6			359.0	5.4	332.
54	102.5 14190.	66.9	. 653	204.8	. 0553	-84.5			361.6	5.4	336.
55	98.1 14432.	68.8	. 701	211.2	.0576	-85.1			365.0	3.9	352.
56	94.1 14662.	72.4	. 769	221.6	.0599	-84.5			370.6	3.6	11.
57	90.0 14908.	73.8	. 820	226.9	.0624	-85.3			373.7	3.7	22.
58	86.3 15138.	73.6	. 853	227.3	.0648	-86.2			376.6	4.1	20.
59	82.9 15358.	77.3	.932	239.1	.0672	-86.6			380.1	5.2	358.
60	79.0 15621.	91.4	1.157	283.5	. 0702	-87.0			384.5	4.4	343.
61	75.9 15839.	116.9	1.540	362.8	. 0733	-87.2			388.5	3.8	335.
62	72.4 16096.	134.4	1.856	418.8	. 0778	-87.9			392.4	2.1	336.
63	69.0 16356.	135.3	1.961	423.5	.0828	-88.7			395.9	.7	58.
64	66.0 16596.	136.1	2.062	426.6	. 0876	-89.0			400.5	2.3	71.
65	62.7 16873.	126.7	2.021	398.0	.0930	-89.4			405.4	2.2	56.
66	60.0 17110.	127.4	2.123	400.3	.0974	-89.4			410.5	2.5	16.
67	57.1 17376.	127.3	2.229	399.9	.1023	-89.4			416.3	1.7	4.
68	54.5 17627.	137.5	2.523	433.1	. 1071	-89.9			420.9	1.3	124.
69	52.1 17867.	142.7	2.739	454.9	.1120	-92.1			421.2	3.4	149.
70	49.7 18118.	146.0	2.938	463.6	. 1173	-91.3			428.7	4.4	147.
71	47.3 18381.	149.0	3.150	472.5	. 1230	-91.1			435.4	6.6	109.
72	45.2 18624.	149.9	3.316	473.5	. 1283	-90.4			442.8	8.4	90.
73	43.1 18879.	141.2	3.276	444.9	. 1338	-89.9			450.0	4.2	77.
74	41.0 19147.	126.8	3.093	398.9	. 1392	-89.7			457.1	1.8	108.
75	39.1 19403.	110.0	2.813	345.7	. 1438	-89.4			463.9	3.1	110.
76	37.3 19656.	103.9	2.786	326.6	. 1477	-89.4			470.2	1.7	96.
77	3 5.6 19906.	100.7	2.829	318.4	. 1515	-90.6			473.5	. 4	78.
78	33.8 20184.	100.5	2.973	317.6	. 1556	-90.4			481.2	2.2	140.
79	32.0 20478.	99.2	3.100	312.2	. 1599	-89.7			490.6	3.6	117.
80	30.6 20718.	94.9	3.101	298.2	. 1633	-89.4			497.6	3.8	77.
81	29.0 21007.	91.6	3.159	287.8	. 1673	-89.4			505.3	6.2	104.
82	27.8 21235.	88.6	3.187	278.4	. 1703	-89.4			511.4	8.3	123.
83	26.3 21533.	87.3	3.319	274.2	. 1741	-89.4			519.6	7.9	125.
84	25.0 21806.	85.4	3.416	268.0	. 1775	-89.2			527.8	4.9	118.
85	24.0 22026.	86.0	3.583	270.4	. 1803	-89.4			533.3	9.0	127.
86	23.0 22255.	86.4	3.757	270.7	.1831	-89.0			541.2	10.7	128.
87	21.9 22520.	87.6	4.000	273.8	. 1865	-88.5			550.2	10.3	127.
88	20.9 22773.	85.6	4.096	266.8	.1897	-87.9			559.6	16.5	109.
89	19.9 23039.	84.6	4.251	263.5	. 1929	-87.9			567.5	16.4	97.
90	18.9 23320.	82.2	4.349	255.3	. 1964	-87.2			577.9	6.6	75.
91	18.0 23586.	80.5	4.472	249.3	.1995	-86.8			587.4	5.8	64.
92 93	17.2 23834.	79.1	4.599	245.5	. 2023	-87.2			593.7	9.0	103.
94	16.6 24028.	77.0	4.639	236.6	.2045	-85.1			606.4	5.9	129.
95	15.8 24301.	73.2	4.633	223.8	. 2074	-84.3			617.6	5.7	146.
96	15.0 24588.	69.1	4.607	211.5	.2104	-84.5			626.2	6.4	122.
97	14.4 24814. 13 8 25050	66.0	4.583	201.2	.2126	-83.8 -83.8			636.2	10.0	105.
98	13.8 25050. 13.1 25341.	64.7	4.688	196.4	. 2148	-83.0 -83.6			646.5 657.5	12.9 12.7	124. 129.
99	12.5 25604.	62.8	4.794	190.2	.2174	-82.6 -80.6			673.3	12.7	129.
33	12.3 23004.	62.2	4.976	186.6	.2197	-80.6			0/3.3	12.7	123.

SFC-500MB 500-250 250-125 125-62.5 62.5-31.2 31.2-15.6 15.6-7.8 7.8-3.9 21.6 15.1 54.8 91.6 125.0 84.7 999.9 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110120088902	99 ECC TOTAL O3 FROM SONDE DATA 267
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110220088902	668 24-65 500 19-45232 10 300 12-68303 5 200 33-76313 8
1110320088902	150 81-79331 3 100 68-85345 5 70135-88141 1 50146-91147 4
1110420088902	30 94-89 87 520.0 85-88 98 16 651 24-49236 39 635 24-41236 39
1110520088902	260 14-73320 9 188 56-77300 5 133 89-80326 5 127 81-81347 5
1110620088902	122 95-81345 5 117 76-82344 5 83 77-87358 5 79 91-87343 4
1110720088902	72134-88336 2 57127-89 4 2 45150-90 90 8 37104-89 96 2
1110820088902	17.2 79-87103 912.5 62-81129 13



STATION: SOUTH POLE LAUNCH DATE: 31 AUG 89 247 Z ECC SONDE: 4A4399

SURFACE CONDITIONS: PRESSURE 702.5 MB, TEMPERATURE -55.4 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 77.5 ORD; TBOX 25.5 C AT 71.4 ORD;

03 ORD ZERO 29.0, BKGND 30.5, CAL 63.7; O3 BKGND 0.226 MICROAMP; FLOW RATE 27.2 S/100 M

FLIGHT NORMALIZED TO TOTAL 03 ; SONDE TOTAL 03 273.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	C	%	K	M/S	DEG
0	702.5	2835.	24.4	.035	64.8	.0000	-55.4	•		240.9	, -	
1	683.0	3021.	23.6	. 035	58.3	.0005	-39.4	-45.3	54.9	260.6	17.2	294.
2	665.0	3205.	24.1	.036	59.2	.0010	-37.6	-40.6	74.4	264.7	17.2	294.
3	650.0	3362.	22.3	. 034	54.6	.0015	-37.2	-39.9	77.8	266.9	14.5	302.
4	633.0	3545.	22.0	. 035	53.8	.0019	-37.4	-40.1	77.7	268.6	13.6	325.
5	613.0	3767.	22.1	.036	54.1	.0025	-37.7	-40.4	77.5	270.8	14.8	345.
6	595.0	3972.	21.1	. 035	51.8	.0030	-37.8	-40.5	77.5	273.0	11.0	344.
7	578.0	4172.	20.7	.036	51.0	.0035	-39.1	-41.8	76.8	273.7	7.2	351.
8	560.0	4388.	19.3	. 034	47.8	.0040	-40.4			274.7	7.7	9.
9	542.0	4610.	18.6	.034	46.3	.0045	-41.7			275.8	7.5	16.
10	527.0	4800.	18.1	.034	45.5	.0049	-43.3			276.0	7.3	21.
11	510.0	5020.	17.3	.034	43.8	.0053	-44.9			276.7	9.2	32.
12	497.0	5192.	17.3	. 035	44.0	.0057	-46.3			277.1	10.0	36.
13	481.0	5409.	17.4	. 036	44.7	.0061	-48.0			277.5	10.1	28.
14	467.0	5603.	17.0	.036	44.0	.0065	-49.6			277.9	9.8	22.
15	452.0	5816.	17.1	.038	44.4	.0069	-51.2			278.5	9.5	14.
16	439.0	6005.	16.6	.038	43.7	.0073	-53.0			278.5	11.5	9.
17	424.0	6228.	16.3	.038	43.0	.0078	-54.5			279.4	12.2	9.
18	410.0	6442.	16.3	.040	43.5	.0082	-56.4			279.6	9.7	7.
19	398.0	6630.	16.0	.040	42.8	.0086	-57.8			280.2	9.6	8.
20	385.0	6839.	15.1	.039	40.8	.0090	-59.5			280.7	10.0	2.
21	373.0	7036.	16.0	.043	43.6	.0093	-61.3			280.8	11.7	355.
22	362.0	7221.	15.1	.042	41.4	.0097	-62.5			281.6	15.1	358.
23	350.0	7428.	14.7	.042	40.7	.0101	-64.1			282.3	15.0	1.
24	340.0	7606.	15.2	. 045	42.1	.0104	-65.1			283.2	16.9	355.
25	329.0	7806.	18.0	. 055	50.0	.0109	-65.1			285.9	17.8	352.
26	319.0	7994.	20.9	. 066	58.1	.0113	-65.5			287.9	16.6	356.
27	309.0	8188.	24.1	.078	67.0	.0118	-65.7			290.2	16.0	356.
28	299.0	8388.	26.6	. 089	74.0	.0125	-65.6			293.1	14.2	351.
29	289.0	8594.	29.2	. 101	81.8	.0132	-66.8			294.3	13.2	350.
30	279.0	8806.	30.6	.110	85.9	.0140	-67.1			296.7	11.4	346.
31	268.0	9049.	34.7	.129	97.6	.0150	-67.5			299.5	10.4	348.
32	260.0	9231.	34.4	. 132	97.0	.0158	-68.6			300.6	11.1	0.
33	250.0	9466.	34.7	. 139	98.1	.0169	-69.3			302.9	12.7	3.
34	240.0	9709.	25.3	. 105	72.0	.0179	-70.4			304.8	9.6	359.
35	233.0	9884.	24.4	. 105	69.5	.0185	-70.8			306.8	9.3	358.
36		10117.	29.0	.129	82.9	.0193	-71.5			309.2	11.8	2.
37		10332.	45.2	.209	130.1	.0202	-72.5			310.8	7.9	345.
38		10524.	55.0	. 263	159.6	.0215	-74.0			311.5	9.5	338.
39		10780.	57.8	. 289	168.6	.0234	-75.2			313.5	8.1	355.
40		10960.	60.2	.310	175.3	.0248	-75.1			316.5	3.5	22.
41		11173.	62.9	.337	183.7	.0265	-75.5			319.1	11.1	8.
42 43		11390.	64.4	. 358	189.2	.0284	-76.5			321.0	14.9	359.
43		11619. 11825.	67.3	. 389	197.8	.0304	-76.8			324.2	10.0	344.
			69.9	.419	205.9	. 0323	-77.3			326.7	8.2	338.
45 46		12045. 12277.	72.4	.451	214.1	.0345	-77.9			329.2	7.9	357.
40 47		122//.	73.4 76.1	. 476	217.7	.0368	-78.6 -78.0			331.9 335.3	8.2	357.
48		12742.	80.2	.514	226.3	.0391	-78.9 -79.6				8.3	349.
49		12742.	82.5	. 564	239.2	.0416	-79.6 -80.8			338.0	9.9	354.
73	100.0	123/0.	02.5	. 605	247.6	.0442	-80.8			339.9	9.9	347.


STATI	ON: SOUTH POLE		LAUNC	H DATE:	31 AUG	89 247 Z	ECC	SONDE:	4A4399	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	СС	%	K	M/S	DEG
50	131.0 13201.	82.3	.628	247.1	.0468	-80.8		343.8	7.7	342.
51	126.0 13420.	80.9	. 642	243.4	. 0492	-81.3		346.7	6.0	335.
52	121.0 13647.	78.9	. 652	237.3	.0518	-81.3		350.7	4.4	331.
53	116.0 13884.	80.1	. 691	242.1	. 0544	-82.3		353.3	7.7	354.
54	111.2 14120.	89.9	. 808	273.3	. 0571	-83.2		355.8	5.6	344.
55	106.8 14344.	86.7	.812	263.7	. 0599	-83.4		359.6	4.1	337.
56	102.0 14600.	97.8	.959	298.0	. 0632	-83.8		363.6	6.3	340.
57	97.7 14838.	111.7	1.143	341.2	. 0665	-84.1		367.4	4.7	312.
58	93.9 15058.	120.3	1.281	367.0	. 0701	-84.0		371.9	6.3	319.
59	90.1 15286.	117.3	1.302	359.3	. 0739	-84.7		374.8	5.6	301.
60	86.5 15512.	109.6	1.267	335.6	. 0777	-84.5		379.6	9.2	228.
61	82.8 15753.	136.4	1.647	419.3	. 0816	-85.3		382.7		2 2 7.
62	79.2 15997.	142.2	1.795	438.6	. 0864	-85.9		386.4	3.6	263.
63	75.9 16230.	144.5	1.904	447.0	.0911	-86.6		389.8	5.0	286.
64	72.5 16480.	139.8	1.928	434.2	. 0963	-87.2		393.6	5.1	288.
65	69.3 16726.	136.0	1.962	421.4	. 1012	-86.8		399.6		293.
66	66.0 16992.	130.2	1.973	403.0	. 1064	-86.6		405.7		232.
67	63.0 17246.	124.0	1.968	384.9	.1110	-87.2		409.7		191.
68	60.1 17503.	133.9	2.228	415.6	. 1157	-87.2		415.2		198.
69	57.6 17734.	119.6	2.076	372.8	. 1200	-87.9		418.9	5.6	247.
70	55.0 17984.	111.7	2.031	350.5	. 1243	-89.2		421.3		285.
71	52.5 18234.	109.7	2.090	344.3	. 1284	-89.2		427.0	3.9	292.
72	50.0 18497.	109.0	2.180	342.5	. 1326	-89.4		432.4	3.2	293.
73	47.8 18739.	106.3	2.224	334.0	. 1364	-89.4		438.0	3.0	345.
74	45.5 19005.	104.0	2.286	326.9	. 1405	-89.4		444.2	4.6	4.
75 75	43.4 19258.	103.8	2.392	327.6	. 1443	-90.1		448.6	3.0	333.
76	41.4 19511.	100.2	2.420	315.9	. 1481	-90.1		454.7		281.
77	39.5 19763.	94.9	2.403	299.7	. 1517	-90.4		460.2	6.1	254.
78	37.4 20055.	89.4	2.390	282.7	. 1557	-90.6		466.8	6.0	257.
79	35.5 20334.	88.8	2.501	280.8	. 1594	-90.6		473.8	7.8	275.
80	33.9 20580.	88.2	2.602	279.7	.1626	-91.1		478.8	7.8	269.
81	32.4 20822. 30.6 21127.	83.7	2.583	265.8	. 1657 . 1694	-91.3		484.4	7.1 8.5	264. 252.
82 83	28.8 21451.	78.6 80.0	2.569 2.778	248.5 252.3	. 1731	-90.6 -90.1		504.3		250.
84	27.6 21679.	79.6	2.776	252.5 251.6	. 1758	-90.6		509.2	4.3	228.
85	26.3 21937.	78.4	2.981	247.8	.1787	-90.6		516.2	12.2	246.
86	25.0 22209.	77.5	3.100	244.4	.1818	-90. 1		525.1	10.2	237.
87	23.7 22495.		3.249		. 1851	-90.1		533.2	4.0	196.
88	22.4 22797.	77.3	3.451	243.9	. 1885	-90.1		541.9	3.9	232.
89	21.5 23018.	77.5	3.605	243.6	.1910	-89.4		550.4	2.3	300.
90	20.5 23274.	77.3	3.771	243.0	.1939	-89.4		557.9	4.5	309.
91	19.5 23544.	79.0	4.051	246.0	.1970	-87.9		570.8	6.6	304.
92	18.3 23889.	76.5	4.180	237.7	. 2009	-87.2		583.3	7.3	314.
93	17.4 24165.	74.4	4.276	228.8	. 2039	-85.5		597.0	8.4	297.
94	16.5 24458.	72.8	4.412	222.9	. 2070	-84.5		609.4	10.3	279.
95	15.7 24733.	71.3	4.541	218.0	.2098	-84.3		618.7	8.2	274.
96	14.9 25022.	69.4	4.658	212.6	. 2127	-84.7		626.7	9.4	296.
97	14.0 25367.	67.2	4.800	204.8	.2161	-83.6		641.9	12.5	294.
98	13.2 25694.	66.8	5.061	202.6	.2192	-82.8		655.4	8.9	271.
99	12.6 25954.	64.8	5.143	195.2	. 2216	-81.3		669.3	3.9	270.
100	12.1 26183.	63.2	5.223	189.0	. 2237	-80.1		681.5	5.8	312.
101	11.6 26421.	61.5	5.302	183.4	. 2257	-79.6		691.6	10.7	308.
102	11.0 26723.	57.6	5.236	171.9	. 2283	-79.6		702.1	14.2	301.
103	10.3 27096.	53.2	5.165	158.1	. 2312	-78.8		718.6	14.2	301.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 20.8
 20.7
 60.1
 113.5
 102.7
 76.9
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110131088903	99 ECC TOTAL 03 FROM SONDE DATA 273
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110231088903	703 24-55 700 24-53 37 2 500 17-46 35 10 300 26-66352 14
1110331088903	200 58-75355 8 150 75-79352 8 100104-84327 6 70137-87292 5
1110431088903	50109-89293 3 30 79-90251 820.0 78-89307 6 683 24-39294 17
1110531088903	665 24-38294 17 595 21-38344 11 350 15-64 1 15 250 35-69 3 13
1110631088903	233 24-71358 9 224 29-72 2 12 209 55-74338 10 116 80-82354 8
1110731088903	111 90-83344 6 107 87-83337 4 94120-84319 6 87110-85228 9
1110831088903	83136-85227 8 79142-86263 4 63124-87191 14 60134-87198 11
1110931088903	55112-89285 510.3 53-79301 14



STATION: SOUTH POLE LAUNCH DATE: 7 SEP 89 239 Z ECC SONDE: 4A4400
SURFACE CONDITIONS: PRESSURE 685.1 MB, TEMPERATURE -69.0 C, HUMIDITY 0.0 %
CAL DATA: AIR TEMP 30.0 C AT 82.9 ORD; HUM 33.0 % AT 77.8 ORD; TBOX 25.0 C AT 70.5 ORD;
03 ORD ZERO 30.0, BKGND 30.3, CAL 64.5; O3 BKGND 0.046 MICROAMP; FLOW RATE 27.6 S/100 M
FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 251.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	7.	K	M/S	DEG
0	685.1	2835.	20.1	.029	56.9	.0000	-69.0			227.4		
1	659.0	3079.	20.7	.031	53.1	.0006	-48.4			253.2	28.6	25 6 .
2	637.0	3303.	21.7	. 034	55.5	.0012	-47.6			256.5	28.6	256.
3	617.0	3514.	19.6	. 032	50.2	.0017	-47.3			259.3	15.7	264.
4	598.0	3721.	22.9	.038	58.2	.0023	-45.6			263.6	12.3	255.
5	581.0	3914.	22.5	. 039	57.1	.0028	-45.6			265.8	9.9	250 .
6	566.0	4088.	22.0	. 039	56.0	. 0032	-46.3			267.0	8.2	237.
7	549.0	4290.	23.0	. 042	58.5	.0038	-46.5			269.0	3.1	210.
8	536.0	4449.	22.5	. 042	57.5	.0042	-46.8			270.5	3.9	213.
9	521.0	4637.	22.5	. 043	57.8	. 0047	-48.1			271.1	6.3	220.
10	507.0	4816.	21.6	.043	55.6	.0052	-49.2			271.9	5.0	213.
11	490.0	5039.	20.6	. 042	53.5	.0058	-50.7			272.7	4.1	234.
12	474.0	5255.	20.0	.042	52.3	.0063	-51.9			273.9	5.9	230.
13	458.0	5477.	19.5	.043	51.2	.0069	-53.0			275.1	7.4	210.
14	446.0	5 64 7.	18.5	.041	48.8	.0073	-53.7			276.4	7.6	198.
15	431.0	5867.	18.5	.043	49.1	.0078	-55.4			277.0	7.9	174.
16	418.0	6062.	18.0	. 043	47.6	.0083	-55.0			279.9	12.1	153.
17	406.0	6248.	18.0	. 044	47.8	.0087	-55.6			281.5	16.7	145.
18	392.0	6471.	18.4	. 047	49.1	.0092	-56.3			283.4	19.4	139.
19	380.0	6668.	18.4	.048	49.4	.0096	-58.1			283.6	18.8	140.
20	368.0	68 69 .	19.3	. 052	52.1	.0101	-59.3			284.6	16.9	143.
21	357.0	7059.	19.7	. 055	53.4	.0106	-60.0			286.1	16.0	144.
22	346.0	7254.	20.2	. 058	54.8	.0111	-60.8			287.5	15. 5	142.
23	334.0	7473.	19.2	. 057	52.3	.0117	-61.8			289.1	15.3	140.
24	323.0	7680.	19.1	. 059	52.6	.0122	-63.0			290.2	16.0	142.
25	313.0	7873.	17.3	. 0 55	47.8	.0126	-64.1			291.4	16.7	142.
26	302.0	8092.	15.4	. 051	42.7	.0131	-65.1			293.0	17.0	143.
27	292.0	8296.	15.3	. 052	42.7	.0135	-66.1			294.3	16.6	147.
28	284.0	8465.	17.2	.061	48.1	.0139	-66.9			295.6	18.2	149.
29	274.0	8680.	19.5	. 071	54.9	.0144	-68.2			296.7	13.7	147.
30	265.0	8881.	20.5	.077	57.7	.0149	-68.5			299.1	10.1	147.
31	255.0	9111.	20.4	. 080	57.8	.0156	-69.0			301.6	12.6	154.
32	246.0	9326.	21.3	. 087	60.3	.0162	-69.7			303.7	12.3	152.
33	237.0	9547.	20.3	. 086	58.1	.0168	-71.1			304.9	12.3	149.
34	227.0	9802.	23.1	. 102	66.3	.0175	-72.0			307.3	11.1	150.
35	219.0		26.3	. 120	76.1	.0182	-73.3			308.5	11.0	156.
36	210.0		28.6	. 136	82.8	.0191	-74.0			311.1	11.7	161.
37	204.0		31.6	. 155	92.1	.0198	-74.8			312.4	11.2	159.
38	197.2		34.7	. 176	101.4	.0207	-75.5			314.3	9.8	152.
39	190.5		39.1	. 205	114.4	. 0217	-75.8			316.9	10.1	147.
40	183.7		47.7	. 260	140.0	. 0229	-76.3			319.4	10.5	148.
41	176.9		59.5	. 336	175.0	.0244	-76.8			322.1	16.5	356.
42	170.0		66.5	.391	195.8	.0263	-77.1			325.3	9.0	141.
43	164.2		69.2	. 421	204.8	.0282	-78.1			326.9	33.1	161.
44	158.8		70.2	. 442	208.0	.0300	-78.4			329.5	7.6	164.
45	153.0		74.2	.485	219.9	. 0322	-78.4			333.0	6.8	169.
46	147.3		75.6	.513	224.3	. 0344	-78.6			33 6.3	6.3	167.
47	141.8		77.1	.544	229.8	. 0367	-79.6			338.2	8.5	164.
48	136.0		79.2	.582	237.0	.0393	-80.1			341.4	7.7	155.
49	130.3	12991.	91.9	.705	276.0	.0421	-80.8			344.3	5.3	168.


STATI	ON: SOUTH POLE		LAUNC	H DATE:	7 SFP	89 239 Z	FCC	SONDE:	444400	
TIME	PRESS ALT	OZONE		OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T		WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	C C	%	K	M/S	DEG
50	125.6 13198.	82.4	. 656	247.3	.0448	-80.8		347.9	7.2	179.
51	120.9 13413.	83.9	. 694	253.2	.0473	-81.9		349.8	6.6	164.
52	116.0 13644.	84.6	.729	256.0	. 0501	-82.4		352.9	6.2	159.
53	111.2 13880.	83.5	.751	253.5	.0530	-83.0		356.2	6.6	162.
54	107.2 14084.	89.9	.839	273.2	. 0555	-83.2		359.6	6.3	167.
55	103.1 14300.	95.5	.926	290.5	. 0583	-83.4		36,3.2	7.5	175.
56	99.1 14520.	99.6	1.005	303.8	.0614	-83.8		366.6	6.8	167.
57	95.0 14754.	100.4	1.057	307.0	.0647	-84.3		369.9	4.9	144.
58	91.2 14980.	99.3	1.089	304.9	.0680	-85.1		372.7	3.3	132.
59	87.7 15195.	99.9	1.139	307.1	.0711	-85.3		376.5	2.1	155.
60	84.0 15432.	108.0	1.286	332.8	.0746	-85.7		380.3	3.2	170.
61	80.3 15679.	101.3	1.262	312.2	.0785	-85.7		385.3		147.
62	77.0 15909.	89.5	1.162	275.8	. 0818	-85.7		389.9	2.5	106.
63	73.7 16149.	108.8	1.476	337.6	. 0851	-87.0		392.2	3.3	123.
64	70.2 16414.	107.4	1.530	333.3	.0894	-87.2		397.2	5.8	133.
65	67.0 16668.	109.3	1.631	339.5	. 0933	-87.2		402.6	6.4	128.
65	64.2 16900.	111.8	1.741	348.8	.0971	-88.1		405.6	5.3	123.
67	61.6 17125.	125.0	2.029	389.4	. 1009	-87.9		410.9	3.6	115.
68	59.0 17359.	129.3	2.192	401.4	.1052	-87.2		417.4		124.
69	56.2 17624.	124.7	2.219	387.5	.1103	-87.4		422.8		206.
70	53.9 17851.	126.6	2.349	395.0	.1144	-88.1		426.4		185.
71	51.4 18108.	124.2	2.416	387.0	.1192	-87.9		432.7		168.
72	49.2 18346.	117.2	2.382	365.1	.1235	-87.9		438.1	3.1	148.
73	47.2 18570.	109.9	2.328	343.9	. 1273	-88.7		441.2	4.7	143.
74	45.3 18792.	104.6	2.309	328.5	.1308	-89.4		444.8	5.2	140.
75	43.2 19048.	104.6	2.421	328.3	.1348	-89.2		451.4	5.0	133.
76	41.2 19303.	102.5	2.488	322.0	.1388	-89.4		457.0	6.7	144.
77	39.6 19516.	97.8	2.470	305.9	.1420	-88.5		464.5	6.0	137.
78 79	38.3 19697. 36.9 19899.	92.2	2.407	288.1	.1446	-88.3		469.5	3.8	86.
80	35.0 20185.	89.5	2.425	278.9	.1473	-87.9		475.7	2.8	99.
81	33.6 20405.	88.9 86.4	2.571	278.4 271.0	.1511 .1540	-88.7 -89.2		480.6 485.0	3.3 3.9	153. 154.
82	32.0 20669.	83.5	2.609	261.7	. 1573	-89.0		492.5	7.8	141.
83	30.7 20893.	84.9	2.765	264.5	. 1601	-87.9		501.4	6.1	121.
84	29.2 21165.	85.7	2.935	267.1	. 1635	-87.9		508.6	4.4	117.
85	27.9 21412.	81.6	2.925	254.3	. 1666	-87.9		515.2	5.5	126.
86	26.7 21651.	81.3	3.045	253.4	.1694	-87.9		521.8	4.1	127.
87	25.6 21879.			256.3				527.4		145.
88	24.4 22139.		3.365		.1753	-88.1		534.7		143.
89	23.5 22343.	81.5			. 1777	-88.1		540.5		153.
90	22.4 22603.	80.0	3.571	248.5	.1809	-87.2		550.5		134.
91	21.3 22878.	81.1	3.808	250.5	.1841	-86.2		561.7		99.
92	20.5 23088.	82.8	4.039	255.2	.1866	-85.7		569.1		100.
93	19.6 23335.	81.8	4.173	251.7	. 1896	-85.5		577.1		96.
94	18.7 23594.	79.5	4.251	242.4	.1926	-83.8		590.4	10.4	86.
95	17.9 23838.	76.4	4.268	231.8	. 1954	-82.8		600.8	6.6	53.
96	17.1 24092.	73.9		224.3	. 1981	-83.0		608.1		334.
97	16.5 24295.	65.6	3.978	198.3	.2002	-82.1		617.4		252.
98	15.8 24542.	61.4	3.891	184.4	.2025	-80.8		629.4	6.5	238.
99	15.1 24810.	58.0	3.854	173.3	.2048	-79.9		640.8	4.2	206.
100	14.4 25059.	55.3	3.840	165.3	.2068	-80.1		648.4		188.
101	13.8 25309.	52.8	3.832	157.5	.2087	-79.8		657.8		166.
102	13.1 25583.	51.3	3.907	152.5	.2107	-78.9		669.9		
103	12.5 25864.	52.8			.2128	-77.6				63.
104	11.9 26127.	55.4	4.640	162.8	.2147	-76.5		697.0	11.7	357.

STATI	ON: SOL	JTH POLE	•	LAUNC	H DATE:	7 SEP	89 2	39 Z	ECC	SONDE:	4A4400	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	11.6	26318.	55.5	4.805	162.4	.2162	-76.0			705.3	7.7	342.
106	11.2	26512.	49.3	4.414	144.3	.2176	-75.8			712.6	5.5	330.
107	10.8	26717.	43.4	4.026	127.1	.2190	-75.8			719.9	5.7	311.
108	10.4	26930.	40.1	3.859	117.1	. 2202	-75.4			729.2	4.3	277.
109	10.0	27153.	36.0	3.600	104.1	. 2214	-73.7			743.5	4.3	277.

SFC-500MB 500-250 250-125 125-62.5 62.5-31.2 31.2-15.6 15.6-7.8 7.8-3.9 21.9 19.1 53.4 99.6 108.4 80.5 999.9 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110107098903	99 ECC TOTAL 03 FROM SONDE DATA 251
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110207098903	685 20-69 500 21-50222 5 300 15-65144 17 200 33-75155 10
1110307098903	150 75-79168 7 100 99-84169 7 70108-87133 6 50120-88155 3
1110407098903	30 85-88119 520.0 82-86 98 8 659 21-48256 29 581 23-46250 10
1110507098903	170 67-77141 9 136 79-80155 8 130 92-81168 5 126 82-81179 7
1110607098903	111 84-83162 7 84108-86170 3 77 90-86106 3 74109-87123 3
1110707098903	64112-88123 5 59129-87124 1 45105-89140 523.5 82-88153 5
1110807098903	13.8 53-80166 811.6 56-76342 810.0 36-74277 4



STATION: SOUTH POLE LAUNCH DATE: 13 SEP 89 150 Z ECC SONDE: 4A4402
SURFACE CONDITIONS: PRESSURE 678.1 MB, TEMPERATURE -63.8 C, HUMIDITY 0.0 %
CAL DATA: AIR TEMP 30.0 C AT 73.2 ORD; HUM 33.0 % AT 77.0 ORD; TBOX 24.0 C AT 70.9 ORD;
03 ORD ZERO 29.4, BKGND 29.6, CAL 67.5; O3 BKGND 0.028 MICROAMP; FLOW RATE 27.2 S/100 M
FLIGHT NORMALIZED TO TOTAL 03 ; SONDE TOTAL 03 226.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	тотог	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	мВ	GPM	NB	PPMV	GAMMA	ATMCM	С	С	7.	K	M/S	DEG
0	678.1	2835.	24.4	. 036	67.2	.0000	-63.8			233.9	•	
1	664.0	2970.	23.4	. 035	58.5	.0004	-42.6			259.2	11.9	255.
2	650.0	3115.	22.4	. 034	56.0	. 0008	-41.8			261.7	11.9	255.
3	634.0	3284.	21.6	. 034	53.7	.0012	-41.5			263.9	8.2	255.
4	618.0	3457.	21.1	. 034	52.5	.0017	-40.7			266.8	10.6	253.
5	600.0	3658.	19.7	. 033	49.1	.0021	-41.4			268.2	8.1	249.
6	583.0	3853.	19.4	. 033	48.4	.0026	-42.1			269.6	6.8	251.
7	566.0	4053.	18.4	. 033	46.2	.0030	-43.2			270.6	7.4	265.
8	550.0	4246.	19.2	. 035	48.3	.0034	-43.2			272.8	6.8	264.
9	533.0	4457.	20.1	. 038	50.6	. 0039	-44.4			273.8	7.7	250.
10	519.0	4635.	19.6	. 038	49.9	.0043	-46.0			274.0	4.9	218.
11	502.0	4856.	18.8	. 037	47.7	.0048	-46.0			276.6	6.1	169.
12	488.0	5044.	18.3	. 038	46.7	. 0052	-46.7			277.9	8.1	170.
13	473.0	5251.	17.5	. 037	44.7	. 0057	-47.6			279.3	9.4	166.
14	460.0	5434.	17.8	. 039	45.9	. 0061	-48.9			279.9	8.8	170.
15	446.0	5637.	16.9	. 038	43.9	. 0065	-50.4			280.5	8.7	180.
16	433.0	5829.	16.5	. 038	43.1	.0069	-52.0			280.9	11.1	188.
17	420.0	6026.	16.9	. 040	44.4	. 0073	-53.1			282.0	13.5	190.
18	406.0	6244.	16.9	.042	44.6	.0077	-54.0			283.5	13.6	185.
19	393.0	6452.	16.0	.041	42.5	.0081	-55.3			284.5	14.3	184.
20	381.0	6649.	14.2	. 037	38.0	.0085	-57.0			284.8	16.7	190.
21	370.0	6834.	15.1	.041	40.5	. 0088	-58.5			285.2	18.4	192.
22	359.0	7024.	15.5	.043	41.9	.0092	-59.2			286.7	18.8	187.
23	346.0	7254.	14.6	.042	39.8	.0097	-61.2			287.1	18.3	186.
24	333.0	7491.	14.2	. 043	39.0	.0101	-63.0			287.7	15.8	190.
25	322.0	7697.	13.3	. 041	36.7	.0105	-64.0			289.1	14.4	194.
26	312.0	7889.	14.1	. 045	39.2	.0108	-65.4			289.8	15.2	196.
27	302.0	8087.	14.5	. 048	40.5	. 0111	-66.2			291.4	14.4	198.
28	292.0	8291.	14.5	. 050	40.7	.0115	-67.2			292.7	15.9	198.
29	281.0	8522.	15.3	. 054	43.3	.0120	-68.5			294.1	17.3	194.
30	272.0	8716.	16.1	. 059	45.8	.0124	-70.0			294.6	14.9	190.
31	261.0	8961.	16.2	.062	46.4	.0129	-71.4			296.1	11.6	194.
32	251.0	9191.	17.9	. 071	51.4	.0134	-72.6			297.7	11.4	208.
33	242.0	9405.	20.4	.084	58.8	.0139	-73.1			300.1	15.9	204.
34	233.0	9628.	22.1	. 095	63.7	.0145	-72.8			303.7	12.0	205.
35	224.0	9858.	26.7	. 119	77.4	.0152	-74.1			305.3	7.6	214.
36		10043.	30.9	. 142	90.0	.0159	-75.1			306.4	11.1	206.
37	209.0	10261.	32.9	. 157	95.8	.0169	-75.1			309.8	12.0	204.
38		10486.	34.9	. 174	102.4	.0179	-76.2			311.6	10.2	199.
39		10673.	39.3	. 202	115.4	.0188	-76.7			313.6	9.9	195.
40		10880.	43.0	. 229	127.0	.0199	-77.8			315.0	9.6	194.
41		11100.	45.2	. 250	133.7	.0212	-77.8			318.5	5.7	218.
42		11155.	47.0	. 263	138.8	.0216	-77.8			319.4	7.6	229.
43		11538.	46.6	. 279	137.8	. 0241	-78.1			325.1	8.8	214.
44		11760.	47.7	. 296	141.6	. 0255	-78.7			327.8	5.7	214.
45		11991.	48.7	. 315	146.1	. 0270	-80.5			328.5	4.6	207.
46		12229.	48.7	. 329	146.3	.0286	-80.8			332.0	4.8	231.
47		12454.	51.7	. 363	155.1	.0302	-80.8			335.8	6.7	257.
48		12685.	61.7	. 452	185.0	.0319	-80.8			339.7	6.3	245.
49	131.3	12908.	65.6	. 500	197.0	. 0338	-80.8			343.6	5.4	217.


STATI	ON: SOUTH POLE		LAUNC	H DATE:	13 SEP	89 150 Z	ECC	SONDE:	4A4402	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T		WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	СС	%	K	M/S	DEG
50	126.5 13117.	69.6	.550	209.9	. 0358	-81.7		345.6	5.2	212.
51	121.5 13342.	70.1	.577	212.8	.0380	-83.1		347.2	3.6	211.
52	116.7 13567.	70.1	. 601	212.1	.0402	-82.4		352.4	2.3	198.
53	112.1 13792.	70.0	.624	211.7	.0424	-82.4		356.5	2.2	183.
54	107.9 14005.	75.2	.697	228.4	.0445	-83.1		359.1	1.0	214.
55	103.5 14236.	71.5	.691	218.2	.0470	-84.1		361,.5	2.2	229.
56	99.0 14482.	72.8	. 735	221.9	.0495	-83.7		366.8	1.8	207.
57	94.9 14717.	76.0	. 801	232.0	. 0519	-84.1		370.5	1.1	290.
58	90.8 14961.	77.2	.850	236.1	. 0545	-84.4		374.6	3.4	285.
59	86.6 15223.	72.8	. 841	223.0	. 0574	-84.8		378.9	4.8	269.
60	83.1 15450.	73.8	. 888	227.6	. 0597	-85.9		381.2	4.1	244.
61	79.9 15665.	79.1	.990	245.0	.0620	-86.6		383.9	3.7	209.
62	76.4 15909.	83.1	1.088	257.4	.0648	-86.6		388.9	2.3	250 .
63	73.1 16150.	88.5	1.211	273.9	. 0677	-86.6		393.8	2.7	262.
64	70.1 16380.	93.1	1.328	287.0	. 0707	-85.9		400.2	1.9	250.
65	67.0 16628.	96.2	1.436	295.5	.0740	-85.2		407.0	2.8	260.
66	64.0 16880.	99.4	1.553	307.2	. 0775	-86.3		409.9	3.3	241.
67	61.2 17125.	104.9	1.714	323.4	.0811	-85.9		416.0	1.2	231.
68	58.7 17353.	106.8	1.819	330.7	. 0845	-86.6		419.3	2.3	243.
69	56.0 17610.	108.0	1.929	335.8	. 0884	-87.4		423.2	2.6	238.
70	53.3 17879.	104.0	1.951	323.2	.0925	-87.4		429.2	2.4	262.
71	51.0 18119.	97.8	1.918	304.8	.0961	-87.8		433.7	3.6	239.
72	48.6 18380.	96.2	1.979	299.6	. 0998	-87.8		439.7	4.9	185.
73	46.6 18609.	94.3	2.024	293.1	. 1029	-87.4		446.0	3.5	159.
74	44.6 18847.	94.2	2.112	292.9	.1061	-87.4		451.6	3.1	114.
75	42.7 19084.	92.8	2.173	287.9	. 1093	-87.0		458.3	3.4	106.
76	40.7 19347.	90.0	2.211	276.3	.1128	-85.2		469.3	1.9	74.
77	39.1 19568.	88.7	2.269	272.0	.1156	-84.8		475.6	. 7	141.
78	37.5 19799.	88.1	2.349	269.0	.1185	-84.1		483.1	1.6	149.
79	36.0 20024.	87.1	2.419	268.6	. 1213	-85.9		484.1	. 2	21.
80	34.4 20274.	87.6	2.547	268.5	. 1245	-84.8		493.3	2.5	306.
81	32.9 20519.	88.1	2.678	271.5	.1276	-85.9		496.7	1.1	348.
82	31.2 20811.	86.5	2.772	265.5	.1312	-85.2		506.3	3.4	1.
83	29.7 21082.	88.8	2.990	272.7	. 1346	-85.2		513.5	21.9	351.
84	28.3 21348.	91.4	3.230	280.1	. 1380	-84.8		521.6	11.2	334.
85	27.1 21588.	90.8	3.351	277.2	. 1411	-84.1		530.1	10.9	219.
86	25.9 21839.	89.8	3.467	274.2	. 1443	-84.1		537.0	5.4	22.
87	24.7 22101.		3.571		. 1476			544.3		53.
88	23.4 22402.		3.756	266.6				556.8		226.
89 90	22.7 22572.	87.3			. 1535			564.5	2.2 5.3	153.
91	22.0 22748. 21.1 22983.	87.0		261.1	. 1557 . 1585	-80.8		572.5 579.3		41. 3.
92	20.3 23202.	84.5	4.123	261.1 252.1		-80.8 -79.6		589.5	3.2	231.
93	19.6 23401.	81.2		241.5	. 1611 . 1634	-79.6 -79.0		597.2		174.
94	18.8 23639.	78.3		231.5	.1660	- 77.8		608.0		136.
95	18.0 23888.	74.3	4.128	218.7	. 1686	-77.0		618.2		37.
96	17.5 24050.	67.6	3.863	197.9	. 1702	-75.9		626.7		335.
97	17.0 24218.	65.1	3.829	189.7	. 1717	-75.9 -75.1		634.4		308.
98	16.1 24534.	62.7		182.7	. 1745	-75.1 -75.1		644.3		305.
99	15.5 24754.	59.6		173.2	.1763	-74.3		653.9		314.
100	15.0 24946.	57.8		166.6	. 1779	-72.8		665.0	17.8	313.
101	14.3 25227.		3.930	161.5	.1800	-72.4 -72.4		675.8		309.
102	13.7 25479.	54.5	3.978	156.8	. 1819			684.1		292.
103	13.0 25789.	53.6		152.5	. 1841			701.7		269.
104	12.5 26023.			144.7	.1858			715.0		269.
						20		,		

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 20.4
 15.6
 42.0
 78.6
 94.5
 81.9
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR	COMMENTS		
1110113098902	99	ECC TOTAL O	3 FROM SONDE DATA 22	26
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFP	PPP P3TTTDDDFFF	PPPP P3TTTDDDFFFPPPP	P3TTTDDDFFF
1110213098902	678 24-64	500 19-46169 6	300 15-66198 15 200	36-76198 10
1110313098902	150 49-81224 5	100 73-84212 2	70 93-86250 2 50	97-88217 4
1110413098902	30 88-85280 1826	0.0 83-79207 4	664 23-43255 12 618	21-41253 11
1110513098902	251 18-73208 11	179 47-78229 8	3 127 70-82212 5 83	74-86244 4
1110613098902	56108-87238 3	38 88-84149 2	36 87-86 21 024.7	88-84 53 5
1110713098902	13.7 55-72292 712	2.5 51-69269 7	•	



STATION: SOUTH POLE LAUNCH DATE: 16 SEP 89 248 Z ECC SONDE: 4A4403

SURFACE CONDITIONS: PRESSURE 689.7 MB, TEMPERATURE -48.2 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 25.0 C AT 71.4 ORD;

03 ORD ZERO 31.1, BKGND 31.6, CAL 66.7; O3 BKGND 0.074 MICROAMP; FLOW RATE 28.1 S/100 M

FLIGHT NORMALIZED TO TOTAL 03 ; SONDE TOTAL 03 202.; C.F.


TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	689.7	2835.	24.6	. 036	63.0	.0000	-48.2			250.2		
1	670.0	3032.	23.1	. 034	55.9	. 0006	-34.2	-38.9	63.3	268.0	30.9	260.
2	654.0	3202.	22.7	. 035	54.5	.0010	-32.8	-35.3	80.1	271.3	30.9	260.
3	639.0	3365.	22.3	. 035	53.5	.0014	-32.4	-35.0	79.2	273.6	26.2	273.
4	620.0	3577.	22.3	. 036	53.9	.0019	-33.9	-36.7	76.9	274.3	17.6	278.
5	601.0	3795.	22.9	. 038	55.6	.0025	-35.5	-38.5	75.6	274.9	14.1	292.
6	583.0	4006.	23.9	.041	58.2	.0030	-36.7	-39.6	75.9	275.9	16.2	308.
7	569.0	4175.	23.9	.042	58.2	. 0035	-36.0	-38.6	78.5	278.6	20.7	306.
8	552.0	4385.	24.3	.044	59.2	. 0040	-36.2	-38.9	77.6	280.9	20.7	316.
9	537.0	4576.	22.9	.043	55.9	.0046	-37.1	-40.0	75.7	281.9	18.5	330.
10	520.0	4798.	21.4	. 041	52.7	.0051	-38.3	-41.5	73.2	283.1	20.0	328.
11	504.0	5013.	20.5	.041	50.5	. 0057	-39.1	-42.5	71.4	284.6	21.7	326.
12	491.0	5191.	20.5	.042	50.9	.0061	-40.6			284.9	19.9	324.
13	478.0	5373.	20.0	. 042	50.0	. 0065	-41.7			285.7	24.4	322.
14	462.0	5603.	19.1	. 041	47.9	.0070	-43.3			286.6	25.7	319.
15	449.0	5795.	19.5	. 043	49.4	. 0075	-44.8			287.0	25.9	316.
16	433.0	6037.	18.5	.043	47.2	.0080	-46.3			288.2	26.6	316.
17	421.0	6223.	17.0	. 040	43.6	.0084	-47.7			288.6	22.2	315.
18	411.0	6381.	14.2	.035	36.5	.0087	-49.4			288.5	17.9	314.
19	400.0	6558.	14.6	. 037	38.1	. 0090	-51.1			288.6	17.6	315.
20	388.0	6756.	15.1	.039	39.5	.0093	-52.1			289.7	21.1	317.
21	376.0	6959.	14.6	. 039	38.4	. 0097	-53.4			290.6	22.6	320.
22	363.0	7185.	15.1	. 042	39.9	.0101	-54.7			291.8	22.8	317.
23	352.0	7381.	15.1	. 043	40.3	.0105	-56.2			292.4	21.4	317.
24	342.0	7563.	14.6	. 043	39.2	.0108	-57.7			292.8	22.1	321.
25	331.0	7769.	14.1	. 043	38.1	.0112	-58.9			293.9	19.8	321.
26	321.0	7961.	14.6	.045	39.8 41.3	.0115	-61.0			293.5	19.6	321.
27	311.0	8157.	15.1	.049		.0119	-62.5			294.1	23.5	321.
28 29	301.0	8357. 8563.	14.6 14.2	. 049 . 049	40.4 39.5	.0123 .0127	-64.3 -66.3			294.4	20.9	324. 326.
30	291.0			.051	39.9		-67.9			294.4	14.5	321.
31	281.0 270.0	8774. 9013.	14.2 13.2	. 049	37.7	.0131 .0135	-70.6			294.9	15.8 19.7	321.
32	260.0	9236.	13.2	. 053	39.4	.0133	-70.8 -71.8			294.5		323.
33	250.0	9467.	14.7	. 059	42.3	.0143	-71.8 -72.5			295.9 298.2	15.7 19.1	323.
34	241.0	9682.	18.0	. 075	52.0	.0148	-72.3 -73.0			300.6	18.5	321.
35	232.0	9905.	14.1	.061	40.9	.0153	-74.2			302.0	17.1	318.
36	232.0		12.2	. 054	35.5	.0156	-7 4 .2			303.1	19.4	316.
37	218.0		12.7	. 058	37.2	.0159	-76.9			303.1	15.9	315.
38	211.0		12.7	. 060	37.5	.0162	-70.g -77.7			304.9	14.4	318.
39		10702.	14.1	. 070	41.9	.0167	-78.3			307.8	14.9	321.
40		10902.	18.0	.092	53.6	.0171	-70.3 -79.7			308.6	22.1	321.
41		11121.	20.3	. 108	61.0	.0176	-81.0			310.0	18.9	326.
42		11347.	27.3	. 151	82.1	.0183	-81.3			313.1	14.5	327.
43		11566.	33.7	.194	101.9	.0192	-82.3			315.0	18.9	313.
44		11790.	38.7	. 232	116.7	.0203	-81.6			319.7	15.7	298.
45		12017.	43.7	. 273	131.2	.0205	-81.0			324.5	15.7	303.
46		12246.	44.5	. 290	134.8	.0213	-82.6			325.5	18.8	312.
47		12460.	47.0	.318	143.6	.0243	-84.0			326.8	18.6	309.
48		12682.	47.8	.337	146.0	.0258	-84.0			330.5	14.9	305.
49		12922.	51.7	. 380	157.9	.0274	-84.0			334.6	14.5	312.
			51.7	. 500	.07.0	.02/7	04.0			554.0	17.5	512.

STATI	ON: SOU	TH POLE		LAUNC	H DATE:	16 SEP	89 2	48 Z	ECC	SONDE:	4A4403	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	74	K	M/S	DEG
50	130.5	13146.	56.0	. 429	171.8	.0291	-85.0			336.6	13.8	320.
51	125.2	13374.	58.7	. 469	180.6	. 0309	-85.4			340.0	9.0	320.
52	120.0	13607.	61.3	.511	188.8	.0329	-85.8			343.4	13.7	320.
53	115.2	13832.	66.2	. 575	202.9	.0349	-84.7			349.5	17.9	320.
54	110.8	14047.	69.1	. 624	212.1	.0369	-85.0			352.7	18.5	320.
55	106.1	14285.	69.4	. 654	213.9	.0393	-85.8			355 ⁻ . 7	19.3	313.
56	101.7	14518.	69.8	. 686	214.1	.0416	-85.0			361.5	18.8	313.
57	97.6	14744.	70.1	. 718	216.3	. 0438	-86.2			363.6	13.8	310.
58	93.4	14985.	70.7	. 757	218.7	.0462	-86.5			367.4	9.8	294.
59	89.3	15230.	73.3	. 821	226.9	. 0488	-86.5			372.2	14.7	298.
60	85.6	15461.	73.0	. 853	227.2	.0512	-87.7			374.3	19.1	309.
61	81.9	15701.	78.5	. 958	244.4	. 0538	-87.7			379.1	19.4	315.
62	78.3	15945.	74.9	. 957	233.3	. 0565	-87.7			384.0	13.7	309.
63	75.0	16179.	81.9	1.092	254.9	. 0591	-87.7			388.7	7.5	310.
64	71.8	16415.	85.0	1.184	264.5	. 0619	-87.7			393.6	8.8	318.
65	68.3	16687.	75.9	1.111	236.4	. 0651	-87.7			399.2	15.5	318.
66	65.0	16956.	76.0	1.169	236.7	. 0681	-87.7			404.9	14.8	318.
67	62.0	17213.	78.8	1.271	245.2	. 0709	-87.7			410.4	14.7	318.
68	59.0	17482.	81.8	1.386	254.7	.0740	-87.7			416.3	14.9	314.
69	56.2	17746.	86.8	1.544	270.2	. 0771	-87.7			422.1	13.1	313.
70	53.9	17973.	87.1	1.616	271.2	.0799	-87.7			427.2	2.0	318.
71	51.2	18252.	75.4	1.473	234.7	. 0833	-87.7			433.5	3.7	299.
72	48.7	18524.	78.1	1.604	243.3	. 0863	-87.7			439.8	16.2	301.
73	46.1	18821.	75.8	1.644	237.0	.0896	-88.5			444.7	15.9	295.
74		19073.	76.6	1.741	239.6	.0924	-88.5			450.7	14.2	292.
75	42.0	19325.	78.2	1.862	244.6	. 0952	-88.5			456.7	10.5	272.
76	40.0	19589.	78.0	1.950	244.0	.0981	-88.5			463.1	11.1	274.
77	38.0	19866.	75.9	1.997	237.2	. 1013	-88.5			470.0	5.5	251.
78	36.2	20129.	73.7	2.036	230.4	. 1041	-88.5			476.5	89.1	139.
79	34.6	20373.	71.7	2.072	224.3	. 1067	-88.5			482.7	87.4	138.
80	32.9	20646.	70.4	2.140	219.2	. 1095	-87.7			491.9	8.9	317.
81	31.1	20952.	69.3	2.228	215.8	.1126	-87.7			499.9	20.0	307.
82		21295.	68.6	2.349	213.2	.1160	-87.3			510.1	18.6	302.
83		21544.	68.6	2.459	210.6	. 1184	-85.0			523.1	11.9	305.
84		21828.	67.5	2.547	205.9	. 1212	-84.0			533.8	18.4	289.
85		22084.	67.5	2.668	207.1	. 1236	-85.0			537.9	20.0	299.
86		22307.	69.0	2.840	211.8	. 1258	-85.0			544.1	6.0	327.
87		22587.	76.6	3.316	233.8	. 1286	-84.0			555.2	7.2	316.
88		22857.	80.5	3.659	245.3	. 1316	-83.6			564.0	15.9	316.
89		23116.	87.9	4.186	267.3	. 1346	-83.3			572.6	12.0	316.
90	19.9	23415.	88.4	4.442	268.7	. 1382	-83.3			581.5	12.0	316.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
22.8	15.6	30.5	72 1	76.6	999 9	999.9	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR	COMMENTS	
1110116098903	99	ECC TOTAL 03 FROM SOND	E DATA 202
ISNNNYYMMJJGG	PPPP P3TTTDDDFFF	PPPP P3TTTDDDFFFPPPP P3TTTD	DDFFFPPPP P3TTTDDDFFF
1110216098903	690 25-48	500 21-40325 21 300 15-643	24 20 200 15-79321 17
1110316098903	150 46-83310 19	100 70-85312 17 70 80-883	18 12 50 77-88300 10
1110416098903	30 69-87304 19	20.0 88-83316 12 670 23-342	60 31 654 23-33260 31
1110516098903	270 13-71321 20	65 76-88318 15 54 87-883	18 226.5 68-84289 18
1110616098903	19.9 88-83316 12		



STATION: SOUTH POLE LAUNCH DATE: 18 SEP 89 508 Z ECC SONDE: 4A4406

SURFACE CONDITIONS: PRESSURE 692.1 MB, TEMPERATURE -54.7 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 27.0 C AT 71.9 ORD;

O3 ORD ZERO 28.5, BKGND 28.9, CAL 61.8; O3 BKGND 0.063 MICROAMP; FLOW RATE 26.6 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 191.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	692.1	2835.	21.7	.031	57.3	.0000	-54.7			242.7		
1	673.0	3022.	21.2	.032	51.5	. 0005	-35.1	-45.1	35.7	266.6	20.4	290.
2	658.0	3180.	20.7	. 031	50.0	.0009	-33.6	-44.7	32.2	270.0	20.4	290.
3	640.0	3375.	19.7	. 031	47.2	.0013	-32.8	-45.0	29.1	273.0	9.1	315.
4	621.0	3587.	19.6	. 032	47.2	.0018	-33.1	-46.4	25.4	275.1	2.9	322.
5	605.0	3770.	18.9	. 031	45.6	.0022	-33.8			276.4	4.1	18.
6	590.0	3946.	19.5	.033	47.3	.0025	-34.8			277.1	9.8	347.
7	572.0	4162.	21.1	. 037	51.1	.0030	-34.8			279.6	10.5	317.
8	558.0	4335.	21.1	.038	51.3	. 0034	-35.8			280.5	6.8	306.
9	540.0	4562.	20.1	. 037	49.3	.0040	-37.1			281.5	4.5	318.
10	525.0	4756.	19.6	. 037	48.4	.0044	-38.9			281.7	3.8	308.
11	510.0	4954.	18.7	. 037	46.3	.0048	-40.2			282.3	3.9	337.
12	493.0	5185.	18.2	. 037	45.4	.0053	-41.9			283.1	5.5	17.
13	479.0	5379.	17.6	. 037	44.1	.0057	-43.0			284.0	6.7	40.
14	464.0	5593.	16.0	. 034	40.4	. 0061	-44.4			284.9	8.2	52.
15	450.0	5798.	16.0	. 036	40.6	.0065	-46.1			285.2	9.0	63.
16	437.0	5992.	14.4	. 033	36.9	.0069	-48.2			285.0	8.4	67.
17	425.0	6175.	12.9	.030	33.3	.0072	-50.0			285.0	7.3	60.
18 19	413.0	6361. 6569.	11.9	. 029 . 032	30.9 33.7	. 0075 . 0078	-51.2 -52.4			285.8	7.0	63.
	400.0	6781.	12.9							286.8	7.1 7.5	80.
20 21	387.0 373.0	7017.	13.8 13.3	. 036 . 036	36.4 35.4	. 0081 . 0085	-54.0 -56.3			287.4 287.4	7.5	95. 101.
22	360.0	7241.	11.9	. 033	31.9	. 0089	-58.4				7.8	97.
23	349.9	7419.	11.3	. 032	30.7	.0009	-60.1			287.6 287.6	7.0	92.
24	337.0	7653.	10.8	.032	29.5	.0091	-62.0			288.2	6.9	90.
25	326.0	7857.	11.8	.032	32.5	.0097	-63.9			288.3		89.
26	314.0	8086.	11.3	.036	31.4	.0101	-65.2			289.5	7.4 6.9	90.
27	302.0	8322.	12.3	.041	34.4	.0104	-67.1			299.3	4.3	76.
28	290.0	8566.	13.2	.046	37.5	.0104	-69.2			290.4	1.0	290.
29	282.0	8732.	14.3	.051	40.7	.0111	-70.4			291.2	4.9	280.
30	271.0	8968.	15.4	.057	44.2	.0116	- 72.5			291.4	8.1	279.
31	262.0	9165.	16.2	.062	46.9	.0120	-73.7			292.4	7.9	277.
32	249.9	9440.	15.7	.063	45.8	.0126	- 75.5			293.7	6.5	293.
33	240.0	9674.	16.2	.068	47.4	.0131	- 75.8			296.8	8.1	274.
34	233.0	9845.	15.1	.065	44.6	.0134	-77.1			297.2	11.5	273.
35		10045.	15.2	.068	44.8	.0138	- 77.7			299.3	12.3	278.
36		10226.	21.2	.097	62.6	.0143	- 77.7			302.0	11.7	278.
37		10439.	21.2	.101	63.2	.0149	- 79.4			302.6	13.0	279.
38	. .	10631.	21.7	. 107	65.0	.0154	-80.7			303.6	15.2	286.
39		10866.	21.2	. 109	63.9	.0162	-81.6			305.7	16.9	289.
40		11092.	23.0	. 123	69.4	.0168	-81.9			308.7	16.8	284.
41		11334.	26.5	. 148	80.1	.0176	-81.9			312.6	17.4	286.
42		11546.	30.0	. 174	91.3	.0185	-83.3			313.8	15.9	289.
43		11760.	34.9	.210	106.5	.0194	-84.0			316.1	13.9	295.
44		11988.	40.5	. 254	123.7	.0205	-84.0			319.8	14.4	299.
45		12205.	44.0	.287	134.3	.0218	-84.0			323.4	13.6	293.
46		12418.	45.4	. 308	139.0	.0231	-84.7			325.8	11.4	287.
47		12628.	46.7	. 329	143.9	.0245	-85.8			327.4	11.4	292.
48		12853.	47.5	. 349	145.8	.0260	-85.0			332.6	10.6	301.
49		13072.	47.8	. 365	147.4	.0275	-85.8			335.1	9.3	307.
											- • -	

STATI	ON: SOUTH POLE		LAUNC	H DATE:	18 SEP	89 5	508 Z	ECC	SONDE:	4A4406	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	С	C	%	K	M/S	DEG
50	125.1 13316.	50.2	. 401	154.7	.0292	-85.8			339.4	9.8	316.
51	119.6 13563.	51.8	. 433	160.3	. 0309	-86.5			342.4	10.7	310.
52	114.9 13782.	54.1	. 471	167.4	.0326	-86.5			346.3	10.6	295.
53	110.1 14015.	56.2	.510	174.1	.0344	-86.9			349.8	9.3	292.
54	105.4 14253.	57.3	. 544	176.7	.0363	-85.8			356.4	7.9	304.
55	100.9 14493.	59.9	. 594	184.5	. 0383	-85.8			360.9	5.4	316.
56	96.6 14732.	61.1	. 633	188.2	. 0403	-85.8			365.4	6.0	306.
57	92.2 14988.	61.0	.662	188.0	.0426	-85.8			370.3	7.6	306.
58	88.5 15212.	61.3	.693	189.6	.0445	-86.5			373.1	5.6	315.
59	85.0 15433.	66.8	. 786	206.8	.0465	-86.5			377.4	4.7	325.
60	81.4 15669.	74.7	.918	230.6	.0488	-86.2			382.9	3.9	328.
61	78.0 15902.	77.0	. 987	239.1	. 0513	-87.3			385.2	2.6	317.
62	74.3 16167.	76.0	1.023	236.5	.0543	-87.7			389.8	3.1	319.
63	70.6 16444.	74.1	1.050	230.6	.0573	-87.7			395.5	6.3	333.
64	67.4 16695.	72.2	1.071	226.8	. 0600	-89.4			397.2	11.4	331.
65	64.2 16957.	71.0	1.106	222.1	. 0627	-88.5			404.6	12.1	315.
66	61.3 17208.	76.1	1.241	236.0	. 0653	-86.9			413.5	8.4	293.
67	58.9 17427.	77.1	1.309	236.6	.0677	-85.0			422.5		238.
68	56.3 17676.	75.0	1.332	230.1	.0704	-85.0			428.0	. 9	152.
69	53.9 17916.	68.8	1.276	212.1	.0729	-85.8			431.7		344.
70	51.3 18186.	63.4	1.236	196.6	.0755	-86.9			435.1	3.2	23.
71	49.1 18425.	61.6	1.255	190.9	.0777	-86.9			440.6	3.7	118.
72	47.0 18663.	62.7	1.334	195.2	.0798	-87.7			444.2	2.5	67.
73	44.9 18912.	61.1	1.361	190.3	.0820	-87.7			450.1	5.4	24.
74	43.0 19146.	59.5	1.384	185.2	.0840	-87.7			455.7	1.1	23.
75	41.0 19405.	59.9	1.461	186.5	.0862	-87.7			461.9	3.9	274.
76	39.0 19678.	65.8	1.687	203.7	.0886	-86.5			471.5	4.8	225.
77	37.1 19951.	72.8	1.962	224.4	.0913	-85.8			480.3		202.
78	35.2 20240.	72.2	2.051	222.6	.0943	-85.8			487.5	5.4	219.
79	33.4 20526.	68.4	2.048	212.8	.0972	-87.7			489.8	. 3	331.
80	31.8 20793.	63.0	1.981	196.1	.0998	-87.7			496.7	7.1	27.
81	30.4 21037.	59.1	1.944	184.1	. 1019	-87.7			503.1	5.9	40.
82	29.0 21295.	58.0	2.000	178.8	.1041	-85.8			515.3	4.0	358.
83	27.9 21509.	62.9	2.254	191.0	. 1059	-82.9			528.9	7.5	336.
84	26.5 21796.	67.5	2.547	204.2	. 1085	-82.3			538.6	5.5	328.
85	25.2 22077.	70.5	2.798	213.8	.1112	-82.6			545.5	2.9	306.
86	24.0 22350.	77.4	3.225	234.0	.1139	-82.3			554.1	6.9	337.
87	22.6 22686.	79.1	3.500	238.4	.1176	-81.6			565.6	7.3	326.
88	21.7 22914.	79.7	3.673	240.2	.1201	-81.6			572.2	5.1	255.
89	20.6 23206.	79.8	3.874	240.4	. 1233	-81.6			580.8	2.7	250.
90	19.7 23457.	80.0	4.061	240.0	. 1262	-80.7			591.2	3.4	4.
91	18.8 23722.	80.6	4.287	240.2	.1291	-79.4			602.9	5.9	350.
92	18.0 23969.	80.8	4.489	240.3	. 1319	-79.1			611.4	5.9	304.
93	17.3 24194.	77.0	4.451	229.1	. 1344	-79.1			618.4	6.9	289.
94	16.6 24429.	73.7	4.440	218.5	. 1368	-78.6			627.6	5.5	317.
95	15.9 24675.	69.9	4.396	206.5	. 1393	-77.7			638.2	5.1	337.
96	15.3 24896.	65.8	4.301	193.4	. 1414	-76.9			648.0	6.0	331.
97	14.7 25127.	63.1	4.293	184.2	. 1435	-75.2			660.8	5.6	331.
98	14.0 25411.	60.9	4.350	176.5	. 1458	-74.0			674.5	4.9	331.
99	13.2 25756.	58.4	4.424	167.0	. 1486	-71.1			695.9	5.8	331.
100	12.6 26032.	54.1	4.294	154.5	. 1507	-71.1			705.2	3.0	331.
101	12.2 26223.	49.4	4.049	140.5	.1521	-70.1			715.0	. 6	203.
102	11.7 26472.	47.1	4.026	133.7	. 1537	-69.9			724.4	7.4	269.
103	11.0 26839.	45.5	4.136	129.4	. 1559	-70.1			736.5	6.9	310.
104	10.4 27174.	44.1	4.240	124.7	. 1579	-69.2			751.7	7.8	338.
	2/1/4.		2 40	124.7		03.2			, 5 , , ,	,	


STATION: SOUTH POLE			LAUNCH DATE:		18 SEP 89 508 Z		ECC	SONDE:				
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	9.8	27560.	38.8	3.979	109.2	.1601	-67.9			770.6	9.2	321.
106	9.2	27924.	36.7	3.998	102.1	.1619	-65.8			791.9	9.2	321.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 19.9
 13.6
 30.4
 64.1
 66.5
 72.5
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR	COMMENTS	
1110118098905	99	ECC TOTAL 03 FRO	M SONDE DATA 191
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFP	PPPP P3TTTDDDFFFPPPP	P3TTTDDDFFFPPPP P3TTTDDDFFF
1110218098905	692 22-55	500 18-41150 5 300	12-67111 4 200 22-81287 16
1110318098905	150 45-84290 12	100 60-86314 6 70	74-88333 7 50 62-87 79 3
1110418098905	30 59-87129 52	20.0 80-81 87 310.0	41-68328 9 673 21-35290 20
1110518098905	658 21-34290 20	572 21-35317 11 250	16-76293 7 89 61-87315 6
1110618098905	78 77-87317 3	67 72-89331 11 59	77-85238 2 41 60-88274 4
1110718098905	37 73-86202 82	27.9 63-83336 824.0	77-82337 718.0 81-79304 6
1110818098905	15.3 66-77331 61	3.2 58-71331 6 9.2	37-66321 9



STATION: SOUTH POLE LAUNCH DATE: 22 SEP 89 238 Z ECC SONDE: 4A4409

SURFACE CONDITIONS: PRESSURE 679.0 MB, TEMPERATURE +47.1 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 24.0 C AT 70.5 ORD;

O3 ORD ZERO 34.8, BKGND 35.0, CAL 74.0; O3 BKGND 0.027 MICROAMP; FLOW RATE 26.0 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 181.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	тотог	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	679.0	2835.	19.3	.028	49.3	.0000	-47.1			252.5		
1	658.0	3044.	19.3	.029	48.7	. 0005	-43.9			258.4	26.9	28 5.
2	640.0	3232.	19.8	. 031	48.9	.0009	-40.2			264.7	26.9	285.
3	623.0	3417.	19.8	. 032	48.3	. 0013	-36.8	-39.2	79.9	270.6	20.1	358.
4	607.0	3598.	19.7	. 032	47.9	.0017	-35.7	-38.2	79.0	273.9	22.2	6.
5	588.0	3819.	19.7	. 034	48.0	. 0022	-36.4	-39.6	73.1	275.6	24.8	14.
6	570.0	4034.	19.7	. 035	48.0	.0027	-36.5	-40.0	71.3	277.9	23.1	15.
7	555.0	4219.	19.6	. 035	48.0	.0031	-37.0	-40.7	70.1	279.4	20.7	17.
8	538.0	4434.	19.5	. 036	47.9	. 0036	-38.0	-42.1	66.6	280.7	21.9	13.
9	523.0	4628.	19.5	. 037	48.2	. 0040	-39.8	-44.8	59.4	280.9	19.9	12.
10	508.0	4826.	19.5	. 038	48.5	. 0045	-41.0			281.7	17.5	12.
11	492.0	5043.	18.7	. 038	46.8	.0049	-42.5			282.5	15.2	18.
12	478.0	5238.	18.3	. 038	45.9	. 0054	-43.4			283.7	15.6	22.
13	462.0	5466.	18.2	. 039	46.1	. 0058	-44.8			284.8	16.7	23.
14	450.0	5642.	18.2	. 040	46.3	.0062	-45.9			285.5	14.7	26.
15	438.0	5821.	18.6	.042	47.7	. 0066	-47.5			285.6	14.0	23.
16	424.0	6035.	18.7	. 044	48.0	. 0071	-48.7			286.8	13.7	23.
17	413.0	62 08 .	16.1	. 039	41.6	. 0074	-49.6			287.8	15.6	21.
18	400.0	64 16.	15.7	. 039	40.9	. 0078	-51.5			288.1	18.0	19.
19	386.0	6 64 7.	15.7	. 041	41.2	. 0083	-52.5			289.6	22.5	17.
20	371.0	6902.	15.7	.042	41.5	. 0088	-54.1			290.8	20.9	19.
21	360.0	7094.	15.3	. 043	40.7	. 0091	-5 5 . 9			290.9	18.1	24.
22	350.0	7273.	15.2	. 043	40.7	. 0095	-57.5			291.2	17.7	21.
23	340.0	7455.	14.4	.042	38.8	. 0098	-59.4			291.0	16.9	21.
24	328.0	7679.	14.4	. 044	39.2	.0102	-61.2			291.5	18.1	19.
25	317.0	7891.	14.4	.045	39.5	.0106	-62.7			292.3	17.9	15.
26	306.0	8107.	14.4	. 047	39.8	. 0110	-64.2			293.1	17.2	11.
27	293.0	8372.	13.9	.047	38.7	.0115	-65.4			295.1	14.4	13.
28	282.0	8605.	13.5	. 048	37.7	.0119	-66.0			297.4	16.2	18.
29	271.0	8845.	12.3	. 045	34.5	.0123	-67.7			298.4	19.0	20.
30	261.0	9071.	11.0	.042	31.1	.0126	-68.7			300.0	14.4	23.
31	252.0	9281.	12.9	. 051	36.8	.0130	-70.1			301.1	13.9	20.
32	243.0	9496.	24.8	. 102	70.8	.0134	-70.8			303.2	10.3	20.
33 34	238.0 231.0	9620. 9796.	29.0	.122	82.9	.0138	-71.2			304.3	5.9	48.
35	223.0 1		32.0	. 139	91.9	.0145	-72.2			305.5	14.1	53.
36	214.0 1		31.6 34.1	. 142 . 159	91.2	.0154	-73.4 74.2			306.7	16.9	54.
3 7	204.0 1		40.1	. 197	98.9 116.0	.0164 .0178	-74.2			309.1	18.0	40.
	197.0 1				127.0		-73.7 -74.2			314.2	22.8	28. 32.
39	189.6 1		41.2		119.6					316.5		
40	182.0 1		43.8								11.1	38.
41	174.5 1		47.3			.0215 .0230					12.2 15.1	45. 47.
42	168.3 1		46.4			.0230					16.9	4 7. 3 7.
43	162.1 1		48.8	. 301		.0243					10.9	57. 52.
44	156.0 1		54.5	.349		.0237	-77.6 -77.6				10.2	47.
	149.8 1		58.0	. 387	171.3	.0271	-77.6 -77.6				18.1	47. 29.
	143.6 1		57.8			. 0308					15.2	40.
	137.5 1		57.2			.0328					15.2	44.
	132.0 1		55.4			.0346				344.5		43.
	127.1 1		57.4	. 452		.0362				347.1	17.2	43.
	-									3		

STATI	ON: SOUTH POLE		LAUNCE	. DATE.	22 SEP	89 238 Z	FCC	SONDE:	444400	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB		GAMMA	ATMCM	C C	76	K	M/S	DEG
50	122.2 13463.	66.6	. 545	199.6	.0381	-80.6	••	351.0	11.5	69.
51	117.4 13689.	67.8		203.3	.0402	-80.6		355.1	11.2	161.
52	112.7 13919.	63.7	. 565	191.1	.0423	-80.6		359.3	6.0	62.
53	108.0 14159.	58.2	.539	175.0	.0444	-81.2		362.5	21.9	33.
54	103.3 14409.	53.9	. 522	162.4	.0464	-81.6		366.5	23.3	31.
55	98.3 14687.	52.5	.534	159.1	.0485	-82.6		3 6 9.8	14.8	30.
56	94.0 14935.	51.2	.545	156.3	. 0503	-83.9		371.9	9.8	49.
57	90.0 15176.	50.1	. 557	153.3	. 0520	-84.6		375.1	5.7	57 .
58	85.9 15434.	48.3	. 562	147.7	.0538	-84.3		380.9	30.7	25.
59	82.5 15657.	46.2	. 560	141.7	. 0553	-85.0		383.8	19.7	24.
60	79.4 15868.	49.8	. 627	152.0	. 0568	-83.9		390.3	2.9	164.
61	76.1 16104.	55.5	. 729	169.4	. 0585	-83.9		395.0	26.0	31.
62	72.9 16342.	57.9	.794	176.6	. 0603	-83.9		3 99.9	17.1	34.
63	69.8 16584.	63.1	.904	190.9	.0624	-82.2		408.5	8.2	42.
64	66.8 16828.	61.2	.916	186.8	. 0645	-83.9		410.0	27.0	27.
65	63.9 17075.	52.9	. 828	160.5	. 0665	-82.9		417.5	. 9	20 7.
66	61.0 17334.	64.6	1.059	196.0	. 0686	-82.9		423.1	14.2	203.
67	58.0 17614.	55.3	. 953	168.8	.0710	-83.9		426.9	29.2	205.
68	55.3 17878.	43.0	. 778	131.1	.0730	-83.9		432.7	50.6	216.
69	52.9 18124.	37.1	. 701	113.5	. 0744	-84.6		436.6	28.8	233.
70	50.3 18402.	39.8	.791	121.9	. 0759	-84.6		443.0	5.5	6.
71	47.9 18672.	42.6	. 889	130.8	. 0775	-85.4		447.5	15.6	41.
72	45.8 18918.	40.2	.878	123.2	. 0789	-85.0		454.1	4.4	6 8.
73	43.8 19165.	35.3	. 806	107.7	. 0803	-83.9		462.6	11.8	41.
74	41.7 19437.	34.3	. 823	105.4	.0817	-85.4 85.7		465.5	8.2	27.
75 7 6	39.7 19707.	35.1	. 884	108.2	.0830	-85.7		471.2	8.5	20.
77	37.7 19991. 36.0 20244.	36.5 38.5	.968 1.069	112.1 118.3	.0844	-85.4 -85.4		479.1 485.5	12.0 8.1	41.
78	34.5 20479.	39.5	1.145	121.0	. 0858 . 0871	-84.6		493.3	8.9	65. 70.
79	32.9 20742.	37. 9	1.152	115.5	.0885	-83.9		502.0		37.
80	31.3 21018.	37.5	1.198	114.4	.0900	-83.9		509.2		24.
81	29.7 21309.	39.2	1.320	119.6	.0916	-83.9		516.9	6.1	35 6 .
82	28.1 21616.	43.1	1.534	131.6	.0933	-83.9		525.1	9.7	1.
83	26.7 21899.	48.7	1.824	148.4	.0951	-83.6		533.8		27.
84	25.4 22177.	55.7	2.193	168.9	.0970	-82.9		543.4		32.
85	24.1 22470.	58.8	2.440	178.2	.0994	-82.6		552.6		207.
86	23.0 22731.	62.1	2.700	187.8	. 1015	-82.2		561.0		1.
87	22.0 22981.	71.5	3.250	214.4	. 1038	-80.6		573.0		27.
88	20.8 23298.	74.9	3.601	223.1	. 1070	-79.4		585.9		3 3.
89	19.6 23636.	77.1	3.934	228.8	. 1105	-78.5		598.7		27.
90	18.5 23966.	76.3	4.124	225.1	.1140	-77.4		612.2	12.1	27.
91	17.2 24385.	73.1	4.250	214.4	. 1183	-76.3		628.6	15.9	40.
92	16.3 24696.	69.6	4.270	202.6	.1214	-74.9		642.6	12.1	70.
93	15.4 25026.	68.7	4.461	199.8	. 1245	-74.7		654.0	16.1	49.
94	14.4 25416.	66.9	4.646	194.8	. 1281	-74.9		665.8	14.1	38.
95	13.7 25707.	66.9	4.883	193.1	. 1307			681.4		60.
96	13.0 26015.	61.6	4.738	177.0	. 1334	-72.4		694.2		43.
97	12.2 26388.	56.5	4.631	162.2	. 1364	-72.2		707.8		24.
98	11.5 26737.	54.6	4.748	156.1	. 1390			723.2		21.
99	10.9 27055.	52.1	4.780	147.6				741.0		12.
100	10.3 27394.	51.9	5.039	146.3				756.4		9.
101	9.9 27632.	48.9	4.939	137.7				767.4		31.
102	9.4 27976.	45.4	4.856	127.4				782.5		36.
103	8.8 28342. 8.3 28727.	41.9 37.9	4.761 4.588	117.0 105.0				798.6 819.5		173. 64.
104	0.5 20/2/.	57.9	7.300	103.0	. 13 13	-05.0		013.0	13.3	∪ ∓.

 STATION: SOUTH POLE
 LAUNCH DATE: 22 SEP 89 238 Z
 ECC SONDE: 4A4409

 TIME PRESS ALT OZONE OZONE OZDEN TOTOZ
 TEMP DEWPT HUM POT T WIND WIND

 MIN MB GPM NB PPMV GAMMA ATMCM C
 C C %
 K M/S DEG


 105 7.7 29148.
 34.5 4.475 95.1 .1535 -63.8
 840.6 19.9 64.

UMKEHR LAYER AVERAGED OZONE PARTIAL PRESSURE IN NANOBARS

SFC-500MB 500-250 250-125 125-62.5 62.5-31.2 31.2-15.6 15.6-7.8 7.8-3.9 19.4 15.3 43.8 55.8 41.2 61.6 53.7 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMM	IENTS	
1110122098903	99 ECC	TOTAL 03 FROM S	SONDE DATA 181
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P	3TTTDDDFFFPPPP P3	TTTDDDFFFPPPP P3TTTDDDFFF
1110222098903	679 19-47 500 1	9-42 15 16 300 14-	-65 12 16 200 42-74 30 20
1110322098903	150 58-78 30 18 100 5	3-82 30 18 70 63	-82 41 9 50 40-85 10 7
1110422098903	30 39-84292 820.0 7	6-79 29 1710.0 50	-68 25 21 623 20-37358 20
1110522098903	607 20-36 6 22 252 1	3-70 20 14 238 29-	-71 48 6 223 32-73 54 17
1110622098903	132 55-80 43 13 117 6	8-81161 11 83 46-	-85 24 20 64 53-83207 1
1110722098903	61 65-83203 14 53 3	7-85233 2923.0 62-	-82 1 2 7.7 35-64 64 20



STATION: SOUTH POLE LAUNCH DATE: 24 SEP 89 306 Z ECC SONDE: 4A4422

SURFACE CONDITIONS: PRESSURE 671.1 MB, TEMPERATURE -61.5 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 23.0 C AT 70.2 ORD;

03 ORD ZERO 35.5, BKGND 35.8, CAL 72.0; 03 BKGND 0.043 MICROAMP; FLOW RATE 27.3 S/100 M

FLIGHT NORMALIZED TO TOTAL 03 ; SONDE TOTAL 03 183.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	MIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	671.1	2835.	20.5	. 031	56.0	. 0000	-61.5			237.2		
1	657.0	2971.	19.7	. 030	50.2	.0003	-46.9			255.1	27.1	276.
2	639.0	3159.	23.1	. 036	56.9	.0008	-38.8	-42.5	68.9	266.4	27.1	276.
3	620.0	3366.	22.2	. 036	54.6	.0013	-38.1	-45.2	48.2	269.4	14.8	268.
4	601.0	3580.	21.6	. 036	53.2	.0019	-38.5	-47.7	37.9	271.4	9.8	307.
5	584.0	3777.	21.6	. 037	53.3	.0023	-38.8	-48.6	35.4	273.3	10.2	310.
6	569.0	3956.	21.2	. 037	52.4	.0028	-39.6	-49.2	35.8	274.4	7.0	336.
7	554.0	4138.	21.2	. 038	52.8	.0032	-41.0			274.8	11.7	319.
8	539.0	4324.	19.3	. 036	48.3	.0037	-42.2			275.5	14.9	316.
9	523.0	4527.	19.3	. 037	48.4	.0041	-43.2			276.7	11.6	350.
10	507.0	4736.	19.7	.039	49.7	.0046	-44.5			277.6	12.4	353.
11	491.0	4950.	17.9	.036	45.4	.0051	-46.1			278.3	11.8	354.
12	477.0	5142.	17.4	.036	44.6	.0055	-47.7			278.6	11.5	359.
13	462.0	5352.	17.4	.038	44.9	.0059	-49.0			279.5	12.2	2.
14	449.0	5539.	17.5	.039	45.3	.0063	-50.7			279.7	13.2	4.
15	435.0	5745.	16.0	. 037	41.8	.0067	-51.8			280.8	14.0	7.
16	421.0	5956.	16.5	.039	43.2	.0071	-52.5			282.5	14.1	11.
17	408.0	6159.	15.1	.037	39.8	.0075	-53.5			283.8	15.9	13.
18 19	394.0	6383.	15.1	. 038	40.0	.0079	-54.9			284.7	15.6 12.2	11. 7.
20	380.0	6613.	15.9	. 042	42.3	.0084	-56.1			286.2 287.7		7. 7.
21	369.0 357.0	6800. 7009.	15.9 14.5	. 043	42.4	.0087	-56.8			289.1	11.6 11.9	14.
22	346.0	7205.	13.5	. 041 . 039	38.9 36.5	.0091 .0095	-57.8 -59.2			289.8	9.8	17.
23	336.0	7388.	14.0	.042	38.0	.0093	-61.2			289.5	10.0	15.
24	325.0	7595.	14.4	.044	39.4	.0102	-61.2 -62.1			291.0	11.7	19.
25	315.0	73 9 3.	16.5	.052	45.4	.0102	-63.2			292.0	13.8	23.
26	304.0	8005.	20.9	.069	57.9	.0110	-64.2			293.6	14.0	20.
27	294.0	8209.	25.7	.087	71.6	.0116	-65.6			294.5	12.8	18.
28	283.0	8441.	19.5	.069	54.3	.0123	-65.8			297.4	14.3	26.
29	272.0	8681.	16.4	.060	45.9	.0129	-66.8			299.3	13.8	31.
30	263.0	8884.	19.0	.072	53.5	.0133	-68.5			299.7	12.7	30.
31	254.0	9092.	22.5	.089	63.8	.0139	-69.6			301.1	13.8	32.
32	244.0	9331.	26.8	.110	76.5	.0146	-70.8			302.8	12.7	32.
33	237.0	9503.	31.0	.131	88.4	.0152	-70.8			305.4	10.8	31.
34	230.0	9681.	35.6	. 155	102.1	.0160	-71.7			306.6	11.1	37.
35	221.0	9916.	42.9	. 194	123.0	.0171	-71.7			310.1	12.4	27.
36		10161.	46.9	. 221	134.9	.0186	-72.4			312.7	11.0	24.
37		10358.	49.1	. 240	141.4	.0198	-72.9			314.9	10.7	22.
38		10597.	52.6	. 267	151.9	.0214	-73.2			318.2	13.0	14.
39		10809.	54.7	. 288	159.0	.0229	-74.4			319.5	10.2	14.
40	182.9	11024.	51.1	. 279	148.9	.0245	-74.9			322.1	10.6	14.
41	175.9	11251.	57.8	. 329	168.4	.0261	-74.9			325.7	11.0	23.
42	169.1	11479.	62.8	. 371	183.5	.0279	-75.5			328.5	11.4	32.
43	162.6	11706.	65.1	. 400	190.3	.0298	-75.5			332.2	11.3	29.
44	156.1	11942.	65.3	. 418	191.5	.0319	-76.3			334.7	8.9	22.
45	150.0	12172.	63.9	. 426	187.8	.0340	-76.8			337.6	8.5	19.
46	144.1	12402.	62.3	. 432	184.1	.0360	-77.6			340.1	8.6	23.
47		12637.	61.3	.443	182.0	. 0380	-78.8			342.0	11.1	18.
48	132.5	12880.	59.9	. 452	178.4	.0400	-79.1			345.7	8.2	28.
49	127.7	13090.	58.8	. 460	175.2	.0418	-79.4			348.9	7.0	61.


TATE	ON: SOUTH POLE		LAUNC	H DATE:	24 SEP	89 306 Z	ECC	SONDE:	444422	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	C C	76 W	K	M/S	DEG
50	122.9 13307.	58.0	.472	173.0	.0435	-79.7	/•	352.1	9.2	49.
51	118.0 13538.	58.4	. 495	174.2	.0454	-79.7 -79.7		356.3	10.9	37.
52	113.3 13768.	58.3	.515	174.1	.0472	-79.7 -79.7		360.4	10.9	27.
53	109.0 13987.	58.1	. 533	174.2		-80.6		362.7	9.8	20.
54	104.6 14219.	54.5	.521	163.4	.0508	-80.6		367.0	8.1	
55	100.2 14461.	56.4								26.
56	96.2 14690.	57.5	. 563	169.8	.0527	-81.2		370.3 375.9	8.3	36.
57	92.4 14917.	53.8	.598	172.5	. 0545	-80.6			6.0	81.
58	88.5 15160.	51.9	.582	161.5	.0562	-80.9		379.6	7.0	123.
59	85.0 15386.		.586	156.5		-81.6		383.0	5.4	103.
60	81.5 15622.	51.7	.608 .674	155.8 165.7	.0597	-81.6		387.5	5.1	131.
		54.9			.0614	-81.9		391.5	4.5	67.
61	78.0 15868.	57.4	.736	172.8		-81.2		397.8	12.1	22.
62	74.7 16111.	58.0	.776	174.9	.0653	-81.6		402.1	5.5	19.
63	71.3 16372.	57.5	. 806	173.9	.0674	-82.2		406.1	.8	19.
64	68.3 16613.	60.4	.884	182.3		-81.9		411.8	7.4	35.
65 66	65.4 16856.	63.2	.966	190.6	.0714	-81.6		417.6	6.9	57.
66	62.3 17128.	54.8	. 880	165.8	. 0737	-82.2		422.0	6.9	57.
67	59.6 17375.	52.3	. 878	158.6	. 0756	-82.9		425.9	6.8	67.
68	57.1 17614.	52.2	.914	158.3	. 0774	-82.9		431.1	8.5	78.
69	54.6 17864.	53.2	. 974	161.4	. 0792	-82.9		436.7	8.3	91.
70	52.1 18125.	50.2	. 964	151.9	.0811	-82.2		444.1	7.1	86.
71	49.7 18389.	48.3	. 972	145.9	. 0830	-82.2		450.2	6.5	107.
72	47.5 18642.	46.1	. 971	139.8	. 0847	-82.9		454.4	8.4	94.
73	45.3 18906.	41.9	.925	127.5	. 0863	-83.2		459.8	11.5	72.
74	43.1 19183.	41.6	. 965	126.6	. 0880	-83.6		465.5		142.
75	41.0 19460.	45.3	1.105	137.3	. 0896	-82.9		473.9	1.3	58.
76	39.0 19739.	48.8	1.251	147.8	.0914	-82.6		481.6	3.0	9.
77	37.2 20003.	50.6	1.360	153.0	.0932	-82.2		489.0	4.7	194.
78	35.7 20233.	47.9	1.342	145.2	. 0948	-82.6		493.9	3.1	159.
79	34.0 20506.	46.0	1.353	139.1	.0966	-82.2		501.7	4.4	119.
80	32.1 20827.	46.0	1.433	139.7	. 0987	-82.9		508.3	7.0	80.
81	30.5 21112.	46.8	1.534	142.0	. 1006	-82.9		515.7	5.9	105.
82	29.0 21394.	50.1	1.728	151.5	. 1025	-82.2		525.1	7.6	131.
83	27.8 21631.	57.1	2.054	171.3	. 1042	-80.6		535.9	8.9	90.
84	26.5 21901.	65.6	2.475	196.3	. 1064	-80.3		544.2	8.8	75.
85	25.4 22142.	72.2	2.843	214.2	. 1087	-78 .5		555.9	3.0	129.
86	24.3 22394.	77.0	3.169	229.1	.1112	-79.1		561.3	4.5	187.
87	23.2 22657.		3.500		. 1140			570.5		104.
88	22.2 22909.	82.9	3.734	244.7	. 1168	-77.6		580.3	8.2	106.
89	21.2 23173.	82.1	3.873	242.5	.1198	-77.6		588.0	2.2	115.
90	20.2 23451.	82.7	4.094	242.5	. 1229	-76.3		600.4	2.9	58.
91	19.2 23744.	84.1	4.380	246.0		-75.7		610.8	3.5	67.
92	18.6 23928.	79.2	4.258	231.6	. 1282	-75.7		616.4		36.
93	17.9 24150.	77.9	4.352	226.5		-74.7		626.5	2.8	28.
94	17.1 24417.	76.9	4.497	221.4	. 1334	-72.7		641.1	5.2	200.
95	16.5 24627.	73.6	4.461	211.6		-72.4		648.5	20.8	196.
96	15.9 24845.	69.8	4.390	200.2		-71 .7		657.7	14.5	164.
97	15.2 25111.	65.7	4.322	187.8	. 1401	-71.0		668.6	10.5	67.
98	14.6 25350.	63.7	4.363	181.3	. 1421	-70.3		678.6	5.0	89.
99	14.0 25600.	62.5	4.464	176.7	. 1442	-69.0		691.4	4.6	141.
100	13.3 25908.	55.5	4.173	155.6	. 1467	-67.2		707.5	2.5	150.
101	12.7 26187.	50.5	3.976	141.0		-66.4		719.8	6.5	36.
102	12.2 26431.	48.2	3.951	134.1		-65.6		731.0	12.6	44.
103	11.6 26738.	43.2		120.4		-65.8		740.9	14.3	65.
104	11.0 27061.	38.1	3.464	105.4	. 1538	-64.6		756.6	7.1	63.

UMKEHR LAYER AVERAGED OZONE PARTIAL PRESSURE IN NANOBARS

SFC-500MB 500-250 250-125 125-62.5 62.5-31.2 31.2-15.6 15.6-7.8 7.8-3.9 20.6 17.1 52.3 56.4 47.7 71.1 999.9 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR	COMMENTS		
1110124098903	99	ECC TOTAL	L 03 FROM SONDE DATA 183	
ISNNNYYMMJJGG	PPPP P3TTTDDDFFF	PPPP P3TTTDDDF	FFFPPPP P3TTTDDDFFFPPPP P3TTTDDDF	FF
1110224098903	671 21-62	500 19-45353	12 300 23-65 19 14 200 51-73 17	12
1110324098903	150 64-77 19 9	100 56-81 38	8 70 59-82 26 4 50 49-82104	7
1110424098903	30 48-83114 6	320.0 83 - 76 60	3 657 20-47276 27 639 23-39276	27
1110524098903	584 22-39310 10	346 14-59 17	10 272 16-67 31 14 244 27-71 32	13
1110624098903	65 63-82 57 7	43 42-84142	7 37 51-82194 525.4 72-79129	3
1110724098903	14 0 63-69141 5	10 3 32-63 63	7	



STATION: SOUTH POLE LAUNCH DATE: 27 SEP 89 240 Z ECC SONDE: 4A4424
SURFACE CONDITIONS: PRESSURE 655.1 MB, TEMPERATURE -46.2 C, HUMIDITY 0.0 %
CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 28.0 C AT 71.3 ORD;
O3 ORD ZERO 38.8, BKGND 40.0, CAL 76.6; O3 BKGND 0.166 MICROAMP; FLOW RATE 26.1 S/100 M
FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 ; C.F.


	22500	A 1 T	070115	070NE	OZDEN	TOTOZ	TEMP	DEWPT	LILINA	DOT T	WITHD	WILL
TIME	PRESS	ALT GPM	OZONE NB	OZONE PPMV	GAMMA	ATMCM	C	C	HUM %	POT T K	WIND M/S	WIND
MIN	MB	2835.	17.3	.026	44.0	.0000	-46.2	C	/•	256.1	M/ 3	DEG
0 1	655.1 641.0	2833. 2979.	17.4	.027	44.3	.0003	-46.8			257.0	29.5	312.
2	628.0	3116.	16.5	.026	41.5	.0006	-43.9			261.8	29.5	312.
3	610.0	3312.	16.4	.027	41.1	. 0009	-42.4			265.8	39.3	331.
4	594.0	3491.	15.6	.026	39.2	.0013	-42.9			267.2	28.4	341.
5	579.0	3664.	15.2	.026	37.9	.0016	-42.4			269.8	17.5	355.
6	563.0	3853.	13.3	.024	33.5	.0019	-43.6			270.5	13.4	15.
7	547.0	4047.	12.5	.023	31.5	.0022	-43.9			272.4	13.5	12.
8	531.0	4247.	12.5	.024	31.4	.0025	-42.9			275.9	15.4	358.
9	517.0	4426.	12.6	.024	31.7	.0027	-44.1			276.6	16.5	352.
10	500.0	4650.	13.5	.027	34.1	.0031	-45.4			277.7	24.7	351.
11	485.0	4853.	13.1	.027	33.4	.0034	-46.8			278.3	32.4	353.
12	470.0	5060.	12.3	.026	31.5	.0037	-47.8			279.6	29.3	358.
13	457.0	5245.	12.3	.027	31.7	.0040	-48.7			280.7	26.4	2.
14	443.0	5449.	12.4	.028	32.0	.0043	-50.2			281.3	33.1	360.
15	430.0	5643.	13.2	. 031	34.5	.0046	-51.8			281.8	38.1	357.
16	416.0	5857.	12.0	.029	31.4	.0049	-52.9			283.0	43.3	357.
17	401.0	6093.	11.5	.029	30.3	.0052	-54.1			284.4	56.8	359.
18	389.0	6287.	12.1	.031	32.1	.0055	-56.3			284.1	61.3	359.
19	376.0	6502.	12.1	. 032	32.5	.0058	-57.5			285.3	52.3	359.
20	362.0	6741.	12.7	. 035	34.2	.0062	-58.7			286.8	55.9	357.
21	351.0	6935.	14.4	. 041	38.9	.0065	-59.9			287.6	49.7	354.
22	341.0	7115.	14.8	.043	40.4	.0068	-61.2			288.3	29.9	349.
23	330.0	7318.	14.9	. 045	40.7	.0072	-62.3			289.5	36.1	354.
24	321.0	7488.	15.8	. 049	43.4	.0075	-63.2			290.5	37.1	356.
25	310.0	7702.	16.2	. 052	44.8	.0080	-64.2			292.0	26.5	357.
26	300.0	7903.	17.1	. 057	47.3	.0084	-64.4			294.5	18.1	9.
27	291.0	8089.	18.3	. 063	50.8	.0088	-64.6			296.8	17.4	10.
28	282.0	8280.	20.0	.071	55.8	.0093	-65.8			297.7	34.7	1.
29	271.0	8522.	22.1	. 082	61.6	.0099	-65.8			301.1	35.7	358.
30	262.0	8727.	21.8	.083	60.8	.0105	-66.6			302.8	5.5	314.
31	253.0	8937.	19.8	. 078	55.8	.0111	-68.5			303.0	50.8	354.
32	245.0	9129.	23.4	.096	66.6	.0116	-69.9			303.9	9.4	346.
33	237.0	9327.	26.0	.110	73.8	.0122	-70.1			306.4	29.5	181.
34	228.0	9556.	28.3	. 124	81.2	.0130	-71.7			307.3	34.1	352.
35	220.0	9767.	36.0	. 164	103.2	.0139	-71.7			310.5	18.7	344.
36	212.0	9985.	40.4	. 191	116.3	.0149	-72.7			312.3	13.6	199.
37		10182.	44.6	.218	128.8	.0160	-73.2			314.5	7.8	286.
38		10415.	51.0	. 259	147.1	.0174	-72.9			318.5	12.5	327.
39		10627.	53.3	. 281	154.3	.0189	-73.7			320.6	7.6	231.
40		10853.	55.6	. 304	160.6	.0205	-73.4			324.6	10.6	199.
41		11077.	57.1	. 325	166.3	.0222	-74.9			325.7	17.8	185.
42		11282.	57.0	. 336	166.1	. 0238	-74.9			329.0	11.3	316.
43		11497.	56.0	.342	163.6	. 0255	-75.7			331.2	23.5	337.
44		11717.	56.7	. 360	165.6	.0271	-75.5			335.2	39.4	179.
45		11923. 12140.	58.0 50.3	.382	169.7	.0287	-75.7 - 76.0			338.2	51.6	175.
46 47		12357.	59.3 58.8	.405	173.8	.0304	-76.0			341.4	3.5	338.
48		12577.	55.1	.417 .406	172.9 161.9	. 0322 . 0339	-76.8 -76.5			343.6	8.8	348.
49		12802.	51.3	. 393	150.9	. 0359 . 0356				347.9	4.1	326.
73	130.3	12002.	51.5	. 555	100.3	. 6336	-76.8			351.3	10.2	326.

TIME PRESS ALT OZONE OZONE OZDEN TOTOZ TEMP DEWPT HUM POT T WIND WIND MIN MB GPM NB PPMV GAMMA ATMCM C C C % K M/S DEG 50 125.5 13027. 52.4 .418 153.9 .0372 -76.5 355.8 15.4 343. 51 120.2 13275. 52.8 .439 155.9 .0390 -77.6 358.1 10.0 342. 52 115.5 13503. 50.4 .436 148.9 .0406 -77.6 362.2 9.2 335. 53 111.0 13730. 48.5 .437 144.2 .0421 -79.1 363.7 9.7 335. 54 106.3 13975. 42.4 .399 126.6 .0437 -79.7 367.1 15.6 334. 55 102.0 14209. 41.2 .404 123.1 .0451 -79.7 371.4 12.3 311. 56 97.7 14453. 44.7 .458 133.4 .0465 -79.7 376.0 10.6 251. 57 93.9 14678. 44.7 .476 133.4 .0479 -79.7 380.3 10.8 277. 58 90.1 14912. 44.2 .491 132.6 .0493 -80.6 383.0 15.8 320. 59 86.5 15142. 43.4 .502 130.1 .0507 -80.6 387.5 16.1 320. 60 82.8 15388. 42.6 .514 127.4 .0522 -80.0 393.6 11.4 317. 61 79.1 15647. 42.3 .535 126.7 .0537 -80.6 397.5 9.0 330.
50 125.5 13027. 52.4 .418 153.9 .0372 -76.5 355.8 15.4 343. 51 120.2 13275. 52.8 .439 155.9 .0390 -77.6 358.1 10.0 342. 52 115.5 13503. 50.4 .436 148.9 .0406 -77.6 362.2 9.2 335. 53 111.0 13730. 48.5 .437 144.2 .0421 -79.1 363.7 9.7 335. 54 106.3 13975. 42.4 .399 126.6 .0437 -79.7 367.1 15.6 334. 55 102.0 14209. 41.2 .404 123.1 .0451 -79.7 371.4 12.3 311. 56 97.7 14453. 44.7 .458 133.4 .0465 -79.7 376.0 10.6 251. 57 93.9 14678. 44.7 .476 133.4 .0479 -79.7 380.3 10.8 277. 58 90.1 14912. 44.2 .491 132.6 .0493 -80.6 383.0 15.8 320. 59 86.5 15142. 43.4
51 120.2 13275. 52.8 .439 155.9 .0390 -77.6 358.1 10.0 342. 52 115.5 13503. 50.4 .436 148.9 .0406 -77.6 362.2 9.2 335. 53 111.0 13730. 48.5 .437 144.2 .0421 -79.1 363.7 9.7 335. 54 106.3 13975. 42.4 .399 126.6 .0437 -79.7 367.1 15.6 334. 55 102.0 14209. 41.2 .404 123.1 .0451 -79.7 371.4 12.3 311. 56 97.7 14453. 44.7 .458 133.4 .0465 -79.7 376.0 10.6 251. 57 93.9 14678. 44.7 .476 133.4 .0479 -79.7 380.3 10.8 277. 58 90.1 14912. 44.2 .491 132.6 .0493 -80.6 383.0 15.8 320. 59 86.5 15142. 43.4
52 115.5 13503. 50.4 .436 148.9 .0406 -77.6 362.2 9.2 335. 53 111.0 13730. 48.5 .437 144.2 .0421 -79.1 363.7 9.7 335. 54 106.3 13975. 42.4 .399 126.6 .0437 -79.7 367.1 15.6 334. 55 102.0 14209. 41.2 .404 123.1 .0451 -79.7 371.4 12.3 311. 56 97.7 14453. 44.7 .458 133.4 .0465 -79.7 376.0 10.6 251. 57 93.9 14678. 44.7 .476 133.4 .0479 -79.7 380.3 10.8 277. 58 90.1 14912. 44.2 .491 132.6 .0493 -80.6 383.0 15.8 320. 59 86.5 15142. 43.4 .502 130.1 .0507 -80.6 387.5 16.1 320. 60 82.8 15388. 42.6
53 111.0 13730. 48.5 .437 144.2 .0421 -79.1 363.7 9.7 335. 54 106.3 13975. 42.4 .399 126.6 .0437 -79.7 367.1 15.6 334. 55 102.0 14209. 41.2 .404 123.1 .0451 -79.7 371.4 12.3 311. 56 97.7 14453. 44.7 .458 133.4 .0465 -79.7 376.0 10.6 251. 57 93.9 14678. 44.7 .476 133.4 .0479 -79.7 380.3 10.8 277. 58 90.1 14912. 44.2 .491 132.6 .0493 -80.6 383.0 15.8 320. 59 86.5 15142. 43.4 .502 130.1 .0507 -80.6 387.5 16.1 320. 60 82.8 15388. 42.6 .514 127.4 .0522 -80.0 393.6 11.4 317.
54 106.3 13975. 42.4 .399 126.6 .0437 -79.7 367.1 15.6 334. 55 102.0 14209. 41.2 .404 123.1 .0451 -79.7 371.4 12.3 311. 56 97.7 14453. 44.7 .458 133.4 .0465 -79.7 376.0 10.6 251. 57 93.9 14678. 44.7 .476 133.4 .0479 -79.7 380.3 10.8 277. 58 90.1 14912. 44.2 .491 132.6 .0493 -80.6 383.0 15.8 320. 59 86.5 15142. 43.4 .502 130.1 .0507 -80.6 387.5 16.1 320. 60 82.8 15388. 42.6 .514 127.4 .0522 -80.0 393.6 11.4 317.
55 102.0 14209. 41.2 .404 123.1 .0451 -79.7 371.4 12.3 311. 56 97.7 14453. 44.7 .458 133.4 .0465 -79.7 376.0 10.6 251. 57 93.9 14678. 44.7 .476 133.4 .0479 -79.7 380.3 10.8 277. 58 90.1 14912. 44.2 .491 132.6 .0493 -80.6 383.0 15.8 320. 59 86.5 15142. 43.4 .502 130.1 .0507 -80.6 387.5 16.1 320. 60 82.8 15388. 42.6 .514 127.4 .0522 -80.0 393.6 11.4 317.
56 97.7 14453. 44.7 .458 133.4 .0465 -79.7 376.0 10.6 251. 57 93.9 14678. 44.7 .476 133.4 .0479 -79.7 380.3 10.8 277. 58 90.1 14912. 44.2 .491 132.6 .0493 -80.6 383.0 15.8 320. 59 86.5 15142. 43.4 .502 130.1 .0507 -80.6 387.5 16.1 320. 60 82.8 15388. 42.6 .514 127.4 .0522 -80.0 393.6 11.4 317.
57 93.9 14678. 44.7 .476 133.4 .0479 -79.7 380.3 10.8 277. 58 90.1 14912. 44.2 .491 132.6 .0493 -80.6 383.0 15.8 320. 59 86.5 15142. 43.4 .502 130.1 .0507 -80.6 387.5 16.1 320. 60 82.8 15388. 42.6 .514 127.4 .0522 -80.0 393.6 11.4 317.
58 90.1 14912. 44.2 .491 132.6 .0493 -80.6 383.0 15.8 320. 59 86.5 15142. 43.4 .502 130.1 .0507 -80.6 387.5 16.1 320. 60 82.8 15388. 42.6 .514 127.4 .0522 -80.0 393.6 11.4 317.
59 86.5 15142. 43.4 .502 130.1 .0507 -80.6 387.5 16.1 320. 60 82.8 15388. 42.6 .514 127.4 .0522 -80.0 393.6 11.4 317.
60 82.8 15388. 42.6 .514 127.4 .0522 -80.0 393.6 11.4 317.
61 79.1 15647. 42.3 .535 126.7 .0537 -80.6 397.5 9.0 330.
62 76.0 15872. 43.4 .571 130.5 .0551 -81.2 400.7 5.0 292.
63 72.7 16122. 45.2 .622 135.7 .0566 -80.6 407.2 18.2 220.
64 69.5 16376. 43.1 .620 129.0 .0582 -80.0 413.8 8.9 246.
65 66.7 16609. 37.6 .564 112.2 .0595 -79.7 419.3 12.9 354.
66 63.8 16861. 38.2 .599 114.1 .0608 -79.7 424.7 16.2 312.
67 61.2 17096. 38.6 .631 115.2 .0621 -79.7 429.8 26.0 321.
68 58.6 17342. 38.9 .664 116.2 .0634 -79.7 435.1 25.5 328.
69 56.0 17600. 39.6 .707 118.3 .0648 -79.7 440.8 15.8 318.
70 53.5 17858. 40.4 .755 121.0 .0662 -80.6 444.5 16.6 318.
71 50.9 18139. 37.0 .727 111.0 .0677 -80.6 450.9 8.2 247.
72 48.6 18399. 30.4 .626 91.1 .0690 -80.6 456.8 10.8 306.
73 46.4 18661. 29.3 .631 87.7 .0701 -80.6 462.9 25.8 325.
74 44.3 18923. 31.4 .709 93.8 .0712 -79.7 471.3 44.5 180:
75 42.5 19158. 31.0 .729 92.5 .0722 -79.7 477.0 57.6 173.
76 40.6 19417. 30.5 .751 91.2 .0733 -80.0 482.5 63.7 164.
77 38.8 19673. 30.4 .784 91.3 .0744 -80.6 487.2 64.5 164.
78 37.0 19941. 30.4 .822 91.3 .0755 -80.6 493.9 6.4 307.
79 35.1 20239. 34.1 .972 101.5 .0768 -79.1 505.3 24.2 334.
80 33.4 20522. 39.9 1.195 118.1 .0782 -77.9 515.6 16.6 324.
81 31.9 20786. 47.1 1.476 138.5 .0797 -76.8 525.4 16.6 324.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
14.4	15.0	47.7	44.0	33.9	999.9	999.9	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110127098903	99 ECC TOTAL 03 FROM SONDE DATA
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110227098903	655 17-46 500 14-45351 25 300 17-64 9 18 200 49-73311 11
1110327098903	150 58-76233 35 100 43-80283 12 70 43-80242 10 50 34-81270 9
1110427098903	641 17-47312 30 610 16-42331 39 531 13-43358 15 341 15-61349 30
1110527098903	253 20-69354 51 37 30-81307 6 32 47-77324 17



STATION: SOUTH POLE LAUNCH DATE: 28 SEP 89 958 Z ECC SONDE: 4A4426
SURFACE CONDITIONS: PRESSURE 659.4 MB, TEMPERATURE -54.9 C, HUMIDITY 0.0 %
CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 29.0 C AT 72.3 ORD;
O3 ORD ZERO 36.0, BKGND 36.9, CAL 72.9; O3 BKGND 0.128 MICROAMP; FLOW RATE 26.4 S/100 M
FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 ; C.F.


TIME	PRESS	ALT	OZONE	OZONE	CZDEN	тотох	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	659.4	2835.	17.1	.026	45.3	. 0000	-54.9			245.8		
1	643.0	3000.	17.6	.027	44.4	. 0003	-43.8			260.2	37.4	246.
2	625.0	3191.	17.7	.028	44.5	. 0007	-43.9			262.2	37.4	246.
3	606.0	3 3 98.	19.1	. 032	47.9	.0012	-43.5			265.0	25.2	268.
4	586.0	3624.	18.1	. 031	45.6	. 0017	-44.4			266.6	22.1	290.
5	570.0	3809.	17.6	. 031	44.7	. 0021	-45.2			267.7	23.2	293.
6	553.0	4011.	17.7	. 032	45.0	.0025	-45.8			269.3	21.6	285.
7	536.0	4218.	17.8	. 033	45.3	. 0029	-46.7			270.7	19.3	288.
8	520.0	4419.	17.4	. 033	44.4	. 0033	-47.2			272.3	18.2	297.
9	503.0	4638.	15.1	. 030	38.9	. 0038	-48.7			273.1	18.2	30 2.
10	490.0	4810.	13.3	. 027	34.5	. 0041	-49.9			273.7	21.0	305.
11	477.0	4985.	13.4	.028	34.8	.0043	-51.3			274.1	25.2	306.
12	461.0	5206.	14.3	. 031	37.4	. 0047	-52.5			275.2	23.0	305.
13	449.0	5376.	14.3	. 032	37.6	. 0050	-53.3			276.3	22.8	303.
14	433.0	5609.	14.3	. 033	37.8	. 0054	-54.3			278.0	22.4	305.
15	420.0	5804.	13.4	. 032	35.6	. 0058	-55.3			279.2	17.5	306.
16	407.0	6005.	14.4	. 035	38.2	.0061	-56.1			280.6	18.7	307.
17	393.0	6227.	15.3	.039	40.9	. 0065	-57.1			282.1	21.5	308.
18	380.0	6439.	15.4	.041	41.4	. 0069	-58.3			283.3	21.9	305.
19	367.0	6657.	16.3	. 044	44.1	. 0073	-59.4			284.7	19.6	305.
20	355.0	6865.	16.8	. 047	45.7	. 0077	-60.6			285.7	16.4	304.
21	344.0	7061.	17.3	. 050	47.2	.0082	-61.3			287.3	17.1	299.
22	332.0	7280.	17.8	. 054	48.6	. 0086	-62.3			289.0	17.2	294.
23	322.0	7469.	16.8	. 052	46.2	. 0090	-63.2			290.2	15.0	297.
24	313.0	7643.	15.9	. 051	43.9	.0094	-64.0			291.5	16.7	304.
25	301.0	7882.	16.7	. 055	46.5	. 0099	-65.4			292.8	18.0	304.
26	291.0	8087.	16.8	. 058	46.8	.0103	-65.8			295.1	16.2	298.
27	282.0	8277.	19.3	.068	54.2	.0108	-67.0			295.9	15.2	290.
28	271.0	8517.	20.7	. 076	58.1	.0114	-67.7			298.4	15.3	294.
29	262.0	8720.	22.4	. 085	63.2	.0119	-68.1			300.7	13.8	294.
30	253.0	8929.	24.0	. 095	67.9	.0126	-69.4			301.7	9.1	266.
31	245.0	9121.	28.5	.116	81.0	.0132	-70.1			303.5	8.6	263.
32	237.0	9318.	29.4	. 124	83.9	. 0139	-71.0			305.0	10.3	283.
33	229.0	9521.	30.4	. 133	87.1	.0147	-71.7			307.0	14.1	295.
34	220.0	9757.	38.2	. 174	109.8	. 0157	-72.4			309.4	16.4	299.
35		10031.	45.5	.217	130.8	.0172	-72.4			313.5	13.2	290.
36		10258.	50.4	. 250	145.8	.0186	- 73.7			315.1	8.2	272.
37		10465.	51.8	. 266	149.6	.0200	-73.2			319.1	7.6	268.
38		10676.	51.2		147.7		-72.9			322.8		
39		10885.	51.2	. 282	148.7	.0229	-74.2			324.0		
40		11114.	54.1	. 310	157.0	.0245	-74.2			327.7	7.1	276.
41		11321.	56.9	. 338	165.6	.0260	-74.7			330.2	9.0	2:2.
42		11539.	57.7	. 356	168.2	.0276	-74.9			333.3	9.9	284.
43		11765.	57.4	.368	167.3	.0294	-74.9			337.1	1.4	36.
44		11993.	57.4	. 383	167.3	.0312	-75.2			340.4	3.8	339.
45		12225.	56.5	. 392	165.9	. 0330	-76.5			342.0	10.1	284.
46		12457.	55.9	. 404	164.3	.0347	-76.8			345.5	8.3	267.
47		12698.	54.6		161.3	. 0366	-77.6			348.2	6.4	239.
48		12914.	51.7	. 405	152.5	.0382	-77.6			351.9	6.6	210.
49	122.5	13156.	49.0	. 400	144.9	. 0398	-77.9			355.7	4.4	221.

MIN MB GPM NB PPMV GAMMA ATMCM C C % K M/S D 117.3 13404. 48.3 .412 143.1 .0415 -78.5 359.1 6.7 27 51 112.7 13632. 51.3 .455 152.5 .0430 -78.8 362.6 9.6 27 52 108.1 13868. 49.7 .460 148.2 .0447 -79.4 365.9 9.4 25 103.7 14104. 48.8 .471 145.7 .0463 -79.7 369.7 11.4 26 99.1 14361. 47.0 .474 140.4 .0480 -79.7 374.5 16.2 27 55 95.1 14595. 42.2 .444 125.8 .0495 -79.4 379.5 11.8 25 56 91.2 14832. 35.6 .390 106.6 .0508 -80.3 382.3 10.6 26 57 87.3 15079. 29.9 .342 89.4 .0520 -80.0 387.7 12.1 28 58 83.6 15324. 42.0 .502 125.2 .0531 -79.4 393.7 11.6 29	
50 117.3 13404 48.3 .412 143.1 .0415 -78.5 359.1 6.7 27 51 112.7 13632 51.3 .455 152.5 .0430 -78.8 362.6 9.6 27 52 108.1 13868 49.7 .460 148.2 .0447 -79.4 365.9 9.4 25 53 103.7 14104 48.8 .471 145.7 .0463 -79.7 369.7 11.4 26 54 99.1 14361 47.0 .474 140.4 .0480 -79.7 374.5 16.2 27 55 95.1 14595 42.2 .444 125.8 .0495 -79.4 379.5 11.8 25 56 91.2 14832 35.6 .390 106.6 .0508 -80.3 382.3 10.6 26 57 87.3 15079 29.9 .342 89.4 .0520 -80.0 387.7 12.1 28 58 83.6 15324 42.0 .502	ND
51 112.7 13632. 51.3 .455 152.5 .0430 -78.8 362.6 9.6 27 52 108.1 13868. 49.7 .460 148.2 .0447 -79.4 365.9 9.4 25 53 103.7 14104. 48.8 .471 145.7 .0463 -79.7 369.7 11.4 26 54 99.1 14361. 47.0 .474 140.4 .0480 -79.7 374.5 16.2 27 55 95.1 14595. 42.2 .444 125.8 .0495 -79.4 379.5 11.8 25 56 91.2 14832. 35.6 .390 106.6 .0508 -80.3 382.3 10.6 26 57 87.3 15079. 29.9 .342 89.4 .0520 -80.0 387.7 12.1 28 58 83.6 15324. 42.0 .502 125.2 .0531 -79.4 393.7 11.6 29	EG
52 108.1 13868. 49.7 .460 148.2 .0447 -79.4 365.9 9.4 25 53 103.7 14104. 48.8 .471 145.7 .0463 -79.7 369.7 11.4 26 54 99.1 14361. 47.0 .474 140.4 .0480 -79.7 374.5 16.2 27 55 95.1 14595. 42.2 .444 125.8 .0495 -79.4 379.5 11.8 25 56 91.2 14832. 35.6 .390 106.6 .0508 -80.3 382.3 10.6 26 57 87.3 15079. 29.9 .342 89.4 .0520 -80.0 387.7 12.1 28 58 83.6 15324. 42.0 .502 125.2 .0531 -79.4 393.7 11.6 29	77.
53 103.7 14104. 48.8 .471 145.7 .0463 -79.7 369.7 11.4 26 54 99.1 14361. 47.0 .474 140.4 .0480 -79.7 374.5 16.2 27 55 95.1 14595. 42.2 .444 125.8 .0495 -79.4 379.5 11.8 25 56 91.2 14832. 35.6 .390 106.6 .0508 -80.3 382.3 10.6 26 57 87.3 15079. 29.9 .342 89.4 .0520 -80.0 387.7 12.1 28 58 83.6 15324. 42.0 .502 125.2 .0531 -79.4 393.7 11.6 29	75.
54 99.1 14361. 47.0 .474 140.4 .0480 -79.7 374.5 16.2 27 55 95.1 14595. 42.2 .444 125.8 .0495 -79.4 379.5 11.8 25 56 91.2 14832. 35.6 .390 106.6 .0508 -80.3 382.3 10.6 26 57 87.3 15079. 29.9 .342 89.4 .0520 -80.0 387.7 12.1 28 58 83.6 15324. 42.0 .502 125.2 .0531 -79.4 393.7 11.6 29	60.
55 95.1 14595. 42.2 .444 125.8 .0495 -79.4 379.5 11.8 25 56 91.2 14832. 35.6 .390 106.6 .0508 -80.3 382.3 10.6 26 57 87.3 15079. 29.9 .342 89.4 .0520 -80.0 387.7 12.1 28 58 83.6 15324. 42.0 .502 125.2 .0531 -79.4 393.7 11.6 29	55.
56 91.2 14832. 35.6 .390 106.6 .0508 -80.3 382.3 10.6 26 57 87.3 15079. 29.9 .342 89.4 .0520 -80.0 387.7 12.1 28 58 83.6 15324. 42.0 .502 125.2 .0531 -79.4 393.7 11.6 29	79.
57 87.3 15079. 29.9 .342 89.4 .0520 -80.0 387.7 12.1 28 58 83.6 15324. 42.0 .502 125.2 .0531 -79.4 393.7 11.6 29	55.
58 83.6 15324. 42.0 .502 125.2 .0531 -79.4 393.7 11.6 29	64.
	35.
	2.
59 80.1 15567. 42.9 .536 128.2 .0545 -80.0 397.3 12.1 28	31.
60 76.7 15812. 42.0 .548 125.8 .0560 -80.6 401.0 12.2 28	34.
61 73.3 16067. 39.0 .532 117.2 .0575 -80.9 405.6 12.5 28	88.
62 69.9 16335. 23.2 .332 69.8 .0588 -80.9 411.1 14.3 27	75.
63 66.5 16616. 26.9 .405 80.6 .0597 -80.6 417.7 12.4 27	79.
64 63.9 16841. 31.6 .495 94.3 .0606 -80.0 423.8 12.3 32	29.
65 61.1 17094. 36.5 .597 109.5 .0617 -80.6 427.9 16.3 28	30.
66 58.2 17368. 38.5 .662 115.5 .0631 -80.6 433.9 18.5 24	19.
67 55.7 17616. 38.4 .689 114.7 .0644 -79.7 441.5 13.5 27	75.
68 52.9 17909. 29.1 .550 86.9 .0659 -79.7 448.1 17.0 27	79.
69 50.5 18171. 21.1 .418 63.4 .0669 -80.6 451.9 6.0 26	60.
70 48.2 18435. 24.2 .502 72.1 .0677 -79.7 460.1 6.6 25	53.
71 46.0 18699. 21.0 .457 62.6 .0685 -79.7 466.3 13.0 26	37 .
72 44 .0 18 951. 21 .6 .491 64 .7 .0693 -8 0.3 470.8 5.6 25	55.
73 42.0 19213. 25.6 .610 76.7 .0701 - 80.6 476.3 2.3 17	70.
74 39.8 19517. 36.3 .912 108.3 .0713 -79.7 486.0 33.5 12	24.
75 38 .0 19780. 27.4 .721 82.0 .0725 -80.0 491.7 30.4 12	20.
76	6.
77 34.6 20 3 12. 27.4 .792 81.5 .0745 - 79.1 507.4 5.5 25	6.
78 33 .0 20581 . 31 .2 .945 92.8 .0755 -79.1 514.3 10.9 27	77.
79 31.5 20846. 37.0 1.175 109.6 .0767 -78.2 523.5 11.4 27	72.
80 30 .0 21125 . 43 .5 1.450 128.3 .0782 -77.6 532.5 11.4 27	72.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
17.6	16.4	48.0	40.4	28.9	999.9	999.9	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR	COMMENTS	
1110128098910	99	ECC TOTAL 03 FROM	M SONDE DATA
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFF	PPPP P3TTTDDDFFFPPPP	P3TTTDDDFFFFPPP P3TTTDDDFFF
1110228098910	659 17-55	500 15-49303 19 300	17-65303 18 200 51-74271 8
1110328098910	150 57-75339 4	100 47-80276 15 70	24-81275 14 50 22-80259 6
1110428098910	643 18-44246 37	7 606 19-44268 25 229	30-72295 14 87 30-80285 12
1110528098910	84 42-79292 12	73 39-81288 13 56	38-80275 14 44 22-80255 6
1110628098910	40 36-80124 34	35 27-79256 6 30	44-78272 11



STATION: SOUTH POLE LAUNCH DATE: 29 SEP 89 233 Z ECC SONDE: 4A4427

SURFACE CONDITIONS: PRESSURE 662.0 MB, TEMPERATURE -57.7 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 73.2 ORD; HUM 33.0 % AT 77.0 ORD; TBOX 26.5 C AT 71.5 ORD;

03 ORD ZERO 34.8, BKGND 35.0, CAL 71.0; O3 BKGND 0.029 MICROAMP; FLOW RATE 29.4 S/100 M

FLIGHT NORMALIZED TO TOTAL 03 ; SONDE TOTAL 03 166.; C.F.

							n	55005				WILLE
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	С	%	K 242.5	M/S	DEG
0	662.0	2835. 3003.	18.9 18.4	. 029	50.7 46.9	. 0000 . 0004	-57.7 -46.7			256.7	30.9	222.
1 2	645.0 628.0	3181.	18.4	. 029 . 029	46.4	.0004	-44.3			261.4	30.9	222.
3	611.0	3366.	18.4	.030	45.9	.0012	-41.9			266.2	25.6	245.
4	595.0	3546.	17.3	.029	43.4	.0012	-42.6			267.4	17.8	246.
5	578.0	3741.	17.4	.030	43.6	.0019	-43.2			269.0	17.5	256.
6	561.0	3942.	19.0	. 034	47.7	.0013	-43.6			270.8	16.9	261.
7	543.0	4161.	18.4	. 034	46.7	.0024	-45.0			271.6	15.5	267.
8	529.0	4335.	18.4	. 035	46.9	. 0020	-46.0			272.5	13.9	265.
9	514.0	4526.	16.8	. 033	43.1	.0036	-47.5			273.0	13.6	265.
10	499.0	4721.	15.8	. 032	40.5	. 0040	-48.3			274.2	13.6	276.
11	484.0	4922.	14.7	. 030	38.0	. 0044	-49.5			275.1	15.8	283.
12	469.0	5127.	14.1	. 030	36.7	.0047	-50.4			276.5	15.2	283.
13	453.0	5354.	13.9	. 031	36.2	. 0051	-50.6			279.1	12.6	281.
14	440.0	5543.	13.9	.032	36.4	.0054	-52.6			278.9	13.1	276.
15	427.0	5736.	14.8	. 035	39.0	.0058	-53.5			280.1	14.6	274.
16	414.0	5935.	15.3	. 037	40.4	. 0061	-54.0			281.9	14.8	275.
17	400.0	6155.	15.3	. 038	40.5	.0065	-55.5			282.8	13.3	284.
18	387.0	6365.	14.2	. 037	38.0	.0069	-57.0			283.5	13.4	290.
19	374.0	6581.	15.3	. 041	40.9	.0073	-57.7			285.4	12.9	290.
20	361.0	6804.	16.2	. 045	43.5	. 0077	-58.0			287.9	11.6	295.
21	350.0	6998.	16.7	.048	45.0	.0081	-59.4			288.5	11.5	293.
22	338.0	7216.	16.6	.049	45.3	. 0086	-60.8			289.5	9.6	293.
23	327.0	7421.	16.1	.049	44.1	. 0090	-62.1			290.5	9.5	291.
24	318.0	7593.	15.1	.047	41.5	.0093	-63.2			291.2	11.1	291.
25	309.0	7769.	15.1	.049	41.8	.0097	-64.6			291.7	10.7	287.
26	299.0	7970.	15.5	. 052	43.0	.0101	-65.0			293.9	10.5	279.
27	289.0	8177.	16.0	. 055	44.6	.0105	-66.6			294.5	10.3	277.
28	280.0	8367.	17.0	.061	47.7	.0109	-67.9			295.4	11.3	275.
29	269.0	8608.	20.8	.077	58.6	.0115	-68.1			298.5	11.6	275.
30	260.0	8812.	21.8	.084	61.7	.0120	-69.2			299.8	12.7	279.
31	250.0	9046.	22.7	. 091	64.6	.0127	-70.0			301.8	14.5	278.
32	241.0	9264.	23.6	.098	67.2	.0133	-70.3			304.7	12.4	276.
33	233.0	9465.	24.6	. 106	69.9	.0140	-70.3			307.6	10.2	270.
34	226.0	9645.	27.8	. 123	79.6	.0146	-71.7			308.2	12.0	272.
35	218.0	9857.	31.4	. 144	90.6	.0154	-72.8			309.5	12.8	278.
36	210.0	10077.	35.9	. 171	103.5	.0163	-72.6			313.2	14.4	271.
37		10334.	48.7	. 242	139.8	.0177	-72.1			317.9	14.2	249.
38		10518.	53.0	. 272	153.2	.0189	-73.3			318.9	11.1	221.
39		10717.	54.6	. 290	158.4	.0203	-74.1			320.8	10.6	224.
40		10918.	53.1	. 292	154.8	.0218	-75.1			322.3	8.4	234.
41		11132.	54.4	.310	159.0	.0233	-75.6			324.9	4.5	263.
42		11347.	56.9	. 337	166.0	.0249	-75.4			328.8	6.8	251.
43		11564.	60.5	.372	176.7	.0266	-75.4			332.3	11.6	244.
44		11788.	60.9	. 389	178.4	.0284	-76.2			334.6	12.7	247.
45		11990.	59.5	. 394	175.7	. 0301	-77.8			335.2	19.1	234.
46		12266.	61.1	. 424	179.7	. 0323	- 76.7			341.8	12.9	250.
47		12519.	60.5	. 439	178.1	. 0344	-77.0			345.6	5.0	318.
48		12784.	58.7	.446	172.9	.0366	-77.3			349.7	5.2	247.
49	120.9	12992.	58.5	. 461	173.0	. 0383	- 77.8			352.3	11.3	255.


STATI	ON: SOUTH POLE		LAUNC	H DATE:	29 SEP	89 233 Z	FCC	SONDE:	444427	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	C C	7.	К	M/S	DEG
50	122.0 13217.	57.3	. 470	169.6	. 0401	-78.1		355.8	11.8	256.
51	117.2 13447.	56.4	. 481	166.6	.0419	-77.8		360.4	10.8	230.
52	112.6 13676.	49.0	. 435	144.8	. 0436	-77.8		364.6	10.4	232.
53	108.1 13909.	42.0	. 389	124.1	.0451	-77.8		368.8	6.2	220.
54	103.9 14135.	36.7	. 353	108.9	.0463	-78.7		371.4	5.8	182.
55	99.8 14364.	34.3	.344	102.2	.0475	-79.6		374.0	6.8	238.
56	95.6 14608.	33.8	. 354	100.2	.0486	-78.7		380.3	9.9	250.
57	91.8 14838.	35.4	.386	106.1	.0497	-80.5		381.2	7.0	232.
58	88.0 15077.	35.3	. 401	105.4	.0509	-79.9		387.1	3.0	191.
59	84.0 15341.	30.9	. 368	92.2	.0521	-79.9		392.3	3.7	134.
60	80.2 15603.	25.1	.313	74.6	. 0532	-79.3		398.7	2.4	192.
61	76.8 15848.	22.8	. 297	68.5	.0540	-80.8		400.5	8.8	258.
62	73.7 16080.	22.5	. 305	67.4	. 0547	-80.8		405.3	11.8	242.
63	70.6 16323.	25.5	.361	76.4	. 0555	-80.5		410.9	6.7	192.
64	67.8 16551.	31.1	. 459	93.1	.0564	-80.5		415.7	5.7	132.
65	65.0 16790.	34.5	. 531	103.1	. 0574	-79.9		422.1	9.8	106.
66	62.5 17012.	37.0	.592	110.2	. 0585	-79.3		428.1	6.7	118.
67	59.9 17252.	39.8	.664	119.5	.0598	-80.8		430.0	4.4	229.
68	57.2 17513.	39.0	. 682	116.5	.0612	-80.2		437.1	2.3	240.
69	54.6 17776.	37.7	. 690	112.5	.0626	-79.6		444.3	3.8	262.
70	52.0 18052.	36.8	.708	110.2	.0640	-80.5		448.4	8.1	249.
71	49.4 18341.	36.2	.733	108.8	.0655	-80.8		454.3	6.9	239.
72	47.0 18622.	36.1	.768	108.3	.0669	-80.8		460.8	6.2	241.
73	44.8 18892.	35.7	. 797	106.9	. 0683	-80.5		467.9	5.9	252.
74	42.5 19191.	36.1	.849	107.1	. 0697	-78.7		479.5	5.0	256.
75	40.8 19424.	38.8	.951	115.2	.0709	-78.4		485.8	4.7	238.
76	39.0 19681.	38.4	. 985	113.6	. 0723	-78.1		492.8	9.9	196.
77	37.2 19950.	35.8	.962	106.9	.0737	-79.6		495.8	5.9	210.
78	35.5 20215.	34.6	. 975	103.1	.0750	-79.6		502.5	3.3	291.
79	33.8 20495.	35.8	1.059	106.3	. 0763	-78.4		512.7	5.0	219.
80	32.2 20772.	40.4	1.255	119.5	. 0777	-77.8		521.3	5.6	203.
81	30.9 21007.	47.9	1.550	141.6	.0791	-77.8		527.5	4.5	184.
82	29.5 21273.	54.7	1.854	161.1	. 0809	-77.0		536.8	2.3	209.
83	28.1 21554.	62.2	2.214	181.7	. 0831	-75.6		548.1	3.7	247.
84	27.1 21764.	71.1	2.624	207.1	.0849	-74.9		556.0	4.6	251.
85	26.0 22005.	88.0	3.385	254.6	.0874	-73.6		566.2	3.6	235.
86	25.0 22235.	90.5	3.620	259.8	.0901	-72.1		576.8	2.6	219.
87	23.9 22501.		3.841	262.6	. 0933	-71.2		587.0		250.
88	22.9 22754.	91.7	4.004	260.5	.0964	-69.8		598.2	1.7	245.
89	22.0 22994.	89.6	4.073	252.1	.0993	-68.1		610.3	3.3	167.
90	21.2 23217.	85.5	4.033	239.9	.1019	-67.4		618.7	8.9	117.
91	20.2 23509.	82.9	4.104	232.3	.1051	-67.0		628.6	13.5	95.
92	19.4 23752.	80.2	4.134	224.7	.1077	-67.2		635.2	10.3	108.
93	18.7 23974.	77.7	4.155	218.1	.1099	-67.4		641.3	10.7	135.
94	17.8 24272.	75.8	4.258	211.3	.1129	-66.0		655.0	11.2	108.
95	17.0 24552.	72.8	4.282	202.2	.1157	-65.2		666.2	10.3	88.
96	16.5 24735.	69.2	4.194	189.9	.1173	-62.8		679.4	3.4	75.
97	15.8 25003.	65.4	4.139	177.1	.1196	-60.1		696.9	4.3	282.
98	15.0 25329.	60.8	4.053	163.5	. 1223	-58.5		712.6	3.9	256.
99	14.4 25586.	58.5	4.063	157.2	.1242	-58.3		721.5	1.2	56.
100	13.8 25854.	55.7	4.036	149.4	.1261	-57.8		732.1	7.0	25.
101	13.2 26135.	53.6	4.061	142.8	.1280	-56.3		746.7	8.7	22.
102	12.7 26381.	51.5	4.055	136.3	.1297	-55.2 -53.2		759.0	5.9	32.
103 104	12.1 26691.	51.5	4.256		. 1316	-53.2 -53.1		776.4	3.0	33.
104	11.6 26963.	48.6	4.190	127.5	. 1333	-53.1		786.3	2.7	74.

STATI	ON: SOUTH POLE		LAUNC	H DATE:	29 SEP	89 2	33 Z	ECC	SONDE:	4A4427	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV-	GAMMA	ATMCM	С	С	*	K	M/S	DEG
105	11.0 27306.	45.7	4.155	120.0	. 1353	-53.1			798.4	5.7	99.
106	10.6 27546.	40.8	3.849	105.8	.1366	-50.4			816.5	9.0	98.
107	10.0 27927.	35.8	3.580	92.5	. 1384	-49.5			833.6	8.9	76.
108	9.3 28376.	31.3	3.351	80.1	. 1403	-47.5			857.9	8.9	76.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
17.9	15.9	48.0	35.7	37.0	75.9	999.9	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110129098903	99 ECC TOTAL 03 FROM SONDE DATA 166
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110229098903	662 19-58 500 16-48275 14 300 15-65280 11 200 49-72245 14
1110329098903	150 60-78236 18 100 34-80235 7 70 27-81179 6 50 36-81241 7
1110429098903	30 52-77200 320.0 82-67 98 1310.0 36-50 76 9 645 18-47222 31
1110529098903	611 18-42245 26 218 31-73278 13 117 56-78230 11 60 40-81229 4
1110629098903	34 36-78219 527.1 71-75251 526.0 88-74235 422.9 92-70245 2
1110729098903	17.0 73-65 88 1015.0 61-59256 4 9.3 31-48 76 9



STATION: SOUTH POLE LAUNCH DATE: 1 OCT 89 248 Z ECC SONDE: 4A4428

SURFACE CONDITIONS: PRESSURE 675.3 MB, TEMPERATURE -57.0 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 73.2 ORD; HUM 33.0 % AT 77.0 ORD; TBOX 25.0 C AT 72.4 ORD;

O3 ORD ZERO 34.6, BKGND 35.0, CAL 73.0; O3 BKGND 0.055 MICROAMP; FLOW RATE 26.5 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 176.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	С	*	K	M/S	DEG
0	675.3	2835.	21.3	.032	56.9	.0000	-57.0	44 5	50 5	241.8	10.4	070
1	658.0	3006.	21.3	. 032	52.4	.0004	-38.2	-44.5	52.5	264.8	18.4	276.
2	639.0	3208.	21.9	. 034	53.8	.0009	-37.7	-44.2	51.6	267.6	18.4	276.
3	620.0	3417.	21.9	.035	53.6	.0014	-36.7	-44.1	47.0	271.0	14.5	320.
4	603.0	3609.	20.6	. 034	50.5	.0019	-37.3	-44.3	48.5	272.6	17.7	317.
5	587.0	3795.	18.5	.032	45.4	.0023	-37.9	-44.2	52.9	273.9	12.2	328.
6	570.0	3997.	17.2	.030	42.2	.0028	- 37.7	-44.9	47.8	276.5	9.6	345.
7	556.0	4169.	18.4	. 033	45.3	.0031	-38.6			277.4	9.6	343.
8	540.0	4369.	19.7	.036	48.5	.0035	-39.0			279.2	9.0	336.
9	524.0	4575.	19.2	.037	47.6	.0040	-40.4			280.0	8.5	334.
10	510.0	4759.	17.9	.035	44.6	.0044	-41.2			281.1	7.8	329.
11	495.0	4961.	15.3	. 031	38.3	.0048	-42.5			282.0	7.3	318.
12	481.0	5155.	16.6	.035	41.8	.0051	-43.7			282.8	7.9	316.
13	467.0	5352.	17.1	. 037	43.2	. 0055	-45.0 -46.0			283.6	7.6	337.
14	451.0	5585.	16.6	. 037	42.3	.0060	-47.5			285.2	7.8	355.
15	437.0	5794.	16.6	.038	42.5	.0064				285.9	6.9	341.
16	423.0	6009.	16.1	. 038	41.4	.0068	-48.8 -49.8			286.9	7.4	340.
17	410.0	6213.	14.8	. 036	38.2	.0072	-51.4			288.1	5.8	35 3 .
18	398.0	6407.	15.7	. 039	40.7	.0075				288.6	5.2	335.
19	386.0	6605.	14.0	. 036	36.8	.0079 .0082	-53.1 -54.7			288.9	7.2	328.
20	374.0	6808.	14.4 15.7	. 039	38.1	.0082	-56.8			289.4	6.8	328.
21	363.0	6998.	15.7	. 043	41.9	. 0090	-58.2			289.0	6.0	330.
22 23	351.0 340.0	7210. 7410.	15.2	. 043	40.7 40.9	.0094	-59.7			290.0 290.5	6.4	341.
		7410. 7634.		. 044		.0094	-60.3				4.3	317.
24 25	328.0 317.0	7846.	15.9 15.9	. 048 . 050	43.1 43.4	.0102	-61.7			292.7 293.6	4.2	304. 246.
26	305.0	8085.	14.6	.048	40.0	.0102	-62.7			295.5	5.9	191.
27	296.0	8269.	12.9	. 044	35.7	.0110	-65.0			294.8	3.7	189.
28	287.0	8456.	10.7	.037	30.0	.0113	-66.4			295.4	1.0	188.
29	277.0	8670.	13.7	.049	38.6	.0116	-68.1			296.0	1.4	353.
30	269.0	8846.	14.1	.052	39.7	.0119	-68.9			297.2	4.1	353.
31	259.0	9071.	12.3	.047	35.2	.0123	-70.7			297.8	5.9	350.
32	250.0	9281.	14.4	.058	41.2	.0127	- 71.2			300.1	7.7	338.
33	240.0	9522.	18.1	.075	51.9	.0132	-71.9			302.6	10.7	336.
34	230.0	9772.	19.4	.084	55.8	.0138	-72.6			305.2	11.1	337.
35	220.0		24.2	.110	69.9	.0145	-73.3			308.0	9.9	335.
36	212.0		27.3	. 129	79.5	.0153	-74.9			308.9	9.2	333.
37		10416.	24.6	.119	71.8	.0159	-75.1			311.0	8.6	331.
38		10587.	31.8	. 159	92.8	.0165	-75.1			313.7	8.8	326.
39		10794.	45.0	.233	131.3	.0174	-75.1			316.9	9.7	317.
40		11017.	51.7	.278	150.7	.0188	-75.1			320.4	8.3	317.
41		11253.	47.1	.264	137.9	. 0205	-75.9			322.8	7.8	327.
42		11490.	54.4	.318	160.1	.0220	-77.0			324.9	8.7	319.
43		11699.	49.2	.298	144.4	.0235	-76.4			329.2	8.3	297.
44		11913.	53.9	. 339	158.2	.0250	-76.4			332.7	7.2	306.
45		12126.	50.9	.332	149.9	.0265	-77.0			335.3	8.3	338.
46		12340.	53.8	. 364	159.1	.0280	-77.8			337.4	7.0	345.
47		12536.	49.5	.347	147.4	.0294	-79.3			338.3	5.0	341.
48		12743.	49.8	. 362	148.6	.0308	-79.6			341.3	6.1	342.
49		12953.	50.3	.380	149.7	.0323	-79.0			346.0	8.3	345.
. •												

STATI	0N+ 50I	JTH POLE		LAUNC	H DATE:	1 OCT	89 248 Z	FCC	SONDE:	444428	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C C	%	K	M/S	DEG
50		13172.	52.1	. 409	155.8	.0338	-79.9	76	348.2	7.0	348.
51		13306.	49.5	. 398	148.2	.0347	-80.5		349.4	6.7	338.
52		13623.	50.5	. 429	151.5	.0369	-80.8		354.5	8.8	329.
53		13863.	47.0	. 417	141.1	. 0386	-80.8		358.9	8.5	331.
54		14107.	44.8	. 415	134.7	.0402	-81.1		362.7	8.2	339.
55		14346.	40.3	. 389	121.7	.0416	- 81.7		3660	8.4	327.
56		14583.	40.5	. 408	121.7	.0429	-83.7		366.6	10.0	303.
57		14794.	40.5	. 424	123.4	.0441	-83.1		371.9	10.3	306.
58		15070.	36.7	. 404	111.3	.0457	-82.7		377.8	7.4	329.
59		15353.	35.5	. 411	107.1	.0471	-81.7		385.3	6.6	358.
60		15652.	29.2	. 357	88.6	.0485	-83.1		388.6	9.2	348.
61		15968.	29.6	. 382	89.4	.0498	-82.4		396.3	7.8	332.
62		16181.									
63			27.3	. 366	82.9	.0507	-83.1		399.2	6.3	334.
64		16410. 16649.	32.4	. 453	98.1	.0516	-82.4		405.4 409.7	6.9	359.
			30.8	. 450	93.4 112.7	. 0527	-82.7			6.9	355. 310.
65 66		16891. 17144.	37.4	.570	104.2	.0538	-81.7		416.9	5.4	
66			34.4	. 549		. 0551	-82.4		420.9	7.6	320.
67 68		17391.	37.0	.617	111.3	.0563	-81.4		428.4	4.2	336.
68		17629.	27.7	. 482 . 507	83.4	.0574	-81.7		432.9	.5	342.
69		17878.	27.9		84.4	. 0584	-82.1		437.7	5.7	342.
70		18140.	27.7	.528	83.3	.0594	-80.8		446.5	7.3	342.
71		18415.	30.4	. 608	91.2	.0605	-80.8		452.8	7.5	342.
72		18691.	29.4	.618	88.6	.0617	-81.4		457.7	5.9	327.
73		18933.	31.8	. 697	95.5	.0627	-80.8		464.8	2.1	295.
74		19185.	31.0	.711	93.6	. 0638	-81.7		468.5	3.6	44.
75		19449.	34.6	. 832	103.9	.0649	-80.8		477.2	6.1	26.
76		19712.	36.4	.917	109.3	. 0662	-80.8		483.6	.7	343.
77		19988.	35.3	.934	106.2	.0676	-81.1		489.6	3.8	285.
78		20263.	36.4	1.011	109.5	.0690	-81.1		496.5	6.2	298.
79		20535.	35.0	1.020	104.9	. 0703	-80.5		505.0	5.0	293.
80		20823.	39.7	1.218	118.6	.0718	-79.9		514.1	3.4	342.
81		21108.	36.0	1.161	107.1	. 0733	-79.3		523.1	6.1	14.
82		21429.	40.8	1.392	121.2	. 0750	-78.7		533.2	7.2	360.
83		21749.	42.8	1.545	126.7	.0768	-78.1		543.5	5.4	336.
84		22067.	54.2	2.069	160.2	.0788	-77.8		553.0	5.4	311.
85		22338.	66.6	2.664	193.4	.0809	-74.3		570.4	6.6	283.
86		22576.	81.7	3.404	236.1	. 0831	-73.3		580.0	4.5	257.
87		22825.		3.574	237.8		-73.6		586.4	. 6	233.
88		23114.		4.059	254.0	. 0891	-71.2		601.8		115.
89		23391.	89.3	4.273	253.9	.0923	-70.0		613.3	8.0	117.
90		23713.	91.5	4.621	258.6	. 0961	-68.9		626.3		105.
91		24025.	85.8	4.564	240.4	. 0998	-67.2		641.0	8.3	121.
92		24356.	84.3	4.736	234.5	. 1035	-65.6		656.2	5.9	122.
93		24708.	76.2	4.536	211.2	. 1072	-64.8		669.7	7.7	83.
94		25006.	72.0	4.500	199.2	. 1101	-64.4		680.4	7.3	90.
95 06		25401.	67.5	4.500	186.2	. 1137	-64.0		694.4	4.9	66.
96		25738.		4.486	174.7	.1166	-62.7		709.9	6.0	72.
97		26005.	61.5	4.522	166.9	.1187	-60.3		726.8	6.5	53.
98		26434.	58.8	4.630	158.3	.1220	-58.9		746.1	5.6	38.
99		26790.	57.5	4.792	154.7	.1246	-58.5		759.5	1.9	21.
100		27168.	53.1	4.699	142.8	. 1272	-58.5		772.7	6.1	20.
101		27632.		4.971	139.1		-56.5		796.5	7.1	10.
102		27943.	49.5		130.5		-54.2		816.2	4.1	191.
103		28126.	51.7		135.0		-52.0		831.2	14.3	169.
104	9.5	28309.	50.1	5.302	130.5	. 1345	-51.7		839.1	14.8	148.


STATI	STATION: SOUTH POLE			LAUNCH DATE:		1 OCT 89 248 Z		ECC	SONDE:	4A4428		
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	9.2	28483.	52.6	5.717	136.8	. 1355	-51.2			847.3	10.9	135.
106	8.9	28670.	53.0	5.928	136.5	. 1367	-48.9			863.0	14.2	157.
107	8.7	28864.	52.8	6.083	135.0	. 1379	-47.5			876.0	13.7	174.
108	8.4	29066.	47.9	5.689	121.6	. 1392	-45.7			890.5	10.1	194.
109	8.2	29276.	46.9	5.748	118.5	. 1403	-44.6			903.0	9.9	173.
110	7.9	29476.	43.4	5.480	109.0	.1414	-43.4			915.3	9.9	173.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 19.6
 14.7
 40.0
 37.6
 32.8
 70.2
 57.0
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR	COMMENTS		
1110101108903	99	ECC TOTAL	_ 03 FROM SONDE D	ATA 176
ISNNNYYMMJJGG	PPPP P3TTTDDDFFI	FPPPP P3TTTDDDF	FFFPPP P3TTTDDDF	FFPPPP P3TTTDDDFFF
1110201108903	675 21-57	500 16-42322	7 300 14-64190	5 200 32-75326 9
1110301108903	150 53-77342 8	8 100 40-83308	10 70 32-83357	7 50 30-81342 8
1110401108903	30 39-79215	720.0 91-69107	910.0 50-54191	4 658 21-38276 18
1110501108903	570 17-38345 10	0 259 12-71350	6 186 52-75317	8 82 29-83348 9
1110601108903	66 37-82310	5 60 37-81336	4 58 28-82342	126.2 54-78311 5
1110701108903	25.0 67-74283	724.0 82-73257	512.7 59-59 38	611.3 53-59 20 6
1110801108903	8.7 53-48174 14	4 7.9 43-43173	10	



STATION: SOUTH POLE LAUNCH DATE: 4 OCT 89 245 Z ECC SONDE: 4A4431
SURFACE CONDITIONS: PRESSURE 678.7 MB, TEMPERATURE -58.7 C, HUMIDITY 0.0 %
CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 24.5 C AT 71.5 ORD;
03 ORD ZERO 32.3, BKGND 32.9, CAL 66.9; O3 BKGND 0.091 MICROAMP; FLOW RATE 26.4 S/100 M
FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 149.; C.F.

					. =							
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	С	%	K	M/S	DEG
0	678.7	2835.	20.3	.030	54.5	.0000	-58.7			239.6		110
1	661.0	3007.	19.8	.030	49.6	.0004	-42.9	70 7	70 4	259.1	5.3	116.
2	643.0	3196.	18.8	.029	45.8	.0008	-36.1	-38.7	78.4	268.9	5.3	116.
3	627.0	3371.	18.8	. 030	45.5	.0012	-35.0	-39.3	65.9	272.1	6.1	126.
4	609.0	357 5 .	19.2	.032	46.7	.0016	-35.3	-41.0	57.1	274.1	1.4	166.
5	591.0	3783.	20.7	. 035	50.5	.0021	-36.1	-41.6	57.9	275.5	.3	60.
6 7	576.0	3961.	19.9	. 035	48.7	. 0025	-37.4 -38.0	-42.4	60.6 61.9	276.0	3.0	36.
8	560.0 543.0	4156. 4367.	18.9 18.0	. 034 . 033	46.5 44.4	.0029 .0034	-38.9	-42.8 -43.3	64.4	277.6 278.9	5.1 8.2	5 7. 55.
9	529.0	4546.	18.2	.034	45.0	.0038	-40.2	-43.3	04.4	279.5	12.3	53.
10	512.0	4768.	16.8	. 033	41.7	.0042	-41.4			280.6	13.6	53.
11	496.0	4983.	15.7	. 032	39.5	.0042	-42.9			281.3	12.5	55.
12	482.0	5176.	16.2	. 034	40.9	.0050	-44.5			281.7	13.0	57.
13	469.0	5358.	15.7	.033	39.9	.0053	-45.8			282.3	15.6	55.
14	453.0	5589.	16.1	.036	41.2	.0058	-47.1			283.5	16.3	50.
15	440.0	5781.	15.2	. 035	39.2	.0058	-48.6			284.0	17.5	48.
16	427.0	5978.	14.8	.035	38.3	.0065	-49.6			285.1	16.1	48.
17	415.0	6164.	14.9	.036	38.7	.0068	-50.7			286.0	14.0	44.
18	403.0	6355.	14.8	.037	38.7	.0071	-51.9			286.8	13.7	39.
19	392.0	6533.	14.8	.038	38.9	.0075	-53.3			287.3	15.3	40.
20	380.0	6733.	14.8	.039	39.2	.0078	-54.8			287.9	14.1	38.
21	369.0	6920.	14.4	.039	38.2	.0082	-56.3			288.4	11.4	29.
22	357.0	7129.	14.4	.040	38.6	.0085	-57.8			289.1	14.0	32.
23	345.0	7345.	13.0	.038	34.9	. 0089	-58.5			291.0	14.5	32.
24	333.0	7567.	17.7	. 053	47.9	.0093	-60.1			291.7	14.1	36.
25	320.0	7815.	23.3	.073	63.3	.0099	-60.6			294.3	12.3	38.
26	310.0	8012.	23.8	.077	65.1	.0105	-61.7			295.5	10.5	29.
27	300.0	8214.	25.6	.085	70.3	.0111	-62.8			296.7	12.2	27.
28	290.0	8423.	27.4	.094	75.3	.0118	-63.2			299.0	11.6	25.
29	282.0	8595.	29.1	. 103	80.3	.0124	-63.8			300.6	11.2	27.
30	273.0	8794.	32.0	.117	88.3	.0131	-63.8			303.4	10.9	34.
31	263.0	9022.	35.5	. 135	98.0	.0141	-64.2			306.1	6.6	34.
32	255.0	9211.	36.7	. 144	102.1	.0149	-65.8			306.4	7.2	28.
33	247.0	9404.	39.9	.162	111.7	.0159	-66.8			307.7	10.7	29.
34	238.0	9628.	44.8	. 188	125.7	.0170	-67.2			310.3	9.5	31.
35	230.0	9834.	45.5	. 198	128.0	.0182	-67.9			312.4	9.0	33.
36	222.0	10046.	46.7	.210	132.1	.0195	-69.2			313.6	12.3	30.
37	212.0	10321.	50.7	. 239	144.1	.0212	-70.1			316.3	12.0	29.
38	205.0	10520.	51.8	. 253	148.0	.0226	-71.0			317.9	8.5	24.
39	198.6	10708.	51.9	.261	148.3	.0238	-71.2			320.5	9.1	18.
40	191.6	10919.	52.5	. 274	150.9	. 0253	-72.4			321.8	12.9	19.
41		11128.	52.4	. 283	151.2	.0267	-72.9			324.3	13.0	20.
42	178.1	11348.	53.1	. 298	153.6	.0283	-73.4			327.0	11.2	26.
43	171.5	11568.	55.8	. 325	161.9	. 0299	-74.2			329.3	10.9	24.
44	165.5	11776.	5 5.0	. 332	159.7	. 0314	-74.4			332.3	10.9	18.
45		11979.	54.5	. 341	158.8	. 0329	-74.9			334.7	10.8	23.
46	153.9	12198.	53.8	.350	156.8	. 0345	-74.9			338.4	15.9	38.
47		12417.	53.7	. 362	156.5	. 0361	-74.9			342.0	14.1	35.
48		12632.	53.1	. 372	155.8	. 0377	-76.3			343.4	9.6	22.
49	137.3	12858.	52.2	.380	153.0	. 0393	-76.3			347.2	15.0	33.


STATI	ON: SOUTH F	POLE	LAUNC	H DATE:	4 OCT	89 2	45 Z	ECC	SONDE:	4A4431	
TIME	PRESS AL		OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB GF		PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
50	132.0 1308		.391	152.0	. 0409	-77.1			349.7	17.1	31.
51	126.9 1331	1. 49.2	. 388	145.2	.0425	-77.6			352.6	13.8	24.
52	122.0 1353	36. 48.7	. 399	143.9	.0440	-77.6			356.6	13.9	26.
5 3	117.1 1377	70. 46.7	. 399	138.7	. 0455	-78.8			358.7	18.9	23.
54	112.2 1401	4. 43.8	. 390	129.7	. 0470	-78.2			364,.2	21.3	23.
55	107.8 1424	2. 38.3	. 355	113.8	. 0484	-78.8			367.3	16.2	28.
56	103.6 1446	8. 28.5	. 275	84.7	. 0495	-78.8			371.5	12.1	36.
57	99.2 1471	4. 25.2	. 254	75.5	. 0504	-80.6			372.6	16.7	32.
58	95.4 1493		. 286	82.1	. 0512	-81.2			375.5	21.3	26.
59	91.8 1515	51. 15.4	. 168	46.1	. 0520	-80.6			380.9	12.3	22.
60	88.0 1538		. 133	35.2	. 0524	-80.6			385.6	8.3	23.
61	84.1 1564		. 145	36.6	. 0529	-80.6			390.6	15.4	33.
62	80.6 1588		.174	41.9	. 0533	-80.6			395.4	15.5	38.
63	77.0 1614		.199	46.0	. 0538	-81.2			399.2	15.9	30.
64	73.7 1638		. 206	45.9	. 0543	-81.6			403.6	12.9	21.
65	70.8 1661		. 227	48.6	. 0548	-81.6			408.3	9.7	24.
66	67.9 1684		. 300	61.4	. 0554	-80.9			414.5	16.7	18.
67	64.8 1711		. 369	71.8	. 0561	-80.9			420.1	15.1	16.
68	61.7 1738		. 400	74.2	.0571	-80.6			426.7	10.9	28.
69	59.1 1763		. 426	75.5	.0579	-80.6			432.0	12.7	33.
70 71	56.6 1787		. 406	69.0	. 0587	-80.9			436.7		37. 37.
72	54.0 1813 51.6 1839		.426 .550	68.9	.0596	-80.6			443.3	13.6 16.6	37. 34.
73	49.2 1866		.577	85.1 85.3	.0605	-80.6 -81.2			449.1 453.8	13.7	33.
74	47.0 1892		.547	77.5	. 0615 . 0625	-81.6			459.0	10.2	27.
75	45.0 1916		. 476	64.3	. 0633	-81.2			465.5	9.7	31.
76	43.1 1940		. 448	57.7	.0640	-80.6			472.8	10.6	36.
77	41.0 1969		. 490	60.0	.0648	-79.7			481.9	11.1	22.
78	39.2 1994		. 536	62.6	.0655	-79.7			488.1	7.4	15.
79	37.5 2019		.571	63.9	.0662	-79.7			494.3	2.7	235.
80	35.9 2044		.607	65.3	.0670	-80.3			498.9	8.0	56.
81	34.1 2073		.777	78.5	. 0679	-78.5			511.1	7.0	51.
82	32.8 2095		1.006	97.0	.0688	-77.1			520.5	1.0	334.
83	31.2 2124		1.263	115.1	.0701	-75.7			531.7		43.
84	29.9 2149		1.609	140.6	.0715	-75.7			538.2	. 9	321.
85	28.6 2174	8. 58.2	2.035	169.2	. 0733	-74.7			548.0	1.6	0.
86	27.2 2204	1. 65.3	2.401	189.6	.0756	-74.2			557.3	10.7	51.
87	26.0 2230	5. 75.4	2.900	216.8	. 0780	-72.4			569.5	13.1	44.
88	24.8 2258	84. 84.1	3.391	239.0	. 0808	-70.1			584.0	13.2	32.
89	23.7 2285	55. 84.2	3.553	238.2	. 0839	-69.2			594.2	11.6	1.
90	22.7 2311	3. 84.2	3.709	237.4	. 0867	-68.3			604.1	14.3	8.
91	21.7 2338	83. 83.4	3.843	234.6	.0897	-67.9			613.3	7.0	28.
92	20.7 2366		3.874	224.8	. 0927	-67.2			623.5	4.7	160.
93	19.8 2393		3.869	215.3	. 0955	-67.9			629.5	10.2	86.
94	18.9 2421		3.878	204.5	. 0982	-66.2			643.2	14.7	60.
95	18.0 2451		3.883	191.5	. 1010	-62.5			664.0	11.3	47.
96	17.1 2483		3.971	185.3	. 1038	-61.7			676.2	11.1	31.
97	16.3 2512		3.939	175.2	. 1063	-61.7			685.5	10.0	42.
98	15.6 2540		3.801	160.9	. 1085	-60.3			698.9	11.4	58.
99	14.8 2573		3.797	151.6	.1109	-59.2			713.1	13.3	60.
100	14.0 2607		3.671	138.0	.1133	-58.3			727.5	8.4	15.
101	13.4 2635		3.604	128.5	.1150	-56.3			743.6	6.7	358 .
102	12.9 2659			-118.2	.1164	-54.8			756.9	2.5	92.
103 104	12.4 2685		3.226	105.2	.1178	-54.0			768.3	1.9	37. 37.
104	11.9 2711	7. 37.6	3.160	98.2	.1191	-52.4			783.0	6.9	57.

STATION: SOUTH POLE				LAUNC	H DATE:	4 OCT 89 245 Z			ECC SONDE: 4A4431			
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	7.	K	M/S	DEG
105	11.3	27452.	36.4	3.221	94.7	.1206	-51.1			799.2	13.8	23.
106	10.6	27868.	34.8	3.283	90.6	. 1224	-51.0			814.5	13.8	23.

SFC-500MB 500-250 250-125 125-62.5 62.5-31.2 31.2-15.6 15.6-7.8 7.8-3.9 18.8 20.1 50.4 25.2 24.2 70.2 999.9 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR	COMMENTS		
1110104108903	99	ECC TOTAL	. 03 FROM SONDE D	ATA 149
ISNNNYYMMJJGG	PPPP P3TTTDDDFFI	FPPPP P3TTTDDDF	FFPPPP P3TTTDDDF	FFPPPP P3TTTDDDFFF
1110204108903	679 20-59	500 16-43 54	13 300 26-63 27	12 200 52-71 19 9
1110304108903	150 54-75 36 15	5 100 26-80 33	16 70 17-81 22	12 50 28-81 33 15
1110404108903	30 47-76299	120.0 77-68103	9 661 20-43116	5 643 19-36116 5
1110504108903	609 19-35166	1 357 14-58 32	14 112 44-78 23	21 95 27-81 26 21
1110604108903	88 12-81 23 8	8 43 19-81 36	11 36 22-80 56	824.8 84-70 32 13
1110704108903	22.7 84-68 8 14	418.0 70-63 47	1110.6 35-51 23	14



STATION: SOUTH POLE LAUNCH DATE: 6 OCT 89 305 Z ECC SONDE: 4A4432
SURFACE CONDITIONS: PRESSURE 686.0 MB, TEMPERATURE -54.9 C, HUMIDITY 0.0 %
CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 21.5 C AT 69.8 ORD;
O3 ORD ZERO 34.3, BKGND 34.9, CAL 70.1; O3 BKGND 0.088 MICROAMP; FLOW RATE 27.8 S/100 M
FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 142.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	С	7.	K	M/S	DEG
0	686.0	2835.	16.3	.024	43.0	.0000	-54.9	44.4	50.7	243.0	47.0	005
1	670.0	2991.	18.8	. 028	46.3	.0003	-38.8	-44.1	58.3	262.8	43.0	225.
2	652.0	3181.	19.8	.030	47.6	. 0007	-33.4	-35.7	81.7	270.9	43.0	225.
3	634.0	3377.	19.3	. 030	46.6	.0012	-33.4	-35.5	82.8	273.1	24.0	242.
4	617.0	3568.	19.8	. 032	47.5	.0016	-32.9	-36.6	70.4	275.8	19.4	260.
5	600.0	3765.	20.4	. 034	49.1	.0020	-33.2	-36.5	73.0	277.7	14.2	231.
6	583.0	3967.	21.3	.037	51.2	.0025	-3 3.6	-37.9	66.1	279.5	14.8	200.
7	569.0	4137.	20.3	.036	49.3	.0029	-34.9	-39.9	61.2	279.9	13.4	200.
8	553.0	4335.	19.9	.036	48.5	.0033	-36.4	-41.6	59.4	280.5	10.1	215.
9	538.0	4526.	19.8	.037	48.6	.0038	-37.3	-42.8	57.4	281.6	10.3	226.
10	523.0	4721.	18.4	. 035	45.1	.0042	-38.4	-42.0	70.2	282.5	11.4	210.
11	509.0	4907.	18.3	.036	45.3	.0046	-39.3			283.6	9.4	193.
12	494.0	5111.	18.4	.037	45.7	.0050	-41.0			284.0	6.8	204.
13	479.0	5320.	18.4	. 038	46.2	.0054	-42.9			284.1	7.8	222.
14	466.0	5505.	16.9	.036	42.8	.0058	-44.4			284.6	11.3	225.
15	453.0	5694.	16.0	.035	40.6	.0062	-45.8			285.1	14.3	223.
16	441.0	5872.	15.0	. 034	38.3	. 0065	-47.2			285.5	12.7	203.
17	428.0	6069.	14.6	.034	37.4	.0069	-48.7			286.0	11.9	179.
18	415.0	6271.	13.6	. 033	35.2	.0072	-50.4			286.4	10.7	177.
19	400.0	6511.	13.6	.034	35.5	.0076	-51.8			287.7	10.3	180.
20	388.0	6707.	13.7	. 035	35.9	.0079	-53.7			287.7	11.6	182.
21	376.0	6909.	13.7	.036	36.2	.0083	-55.1			288.4	13.0	187.
22	364.0	7115.	13.7	.038	36.6	.0086	-56.8			288.8	13.4	182.
23	353.0	7309.	13.8	. 039	36.9	. 0089	-58.0			289.8	11.9	167.
24	343.0	7490.	14.3	.042	38.5	.0093	-59.4			290.3	10.7	165.
25	332.0	7693.	13.8	. 042	37.6	.0096	-61.0			290.8	10.7	181.
26	321.0	7902.	14.2	.044	38.9	.0100	-61.9			292.3	9.8	188.
27	310.0	8117.	13.7	. 044	37.7	.0104	-63.2			293.4	8.6	186.
28	300.0	8318.	11.3	. 038	31.4	.0107	-64.8			293.9	8.9	191.
29	290.0	8524.	11.3	. 039	31.5	.0110	-66.0			295.1	9.5	186.
30	280.0	8736.	12.7	.045	35.9	.0113	-67.9			295.3	8.5	186.
31	270.0	8954.	18.4	. 068	52.0	.0117	-68.7			297.2	5.9	196.
32	260.0	9180.	18.4	.071	52.2	.0123	-69.4			299.4	3.9	201.
33	250.0	9413.	16.1	.064	45.9	.0128	-71.0			300.4	1.6	190.
34	241.0	9630.	15.2	.063	43.5	.0133	-71.9			302.2	1.1	198.
35 36	234.0	9803.	15.1	.065	43.4	.0136	-72.4			304.0	1.3	162.
36		10007.	15.6	.069	45.0	.0140	-73.2			305.9	2.4	126.
37		10244.	14.2	.065	41.2	.0145	-74.4			307.5	1.8	146.
38		10435.	16.9	.080	49.3	.0149	-74.9			309.6	1.0	123.
39		10689.	14.1	.070	41.1	.0154	-75.2			313.1	1.6	157.
40		10882.	17.8	.092	52.2	.0158	-76.8			313.5	1.8	165.
41		11108.	22.9	.123	67.7	.0164	-77.6			315.7	2.1	184.
42		11339.	21.1	.118	62.4	.0171	-77.6			319.4	1.8	192.
43		11563.	22.0	. 127	65.2	.0178	-77.9			322.5	1.5	109.
44		11783.	40.3	.243	119.3	.0186	-77.9			326.1	2.2	86.
45		12004.	49.4	.309	146.6	.0199	-78.5			328.7	3.3	66.
46		12244.	57.5	.375	170.2	.0216	-78.2			333.2	6.5	49.
47		12449.	55.0	.372	162.9	.0232	-78.2			336.6	7.2	41.
48		12673.	52.6	.370	156.9	.0248	-79.4			338.4	3.8	54.
49	136.6	12897.	54.3	.398	161.7	.0265	-79.4			342.2	3.7	77.

STAT	ION: SOUTH POLE		LAUNC	H DATE:	6 OCT	89 305 Z	ECC	SONDE:	4A4432	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T		WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	C C	7.	K	M/S	DEG
50	131.3 13122.	55.1	.420	164.0	.0282	-79.1		346.6	3.8	93.
51	126.1 13352.	55.0	. 436	163.5	.0299	-78.8		351.2		67.
52	121.1 13582.	50.6	.418	150.9	.0316	-79.4		354.2		40.
53	116.0 13826.	55.2	. 476	164.6	. 0334	-79.7		358.0	3.6	37.
54	111.3 14060.	54.7	.491	163.8	. 0351	-80.3		361.1	4.5	40.
55	106.8 14293.	48.5	. 454	145.7	. 0368	-80.9		364.2	2.2	56.
56	102.0 14552.	31.5	. 309	94.5	. 0384	-80.6		369.6		67.
57	97.8 14789.	20.9	. 214	62.9	. 0394	-80.9		373.5		41.
58	93.9 15018.	16.0	. 170	47.9	. 0400	-80.6		378.5		68.
59	90.0 15257.	19.9	. 221	59.8	. 0406	-80.9		382.5		89.
60	86.2 15500.	21.6	. 251	65.1	.0412	-81.2		386.6		66.
61	82.7 15732.	24.7	. 299	74.4	.0420	-81.6		390.5		76.
62	79.3 15967.	19.9	. 251	60.2	. 0427	-82.6		393.2		68.
63	75.9 16212.	8.2	. 108	24.9	. 0433	-82.9		397.5		114.
64	72.4 16475.	8.2	. 113	25.0	. 0436	-83.2		402.1	3.1	78.
65	69.3 16719.	10.0	. 144	30.4	.0439	-82.6		408.7		44.
66	66.4 16957.	12.7	.191	38.6	. 0443	-82.9		412.9	4.0	63.
67	63.3 17224.	16.3	. 258	49.3	.0448	-82.2		420.1		72.
68	60.5 17477.	18.0	. 298	54.3	.0454	-81.6		427.0		52.
69	57.8 17734.	20.2	.349	60.7	.0460	-81.6		432.6		37.
70	55.2 17992.	21.0	.380	62.8	. 0468	-80.6		440.5		53.
71	52.7 18254.	22.2	. 421	66.7	.0476	-80.6		446.4	7.8	48.
72	50.2 18528.	22.3	. 444	66.5	. 0484	-80.0		454.1	10.3	31.
73	48.0 18782.	17.9	. 373	53.6	. 0491	-80.3		459.2	8.4	39.
74	45.8 19046.	12.6	. 275	37.7	.0497	-80.6		464.7		47.
75	43.7 19311.	10.4	. 238			-80.6		470.9	3.5	57.
76				31.1	. 0502			477.6	3.4	89.
76 77	41.6 19589. 39.5 19881.	14.9	.358	44.5	. 0506	-80.6			5.6	79.
	37.8 20129.	14.8	. 375	44.6	.0512	-80.9		483.9		
78 70		19.3	.511	57.6	. 0518	-79.7 -73.6		493.2		68. 66.
79	36.0 20407.	29.2	.811	86.2	. 0526	-77.6 76.8		505.4		85.
80	34.4 20668.	33.0	. 959	97.1	. 0537	-76.8		514.2		
81	32.7 20961.	40.8	1.248	118.8	. 0551	-74.9		526.7		80.
82	31.1 21253.	56.6	1.820	164.2	. 0568	-74.2		536.4	10.5	72.
83	29.6 21541.	64.7	2.186	187.1	. 0591	-73.4		546.1	9.5	75.
84	28.2 21826.	72.9	2.585	209.1	.0616	-71.9		557.8		64.
85	26.9 22104.	80.5	2.993	231.0	. 0644	-71.9		565.3	11.9	50.
86	25.6 22397.	84.1	3.285	239.9	. 0675	-70.8		576.7	7.2	66.
87	24.4 22682.		3.402		. 0707	-70.3		586.0		88.
88	23.3 22957.	81.0	3.476	228.6	. 0737	-68.5		599.0	13.7	69.
89	22.2 23248.	80.3	3.617	225.2	. 0768	-67.2		611.2	12.2	51.
90	21.4 23470.	79.0	3.692	220.0	. 0791	-65.8		622.0	9.3	67.
91	20.6 23702.	75.5	3.665	208.5	. 0814	-64.2		633.6	10.6	89.
92	19.8 23945.	73.6	3.717	203.0	. 0838	-64.0		641.4	10.0	89.
93	19.0 24198.	71.7	3.774	197.7	. 0861	-63.6		650.2	8.7	83.
94	18.1 24496.	69.3	3.829	190.1	. 0888	-62.7		662.3	9.6	80.
95	17.4 24740.	66.4	3.816	181.6	. 0909	-61.9		672.2	9.0	74.
96	16.7 24995.	66.5	3.982	180.5	.0931	-60.4		684.9	7.3	57.
97	16.0 25262.	66.0	4.125	178.2	. 0953	-59.4		696.8	9.1	94.
98	15.5 25462.	66.0	4.258	177.3	. 0970	-58.3		706.6	12.3	99.
99	14.9 25711.	64.9	4.356	173.0	.0990	-56.6		720.3	11.3	82.
100	14.2 26017.	64.5	4.542	171.0	. 1014	-55.3		734.8	7.9	91.
101	13.7 26247.	63.0	4.599	165.9	. 1033	-53.8		747.3	7.4	124.
102	13.1 26535.	61.5	4.695	161.3	. 1054	-52.9		760.2	5.9	107.
103	12.6 26786.	59.1	4.690	154.4	. 1073	-52.2		770.9	3.1	89.
104	12.0 27104.	55.4	4.617	143.0	.1095	-49.3		792.0	3.6	89.


STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	6 OCT	89 3	05 Z	ECC	SONDE:	4A4432	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	11.4	27442.	51.9	4.553	133.0	.1117	-48.0			808.5	3.5	74.
106	10.8	27798.	46.1	4.269	118.3	. 1139	-48.0			821.1	3.2	72.
107	10.3	28112.	41.2	4.000	104.8	. 1155	-46.1			839.4	7.1	74.
108	10.0	28310.	36.8	3.680	92.6	.1165	-43.9			854.5	5.7	100.
109	9.6	28578.	31.7	3.299	79.4	. 1176	-42.2			870.6	5.3	125.
110	9.2	28857.	26.2	2.842	65.7	.1185	-42.9			878.3	8.2	109.
111	8.8	29157.	31.5	3.571	78.6	. 1195	-42.0			893.3	6.2	96.
112	8.4	29464.	28.6	3.393	71.3	. 1206	-41.4			907.1	2.0	108.
113	8.0	29786.	25.2	3.134	62.6	.1216	-40.7			922.2	1.3	121.
114	7.7	30125.	24.4	3.190	60.5	. 1226	-40.2			937.6	4.2	71.
115	7.4	30379.	23.5	3.189	58.3	. 1233	-40.0			948.2	4.2	71.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 19.4
 14.6
 32.0
 26.8
 21.4
 73.0
 46.8
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR	COMMENTS		
1110106108903	99	ECC TOTAL	O3 FROM SONDE	DATA 142
ISNNNYYMMJJGG	PPPP P3TTTDDDFFF	FPPPP P3TTTDDDF	FFPPPP P3TTTDDD	FFFPPPP P3TTTDDDFFF
1110206108903	686 16-55	500 18-40200	8 300 11-65191	9 200 15-75158 2
1110306108903	150 56-78 44 7	7 100 27-81 55	3 70 10-83 52	5 50 22-80 32 10
1110406108903	30 63-74 74 10	020.0 74-64 89	1010.0 37-44100	6 670 19-39225 43
1110506108903	652 20-33225 43	3 583 21-34200	15 270 18-69196	6 187 23-78184 2
1110606108903	173 22-78109 2	2 166 40-78 86	2 111 55-80 40	5 94 16-81 68 5
1110706108903	83 25-82 76 2	2 76 8-83114	2 44 10-81 57	4 40 15-81 79 6
1110806108903	33 41-75 80 10	026.9 81-72 50	1224.4 83-70 88	1017.4 66-62 74 9
1110906108903	12.0 55-49 89 4	410.8 46-48 72	3 9.2 26-43109	8 7.4 24-40 71 4



STATION: SOUTH POLE LAUNCH DATE: 9 OCT 89 326 Z ECC SONDE: 4A4434

SURFACE CONDITIONS: PRESSURE 666.3 MB, TEMPERATURE -61.6 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 22.0 C AT 70.0 ORD;

03 ORD ZERO 32.5, BKGND 33.0, CAL 69.7; O3 BKGND 0.071 MICROAMP; FLOW RATE 25.6 S/100 M

FLIGHT NORMALIZED TO TOTAL 03 ; SONDE TOTAL 03 136.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	тотох	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	7.	K	M/S	DEG
0	666.3	2835.	23.2	. 035	63.3	. 0000	-61.6	_		237.6		
1	661.0	2887.	23.5	. 036	59.1	.0001	-43.1			258.9	30.3	201.
2	644.0	3063.	19.3	. 030	47.7	.0006	-40.2			264.1	30.3	201.
3	628.0	3236.	18.9	.030	46.4	.0010	-38.0	-48.4	33.3	268.5	22.1	169.
4	611.0	3425.	19.0	.031	46.3	.0014	-36.4	-47.3	32.2	272.5	18.9	143.
5	597.0	3586.	19.3	. 032	47.0	.0017	-36.4	-48.0	29.4	274.3	23.2	158.
6	580.0	3786.	19.7	.034	48.1	.0022	-36.6	-47.8	30.7	276.4	23.0	156.
7	565.0	3968.	18.2	. 032	44.7	.0026	-37.5	-46.7	38.1	277.4	23.4	155.
8	550.0	4153.	18.3	. 033	45.0	.0030	-38.9	-44.4	56.6	277.9	24.2	155.
9	534.0	4355.	16.7	. 031	41.3	.0034	-39.4	-43.8	64.1	279.6	25.1	157.
10	520.0	4537.	16.7	. 032	41.4	.0037	-40.5			280.4	25.8	156.
11	502.0	4776.	16.7	. 033	41.7	.0042	-41.7			281.8	26.3	154.
12	489.0	4953.	16.3	. 033	40.9	.0045	-43.0			282.3	28.1	151.
13	471.0	5206.	15.1	. 032	38.1	.0050	-44.1			284.0	27.7	151.
14	460.0	5364.	15.2	. 033	38.5	.0053	-45.4			284.3	27.0	152.
15	450.0	5510.	15.1	. 034	38.5	.0055	-45.9			285.6	38.2	152.
16	436.0	5720.	14.4	.033	36.8	.0059	-47.5			286.1	36.7	152.
17	423.0	5919.	13.6	. 032	35.1	.0062	-48.8			286.9	27.0	152.
18	410.0	6124.	12.9	. 031	33.3	.0065	-50.3			287.5	25.8	150.
19	398.0	6317.	12.1	. 030	31.6	.0068	-52.0			287.8	22.0	148.
20	386.0	6515.	11.7	.030	30.8	.0071	-53.4			288.5	21.4	147.
21	373.0	6734.	12.1	.032	32.0	.0074	-55.0			289.2	25.5	148.
22	360.0	6960.	12.8	.036	34.2	.0078	-56.7			289.9	24.3	150.
23	350.0	7138.	12.8	. 037	34.3	.0081	-58.0			290.4	21.2	148.
24	339.0	7339.	13.5	.040	36.4	.0084	-59.4			291.1	31.0	144.
25	329.0	7526.	13.5	. 041	36.7	. 0087	-60.9			291.7	35.7	141.
26	318.0	77 37 .	13.1	. 041	35.8	.0091	-62.0			293.0	28.1	139.
27	308.0	7933.	13.5	. 044	37.3	.0094	-63.5			293.6	27.8	141.
28	295.0	8197.	14.7	. 050	40.9	.0098	-65.0			295.0	24.0	143.
29	286.0	8386.	15.1	. 053	42.1	.0102	-65.8			296.4	18.3	141.
30	276.0	8601.	17.0	. 062	47.8	.0106	-67.9			296.5	15.8	138.
31	270.0	8733.	19.6	. 073	55.2	.0109	-68.1			298.0	16.2	143.
32	260.0	8959.	22.6	. 087	63.9	.0115	-69.0			300.0	16.8	143.
33	250.0	9193.	24.4	. 098	69.3	.0122	-69.9			302.0	12.3	138.
34	241.0	9411.	22.9	. 095	65.4	.0129	-71.1			303.5	11.6	141.
35	232.0	9635.	20.7	. 089	59.4	.0136	-72.0			305.4	2.3	185.
36	225.0	9816.	20.7	. 092	59.4	.0141	- 72.2			307.7	3.5	185.
37	219.0	9975.	26.2	. 120	75.4	.0145	-72.5			309.7	9.6	159.
38		10221.	32.0	.152	92.3	.0154	-72.7			313.1	3.3	172.
39		10420.	38.4	.189	110.7	.0163	-72.7			316.1	5.8	130.
40		10641.	43.9	. 225	126.9	.0175	-73.2			318.7	14.8	133.
41		10870.	48.2	. 256	139.9	.0189	-74.2			320.7	14.6	136.
42		11094.	51.6	. 285	150.0	. 0203	-74.5 75.0			323.8	4.8	104.
43 44		11155. 11537.	52.4	. 293	152.7	.0207	-75.0 -75.0			324.0	10.6	123.
			52.6	.314	153.2	.0235	-75.0			330.1	16.4	139.
45 46		11767. 11991.	52.5	. 326	152.9	.0251	-75.0 -75.5			333.9	10.0	135.
47		12188.	52.1 50.7	. 336 . 338	152.2	.0267	-75.5			336.7	8.7	128. 128.
48		12415.	49.4	.343	149.0 145.5	.0280 .0296	-76.6 -77.1			338.1 341.0	8.7 10.2	125.
49		12650.	52.3	. 378	154.6	.0296	-77.1 -77.7			344.1	10.2	119.
, 5	.00.2	.2000.	52.5	. 378	154.0	. 0312	-,,,,			J77.1	10.2	113.


TIME	STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	9 OCT	89 3	326 Z	ECC	SONDE:	4A4434	
MIN MB CPM NB CPM CAMMA ATMCM C C X K M/S DEC				OZONE									WIND
551 127.9 13094. 56.1 .439 165.6 .8456 -77.7 351.8 6.4 31. 52 122.5 13340 55.8 .456 165.9 .8364 -79.1 357.5 9.6 7. 54 113.2 13788. 54.7 .483 163.4 .0399 -79.7 360.4 355.5 39.6 7. 55 199.0 14092. 59.2 .461 150.5 .681.4 -80.7 366.8 12.3 335.5 58.7 190.0 14487. 55.5 .505.5 150.5 150.5 150.8 14484 -81.0 371.0 33.3 95.5 59.5 505.5 150.5 150.5 150.5 150.5 150.5 150.5 150.5 150.5 150.5 150.5 150.5 150.5 150.5 150.5 150.5 150.5 150.5 180.5 180.4 180.2 180.7 180.2 180.7 180.5 180.6 180.7 180.3 <	MIN	мВ	GPM		PPMV		ATMCM		С	%	K	M/S	DEG
52 122.5 13340. 55.8 4.56 165.9 9.364 -79.1 353.5 8.7 6.7 54 113.2 13788. 54.7 483 163.4 .0399 -79.7 362.4 355.5 339. 55 109.0 14402. 56.2 .461 156.5 .0414 -80.7 362.6 27.4 335.5 56 104.7 14229. .477 149.7 149.7 .4040 -80.7 362.8 12.3 134. 57 100.0 14467. 56.5 .505 151.8 .4448 -81.0 371.0 33.3 35.5 58 96.1 14711. 4.5 .051 13.4 .4848 -81.0 372.8 51.1 31. 59 92.1 14948. 15.1 13.4 .4841 -81.9 378.0 12.5 111. 61 84.8 15111. 4.5 .651 13.5 .4842 -81.9 392.2	50	133.0	12870.	55.8	. 420	164.9	.0328	-77.7			347.9	6.9	96.
53 117.8 13562. 56.1 .476 166.9 .0381 -79.1 357.5 9.6 7.2 339 -55 109.0 14002 56.2 .481 163.4 .8399 -79.7 362.6 27.4 335.5 55 109.0 14002 56.2 .481 150.5 .681 .477 149.7 .4430 -86.7 362.6 27.4 335.5 55 109.0 14487 .69.6 .686.8 136.2 .4848 -81.0 .710.0 371.0 3.3 95.5 59.6 .565 156.5 156.5 156.5 156.5 156.5 156.5 156.5 156.5 156.5 156.5 156.5 156.5 151.8 4.81.1 20.4 141.7 4.48 -81.0 371.0 372.8 5.1 131.0 461.1 481.8 141.7 4.48 -81.9 382.4 11.9 116.6 68.8 156.75 4.9 661.1 4.48.1 156.7 4.48.2 -81.9 332.2	51	127.9	13094.	56.1	. 439	165.6	.0345	-77.7			351.8	6.4	31.
55 109, 0 14002 50.2 .461 150.5 .0814 -80.7 362.6 27.4 335. 56 104.7 14229 .49.9 .477 149.7 .0430 -80.7 366.8 12.3 134. 57 100.0 14487 50.5 .505 151.8 .0448 -81.0 371.0 3.3 35.5 58 96.1 14711 .45.0 .688 136.2 2.0463 -82.3 372.8 51.1 31. 59 92.1 14948 17.4 .189 52.6 .0476 -81.9 378.0 12.5 111.9 116.6 61 84.8 15411. 4.5 .053 13.5 .0482 -81.9 387.0 10.4 106.6 62 80.9 15675. .061 17.0 .0487 -82.3 395.7 10.1 104. 64 74.1 16165. .6.7 .094 20.1 .0489 -80.7	52	122.5	13340.	55.8	. 456	165.9	.0364	-79.1			353.5	8.7	6.
55 109.0 14002. 50.2 4.61 150.5 .0414 -80.7 362.6 27.4 335. 56 104.7 14229. 4.99. 4.77 149.7 4.9430 -80.7 366.8 12.3 134. 57 100.0 14487. 50.5 .505 151.8 .0448 -81.0 371.0 3.3 95. 58 95.1 14711. 45.0 .488 156.2 .0463 -82.3 372.8 5.1 31.5 60 88.4 15178. 4.5 .053 13.5 .0481 -81.9 382.4 11.9 116.6 61 84.8 154178. 4.9 .061 14.7 .0484 -81.9 382.2 10.5 106.2 62 80.9 15575. .50.6 15.9 .0485 -82.3 372.8 35.1 10.1 104.9 65 71.0 16469. 8.9 .131 26.6 .0492 -80.7	53	117.8	13562.	56.1	. 476	166.9	.0381	-79.1			357.5	9.6	7.
56 104.7 14229. 49.9 .477 149.7 .0430 -80.0 371.0 3.3 395. 57 100.0 14487. 50.5 .505 151.8 .0448 -81.0 371.0 3.3 95. 58 96.1 14711. 45.0 .468 136.2 .0463 -82.3 372.8 5.1 311.3 59 92.1 14948. 17.4 .189 52.6 .0476 -81.9 382.4 11.9 116.6 60 88.4 15178. 4.5 .051 13.5 .0482 -81.9 382.2 11.4 19.6 61 8.9 15575 4.9 .061 14.7 .0484 -81.9 392.2 10.5 106.6 63 77.5 15915 5.2 .067 15.9 .0485 -82.6 395.7 10.1 104. 64 74.1 16405 5.6 .076 15.9 .0482 -82.6 3	54	113.2	13788.	54.7	. 483	163.4	.0399	-79.7			360.4	35.5	
57 180. 0. 14487. 50. 5. 5.55 151. 8. 0.448 -81. 0 371. 0 3.3.3 95. 58 96.1 1 14711. 45. 0 .468 136.2 .0463 -82.3 372.8 15.1 31. 59 92. 1 14948. 17. 4 .189 52. 6 .0476 -81.9 378.0 12.5 114. 60 88. 4 15178. 4. 5 .053 13.5 .0481 -81.9 387.0 10.4 106. 61 84. 8 15411. 4. 5 .063 13.5 .0482 -81.9 387.0 10.4 106. 62 80. 9 15675. 4. 9 .061 17.0 .0487 -82.6 395.7 10.5 106. 64 74.1 16165. 5. 6 .076 17.0 .0487 -82.3 416.9 10.5 106. 65. 180. 1649. 8.9 .131 26.6 .0492 -80.7 419.9 6.9 10. 67 65.1 16893. 9.9 .152	55												
58 96.1 147111. 45.0 .468 136.2 .0476 -81.9 .378.8 15.1 .51. 31. 59 92.1 14948. 17.4 .189 22.6 .0476 -81.9 .378.0 12.5 114. 114. 60 88.4 15178. .15 .051 13.4 .0481 -81.9 .382.4 11.9 116. .11.9 116. 61 84.8 15411. 4.5 .053 13.5 .0482 -81.9 .387.0 10.4 11.9 116. .10.1 116.6 62 80.9 15675. 4.9 .061 14.7 .0484 -81.9 .392.2 10.5 .106.6 63 77.5 15915. 5.2 .067 17.0 .0487 -82.3 .401.5 .5.6 .67. .65.7 .094 20.1 .0489 -80.7 .401.5 .67. .65.7 .094 20.1 .0489 -80.7 .401.5 .66.0 .66.1 .66.2 .67 .68.2 .67 .68.2 .67 .414.9 .69.0 .60.1 .60.1 .60.1 .60.1 .60.1 .60.1 .60.1 .60.1 .				49.9									
59 92.1 14948 17.4 .189 52.6 .0476 -81.9 378.0 12.5 114.9 60 88.4 15178. 4.5 .051 13.4 .0481 -81.9 382.4 11.9 116. 61 84.8 15471. 4.5 .063 13.5 .0482 -81.9 387.0 10.4 106. 62 80.9 15575. 4.9 .061 14.7 .0484 -81.9 392.2 10.5 106. 63 77.5 15915. 5.2 .067 15.9 .0485 -82.3 401.5 5.3 67. 65 71.0 16405. 6.6 7.0 .094 20.1 .0489 -80.7 409.9 9.8 101. 66 68.0 16639. 8.9 .152 30.1 .0495 -80.7 414.9 6.9 60. 67 45.1 16893. 39.9 .152 30.1 .0495 -82.7													
60 88.4 15178. 4.5 .051 13.4 .0481 -81.9 382.4 11.9 116.6 61 84.8 15411. 4.5 .053 13.5 .0482 -81.9 387.0 10.4 106.6 62 80.9 15675. 4.9 .061 14.7 .0484 -81.9 392.2 10.5 106.6 63 77.5 15915. 5.2 .067 15.9 .0485 -82.6 395.7 10.1 104.6 64 74.1 16165. 5.6 .0676 17.0 .0487 -82.3 401.5 5.3 67.6 65 71.0 16405. 6.7 .094 20.1 .0489 -80.7 409.9 9.8 101.6 66 68.0 16649. 8.9 .131 26.6 .0492 -80.7 414.9 6.9 60.6 67 65.1 16893. 9.9 .152 30.1 .0495 -80.7 414.9 6.9 60.6 68 62.6 17113. 12.1 .193 36.5 .0498 -81.0 424.2 16.0 101.5 69 60.0 17352. 14.4 .240 43.1 .0502 -80.7 433.5 16.0 16.0 105.5 70 57.4 17602. 16.5 .287 49.4 .0507 -80.7 435.5 15.5 342.5 71 54.9 17853. 11.2 .204 33.5 .0513 -80.7 441.1 8.7 18.7 72 52.3 18126. 6.7 .128 .20.2 .0517 -80.7 452.8 22.3 346. 74 48.0 18610. 3.7 .077 11.2 .0519 -80.7 452.8 22.3 346													
61 84.8 15411. 4.5 .053 13.5 .0482 -81.9 387.0 10.4 106.62 80.9 15675. 4.9 .061 14.7 .0484 -81.9 392.2 10.5 106.63 77.5 15915. 5.2 .067 15.9 .0465 -82.6 395.7 10.1 104.64 74.1 16165. 5.6 .076 17.0 .0487 -82.3 401.5 5.3 67. 65.7 10.1 104.66 68.0 16649. 8.9 .131 26.6 .0492 -80.7 401.5 5.3 67. 66. 67. 65.1 16893. 9.9 .152 30.1 .0495 -82.3 416.6 13.3 344. 68. 62.6 17113. 12.1 .193 36.5 .0498 -81.0 424.2 16.0 101.69 60.0 17352. 14.4 .240 43.1 .0502 -80.7 430.0 16.0 166. 105. 70 57.4 17602. 16.5 .287 49.4 .0507 -80.7 435.5 15.5 342. 70 57.4 17602. 16.5 .287 49.4 .0507 -80.7 435.5 15.5 342. 71 54.9 17853. 11.2 .204 33.5 .0513 -80.7 441.1 8.7 18. 72 52.3 18126. 6.7 .128 20.2 .0517 -80.7 447.3 11.3 9.5 4.9 17853. 11.2 .094 31.5 .0513 -80.7 447.3 11.3 9.5 4.9 18.8 18875. 4.1 .090 12.4 .0521 -80.7 458.4 52.8 22.3 346. 48.0 18610. 3.7 .077 11.2 .0520 -80.7 458.4 52.8 22.3 346. 75 43.1 9178. 4.5 10.4 13.4 19.78 4.5 10.4 13.4 .0523 -80.7 458.4 19.78 8.3 19.6 7 42.6 19.283 7.8 19.6 4.0 12.4 .0521 -80.7 458.4 5.2 63. 34.8 19.6 6. 20.8 .549 61.5 .0524 -80.7 458.4 5.2 63. 34.8 19.6 6. 20.8 .549 61.5 .0524 -80.7 458.4 5.2 63. 34.8 19.6 6. 20.8 .549 61.5 .0534 -77. 505.3 9.9 9.1 10.1 10.7 6.0 10.5 10.5 10.5 10.5 10.5 10.5 10.5 10													
62 80.9 15675. 4.9 .061 14.7 .0484 -81.9 382.2 10.5 186. 63 77.5 15915. 5.2 .067 15.9 .0485 -82.6 395.7 10.1 104. 64 74.1 16165. 5.6 .076 17.0 .0487 -82.3 401.5 5.3 67. 65 71.0 16405. 6.7 .094 20.1 .0489 -80.7 409.9 9.8 101. 66 68.0 16649. 8.9 .131 26.6 .0492 -80.7 414.9 6.9 60. 67 65.1 16893. 9.9 .152 30.1 .0495 -82.3 416.6 13.3 344. 68 62.6 17113. 12.1 .193 36.5 .0498 -81.0 424.2 16.0 101. 70 67.4 17602. 16.5 .287 49.4 .0507 -80.7 435.5 15.5 342. 71 54.9 17853. 11.2 .204 33.5 .0513 -80.7 435.5 15.5 342. 71 54.9 17853. 11.2 .204 33.5 .0513 -80.7 441.1 18.7 18. 72 52.3 18126. 6.7 .128 20.2 .0517 -80.7 447.3 11.3 9. 73 50.1 18369. 3.7 .074 11.2 .0519 -80.7 452.8 22.3 346. 74 48.0 18610. 3.7 .077 11.2 .0520 -80.7 452.8 22.3 346. 75 45.8 18875. 4.1 .090 12.4 .0521 -80.7 464.5 9.3 113. 76 43.4 19178. 4.5 .104 13.4 .0522 -80.7 471.7 82. 18. 77 42.6 19283. 7.8 .183 23.4 .0524 -80.7 471.7 8.2 18. 78 39.8 19667. 12.2 .307 36.3 .0524 -80.7 471.7 8.2 18. 79 37.9 19946. 20.8 .549 61.5 .6534 -77.7 505.3 9.4 29. 81 34.2 20534. 28.6 .836 84.5 .0553 -77.4 486.6 9.8 9.8 97. 83 39.8 19667. 12.2 .307 36.3 .0528 -79.4 486.6 9.8 9.8 97. 83 39.8 19667. 12.2 .307 36.3 .0528 -79.4 486.6 9.8 9.8 97. 84 34.4 19178. 4.5 .104 13.4 .0523 -80.7 471.7 8.2 18. 85 29. 20757. 31.4 9.54 91.8 .0562 -77.4 505.3 9.4 29. 81 34.2 20534. 28.6 .836 84.5 .0553 -77.4 505.3 9.4 29. 81 34.2 20534. 28.6 .836 84.5 .0553 -77.4 513.5 10.6 21. 83 31.5 21009. 36.9 1.171 107.6 .0573 -75.2 551.5 9.9 81. 84 30.1 21273. 46.9 1.558 136.0 .0587 -77.2 505.3 9.4 29. 81 34.2 20534. 28.6 .836 84.5 .0553 -77.4 513.5 10.6 21. 89 24.3 22543. 84.7 3.486 20.4 .0560 -72.7 501.5 9.9 81. 84 30.1 21273. 46.9 1.558 136.0 .0587 -74.2 541.3 24.8 328. 85 28.9 21511. 57.5 1.990 165.5 .0602 -72.7 551.5 9.9 81. 86 27.5 21803. 71.4 2.596 204.7 .0626 -71.8 562.3 12.9 62.3 13.4 95.9 11.1 10.7 6.0 95.7 95.8 95.8 19.9 95.1 31.1 95.1 11.1 10.7 6.0 95.7 95.8 95.8 11.1 11.1 11.1 11.1 11.1 11.1 11.1 1													
63 77.5 15915, 5.2 .067 15.9 .0485 -82.6 395.7 10.1 104. 644 74.1 16165. 5.6 .076 17.0 .0487 -82.3 401.5 5.3 67. 71.0 16405. 6.7 .094 20.1 .0489 -80.7 409.9 9.8 101. 666 68.0 16649. 8.9 .131 26.6 .0492 -80.7 414.9 6.9 6.0 .67 .65.1 16893. 9.9 .152 30.1 .0495 -82.3 416.6 13.3 344. 68 62.6 17113. 12.1 .193 36.5 .0498 -81.0 424.2 16.0 101. 69 60.0 17352. 14.4 .240 43.1 .0502 -80.7 430.0 16.0 105. 70 57.4 17602. 16.5 .287 49.4 .0507 -80.7 430. 16.0 105. 70 57.4 17602. 16.5 .287 49.4 .0507 -80.7 433. 18.7 18. 72 52.3 18126. 6.7 .128 20.2 .0517 -80.7 441.1 8.7 18. 72 52.3 18126. 6.7 .128 20.2 .0517 -80.7 447.3 11.3 9.3 36.1 18369. 3.7 .074 11.2 .0519 -80.7 452.8 22.3 346. 74 48.0 18610. 3.7 .077 11.2 .0520 -80.7 458.4 52.8 22.3 346. 74 48.0 18610. 3.7 .077 11.2 .0520 -80.7 458.4 5.2 63. 75 45.8 18875. 4.1 .090 12.4 .0521 -80.7 464.5 9.3 113. 77 42.6 19283. 7.8 .183 23.4 .0524 -80.7 471.7 8.2 18. 77 42.6 19283. 7.8 .183 23.4 .0524 -80.7 471.7 8.2 18. 78 39.8 19667. 12.2 .307 36.3 .0528 -79.4 486.6 9.8 97. 79 37.9 19946. 20.8 .549 61.5 .0534 -78.0 497.2 8.8 62. 80 36.0 20240. 24.7 .686 72.8 .0543 -77.7 505.3 9.4 29. 38. 31.5 2009. 36.9 1.171 107.6 .0573 -77.2 551.5 9.9 81. 34.2 20534 84.5 .0553 -77.4 505.3 9.4 29. 38. 31.5 2009. 36.9 1.171 107.6 .0573 -77.2 551.5 9.9 81. 34.2 20534 84.7 .0562 -77.8 505.3 9.4 29. 38. 31.5 2009. 36.9 1.171 107.6 .0573 -77.2 551.5 9.9 81. 34.2 20534 84.7 .0562 -77.8 505.3 9.4 29. 38. 31.5 2009. 79.2 3.023 225.2 .0654 -70.1 574.7 37.8 322. 88 25.4 22276. 84.6 3.331 237.9 .0674 -67.9 586.1 13.4 1.2 .596 204.7 .0626 -77.8 565.8 601.0 39.1 33.1 3.693 231.4 .0754 -65.8 601.0 39.1 33.1 31.3 .093 231.4 .0754 -65.8 601.0 39.1 33.1 31.7 .093 355. 30.9 19.1 22.5 23010. 83.1 3.693 231.4 .0754 -65.8 601.0 39.1 33.1 31.9 32.1 40.9 30.9 30.9 1.171 107.6 .0573 -75.2 531.5 9.9 81. 34. 328. 328. 329. 20554 84.8 1.3 3.6 3.0 30.0 587 -74.2 541.3 24.8 328. 329. 20554 84.7 3.8 89 211.7 .0633 -66.3 59.8 668.2 12.5 19. 33. 33. 320.6 22256 77.8 8.1 63.3 33. 320.6 635.4 .0764 -67.9 588.0 668.2 31.2 .9 62. 31.2 .9													
64 74.1 16165. 5.6 0.76 17.0 0.487 -82.3 401.5 5.3 67. 65 71.0 16405. 6.7 0.94 20.1 0.489 -80.7 409.9 9.8 101. 66 68.0 16649. 8.9 .131 26.6 0.492 -80.7 414.9 6.9 60. 67 65.1 16893. 9.9 .152 30.1 0.495 -82.3 416.6 13.3 344. 68 62.6 17113. 12.1 .193 36.5 0.4948 -81.0 424.2 16.0 101. 69 60.0 17352. 14.4 .240 43.1 0.562 -80.7 430.0 16.0 105. 70 57.4 17662. 16.5 .287 49.4 0.5607 -80.7 435.5 15.5 342. 71 54.9 17853. 11.2 2.204 33.5 0.513 -80.7 441.1 8.7 18. 72 52.3 18126. 6.7 .128 20.2 0.517 -80.7 447.3 11.3 9. 73 50.1 18369. 3.7 0.77 11.2 0.520 -80.7 458.4 52.2 63. 75 45.8 18875. 4.1 0.90 12.4 0.521 -80.7 458.4 52.2 63. 76 43.4 19178. 4.5 1.04 13.4 0.523 -80.7 471.7 8.2 18. 77 42.6 19283. 7.8 1.83 23.4 0.524 -80.7 474.3 6.8 29. 78 39.8 19667. 12.2 .307 36.3 0.528 -79.4 486.6 9.8 97. 79 37.9 19946. 20.8 .549 61.5 0.5534 -78.0 497.2 8.8 62. 82 32.9 20757. 31.4 .954 91.8 0.5534 -77.4 513.5 10.6 21.8 83 36.0 20240. 24.7 0.686 72.8 0.5534 -77.4 513.5 10.6 21.8 84 30.1 21273. 46.9 1.558 136.0 0.567 -74.2 541.3 24.8 328. 85 28.9 21511. 57.5 1.990 165.5 0.6002 -72.7 551.7 32.8 111. 89 24.3 22543. 84.7 3.486 235.4 0.794 -66.3 598.4 19.6 95. 90 23.2 22824. 83.9 3.616 233.6 0.794 -67.9 586.1 13.4 1. 91 21.5 23287. 82.7 3.847 228.7 0.784 -64.3 668.2 12.5 98. 92 19.1 24017. 73.8 3.864 200.9 0.857 -61.0 657.2 9.8 23. 93 10.1 24746. 62.9 3.700 169.1 0.921 -58.4 688.0 21.6 349. 94 19.9 23763. 57.1 3.486 233.6 0.934 -65.8 668.2 12.5 19. 95 19.1 24017. 73.8 3.864 200.9 0.857 -61.0													
65 71.0 16405 6.7 .094 20.1 .0489 -80.7 409.9 9.8 101. 66 68.0 16649 8.9 .131 26.6 .0492 -80.7 411.9 6.9 60.9 67 65.1 16893 9.9 .152 30.1 .0495 -82.3 416.6 13.3 344. 68 62.6 17113 12.1 .193 36.5 .0498 -81.0 424.2 16.0 105. 70 57.4 17602 16.5 .287 49.4 .0507 -80.7 435.5 15.5 342. 71 54.9 17853 11.2 .204 33.5 .0513 -80.7 441.1 8.7 18. 72 52.3 18126 6.7 .128 20.2 .0517 -80.7 447.3 11.3 9. 73 50.1 18369 3.7 .077 11.2 .0520 -80.7 452.8 22.3 346. 74 48.6 18.8 18													
66 68.0 16649. 8.9 .131 26.6 .0492 -80.7 414.9 6.9 60.9 66.9 66.0 67 65.1 16893. 9.9 .152 30.1 .0495 -82.3 416.6 13.3 344. 344.0 68 62.6 17113. 12.1 .193 36.5 .0498 -81.0 424.2 16.0 101. 16.0 101. 69 60.0 17352. 14.4 .240 43.1 .0502 -80.7 435.5 15.5 342. 70 57.4 17602. 16.5 .287 49.4 .0507 -80.7 435.5 15.5 342. 71 54.9 17853. 11.2 .204 33.5 .0513 -80.7 441.1 8.7 18. 718. 72 52.3 18126. 6.7 .128 20.2 .0517 -80.7 447.3 11.3 9. 9. 73 50.1 18369. 3.7 .077 11.2 .0520 -80.7 452.8 22.3 346. 74 48.0 18610. 3.7 .077 11.2 .0520 -80.7 458.4 5.2 63. 75 45.8 18875. 4.1 .090 12.4 .0521 -80.7 471.7 8.2 18. 76 43.4 19178. 4.5 .104 13.4 .0523 -80.7 471.7 8.2 18. 77 42.6 19283. 7.8 .183 23.4 .0524 -80.7 471.7 8.2 18. 78 39.8 19667. 12.2 .307 36.3 .0528 -79.4 486.6 9.8 29. 79 37.9 19946. 20													
67 65.1 16893. 9.9 .152 30.1 .0495 -82.3 416.6 13.3 344. 68 62.6 17113. 12.1 .193 36.5 .0498 -81.0 424.2 16.0 101. 69 60.0 17352. 14.4 .240 43.1 .0502 -80.7 430.0 16.0 105. 70 57.4 17602. 16.5 .287 49.4 .0507 -80.7 435.5 15.5 342. 71 54.9 17853. 11.2 .204 33.5 .0513 -80.7 441.1 8.7 18. 72 52.3 18126. 6.7 .128 20.2 .0517 -80.7 441.3 11.3 9. 73 50.1 18369. 3.7 .074 11.2 .0519 -80.7 452.8 22.3 346. 74 48.0 18610. 3.7 .077 11.2 .0520 -80.7 458.4 5.2 63. 75 45.8 18875. 4.1 .090 12.4 .0521 -80.7 464.5 9.3 113. 76 43.4 19178. 4.5 .104 13.4 .0523 -80.7 471.7 8.2 18. 77 42.6 19283. 7.8 .183 23.4 .0524 -80.7 471.7 8.2 18. 78 39.8 19667. 12.2 .307 36.3 .0526 -79.4 486.6 9.8 97. 79 37.9 19946. 20.8 .549 61.5 .0534 -78.0 497.2 8.8 62. 80 36.0 20240. 24.7 .686 72.8 .0543 -77.7 506.3 9.4 29. 81 34.2 20534. 28.6 .836 84.5 .0553 -77.4 513.5 10.6 21. 82 32.9 20757. 31.4 .954 91.8 .0562 -75.8 523.6 30.0 107. 83 31.5 21009. 36.9 1.171 107.6 .0573 -75.2 531.5 9.9 81. 86 27.5 21803. 71.4 .2596 204.7 .0626 -71.8 562.3 12.9 62. 87 28.9 21511. 57.5 1.990 165.5 .0602 -72.7 551.7 32.8 111. 86 27.5 21803. 71.4 .2596 204.7 .0626 -71.8 562.3 12.9 62. 87 24.3 22543. 84.6 3.331 237.9 .0674 -67.9 586.1 13.4 1. 89 24.3 22543. 84.6 3.331 237.9 .0674 -67.9 586.1 13.4 1. 89 24.3 22543. 84.6 3.388 220.1 .0811 -63.1 637.0 8.1 95. 91 22.5 23010. 83.1 3.693 231.4 .0754 -65.8 607.6 10.9 355. 91 22.5 23010. 83.1 3.693 231.4 .0754 -65.8 607.6 10.9 355. 91 22.5 23010. 83.1 3.888 220.1 .0811 -63.1 637.0 8.1 95. 94 19.9 23763. 77.4 3.889 211.7 .0833 -62.0 646.8 12.7 80. 95 19.1 24017. 73.8 3.884 20.0 .0817 -65.8 668.0 21.5 19.9 97. 17.5 24564. 67.7 3.889 121.7 .0833 -62.0 646.8 12.7 80. 96 18.4 24250. 71.9 3.908 194.4 .0878 -59.8 668.2 12.5 19. 99. 16.5 2.5 25.0 5.1 3.555 147.1 .0964 -55.7 712.0 688.0 21.6 349. 99. 16.5 2.5 25.8 66.2 12.5 19. 10. 11.5 2.5 25.2 5.5 13.5 5.1 47.1 .0964 -55.7 712.0 3.8 106. 11.5 10.0 11.5 10.0 11.5 2.5 25.7 11.9 10.0 -54.4 75.0 745.0 10.3 69.													
68 62.6 17113. 12.1 .193 .36.5 .049881.0 424.2 .16.0 .101. 69 60.0 17352. 14.4 .240 .43.1 .650280.7 430.0 .16.0 .105. 70 57.4 17602. 16.5 .287 .49.4 .050780.7 435.5 .15.5 .342. 71 54.9 17853. 11.2 .204 .33.5 .051380.7 441.1 .8.7 .18. 72 52.3 18126. 6.7 .128 .20.2 .051780.7 447.3 .11.3 .9. 73 56.1 18369. 3.7 .074 .11.2 .051980.7 452.8 .22.3 .346. 74 48.0 18610. 3.7 .077 .11.2 .052080.7 458.4 .52.8 .22.3 .346. 75 45.8 18875. 4.1 .0990 .12.4 .052180.7 458.4 .5 .2 .63. 76 43.4 19178. 4.5 .104 .13.4 .052380.7 471.7 .82 .18. 77 42.6 19283. 7.8 .183 .23.4 .052480.7 471.7 .82 .18. 77 42.6 19283. 7.8 .183 .23.4 .052480.7 471.3 .68 .99.9 78 39.8 19667. 12.2 .307 .36.3 .052879.4 486.6 .98 .97. 79 37.9 19946. 20.8 .549 .61.5 .053478.0 497.2 .88 .62. 80 36.0 20240. 24.7 .686 .72.8 .055377.4 513.5 .99.													
69 60.0 17352. 14.4 .240 43.1 .0502 -80.7 430.0 16.0 105.5 342. 70 57.4 17602. 16.5 .287 49.4 .0507 -80.7 441.1 8.7 18. 71 54.9 17853. 11.2 .294 33.5 .0513 -80.7 441.1 8.7 18. 72 52.3 18126. 6.7 .128 20.2 .0517 -80.7 447.3 11.3 9. 73 50.1 18369. 3.7 .074 11.2 .0520 -80.7 452.8 22.3 346. 5.2 63. 75 45.8 18875. 4.1 .090 12.4 .0521 -80.7 464.5 9.3 113. 76 43.4 19178. 4.5 .104 13.4 .0521 -80.7 471.7 8.2 18. 77 42.6 19283. 7.8 .183 23.4													
70 57.4 17602. 16.5 .287 49.4 .0507 -80.7 441.1 8.7 18.2 71 54.9 17853. 11.2 .204 33.5 .0513 -80.7 441.1 8.7 18. 72 52.3 18126. 6.7 .128 20.2 .0517 -80.7 447.3 11.3 9. 73 50.1 18369. 3.7 .077 11.2 .0519 -80.7 452.8 22.3 346. 74 48.0 18610. 3.7 .077 11.2 .0520 -80.7 458.4 5.2 63. 75 45.8 18875. 4.1 .090 12.4 .0521 -80.7 458.4 5.2 63. 76 43.4 19178. 4.5 .104 13.4 .0521 -80.7 474.3 6.8 29. 78 39.8 19667. 11.3 4.0521 -80.7 480.7 474.3 6.8													
71 54.9 17853. 11.2 .204 33.5 .0513 -80.7 441.1 8.7 18. 72 52.3 18126. 6.7 .128 20.2 .0517 -80.7 452.8 22.3 346. 73 50.1 18369. 3.7 .077 11.2 .0519 -80.7 452.8 22.3 346. 74 48.0 18610. 3.7 .077 11.2 .0520 -80.7 458.4 5.2 63. 75 45.8 18875. 4.1 .090 12.4 .0521 -80.7 471.7 8.2 18. 76 43.4 19178. 4.5 .104 13.4 .0524 -80.7 471.7 8.2 18. 77 42.6 19283. 7.8 .183 23.4 .0524 -80.7 471.3 6.8 29. 78 39.8 19667. 12.2 .307 36.3 .0526 -79.4 486.6 9.8 97. 79 37.9 19946. 20.8													
72 52.3 18126. 6.7 .128 20.2 .0517 -80.7 447.3 11.3 9. 73 50.1 18369. 3.7 .074 11.2 .0519 -80.7 458.8 22.3 346. 74 48.0 18610. 3.7 .077 11.2 .0520 -80.7 458.4 5.2 63. 75 45.8 18875. 4.1 .090 12.4 .0521 -80.7 464.5 9.3 113. 76 43.4 19178. 4.5 .104 13.4 .0523 -80.7 471.7 8.2 18. 77 42.6 19283. 7.8 .183 23.4 .0524 -80.7 471.7 8.2 18. 78 39.8 19667. 12.2 .307 36.3 .0528 -79.4 486.6 9.8 97. 79 37.9 19946. 20.8 .549 61.5 .0534 -77.7 505.3													
73 50.1 18369. 3.7 .074 11.2 .0519 -80.7 452.8 22.3 346. 74 48.0 18610. 3.7 .077 11.2 .0520 -80.7 458.4 5.2 63. 75 45.8 18875. 4.1 .090 12.4 .0521 -80.7 471.7 8.2 18. 76 43.4 19178. 4.5 .104 13.4 .0523 -80.7 471.7 8.2 18. 77 42.6 19283. 7.8 .183 23.4 .0524 -80.7 474.3 6.8 29. 78 39.8 19667. 12.2 .307 36.3 .0528 -79.4 486.6 9.8 97. 79 37.9 19946. 20.8 .549 61.5 .0534 -78.0 497.2 8.8 62. 80 36.0 20240. 24.7 .666 72.8 .0553 -77.7 505.3 9.4 29. 81 34.2 20534. 28.6													
74 48.0 18610 3.7 .077 11.2 .0520 -80.7 45.8 18875 4.1 .090 12.4 .0521 -80.7 464.5 9.3 113. 76 43.4 19178 4.5 .104 13.4 .0523 -80.7 471.7 8.2 18. 77 42.6 19283 7.8 .183 23.4 .0524 -80.7 474.3 6.8 29. 78 39.8 19667 12.2 .307 36.3 .0528 -79.4 486.6 9.8 97. 79 37.9 19946 20.8 .549 61.5 .0534 -78.0 497.2 8.8 62. 80 36.0 20240 24.7 .686 72.8 .0543 -77.7 5065.3 9.4 29. 81 34.2 20534 28.6 .836 84.5 .0553 -77.4 513.5 10.6 21. 82 32.9 20757 31.4 .954 91.8 .0562 -75.8 523.6 30.0 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>													
75 45.8 18875. 4.1 .090 12.4 .0521 -80.7 464.5 9.3 113. 76 43.4 19178. 4.5 .104 13.4 .0523 -80.7 471.7 8.2 18. 77 42.6 19283. 7.8 .183 23.4 .0524 -80.7 474.3 6.8 29. 78 39.8 19667. 12.2 .307 36.3 .0528 -79.4 486.6 9.8 97. 79 37.9 19946. 20.8 .549 61.5 .0534 -78.0 497.2 8.8 62. 80 36.0 20240. 24.7 .686 72.8 .0543 -77.7 505.3 .9.4 29. 81 34.2 20534. 28.6 .836 84.5 .0553 -77.4 513.5 10.6 21. 82 32.9 20757. 31.4 .954 91.8 .0562 -75.8 523.6 30.0 107. 83 31.5 21009. 36.9 1.558 136.0 .0587 -74.2 531.5 9.9 81. 84 30.1 21273. 46.9 1.558 136.0 .0587 -74.2 541.3 24.8 328. 85 28.9 21511. 57.5 1.990 165.5 .0602 -72.7 551.7 32.8 111. 86 27.5 21803. 71.4 2.596 204.7 .0626 -71.8 <td></td>													
76 43.4 19178. 4.5 .104 13.4 .0523 -80.7 471.7 8.2 18. 77 42.6 19283. 7.8 .183 23.4 .0524 -80.7 474.3 6.8 29. 78 39.8 19667. 12.2 .307 36.3 .0528 -79.4 486.6 9.8 97. 79 37.9 19946. 20.8 .549 61.5 .0534 -78.0 497.2 8.8 62. 80 36.0 20240. 24.7 .686 72.8 .0553 -77.4 513.5 10.6 21. 82 32.9 20757. 31.4 .954 91.8 .0562 -75.8 523.6 30.0 107. 83 31.5 21009. 36.9 1.171 107.6 .0573 -75.2 531.5 9.9 81. 84 30.1 21273 46.9 1.558 136.0 .0587 -74.2 541.3 </td <td></td>													
77 42.6 19283. 7.8183 23.40524 -80.7 474.3 6.8 29. 78 39.8 19667. 12.2307 36.30528 -79.4 486.6 9.8 97. 79 37.9 19946. 20.8549 61.50534 -78.0 497.2 8.8 62. 8.8 62. 80 36.0 20240. 24.7686 72.80543 -77.7 505.3 9.4 29. 81 34.2 20534. 28.6836 84.50553 -77.4 513.5 10.6 21. 82 32.9 20757. 31.4954 91.80562 -75.8 523.6 30.0 107. 83 31.5 21009. 36.9 1.171 107.60573 -75.2 531.5 9.9 81. 84 30.1 21273. 46.9 1.558 136.00587 -74.2 531.5 9.9 81. 85 28.9 21511. 57.5 1.990 165.50602 -72.7 551.7 32.8 111. 86 27.5 21803. 71.4 2.596 204.70626 -71.8 562.3 12.9 62. 87 26.2 22090. 79.2 3.023 225.20654 -70.1 574.7 37.8 332. 88 25.4 22276. 84.6 3.331 237.90674 -67.9 586.1 13.4 1. 89 24.3 22543. 84.7 3.486 236.40703 -66.3 598.4 19.6 95. 90 23.2 22824. 83.9 3.616 233.640703 -66.3 598.4 19.6 95. <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>													
78 39.8 19667. 12.2 .307 36.3 .0528 -79.4 486.6 9.8 97. 79 37.9 19946. 20.8 .549 61.5 .0534 -78.0 497.2 8.8 62. 80 36.0 20240. 24.7 .686 72.8 .0553 -77.7 506.3 9.4 29. 81 34.2 20534. 28.6 .836 84.5 .0553 -77.4 513.5 10.6 21. 82 32.9 20757. 31.4 .954 91.8 .0562 -75.8 523.6 30.0 107. 83 31.5 21009. 36.9 1.171 107.6 .0573 -75.2 531.5 9.9 B1. 84 30.1 21273. 46.9 1.558 136.0 .0587 -74.2 541.3 24.8 328. 85. 28.9 21511. 575.5 1.990 165.5 .0602 -72.7 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>													
79 37.9 19946. 20.8 .549 61.5 .0534 -78.0 497.2 8.8 62. 80 36.0 20240. 24.7 .686 72.8 .0543 -77.7 505.3 9.4 29. 81 34.2 20534. 28.6 .836 84.5 .0553 -77.4 513.5 10.6 21. 82 32.9 20757. 31.4 .954 91.8 .0562 -75.8 523.6 30.0 107. 83 31.5 21099. 36.9 1.171 107.6 .0573 -75.2 531.5 9.9 81. 84 30.1 21273. 46.9 1.558 136.0 .0587 -74.2 541.3 24.8 328. 85 28.9 21511. 57.5 1.990 165.5 .0602 -72.7 551.7 32.8 111. 86 27.5 21803. 71.4 2.596 204.7 .0626 -71.8 562.3 12.9 62. 87 26.2 22090. 79.2 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>													
81 34.2 20534. 28.6 .836 84.5 .0553 -77.4 513.5 10.6 21. 82 32.9 20757. 31.4 .954 91.8 .0562 -75.8 523.6 30.0 107. 83 31.5 21009. 36.9 1.171 107.6 .0573 -75.2 531.5 9.9 81. 84 30.1 21273. 46.9 1.558 136.0 .0587 -74.2 541.3 24.8 328. 85 28.9 21511. 57.5 1.990 165.5 .0602 -72.7 551.7 32.8 111. 86 27.5 21803. 71.4 2.596 204.7 .0626 -71.8 562.3 12.9 62. 87 26.2 22090. 79.2 3.023 225.2 .0654 -70.1 574.7 37.8 332. 88 25.4 22276. 84.6 3.331 237.9 .0674 -67.9 586.1 13.4 1. 89 24.3 22543. 84.7	79	37.9	19946.					-78.0				8.8	
82 32.9 20757. 31.4 .954 91.8 .0562 -75.8 523.6 30.0 107. 83 31.5 21009. 36.9 1.171 107.6 .0573 -75.2 531.5 9.9 81. 84 30.1 21273. 46.9 1.558 136.0 .0587 -74.2 541.3 24.8 328. 85 28.9 21511. 57.5 1.990 165.5 .0602 -72.7 551.7 32.8 111. 86 27.5 21803. 71.4 2.596 204.7 .0626 -71.8 562.3 12.9 62. 87 26.2 22090. 79.2 3.023 225.2 .0654 -70.1 574.7 37.8 332. 88 25.4 22276. 84.6 3.331 237.9 .0674 -67.9 586.1 13.4 1. 89 24.3 22543. 84.7 3.486 236.4 .0703 -66.3 598.4 19.6 95. 90 23.2 22824. 83.9	80	36.0	20240.	24.7	. 686	72.8	.0543	-77.7			505.3	9.4	29.
83 31.5 21009. 36.9 1.171 107.6 .0573 -75.2 531.5 9.9 81. 84 30.1 21273. 46.9 1.558 136.0 .0587 -74.2 541.3 24.8 328. 85 28.9 21511. 57.5 1.990 165.5 .0602 -72.7 551.7 32.8 111. 86 27.5 21803. 71.4 2.596 204.7 .0626 -71.8 562.3 12.9 62. 87 26.2 22090. 79.2 3.023 225.2 .0654 -70.1 574.7 37.8 332. 88 25.4 22276. 84.6 3.331 237.9 .0674 -67.9 586.1 13.4 1. 89 24.3 22543. 84.7 3.486 236.4 .0703 -66.3 598.4 19.6 95. 90 23.2 22824. 83.9 3.616 233.6 .0734 -65.8 607.6 10.9 355. 91 22.5 23010. 83.1	81	34.2	20534.	28.6	.836	84.5	. 0553	-77.4			513.5	10.6	21.
84 30.1 21273. 46.9 1.558 136.0 .0587 -74.2 541.3 24.8 328. 85 28.9 21511. 57.5 1.990 165.5 .0602 -72.7 551.7 32.8 111. 86 27.5 21803. 71.4 2.596 204.7 .0626 -71.8 562.3 12.9 62. 87 26.2 22090. 79.2 3.023 225.2 .0654 -70.1 574.7 37.8 332. 88 25.4 22276. 84.6 3.331 237.9 .0674 -67.9 586.1 13.4 1. 89 24.3 22543. 84.7 3.486 236.4 .0703 -66.3 598.4 19.6 95. 90 23.2 22824. 83.9 3.616 233.6 .0734 -65.8 607.6 10.9 355. 91 22.5 23010. 83.1 3.693 231.4 .0754 -65.8 613.0 39.1 317. 92 21.5 23287. 82.7 3.847 228.7 .0784 -64.3 625.8 14.2 336. 93 20.6 23549. 80.1 3.888 220.1 .0811 -63.1 637.0 8.1 95. 94 19.9 23763. 77.4 3.889 211.7 .0833 -62.0 646.8 12.7 80. 95 19.1 24017. 73.8 3.864 200.9 .0857 -61.0 657.2 9.8 23. 96 18.4 24250. 71.9 3.908 194.4 .0878 -59.8 668.2 12.5 19. 97 17.5 24564. 67.7 3.869 182.3 .0906 -58.7 61.0 688.0 21.6 349. 99 16.2 25049. 58.7 3.623 157.6 .0944 -58.2 698.1 31.9 345. 100 15.5 25328. 55.1 3.555 147.1 .0964 -57.0 710.9 17.8 340. 101 15.0 25537. 51.7 3.447 137.3 .0978 -55.7 722.0 3.8 106. 102 14.2 25887.	82	32.9	20757.	31.4	. 954	91.8	.0562	-75.8			523.6	30.0	107.
85 28.9 21511. 57.5 1.990 165.5 .0602 -72.7 551.7 32.8 111. 86 27.5 21803. 71.4 2.596 204.7 .0626 -71.8 562.3 12.9 62. 87 26.2 22090. 79.2 3.023 225.2 .0654 -70.1 574.7 37.8 332. 88 25.4 22276. 84.6 3.331 237.9 .0674 -67.9 586.1 13.4 1. 89 24.3 22543. 84.7 3.486 236.4 .0703 -66.3 598.4 19.6 95. 90 23.2 22824. 83.9 3.616 233.6 .0734 -65.8 607.6 10.9 355. 91 22.5 23010. 83.1 3.693 231.4 .0754 -65.8 613.0 39.1 317. 92 21.5 23287. 82.7 3.847 228.7 .0784 -64.3 625.8 14.2 336. 93 20.6 23549. 80.1 <td>83</td> <td>31.5</td> <td>21009.</td> <td>36.9</td> <td>1.171</td> <td>107.6</td> <td>.0573</td> <td>-75.2</td> <td></td> <td></td> <td>531.5</td> <td>9.9</td> <td>81.</td>	83	31.5	21009.	36.9	1.171	107.6	.0573	-75.2			531.5	9.9	81.
86 27.5 21803. 71.4 2.596 204.7 .0626 -71.8 562.3 12.9 62. 87 26.2 22090. 79.2 3.023 225.2 .0654 -70.1 574.7 37.8 332. 88 25.4 22276. 84.6 3.331 237.9 .0674 -67.9 586.1 13.4 1. 89 24.3 22543. 84.7 3.486 236.4 .0703 -66.3 598.4 19.6 95. 90 23.2 22824. 83.9 3.616 233.6 .0734 -65.8 607.6 10.9 355. 91 22.5 23010. 83.1 3.693 231.4 .0754 -65.8 613.0 39.1 317. 92 21.5 23287. 82.7 3.847 228.7 .0784 -64.3 625.8 14.2 336. 93 20.6 23549. 80.1 3.888 220.1 .0811 -63.1 637.0 8.1 95. 94 19.9 23763. 77.4	84			46.9	1.558		. 0587	-74.2			541.3	24.8	328.
87 26.2 22090. 79.2 3.023 225.2 .0654 -70.1 574.7 37.8 332. 88 25.4 22276. 84.6 3.331 237.9 .0674 -67.9 586.1 13.4 1. 89 24.3 22543. 84.7 3.486 236.4 .0703 -66.3 598.4 19.6 95. 90 23.2 22824. 83.9 3.616 233.6 .0734 -65.8 607.6 10.9 355. 91 22.5 23010. 83.1 3.693 231.4 .0754 -65.8 613.0 39.1 317. 92 21.5 23287. 82.7 3.847 228.7 .0784 -64.3 625.8 14.2 336. 93 20.6 23549. 80.1 3.888 220.1 .0811 -63.1 637.0 8.1 95. 94 19.9 23763. 77.4 3.889 211.7 .0833 -62.0 646.8 12.7 80. 95 19.1 24017. 73.8 3.864 200.9 .0857 -61.0 657.2 9.8 23. 96 18.4 24250. 71.9 3.908 194.4 .0878 -59.8 668.2 12.5 19. 97 17.5 24564. 67.7 3.869 182.3 .0906 -58.7 681.2 16.1 26. 98 17.0 24746. 62.9 3.700 169.1 .0921 -58.4 688.0 21.6 349. 99 16.2 25049. 58.7 3.623 157.6 .0944 -58.2 698.1 31.9 345. 100 15.5 25328. 55.1 3.555 147.1 .0964 -57.0 710.9 17.8 340. 101 15.0 25537. 51.7 3.447 137.3 .0978 -55.7 722.0 3.8 106. 102 14.2 25887								-72.7					
88 25.4 22276. 84.6 3.331 237.9 .0674 -67.9 586.1 13.4 1. 89 24.3 22543. 84.7 3.486 236.4 .0703 -66.3 598.4 19.6 95. 90 23.2 22824. 83.9 3.616 233.6 .0734 -65.8 607.6 10.9 355. 91 22.5 23010. 83.1 3.693 231.4 .0754 -65.8 613.0 39.1 317. 92 21.5 23287. 82.7 3.847 228.7 .0784 -64.3 625.8 14.2 336. 93 20.6 23549. 80.1 3.888 220.1 .0811 -63.1 637.0 8.1 95. 94 19.9 23763. 77.4 3.889 211.7 .0833 -62.0 646.8 12.7 80. 95 19.1 24017. 73.8 3.864 200.9 .0857 -61.0 657.2 9.8 23. 96 18.4 24250. 71.9								-71.8					
89 24.3 22543. 84.7 3.486 236.4 .0703 -66.3 598.4 19.6 95. 90 23.2 22824. 83.9 3.616 233.6 .0734 -65.8 607.6 10.9 355. 91 22.5 23010. 83.1 3.693 231.4 .0754 -65.8 613.0 39.1 317. 92 21.5 23287. 82.7 3.847 228.7 .0784 -64.3 625.8 14.2 336. 93 20.6 23549. 80.1 3.888 220.1 .0811 -63.1 637.0 8.1 95. 94 19.9 23763. 77.4 3.889 211.7 .0833 -62.0 646.8 12.7 80. 95 19.1 24017. 73.8 3.864 200.9 .0857 -61.0 657.2 9.8 23. 96 18.4 24250. 71.9 3.908 194.4 .0878 -59.8 668.2 12.5 19. 97 17.5 24564. 67.7													
90 23.2 228244. 83.9 3.616 233.6 .0734 -65.8 607.6 10.9 355. 91 22.5 23010. 83.1 3.693 231.4 .0754 -65.8 613.0 39.1 317. 92 21.5 23287. 82.7 3.847 228.7 .0784 -64.3 625.8 14.2 336. 93 20.6 23549. 80.1 3.888 220.1 .0811 -63.1 637.0 8.1 95. 94 19.9 23763. 77.4 3.889 211.7 .0833 -62.0 646.8 12.7 80. 95 19.1 24017. 73.8 3.864 200.9 .0857 -61.0 657.2 9.8 23. 96 18.4 24250. 71.9 3.908 194.4 .0878 -59.8 668.2 12.5 19. 97 17.5 24564. 67.7 3.869 182.3 .0906 -58.7 681.2 16.1 26. 98 17.0 24746. 62.9													
91 22.5 23010. 83.1 3.693 231.4 .0754 -65.8 613.0 39.1 317. 92 21.5 23287. 82.7 3.847 228.7 .0784 -64.3 625.8 14.2 336. 93 20.6 23549. 80.1 3.888 220.1 .0811 -63.1 637.0 8.1 95. 94 19.9 23763. 77.4 3.889 211.7 .0833 -62.0 646.8 12.7 80. 95 19.1 24017. 73.8 3.864 200.9 .0857 -61.0 657.2 9.8 23. 96 18.4 24250. 71.9 3.908 194.4 .0878 -59.8 668.2 12.5 19. 97 17.5 24564. 67.7 3.869 182.3 .0906 -58.7 681.2 16.1 26. 98 17.0 24746. 62.9 3.700 169.1 .0921 -58.4 688.0 21.6 349. 99 16.2 25049. 58.7													
92 21.5 23287. 82.7 3.847 228.7 .0784 -64.3 625.8 14.2 336. 93 20.6 23549. 80.1 3.888 220.1 .0811 -63.1 637.0 8.1 95. 94 19.9 23763. 77.4 3.889 211.7 .0833 -62.0 646.8 12.7 80. 95 19.1 24017. 73.8 3.864 200.9 .0857 -61.0 657.2 9.8 23. 96 18.4 24250. 71.9 3.908 194.4 .0878 -59.8 668.2 12.5 19. 97 17.5 24564. 67.7 3.869 182.3 .0906 -58.7 681.2 16.1 26. 98 17.0 24746. 62.9 3.700 169.1 .0921 -58.4 688.0 21.6 349. 99 16.2 25049. 58.7 3.623 157.6 .0944 -58.2 698.1 31.9 345. 100 15.5 25328. 55.1													
93 20.6 23549. 80.1 3.888 220.1 .0811 -63.1 637.0 8.1 95. 94 19.9 23763. 77.4 3.889 211.7 .0833 -62.0 646.8 12.7 80. 95 19.1 24017. 73.8 3.864 200.9 .0857 -61.0 657.2 9.8 23. 96 18.4 24250. 71.9 3.908 194.4 .0878 -59.8 668.2 12.5 19. 97 17.5 24564. 67.7 3.869 182.3 .0906 -58.7 681.2 16.1 26. 98 17.0 24746. 62.9 3.700 169.1 .0921 -58.4 688.0 21.6 349. 99 16.2 25049. 58.7 3.623 157.6 .0944 -58.2 698.1 31.9 345. 100 15.5 25328. 55.1 3.555 147.1 .0964 -57.0 710.9 17.8 340. 101 15.0 25537. 51.7 <td></td>													
94 19.9 23763. 77.4 3.889 211.7 .0833 -62.0 646.8 12.7 80. 95 19.1 24017. 73.8 3.864 200.9 .0857 -61.0 657.2 9.8 23. 96 18.4 24250. 71.9 3.908 194.4 .0878 -59.8 668.2 12.5 19. 97 17.5 24564. 67.7 3.869 182.3 .0906 -58.7 681.2 16.1 26. 98 17.0 24746. 62.9 3.700 169.1 .0921 -58.4 688.0 21.6 349. 99 16.2 25049. 58.7 3.623 157.6 .0944 -58.2 698.1 31.9 345. 100 15.5 25328. 55.1 3.555 147.1 .0964 -57.0 710.9 17.8 340. 101 15.0 25537. 51.7 3.447 137.3 .0978 -55.7 722.0 3.8 106. 102 14.2 25887. 48.8 </td <td></td>													
95 19.1 24017. 73.8 3.864 200.9 .0857 -61.0 657.2 9.8 23. 96 18.4 24250. 71.9 3.908 194.4 .0878 -59.8 668.2 12.5 19. 97 17.5 24564. 67.7 3.869 182.3 .0906 -58.7 681.2 16.1 26. 98 17.0 24746. 62.9 3.700 169.1 .0921 -58.4 688.0 21.6 349. 99 16.2 25049. 58.7 3.623 157.6 .0944 -58.2 698.1 31.9 345. 100 15.5 25328. 55.1 3.555 147.1 .0964 -57.0 710.9 17.8 340. 101 15.0 25537. 51.7 3.447 137.3 .0978 -55.7 722.0 3.8 106. 102 14.2 25887. 48.8 3.437 128.9 .1000 -54.4 737.8 9.9 59. 103 13.8 26070. 45.3 3.283 119.4 .1011 -54.0 745.0 10.3 69.													
96 18.4 24250. 71.9 3.908 194.4 .0878 -59.8 668.2 12.5 19. 97 17.5 24564. 67.7 3.869 182.3 .0906 -58.7 681.2 16.1 26. 98 17.0 24746. 62.9 3.700 169.1 .0921 -58.4 688.0 21.6 349. 99 16.2 25049. 58.7 3.623 157.6 .0944 -58.2 698.1 31.9 345. 100 15.5 25328. 55.1 3.555 147.1 .0964 -57.0 710.9 17.8 340. 101 15.0 25537. 51.7 3.447 137.3 .0978 -55.7 722.0 3.8 106. 102 14.2 25887. 48.8 3.437 128.9 .1000 -54.4 737.8 9.9 59. 103 13.8 26070. 45.3 3.283 119.4 .1011 -54.0 745.0 10.3 69.													
97 17.5 24564. 67.7 3.869 182.3 .0906 -58.7 681.2 16.1 26. 98 17.0 24746. 62.9 3.700 169.1 .0921 -58.4 688.0 21.6 349. 99 16.2 25049. 58.7 3.623 157.6 .0944 -58.2 698.1 31.9 345. 100 15.5 25328. 55.1 3.555 147.1 .0964 -57.0 710.9 17.8 340. 101 15.0 25537. 51.7 3.447 137.3 .0978 -55.7 722.0 3.8 106. 102 14.2 25887. 48.8 3.437 128.9 .1000 -54.4 737.8 9.9 59. 103 13.8 26070. 45.3 3.283 119.4 .1011 -54.0 745.0 10.3 69.													
98 17.0 24746. 62.9 3.700 169.1 .0921 -58.4 688.0 21.6 349. 99 16.2 25049. 58.7 3.623 157.6 .0944 -58.2 698.1 31.9 345. 100 15.5 25328. 55.1 3.555 147.1 .0964 -57.0 710.9 17.8 340. 101 15.0 25537. 51.7 3.447 137.3 .0978 -55.7 722.0 3.8 106. 102 14.2 25887. 48.8 3.437 128.9 .1000 -54.4 737.8 9.9 59. 103 13.8 26070. 45.3 3.283 119.4 .1011 -54.0 745.0 10.3 69.													
99 16.2 25049. 58.7 3.623 157.6 .0944 -58.2 698.1 31.9 345. 100 15.5 25328. 55.1 3.555 147.1 .0964 -57.0 710.9 17.8 340. 101 15.0 25537. 51.7 3.447 137.3 .0978 -55.7 722.0 3.8 106. 102 14.2 25887. 48.8 3.437 128.9 .1000 -54.4 737.8 9.9 59. 103 13.8 26070. 45.3 3.283 119.4 .1011 -54.0 745.0 10.3 69.													
100 15.5 25328. 55.1 3.555 147.1 .0964 -57.0 710.9 17.8 340. 101 15.0 25537. 51.7 3.447 137.3 .0978 -55.7 722.0 3.8 106. 102 14.2 25887. 48.8 3.437 128.9 .1000 -54.4 737.8 9.9 59. 103 13.8 26070. 45.3 3.283 119.4 .1011 -54.0 745.0 10.3 69.													
101 15.0 25537. 51.7 3.447 137.3 .0978 -55.7 722.0 3.8 106. 102 14.2 25887. 48.8 3.437 128.9 .1000 -54.4 737.8 9.9 59. 103 13.8 26070. 45.3 3.283 119.4 .1011 -54.0 745.0 10.3 69.													
102 14.2 25887. 48.8 3.437 128.9 .1000 -54.4 737.8 9.9 59. 103 13.8 26070. 45.3 3.283 119.4 .1011 -54.0 745.0 10.3 69.													
103 13.8 26070. 45.3 3.283 119.4 .1011 -54.0 745.0 10.3 69.													

STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	9 OCT	89 3	326 Z	ECC	SONDE:	4A4434	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	*	K	M/S	DEG
105	12.8	26557.	38.5	3.008	99.6	. 1036	-50.3			774.2	11.0	57.
106	12.0	26978.	36.3	3.025	94.1	. 1056	-50.6			787.5	9.5	80.
107	11.5	27256.	33.2	2.887	85.4	. 1068	-48.9			803.1	6.5	39.
108	11.0	27549.	31.8	2.891	81.4	. 1079	-47.3			819.3	8.7	350.
109	10.8	27671.	32.3	2.991	82.0	.1084	-46.0			828.4	6.6	352.
110	10.2	28052.	33.0	3.235	83.4	. 1098	-44.8			846.3	4.8	16.
111	9.9	28232.	32.3	3.253	80.9	. 1105	-42.9			860.2	5.5	18.
112	9.5	28503.	32.2	3.375	80.2	. 1115	-41.6			874.8	6.9	47.
113	9.2	28771.	31.3	3.413	78.0	. 1125	-41.6			884.8	6.8	69.
114	8.8	29058.	29.2	3.322	72.9	.1135	-41.6			895.5	4.7	71.
115	8.4	29366.	26.2	3.119	65.3	. 1145	-41.3			908.3	4.4	92.
116	8.0	29698.	25.7	3.213	64.1	. 1155	-41.6			919.9	4.4	92.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
18.6	14.7	42.6	26.1	14.2	70.5	38.0	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR	COMMENTS	
1110109108903	99	ECC TOTAL 03	FROM SONDE DATA 136
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFP	PPP P3TTTDDDFFFPP	PPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110209108903	666 23-62	500 17-42154 27 3	500 14-64142 25 200 41-73131 9
1110309108903	150 51-77128 9	100 51-81 95 3	70 7-81 88 9 50 4-81333 22
1110409108903	30 48-74310 252	20.0 78-62 82 1210	0.0 32-43 17 5 661 24-43201 30
1110509108903	628 19-38169 22	580 20-37156 23 2	232 21-72185 2 179 52-75123 11
1110609108903	96 45-82 31 5	92 17-82114 13	88 5-82116 12 78 5-83104 10
1110709108903	65 10-82344 13	57 17-81342 16	43 8-81 29 727.5 71-72 62 13
1110809108903	24.3 85-66 95 201	3.8 45-54 69 1012	2.8 39-50 57 1112.0 36-51 80 10
1110909108903	8.0 26-42 92 4		



STATION: SOUTH POLE LAUNCH DATE: 11 OCT 89 322 Z ECC SONDE: 4A4435 SURFACE CONDITIONS: PRESSURE 686.3 MB, TEMPERATURE -37.5 C, HUMIDITY 32.2 % CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 21.0 C AT 72.0 ORD; O3 ORD ZERO 33.8, BKGND 34.0, CAL 72.0; O3 BKGND 0.028 MICROAMP; FLOW RATE 28.6 S/100 M FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 154.; C.F.

							_					
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	C	*	K	M/S	DEG
0	686.3	2835.	18.2	. 027	44.6	.0000	-37.5	-48.2	32.2	262.4	7.0	070
1	669.0	3012.	18.2	. 027	44.4	.0004	-36.2	-39.2	74.8	265.8	3.8	278.
2	650.0	3212.	18.2	. 028	44.3	.0008	-36.2	-39.1	75.8	268.0	3.8	278.
3	634.0	3385.	18.2	. 029	44.2	.0011	-36.2	-39.1	76.0	270.0	6.1	274.
4	619.0	3551.	18.1	. 029	44.3	.0015	-36.8	-39.9	74.8	271.0	6.4	258.
5	601.0	3755.	17.7	. 029	43.3	.0019	-37.5	-40.8	72.5	272.6	3.6	187.
6	585.0	3940.	17.7	. 030	43.7	. 0023 . 0026	-39.1 -39.7	-42.4 -42.8	72.6 73.9	272.8	2. 4 1.9	131. 11.
7	570.0	4118.	17.7	.031	43.8			-42.0	73.9	274.2		
8	552.0	4337.	18.2	. 033 . 034	45.2 45.4	. 0031 . 0034	-40.8 -41.6			275.4 276.3	3.7 3.8	16. 39.
9 10	539.0 522.0	4499. 4716.	18.2 17.8	. 034	44.7	.0034	-41.6 -42.6			277.6	5.4	69.
11	508.0	4899.	17.8	. 035	44.9	.0042	-44.1			277.9	5.5	186.
12	490.0	5140.	18.3	. 033	46.2	.0042	-45.1			277.9	6.4	68.
13	476.0	5333.	18.2	. 038	46.5	.0051	-46.6			280.1	16.0	50.
14	461.0	5545.	15.9	. 034	40.8	. 0056	-48.0			280.9	6.4	54.
15	444.8	5781.	15.4	. 035	39.8	.0060	-48.9			282.6	5.6	54.
16	435.0	5926.	15.5	. 036	40.1	.0063	-50.6			282.3	5.7	58.
17	421.0	6139.	14.5	. 034	37.9	.0067	-52.0			283.2	7.1	62.
18	410.0	6310.	14.5	. 035	38.0	.0070	-53.4			283.5	7.0	62.
19	399.0	6485.	14.5	.036	38.2	.0073	-54.5			284.3	7.6	57.
20	386.0	6696.	14.9	. 039	39.6	.0077	-55.8			285.3	8.0	54.
21	374.0	6897.	15.4	. 041	41.1	.0080	-57.0			286.3	8.8	54.
22	361.0	7120.	15.4	.043	41.3	. 0085	-58.4			287.4	10.5	51.
23	350.0	7314.	15.4	. 044	41.6	.0088	-59.8			288.0	10.0	50.
24	338.0	7532.	15.4	. 046	41.8	.0093	-60.5			289.9	10.1	51.
25	328.0	7718.	16.3	. 050	44.5	. 0096	-62.1			290.2	11.7	36.
26	317.0	7928.	16.3	. 051	44.8	.0101	-63.5			291.2	11.0	40.
27	308.0	8105.	15.8	. 051	43.7	.0104	-63.9			293.0	10.7	48.
28	299.0	8286.	14.0	.047	38.8	.0108	-65.4			293.3	9.4	39.
29	289.0	8493.	13.9	.048	38.9	.0112	-66.1			295.3	9.4	40.
30	279.0	8705.	14.9	. 053	41.7	. 0115	-67.5			296.2	10.8	41.
31	270.0	8903.	17.2	. 064	48.4	.0119	-68.1			298.0	10.9	39.
32	259.0	9152.	24.0	. 093	68.0	.0125	-69.2			300.0	11.5	35.
33	250.0	9362.	23.0	. 092	65.5	.0132	-70.1			301.7	9.2	32.
34	243.0	9531.	24.8	. 102	70.6	. 0137	-70.1			304.2	9.1	33.
35	233.0	97 80 .	29.7	.127	84.9	.0146	- 71.3			306.1	10.2	36.
36	226.0	9961.	34.1	. 151	97.5	. 0153	-71.3			308.8	8.0	40.
37		10147.	38.5	. 176	110.3	.0162	-71.8			310.8	9.4	45.
38		10394.	39.3 ,	. 187	113.0	.0174	-72.2			313.8	13.4	43.
39		10681.	44.4	. 222	127.8	. 0190	-72.7			317.5	11.8	40.
40		10890.	34.8	. 180	100.5	. 0201	-73.2			319.9	7.4	33.
41		11049.	39.5	. 210	114.2	. 0209	-73.7			321.6	9.5	38.
42		11261.	43.7	. 241	127.4	.0220	-75.0			322.9	9.3	40.
43		11466.	51.3	. 293	149.6	.0233	-75.2			325.8	9.7	42.
44		11693.	52.9	.315	154.2	. 0249	-75.0			329.8	7.7	54.
45		11908.	55.6	. 343	161.9	.0265	-75.0			333.4	5.4	62.
46		12126.	55.9	. 358	163.2	. 0281	-75.2			336.5	8.8	53.
47		12353.	54.3	. 362	159.5	.0298	-76.6			338.0	9.0	50.
48		12584.	52.7	. 366	154.7	.0315	-76.6			341.9	8.7	45.
49	138.9	12795.	51.4	. 370	151.4	. 0330	- 77.1			344.5	7.3	45.

STATI	ON: SOUTH POLE		LAUNC	H DATE:	11 OCT	89 322 Z	FCC	SONDE:	444435	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	C C	*	K	M/S	DEG
50	133.6 13018.	50.0	.374	147.7	.0345	- 77.7		347.4	6.6	45.
51	128.1 13259.	49.6	. 387	146.4	.0362	- 77.7		351.6	6.4	61.
52	123.6 13464.	49.8	. 403	147.2	. 0376	- 77.7		355.2	7.8	73.
53	119.0 13681.	49.3	.414	145.6	.0391	- 77.7		359.1	8.8	61.
54	114.5 13901.	42.1	.368	124.9	. 0405	- 78.6		361.5	8.7	52.
55	110.0 14129.	44.9	.408	133.8	.0419	-79.4		364.0	8.0	49.
56	105.2 14382.	33.9	. 322	101.0	.0433	-79.4		368.6	8.2	46.
57	100.8 14625.	32.8	. 325	97.6	.0444	- 79.1		373.7	7.6	53.
58	97.0 14843.	29.0	. 299	87.0	.0454	-80.4		375.5	7.2	58.
59	93.3 15062.	8.0	. 086	23.9	.0461	-80.7		379.1	8.2	50 .
60	89.9 15271.	4.4	. 049	13.3	. 0463	-80.7		383.1	6.8	46.
61	86.5 15489.	4.4	. 051	13.3	. 0465	-80.7		387.4	4.2	53.
62	83.1 15715.	4.0	.048	11.9	. 0466	-80.7		391.8	5.7	52.
63	79.9 15936.	4.0	. 050	11.9	. 0467	-80.7		396.3	9.2	43.
64	76.2 16204.	4.0	. 052	11.9	.0469	-80.7		401.7	9.6	56.
65	73.1 16438.	4.0	. 055	11.9	. 0470	-80.7		406.5	9.8	69.
66	70.0 16682.	4.4	. 063	13.2	. 0471	-80.7		411.5	9.5	60 .
67	67.0 16929.	3.5	. 052	10.6	. 0473	-80.7		416.7	12.5	50.
68	64.1 17179.	2.2	. 034	6.6	. 0474	-80.4		422.7	12.6	47.
69	61.3 17431.	2.6	.042	7.9	. 0475	-79.4		430.1	11.9	47.
70	58.3 17716.	4.4	. 075	13.1	. 0476	-79.1		437.0	13.1	47.
71	56.0 17945.	8.8	. 157	26.1	. 0478	-78.9		442.7	11.1	44.
72	53.5 18206.	13.1	. 245	38.8	. 0481	-78.3		449.9	9.9	40.
73	51.2 18456.	15.2	. 297	45.1	. 0486	-78.3		455.6	9.7	43.
74	49.0 18707.	14.8	. 302	43.7	.0491	- 77.7		462.7	11.2	47.
75	47.0 18946.	15.7	. 334	46.2	.0496	- 77.7		468.2	11.4	44.
76	44.9 19208.	15.2	. 339	45.0	. 0501	- 77.7		474.4	8.5	47.
77	42.8 19482.	16.1	. 376	47.4	. 0507	- 77.7		480.9	10.6	65 .
78	41.0 19729.	17.3	. 422	50.9	. 0513	- 76.6		489.6	17.1	66.
79	38.9 20031.	17.8	. 458	52.2	. 0520	-76.9		496.4	17.7	61.
80	37.0 20319.	20.6	. 557	60.5	. 0527	- 76.3		504.9	17.3	52.
81	35.2 20608.	22.8	. 648	66.4	. 0535	-75.0		515.6	16.4	50.
82	33.8 20844.	29.8	.882	86.5	.0543	-74.2		523.7	16.9	53.
83	32.1 21145.	36.7	1.143	106.2	. 0556	-73.5		533.5	19.0	50.
84	30.9 21369.	43.1	1.395	124.2	. 0567	-72.7		541.3	16.5	48.
85	29.5 21641.	54.5	1.847	156.3	. 0584	-71.8		551.1	19.6	48.
86	28.3 21888.	71.2	2.516	202.0	.0603	-69.7		563.5	19.5	48.
87	27.1 22148.		3.007	227.9	. 0628	-66.7		_	19.7	50.
88	26.1 22376.	84.3	3.230	234.3	. 0652	-65.4		588.7		54.
89	25.0 22639.	84.0	3.360	231.7	.0681	-63.9		600.5		73.
90	24.0 22889.	83.5	3.479	230.0	. 0708	-63.5		608.6	16.6	66.
91	23.0 23152.	78.5	3.413	214.5	. 0735	-61.8		621.1	21.8	51.
92 93	22.0 23428.	74.2	3.373	201.3	. 0762	-60.3		633.4	20.0	54.
94	21.0 23718.	70.1	3.338	189.6	.0789	-59.6		644.0	22.8	86.
95	20.0 24024. 19.3 24248.	68.2 66.8	3.410	184.1	. 0816 . 0835	-59.2 -58.4		654.1 663.5	24.2 17.0	96. 66.
96	18.5 24514.	65.0	3.461	179.4		-58.4 -57.0			16.3	61.
97	17.9 24722.	63.1	3.514	174.2	.0857	-57.9		673.2	21.0	62.
98	17.9 24722.	63.3	3.525 3.724	169.7 170.0	. 0873 . 0899	-58.4 -58.4		678.0 688.0	33.8	58.
99	16.4 25273.	61.8	3.768	165.0	.0099	-50.4 -57.0		699.5	39.1	64.
100	15.9 25470.	61.4	3.862	163.4				708.5	57.0	57.
101	15.1 25798.	59.9	3.967	159.3	.0931 .0956	-56.2 -56.2		719.0	33.9	56.
102	14.6 26012.	63.6		168.3	.0936	-55.0		729.8	4.3	182.
103	14.0 26281.	65.9		173.1	.0972	-53.2		744.6	45.6	55.
104	13.3 26614.	63.8		165.7	.1019	-50.9		763.7	11.6	58.
					. 1013	JU. 3		, 55.7		00.


STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	11 OCT	89 3	22 Z	ECC	SONDE:	4A4435	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	13.0	26763.	61.0	4.692	157.1	. 1030	-48.9			775.5	31.3	48.
106	12.2	27180.	59.2	4.852	152.5	. 1060	-48.8			790.2	45.2	48.
107	11.9	27344.	57.7	4.849	148.1	. 1072	-48.0			798.5	23.2	223.
108	11.2	27747.	56.7	5.063	143.2	. 1099	-44.4			825.5	9.6	143.
109	10.8	27990.	54.1	5.009	136.7	. 1115	-44.7			833.1	9.6	143.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 17.8
 16.0
 43.8
 18.8
 16.4
 68.8
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS	
1110111108903	99 ECC TOTAL 03 FROM SONDE DATA	154
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPP	PPP P3TTTDDDFFF
1110211108903	686 18-38 500 18-45134 6 300 14-65 40 10 2	200 44-73 40 12
1110311108903	150 54-77 50 9 100 32-79 54 8 70 4-81 60 10	50 15-78 45 11
1110411108903	30 50-72 48 1820.0 68-59 96 24 634 18-36274 6 2	250 23-70 32 9
1110511108903	193 35-73 33 7 175 51-75 42 10 119 49-78 61 9	97 29-80 58 7
1110611108903	93 8-81 50 8 90 4-81 46 7 39 18-77 61 18	35 23-75 50 16
1110711108903	27.1 82-67 50 2025.0 84-64 73 1215.1 60-56 56 3413	3.0 61-49 48 31
1110811108903	10.8 54-45143 10	



STATION: SOUTH POLE LAUNCH DATE: 13 OCT 89 256 Z ECC SONDE: 4A4436

SURFACE CONDITIONS: PRESSURE 676.3 MB, TEMPERATURE -48.8 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 25.5 C AT 71.0 ORD;

O3 ORD ZERO 34.3, BKGND 34.6, CAL 72.0; O3 BKGND 0.042 MICROAMP; FLOW RATE 26.7 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 163.; C.F.

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	С	7.	K	M/S	DEG
0	676.3	2835.	26.9	. 040	69.2	.0000	-48.8			250.9	70 6	750
1	660.0	2996.	19.7	.030	49.9	.0005	-45.9			256.0	39.6	350. 350.
2	640.0	3203.	19.2	.030	48.1	.0010	-42.9	40.6	60 1	261.6	39.6 7.0	313.
3	625.0	3364.	18.7	. 030	45.9	.0013	-37.5	-42.6	60.1 52.5	269.5 271.2	6.5	354.
4	609.0	3543.	18.7	. 031	45.9	.0017	-37.8 -39.7	-44.1 -47.6	39.4	271.2	11.6	19.
5 6	590.0 575.0	3761. 3938.	19.1 19.1	. 032 . 033	47.2 47.1	.0021 .0025	-38.7 -39.5	-47.8 -49.0	36.4	272.6	14.6	21.
7	560.0	4118.	19.1	. 035	48.2	.0025	-39.5 -40.5	-49.0	30.4	274.6	19.0	27.
8	540.5	4359.	18.5	. 033	46.2	.0025	-41.6			276.0	15.0	23.
9	530.0	4492.	17.2	.032	43.2	.0033	-43.0			275.9	15.1	13.
10	512.0	4724.	17.2	.034	43.5	.0042	-44.4			277.0	18.9	20.
11	498.0	4909.	16.4	. 033	41.5	.0046	-45.9			277.4	15.9	22.
12	482.0	5126.	18.1	.038	46.2	.0050	-47.2			278.4	15.4	27.
13	469.0	5307.	16.8	.036	43.1	.0054	-48.0			279.5	14.1	27.
14	452.0	5549.	16.7	.037	43.1	.0059	-50.0			280.0	9.2	19.
15	440.0	5725.	16.2	. 037	42.3	.0062	-51.4			280.4	11.6	21.
16	423.0	5980.	15.8	. 037	41.3	.0067	-52.8			281.8	12.3	25.
17	410.0	6181.	16.2	.040	42.7	.0071	-54.0			282.7	10.9	29.
18	399.0	6355.	17.2	. 043	45.4	.0075	-55.0			283.6	12.4	29.
19	384.0	6599.	19.4	. 051	51.5	.0080	-56.3			285.0	10.3	29.
20	373.0	6783.	17.6	. 047	46.9	.0084	-57.0			286.5	12.6	29.
21	362.0	6972.	13.6	.038	36.6	.0088	-58.4			287.1	12.9	29.
22	351.0	7166.	13.6	. 039	36.7	.0091	-59.4			288.3	8.1	29.
23	340.0	7365.	13.5	.040	36.7	.0094	-60.5			289.4	10.1	29.
24	330.0	7550.	15.2	.046	41.5	.0098	-61.8			290.2	7.1	38.
25	320.0	7740.	16.4	. 051	45.0	.0101	-62.9			291.2	8.3	44.
26	309.0	7955.	17.7	. 057	48.7	.0106	-63.9			292.7	8.5	44.
27	299.0	8156.	21.5	.072	59.6	.0111	-65.2			293.6	7.8	38.
28	289.0	8363.	25.4	.088	70.7	.0117	-65.8			295.6	12.4	38.
29	280.0	8555.	33.7	. 120	93.6	.0124	-65.0			299.4	5.0	91.
30	270.0	8777.	39.1	. 145	108.6	.0134	-65.2			302.2	6.2	110.
31	260.0	9006.	35.8	. 138	99.5	.0145	-65.6			304.9	5.5	129.
32	250.0	9244.	29.1	.116	81.3	.0155	-66.7			306.8	6.6	170.
33	240.0	9491.	33.1	. 138	92.6	.0165	-67.1			309.8	8.6	63.
34	230.0	9747.	41.9	. 182	117.8	.0177	-67.9			312.3	9.3	69.
35	223.0	9933.	46.8	.210	131.6	.0187	-67.9			315.1	7.2	103.
36		10042.	50.0	. 228	141.5	.0194	-69.0			315.0	7.7	88.
37		10292.	53.0	. 252	150.1	.0210	-69.2			318.5	10.1	69.
38		10524.	55.4	. 274	157.5	.0227	-70.1			320.6	14.4	51.
39		10733.	55.8	. 286	158.9	.0242	-70.4			323.5	12.6	54.
40		10979.	55.7	. 298	159.2	.0260	-71.1			326.3	12.1	62.
41		11158. 11343.	53.9	. 297	154.6	.0273	-71.8 -71.8			328.0	10.1	65.
42 43			56.2 56.6	.319	161.0	.0286	-71.8 -71.8			330.9	10.5	61. 53
44		11544. 11752.	56.6	. 333	162.1	. 0301 . 0317	-71.8 -72.7			334.1 335.9	13.2	53. 62.
45		11752.	55.8 53.3	. 340 . 337	160.8 153.5	.0317 .033 3	-72.7 -72.7			339.6	9.0 9.5	57.
46		12209.	54.0	. 356	156.6	. 0353	-72.7 -74.2				13.2	57. 58.
47		12467.	52.3	. 360	150.6	.0368	-74.2 -75.0			340.9 343.9	8.8	80.
48		12679.	52.3 50.7	. 362	147.6	.0383	-75.0 -75.0			343.9	9.7	72.
49		12907.	50.4	.374	146.9	.0399	-75.0 -75.0			351.5	11.9	62.
73	104.0	12301.	30.4	.3/4	170.3	. 6355	-/3.0			551.5	11.3	UZ.

STATI	ON: SOUTH PO	DLE	LAUNC	H DATE:	13 OCT	89 256 Z	ECC	SONDE:	4A4436	
TIME	PRESS ALT			OZDEN	TOTOZ	TEMP DEWP		POT T	WIND	WIND
MIN	MB GPN	A NB	PPMV	GAMMA	ATMCM	с с	%	K	M/S	DEG
50	129.5 13131	. 50.3	. 388	146.6	.0414	-75.0		355.4	11.8	56.
51	124.2 13374	45.0	. 362	131.0	.0430	-75.0		359.6	8.6	63.
52	119.9 13578	3. 51.3	. 428	150.6	.0442	-76.3		360.8	6.9	85.
53	115.1 13813	35.9	.312	105.7	.0458	-76.9		364.1	8.8	63.
54	110.7 14037	7. 32.8	. 296	96.9	.0468	- 77.7		366.6	9.3	44.
55	107.1 14226	28.7	. 268	84.9	.0476	-77.7		370.1	8.5	55.
56	101.9 14511	. 20.3	. 199	60.0	.0487	- 77.7		375.4	11.1	68.
57	97.6 14758	3. 17.4	. 178	51.3	. 0493	- 77.7		380.0	11.9	62.
58	93.6 14997	7. 13.7	. 146	40.5	.0499	- 77.7		384.6	8.3	51.
59	89.7 15241	. 10.4	.116	30.8	.0503	- 77.7		389.3	10.6	45.
60	86.2 15469	12.8	. 148	37.8	.0506	- 77.7		393.7	12.5	44.
61	83.0 15685	6.6	.080	19.6	. 0510	-78.0		397.4	9.3	41.
62	79.9 15902		.088	20.9	.0512	-78.9		400.0	4.7	60.
63	76.5 16150		.119	27.1	.0514	-78.9		405.0	7.2	82.
64	73.1 16409		. 108	23.3	. 0517	-78.6		410.9	18.3	62.
65	69.9 16664	8.7	. 124	25.7	. 0520	-78.6		416.2	12.7	76.
66	67.1 16897		. 142	28.0	. 0523	-78.0		422.3	7.6	82.
67	64.9 17088	13.5	. 208	39.7	.0526	- 77.1		428.2	15.4	46.
68	62.0 17351		.126	23.0	. 0530	- 77.4		433.2	13.9	43.
69	59.4 17596		. 178	31.3	. 0533	-77.4		438.6	13.6	50 .
70	56.9 17843	14.2	. 250	41.8	. 0537	- 77.4		444.0	9.1	65.
71	54.1 18132	14.2	. 262	41.8	.0542	- 77.7		449.8	10.0	69.
72	51.6 18403	10.6	. 205	31.3	.0547	-77.7		455.9	14.0	54.
73	49.5 18640	10.2	. 206	30.1	. 0551	- 77.7		461.4	13.5	43.
74	47.3 18901	. 10.9	. 230	32.2	. 0555	-76.9		469.4	11.6	43.
75	45.0 19189	13.7	. 304	40.0	. 0559	- 75.2		480.0	12.0	57.
76	43.0 19453	16.5	. 384	48.1	.0564	-75.0		487.0	13.4	77.
77	41.0 19729	. 22.3	. 544	65.0	. 0571	-75.0		493.6	14.1	76.
78	39.0 20021	. 26.6	. 682	76.8	.0580	- 73.5		504.6	13.1	70.
79	37.2 202 9 7		. 825	88.9	.0590	-74.0		510.2	11.6	92.
80	35.5 20570	36.6	1.031	106.0	.0602	-74.0		517.0	17.5	82.
81	34.0 20822		1.550	152.5	.0616	-73.7		524.1	19.2	69.
82	32.4 21106		1.725	158.9	.0636	-70.1		540.9	19.4	67.
83	31.0 21370		2.116	184.6	.0656	-67.9		553.7	23.5	61.
84	29.4 21689		2.690	221.7	. 0684	-67.1		564.5	23.4	54.
85	28.1 21963		3.146	245.1	.0713	-64.8		578.0	17.8	53.
86	27.0 22208		3.363	250.2	.0741	-63.7		588.0	12.9	52.
87	26.0 22440		3.308	235.5	.0768	-62.3		598.1		47.
88	25.0 22683		3.304	225.7	.0794	-62.0		605.9	17.4	54.
89	24.0 22935		3.425	224.6	.0820	-62.0		613.0	27.0	61.
90	23.0 23198		3.543	222.9	. 0847	-62.0		620.5	27.8	61.
91	22.0 23473		3.577	215.2	. 0876	-62.0		628.5	15.1	70.
92	21.2 23703		3.557	204.3	. 0898	-60.1		640.7	12.7	64.
93	20.5 23914		3.556	196.2	.0918	-58.7		651.1	20.6	48.
94	19.8 24132		3.606	191.5	. 0938	-57.9		660.3	17.7	48.
95	19.0 24393		3.753	190.0	.0961	-56.7		671.8	16.7	65.
96	18.1 24702		3.923	187.7	.0988	-54.8		686.9	27.5	69.
97	17.3 24991		3.827	175.2	.1013	-54.8		695.8	26.7	71.
98	16.6 25255		3.765	165.5	. 1034	-55.0		703.6	20.3	71.
99	16.0 25491		3.769	159.3	. 1051	-54.5		712.6	21.9	66.
100	15.2 25821		3.974	158.1	.1076	-52.6		729.4	28.1	69.
101	14.6 26082		4.445	168.9	. 1095	-51.2		742.6	20.9	64.
102	14.0 26354		4.493	164.2	.1117	-51.8		749.4	19.3	62.
103	13.2 26736			157.2	.1145	-50.6		766.4	23.0	67.
104	12.8 26938	61.3	4.789	157.0	.1160	-47.6		783.5	24.4	67.


STATI	STATION: SOUTH POLE			LAUNCH DATE:		13 OCT 89 256 Z		ECC	SONDE:	4A4436		
TIMÉ	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	С	%	K	M/S	DEG
105	12.0	27366.	61.5	5.125	156.5	. 1191	-46.3			802.8	20.7	75.
106	11.6	27592.	57.8	4.983	146.5	.1207	-45.3			814.2	23.4	69.
107	11.0	27948.	53.2	4.836	133.7	. 1231	-43.7			832.3	23.2	58.
108	10.6	28198.	49.3	4.651	122.5	. 1246	-40.9			851.4	24.6	58.
109	10.0	28594.	46.8	4.680	116.8	.1269	-41.6			863.1	25.5	58.
110	9.6	28871.	44.4	4.625	110.7	. 1283	-41.6			873.2	25.5	58.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 19.0
 20.1
 49.7
 18.7
 22.5
 75.1
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR	COMMENTS		
1110113108903	99	ECC TOTA	L 03 FROM SONDE	DATA 163
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFF	PPPP P3TTTDDD	FFFPPPP P3TTTDDDI	FFFPPPP P3TTTDDDFFF
1110213108903	676 27-49	500 17-46 22	16 300 21-65 39	8 200 56-70 52 14
1110313108903	150 54-74 64 12	100 19-78 65	11 70 9-79 76	13 50 10-78 46 14
1110413108903	30 74-67 57 232	20.0 72-58 48	1910.0 47-42 58	26 640 19-43350 40
1110513108903	625 19-38313 7	340 14-61 29	10 270 39-65110	6 250 29-67170 7
1110613108903	124 45-75 63 9	120 51-76 85	7 115 36-77 63	9 83 7-78 41 9
1110713108903	39 27-74 70 13	36 37-74 82	18 34 53-74 69	1928.1 88-65 53 18
1110813108903	26.0 86-62 47 172	22.0 79-62 70	1518.1 71-55 69	2816.0 60-55 66 22
1110913108903	13.2 61-51 67 231	12.8 61-48 67	2410.6 49-41 58	25 9.6 44-42 58 26



STATION: SOUTH POLE LAUNCH DATE: 17 OCT 89 247 Z ECC SONDE: 4A4437

SURFACE CONDITIONS: PRESSURE 680.2 MB, TEMPERATURE -51.8 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 25.0 C AT 70.2 ORD;

O3 ORD ZERO 35.3, BKGND 35.5, CAL 71.4; O3 BKGND 0.029 MICROAMP; FLOW RATE 27.6 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 145.; SONDE TOTAL O3 161.; C.F. .900

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	ним	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	C	%	K	M/S	DEG
0	680.2	2835.	19.3	.028	50.6	.0000	-51.8		•••	247.2	, C	520
1	665.0	2984.	18.2	.027	45.9	.0003	-44.4			257.1	21.1	16.
2	650.0	3140.	18.7	.029	45.4	.0007	-34.8	-39.0	66.0	269.6	21.1	16.
3	635.0	3303.	20.1	.032	48.5	.0010	-34.6	-41.0	53.2	271.6	12.2	40.
4	619.0	3482.	17.8	.029	43.0	.0014	-34.4	-40.7	53.5	273.9	15.0	52.
5	600.0	3699.	15.4	.026	37.3	.0018	-36.0	-42.4	52.4	274.5	19.6	59.
6	583.0	3898.	15.8	. 027	38.6	.0022	-36.9	-43.4	51.5	275.6	16.8	56.
7	570.0	4054.	15.7	.028	38.7	.0024	-38.1	-44.6	51.2	276.0	13.9	57.
8	555.0	4237.	16.2	.029	39.9	.0028	-38.8	-45.6	49.5	277.3	11.9	71.
9	541.0	4412.	16.2	. 030	40.0	.0031	-39.8	-46.9	47.3	278.2	12.6	84.
10	526.0	4604.	16.1	.031	40.1	.0034	-40.9			279.1	15.1	88.
11	511.0	4801.	15.3	.030	38.1	.0038	-41.8			280.3	14.5	91.
12	498.0	4975.	14.4	.029	36.1	.0041	-43.1			280.8	16.1	87.
13	483.0	5180.	13.9	.029	35.0	.0044	-44.5			281.5	18.5	86.
14	469.0	53 76.	13.0	.028	32.9	.0048	-46.1			281.9	18.8	88.
15	455.0	5577.	13.0	.028	33.1	.0051	-47.7			282.4	21.7	85.
16	440.0	5798.	12.1	.027	31.0	.0054	-48.7			283.8	25.2	84.
17	428.0	5979.	11.6	.027	30.1	.0057	-50.2			284.1	24.6	86.
18	413.0	6211.	10.7	.026	28.0	.0060	-51.9			284.8	24.3	86.
19	400.0	6418.	10.7	.027	28.2	.0062	-53.5			285.4	23.0	83.
20	388.0	6613.	11.5	. 030	30.5	.0065	-54.9			286.0	21.1	86.
21	376.0	6813.	13.6	.036	36.3	.0068	-56.6			286.4	23.7	84.
22	365.0	7001.	14.8	.041	39.7	.0071	-57.5			287.7	21.9	84.
23	353.0	7212.	16.0	.045	43.0	.0075	-58.5			289.1	19.4	87.
24	343.0	7392.	18.0	.052	48.5	.0079	-59.2			290.5	18.4	87.
25	333.0	757 7 .	20.3	.061	55. 3	. 0083	-60.8			290.8	18.5	87.
26	320.0	7825.	22.3	.070	60.7	.0090	-60.8			294.1	21.7	90.
27	307.0	8082.	20.7	.067	56.6	.0097	-61.9			296.0	20.9	92.
28	296.0	8307.	18.5	.063	50.9	. 0103	-62.8			297.8	17.2	95.
29	288.0	8476.	18.9	.066	52.1	.0107	-63.8			298.8	19.4	96.
30	279.0	8670.	20.0	. 072	55.3	.0111	-65.0			299.8	21.2	99.
31	270.0	8870.	20.3	. 075	56.4	.0116	-65.4			302.0	19.3	100.
32	260.0	9099.	21.1	. 081	58.9	.0122	-66.2			304.1	20.5	95.
33	250.0	9336.	23.0	.092	64.6	.0129	-67.7			305.4	18.9	95.
34	242.0	9531.	25.4	. 105	71.5	.0135	-68.7			306.6	18.7	98.
35	233.0	9757.	28.3	. 121	80.4	.0143	- 70.1			307.9	18.9	94.
36	225.0	9965.	34.7	. 154	98.7	.0151	-70.1			311.0	18.1	91.
37		10179.	40.3	. 186	115.5	.0161	- 71.7			311.7	18.7	91.
38		10401.	44.5	. 213	127.8	.0173	- 71.7			315.1	19.3	89.
39		10631.	49.4	. 246	141.5	.0187	- 71.7			318.6	19.4	99.
40		10840.	50.5	. 260	145.1	. 0201	-72.4			320.7	18.5	97.
41		11053.	48.6	.260	140.2	.0215	-73.2			322.9	14.4	99.
42		11270.	49.4	. 274	142.4	. 0229	-72.7			327.1	15.3	105.
43		11492.	51.7	. 298	148.9	.0244	-72.7			330.6	14.0	93.
44		11706.	52.8	.316	152.1	. 0259	-72.7			334.1	13.1	87.
45		11912.	52.5	. 325	151.4	. 0273	-73.2			336.7	13.2	91.
46		12130.	52.0	. 334	150.8	.0288	-74.2			338.6	13.7	91.
47 48		12351.	51.8	. 346	149.8	.0304	-73.4			343.5	18.0	92.
48 49		12562. 12783.	51.2	. 354	148.8	.0318	-74.4			345.3	8.8	101.
49	139.2	12/63.	50.9	. 366	148.5	. 0334	- 75.2			347.7	1.8	184.

STATI	ON SOL	JTH POLE		LAUNC	H DATE:	17 OCT	89 2	47 Z	FCC	SONDE:	444437	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T		WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	C	%	K	M/S	DEG
50		13008.	47.9	.358	139.7	. 0349	-75.2	•	/•	351.6	9.3	101.
51		13232.	43.9	. 341	128.7	.0363	-76.3			353.6	13.8	96.
52		13465.	29.0	. 234	85.0	.0376	-76.5			357.2	14.6	9 5 .
53		13712.	19.7	. 166	57.9	.0385	-76.8			361.1	15.1	92.
54		13965.	17.4	. 153	51.4	.0391	-77.6			364.2	14.5	88.
55		14202.	12.9	.118	37.9	. 0397	-77.6			368.5	5.5	116.
56		14449.	11.2	.108	33.3	. 0401	-77.9			372.5	1.9	169.
57	_	14696.	8.9	. 089	26.4	. 0404	-77.6			377.7	4.0	99.
58		14918.	7.0	.073	20.4	.0407	-77.8 -78.8			379.6	3.5	119.
59		15142.	6.2	.067	18.4	.0409	-77.6			386.2	4.2	112.
60		15389.	6.2	.070	18.4	.0411	-77.6			391.0	6.7	132.
61		15640.	5.5	. 065	16.1	.0413	-77.0 -78.2			394.8	3.9	177.
62		15882.	4.3	. 053	12.7	.0415	-78.2			399.6	1.4	222.
63		16111.	3.9	. 050	11.5	.0416	-78.5			403.6	12.9	99.
64		16366.	3.9	.052	11.4	.0418	-78.5 -77.6			410.6	18.3	92.
65		16634.	3.9	. 054	11.4	.0419	-77.4			416.7	9.2	86.
66		16890.	3.1	.046	9.2	.0419	-77.6			421.4	4.0	86.
67		17139.	3.1	.059	11.5	.0422	-77.0 -78.2			425.5	13.0	100.
68		17139.	11.6	. 186	34.2	.0424	-77.6			432.1	13.9	103.
69		17663.	15.3	. 258	45.3	.0428	-77.4			438.7	13.9	95.
70		17910.	15.7	. 275	46.2	. 0433	-76.8			445.4	12.5	91.
71		18169.	18.4	.337	53.8	.0439	-76.5			451.7	13.2	86.
72		18439.	19.3	. 373		.0439					13.2	91.
73		18722.			57.2	-	-77.6 -77.6			455.3	13.9	
74		18995.	18.5	. 375	54.9	. 0453				461.7		91.
7 5		19257.	19.3 19.7	. 411 . 438	57.0 57.8	. 0460 . 0467	-77.4 -76.3			468.7 477.6	13.2 14.7	96. 114.
76		19533.	21.5	.501	63.1	.0475	-76.0			484.8	24.4	106.
77		19810.	23.4	.572	67.8	.0473	-74.2			496.0	19.2	105.
78		20087.	23.4	.600	67.8	.0492	-74.2 -73.9			503.4	13.6	97.
79		20364.	27.4	.735	78.5	.0501	-73.s -72.2			514.7	19.3	88.
80		20674.	33.7	.956	96.2	.0513	-72.2 -70.8			526.1	20.4	88.
81		20985.	41.3	1.233	117.5	.0513	-70.8 -70.1			535.9	16.0	83.
82		21314.	52.3	1.649	148.3	.0546	-69.6			545.6	19.2	91.
83		21565.	64.8	2.131	181.4	. 0565	-66.8			559.8	18.7	107.
84		21852.	77.7	2.678	214.3	. 0590	-63.8			575.7	19.8	106.
85		22134.	82.7	2.985	226.2	.0618	-62.1			588.1	13.8	110.
86		22409.	82.7	3.121	225.7	.0647	-61.5			597.1	14.7	109.
87		22720.		3.099		.0679	-61.9			604.7		100.
88		22972.	76.6	3.164	207.7		-60.3			616.5	10.7	103.
89		23208.	73.5	3.155	198.6	.0727	-59.5			625.3	20.4	92.
90		23428.	74.1	3.295	198.9	.0747	-58.0			636.3	14.5	89.
91		23656.	71.3	3.284	190.8	.0768	-57.5			644.4	22.0	92.
92		23924.	68.7	3.305	184.3	.0791	- 57.8			651.2	18.6	106.
93		24203.	68.5	3.441	182.5	.0815	-56.6			663.1	20.8	105.
94		24532.	68.2	3.609	180.0	.0842	-54.3			680.2	31.7	94.
95		24810.	67.7	3.739	177.6	.0865	-53.3			691.6	16.5	99.
96		25027.	67.4	3.851	176.5	.0883	-52.7			700.3	10.6	113.
97		25292.	65.8	3.915	171.6	.0905	-51.8			711.6	9.1	1 2.
98		25568.	64.3	3.996	166.8	.0927	-50.4			724.8	10.0	101.
99		25816.	63.1	4.070	163.3	.0946	-50.1			733.7	13.5	131.
100		26075.		4.221	162.2	.0965	-49.3			744.5	30.1	102.
101		26345.		4.329	159.5	.0985	-48.9			754.8	30.6	96.
102		26627.	59.7	4.355	152.9	. 1006	-47.8			767.7	6.8	117.
103		26923.	58.4	4.458	149.3	.1027	-47.4			779.1	18.1	96.
104		27180.	54.4	4.321	139.0	.1044	-47.2			788.3	25.2	91.
		-	•									


STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	17 OCT	89 2	247 Z	ECC	SONDE:	4A4437	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	12.0	27503.	50.0	4.169	127.7	. 1065	-46.9			800.4	13.1	91.
106	11.5	27785.	47.7	4.147	121.7	. 1081	-46.8			810.7	18.7	91.
107	11.0	28081.	45.6	4.147	115.3	.1098	-44.4			830.0	11.1	99.
108	10.6	28331.	44.0	4.151	109.7	.1111	-41.8			848.1	14.2	97.
109	10.0	28727.	41.2	4.121	102.1	.1131	-40.2			868.5	21.5	91.
110	9.6	28999.	39.1	4.073	96.6	.1144	-38.9			883.1	10.6	91.
111	9.2	29269.	38.0	4.110	93.4	.1156	-38.5			894.6	17.8	96.
112	8.9	29550.	36.6	4.129	89.8	.1168	-37.8			907.7	17.8	96.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 16.7
 16.2
 44.5
 9.3
 23.7
 71.1
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG 1110117108903	LSXXX XP T CORR COMMENTS 00145 99 .900 ECC TOTAL 03 FROM SONDE DATA 161
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110217108903	680 19-52 500 15-43 88 16 300 19-62 94 19 200 50-72 99 19
1110317108903	150 52-73 92 18 100 9-78102 4 70 4-77 86 7 50 19-78 91 14
1110417108903	30 68-66107 1920.0 69-57105 2110.0 41-40 91 22 650 19-35 16 21
1110517108903	619 18-34 52 15 376 14-57 84 24 233 28-70 94 19 129 44-76 96 14
1110617108903	119 20-77 92 15 39 23-74 97 14 32 52-70 91 1927.7 83-62110 14
1110717108903	16.1 64-50151 1011.5 48-47 91 19 8.9 37-38 96 18



STATION: SOUTH POLE LAUNCH DATE: 21 OCT 89 300 Z ECC SONDE: 4A4438 SURFACE CONDITIONS: PRESSURE 666.5 MB, TEMPERATURE -51.5 C, HUMIDITY 0.0 % CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 29.0 C AT 70.0 ORD; O3 ORD ZERO 32.1, BKGND 32.3, CAL 68.8; O3 BKGND 0.029 MICROAMP; FLOW RATE 26.8 S/100 M FLIGHT NORMALIZED TO TOTAL O3 155.; SONDE TOTAL O3 166.; C.F. .935

				_								
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	мВ	GPM	NB	PPMV	GAMMA	ATMCM	C	С	%	K	M/S	DEG
0	666.5	2835.	19.0	. 028	49.4	. 0000	-51.5			248.9		
1	653.0	2971.	18.5	.028	46.2	.0003	-41.9	4 = 0		261.2	17.9	243.
2	639.0	3118.	17.1	. 027	42.2	.0006	-38.9	-43.8	60.5	266.3	17.9	243.
3	620.0	3326.	18.0	. 029	44.2	.0010	-37.9	-43.4	57.1	269.7	11.4	237.
4	602.0	3529.	18.4	. 031	45.0	.0014	-37.5	-41.8	65.3	272.4	10.2	226.
5	587.0	3703.	18.4	. 031	45.0	.0018	-37.5	-41.5	67.3	274.4	11.9	220.
6	570.0	3906.	18.4	.032	45.0	.0022	-37.1	-40.9	68.7	277.2	10.4	207.
7	554.0	4103.	17.0	. 031	41.6	.0026	-37.5	-41.5	67.5	279.0	9.9	193.
8	538.0	4305.	15.6	.029	38.4	.0030	-38.5	-42.5	67.1	280.2	10.3	195.
9	520.0	4538.	15.6	. 030	38.6	.0034	-40.1			280.9	8.4	196.
10	505.0	4738.	16.0	. 032	39.8	.0038	-41.1			282.1	8.0	197.
11	490.0	4942.	15.5	. 032	38.8	.0041	-42.4			282.9	9.0	198.
12	477.0	5123.	15.4	. 032	38.9	. 0045	-43.9			283.3	11.1	194.
13	463.0	5323.	15.4	. 033	39.1	.0048	-44.6			284.9	14.2	189.
14	450.0	5513.	15.0	. 033	38.1	.0052	-45.9			285.6	15.8	191.
15	435.0	5739.	14.0	.032	35.8	. 0056	-46.3			287.8	15.7	190.
16	422.0	5939.	14.0	. 033	35.8	.0059	-47.7			288.4	15.3	189.
17	410.0	6130.	13.1	. 032	33.6	.0062	-48.8			289.5	14.1	193.
18	396.0	6357.	13.9	. 035	36.1	. 0066	-50.1			290.6	13.3	198.
19	383.0	6574.	13.9	. 036	36.4	.0069	-51.7			291.4	13.1	193.
20	372.0	6763.	13.5	. 036	35.4	.0073	-53.1			291.9	11.9	184.
21	360.0	6974.	13.5	.037	35.5	.0076	-54.4			293.0	10.6	187.
22	349.0	7172.	12.1	.035	32.1	.0079	-55.8			293.6	10.9	197.
23	338.0	7375.	12.1	. 036	32.3	.0082	-57.3			294.2	11.4	199.
24	327.0	7583.	11.7	.036	31.3	.0085	-58.7			295.1	11.5	200.
25	316.0	7797.	13.7	. 043	37.4	. 0088	-60.7			295.3	11.6	201.
26	306.0	7997.	12.9	. 042	35.1	.0092	-62.0			296.2	10.8	201.
27	296.0	8202.	12.3	.042	34.0	.0095	-63.3			297.2	11.0	201.
28	286.0	8413.	11.5	. 040	31.8	. 0098	-64.4			298.5	13.1	196.
29	274.0	8674.	11.9	. 043	33.1	.0102	-65.8			300.1	12.9	194.
30 31	264.0 255.0	8899.	11.9	.045	33.4	.0106	-67.3			301.2	12.2	196.
32	246.0	9107.	11.9	.047	33.5	.0109	-68.8			302.0	10.8	202.
33	238.0	9322. 9518.	13.1 13.1	. 053	37.2	.0112 .0116	-69.5 -72.0			304.1 303.2	9.4 10.6	208. 206.
34	230.0	9719.	15.7	. 055 . 068	37.7 45.2	.0120	-72.5			305.4	11.2	199.
35	221.0	9954.	21.3	.096	61.2	.0125	-72.0			309.6	9.7	199.
36		10171.	28.9	. 136	83.2	.0132	-72.5			312.2	8.0	189.
37	206.0		30.6	. 148	87.9	.0132	-72.5 -72.5			315.2	5.9	189.
38		10588.	34.1	. 172	98.4	.0149	-73.0			317.8	4.2	191.
39		10810.	39.3	. 206	113.9	.0159	-73.7			320.1	4.2	199.
40		11041.	44.6	. 243	129.1	.0172	-74.0			323.3	4.6	206.
41		11284.	49.9	. 283	144.7	.0172	-74.0			327.2	4.9	213.
42		11487.	52.2	. 307	151.1	.0200	-73.7			330.9	5.2	216.
43		11700.	53.9	. 329	155.9	.0215	-73.7 -73.5			334.7	4.7	219.
44		11918.	55.0	. 348	159.0	.0213	-73.3 -73.2			338.7	3.9	215.
45		12144.	54.3	. 357	157.7	.0248	-74.5			340.4	3.8	196.
46		12371.	53.8	. 368	156.5	.0264	-74.7			343.7	4.0	182.
47		12610.	52.7	. 376	153.1	. 0281	-74.5			348.2	2.5	181.
48		12843.	51.6	. 383	150.2	.0298	-75.0			351.3	2.2	223.
49		13058.	50.1	. 386	145.9	.0312	-75.0 -75.0			355.1	4.8	204.
				. 555		. 5512				555.	0	2071

TIME PRESS ALT OZONE OZONE OZDEN TOTOZ TEMP DEWPT HUM POT T WIND MIN MB GPM NB PPMV GAMMA ATMCM C C % K M/S 50 125.0 13281. 46.0 .368 134.0 .0327 -75.0 359.0 5.8 51 120.0 13518. 41.9 .349 122.2 .0342 -75.2 362.7 2.2	WIND DEG 193. 187. 161.
50 125.0 13281. 46.0 .368 134.0 .0327 -75.0 359.0 5.8	193. 187.
	187.
54 400 0 43549	
51 120.0 13518. 41.9 .349 122.2 .0342 -75.2 362.7 2.2	
52 115.1 13759. 46.5 .404 135.9 .0356 -75.2 367.1 1.2	101.
53 109.9 14027. 46.4 .423 135.2 .0372 -75.0 372.4 3.2	190.
54 104.5 14320. 42.5 .407 123.8 .0390 -75.0 377.8 4.0	196.
55 99.5 14604. 43.3 .435 126.8 .0407 -76.3 380.6 .4	196.
56 96.1 14804. 41.1 .428 120.2 .0418 -75.8 385.4 1.8	5.
57 93.0 14994. 37.5 .403 109.7 .0429 -76.0 388.5 1.4	225.
58 89.9 15189. 27.5 .306 80.7 .0438 -76.6 391.3 1.6	209.
59 86.6 15405. 15.6 .180 45.9 .0445 -76.0 396.5 1.3	163.
60 83.3 15629. 23.5 .282 68.9 .0451 -76.6 399.9 1.3	48.
61 80.1 15854. 25.8 .322 75.9 .0458 -76.9 403.8 .8	314.
62 77.0 16082. 19.3 .250 56.3 .0465 -75.8 410.6 1.5	223.
63 73.8 16327. 13.5 .182 39.3 .0471 -76.0 415.1 2.4	148.
64 70.6 16583. 11.3 .160 33.4 .0476 -76.6 419.2 2.9	125.
65 67.5 16841. 8.9 .132 25.9 .0480 -76.3 425.2 3.2	77.
66 64.7 17085. 8.8 .136 25.8 .0483 -76.6 429.8 3.1	57.
67 61.9 17340. 12.5 .202 36.7 .0486 -76.6 435.3 2.1	24.
68 59.1 17607. 13.7 .232 40.2 .0491 -76.0 442.3 .9	172.
69 56.5 17867. 15.0 .265 43.6 .0496 -75.2 449.8 3.1	94.
70 53.9 18140. 16.9 .314 49.3 .0501 -75.0 456.5 6.0	49.
71 51.6 18394. 17.3 .335 50.3 .0507 -74.5 463.4 3.3	45.
72 49.2 18673. 17.7 .359 50.8 .0514 -72.5 474.5 1.4	60.
73 47.3 18904. 19.2 .405 55.1 .0519 -72.2 480.4 3.5	55.
74 45.3 19159. 20.4 .450 58.4 .0526 - 71.8 487.6 5.1	59.
75 43.2 19439. 23.3 .539 66.4 .0534 - 70.8 496.5 6.7	52.
76 41.6 19664. 27.6 .663 78.0 .0541 -69.2 505.8 7.9	52.
77 39.9 19913. 33.4 .836 94.2 .0550 -68.8 513.0 6.1	50.
78	64.
79 36.3 20482. 46.8 1.290 130.4 .0578 -65.8 534.7 8.4	51.
80 35.0 20705. 59.2 1.690 163.2 .0592 -63.9 545.4 6.2	38.
81 33.3 21011. 68.5 2.057 188.1 .0617 -62.9 555.8 7.2	70.
82 32.0 21257. 77.3 2.415 209.7 .0639 -60.3 569.1 11.6	61.
83 30.7 21517. 80.0 2.606 215.0 .0664 -58.4 581.1 11.8	41.
84 29.2 21834. 81.1 2.778 215.6 .0696 -56.0 596.0 8.8	31.
85 28.1 22078. 83.8 2.983 222.5 .0720 -55.7 603.5 7.6	34.
86 27.0 22333. 83.3 3.084 221.1 .0747 -55.8 610.0 8.7	43.
87 26.0 22573. 82.1 3.156 217.1 .0771 -55.0 618.9 11.8	54.
88 25.0 22825. 79.0 3.159 207.7 .0796 -53.6 630.0 13.3	61.
89 24.0 23088. 76.4 3.182 199.8 .0821 -52.6 640.2 11.4	60.
90 23.0 23363. 72.0 3.129 187.8 .0847 -51.8 650.3 10.6	44.
91 22.0 23653. 70.4 3.199 182.3 .0872 -50.3 663.2 10.9	45.
92 21.2 23895. 70.5 3.324 181.5 .0892 -49.1 673.9 11.8	54.
93 20.4 24148. 70.3 3.445 180.9 .0913 -48.8 682.2 12.9	57.
94 19.6 24411. 70.0 3.571 179.9 .0935 -48.3 691.5 14.7	53.
95 18.8 24686. 71.2 3.788 181.7 .0958 -46.9 704.3 17.1	42.
96 18.1 24938. 73.3 4.048 185.8 .0980 -45.4 716.6 18.2	38.
97 17.5 25165. 74.7 4.267 187.3 .0999 -43.0 731.2 19.0	34.
98 17.0 25360. 73.4 4.316 183.6 .1016 -42 .6 738.6 20.9	30.
99 16.2 25686. 71.6 4.419 178.5 .1044 -41.5 752.4 20.8	29.
100 15.7 25900. 70.4 4.482 174.1 .1061 -39.7 765.1 21.1	36.
101 15.1 26167. 67.9 4.493 166.5 .1083 -38.0 779.1 21.2	49.
102 14.6 26400. 65.4 4.481 160.3 .1100 -37.5 788.4 21.9	36.
103 14.0 26690. 59.4 4.246 144.3 .1121 -35.4 805.2 26.1	30.
104 13.6 26894. 54.4 4.000 130.6 .1135 -32.6 821.4 30.0	47.
10.0 2000 T. T. T. 000 100.0 .1100 -02.0 021.4 00.0	77.


STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	21 OCT	89	300 Z	ECC	SONDE:	4A4438	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	*	K	M/S	DEG
105	13.0	27212.	50.7	3.904	121.3	. 1153	-31.4			836.2	31.8	42.
106	12.6	27434.	47.6	3.775	113.0	. 1166	-29.9			848.8	24.5	21.
107	12.2	27665.	45.1	3.700	106.6	. 1178	-28.7			860.8	20.2	25.
108	11.8	27904.	42.9	3.635	101.0	. 1189	-28.2			870.9	23.7	35.
109	11.4	28151.	40.9	3.591	96.3	. 1201	-27.7			881.5	27.5	39.
110	11.0	28409.	41.3	3.755	96.4	. 1212	-25.8			897.2	30.9	40.
111	10.6	28678.	40.3	3.800	93.4	. 1224	-24.4			912.1	35.5	36.
112	10.1	29031.	39.6	3.923	91.6	. 1239	-23.6			927.8	39.3	34.
113	9.6	29402.	39.1	4.069	90.1	. 1255	-23.2			942.8	39.3	34.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 17.2
 13.2
 39.5
 28.9
 30.8
 75.1
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110121108903	00155 99 .935 ECC TOTAL 03 FROM SONDE DATA 166
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110221108903	667 19-52 500 16-42197 8 300 13-63201 11 200 33-73191 5
1110321108903	150 54-75191 4 100 43-76196 1 70 11-77116 3 50 18-73 55 2
1110421108903	30 81-57 36 1020.0 70-49 55 1410.0 40-24 34 39 653 19-42243 18
1110521108903	639 17-39243 18 570 18-37207 10 238 13-72206 11 176 50-74213 5
1110621108903	120 42-75187 2 93 37-76225 1 87 16-76163 1 80 26-77314 1
1110721108903	38 39-68 64 7 32 77-60 61 1217.5 75-43 34 1914.6 65-38 36 22
1110821108903	13.6 54-33 47 30 9.6 39-23 34 39



STATION: SOUTH POLE LAUNCH DATE: 25 OCT 89 245 Z ECC SONDE: 4A4439
SURFACE CONDITIONS: PRESSURE 668.0 MB, TEMPERATURE -46.9 C, HUMIDITY 0.0 %
CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 26.5 C AT 72.2 ORD;
03 ORD ZERO 32.8, BKGND 33.0, CAL 63.3; O3 BKGND 0.035 MICROAMP; FLOW RATE 25.8 S/100 M
FLIGHT NORMALIZED TO TOTAL 03 182.; SONDE TOTAL 03 192.; C.F. .950

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	С	*	K	M/S	DEG
0	668.0	2835.	14.8	.022	37.9	. 0000	-46.9	46.4	44.4	253.9	70 7	007
1	650.0	3019.	15.7	.024	38.6	.0003	-38.6	-46.4	44.4	265.3	32.7	263.
2	632.0	3213.	15.7	. 025	38.2	.0007	-36.0	-38.8	76.7	270.4	32.7	263.
3	616.0	3392.	16.5	.027	40.2	.0010	-35.8	-38.2	80.1 78.4	272.6	22.7	234.
4	600.0	3574.	16.8	. 028	41.0	.0013	-36.2	-38.8		274.2	12.0	301.
5	583.0	3774.	16.5	.028	40.4	.0017	-37.1 -37.0	-40.0	76.1	275.4	9.0	311.
6	567.0	3966.	16.5	.029	40.6	.0021	-37.9 -38.9	-40.9	75.1 72.1	276.6 278.1	8.3	331.
7 8	549.0	4188.	16.4	. 030 . 031	40.6 40.7	.0025 .0028	-40.2	-42.2	72.1	278.8	8.8 8.4	344. 334.
9	533.0	4390.	16.4		39.9	.0032	-41.6			279.1	7.9	320.
10	520.0 503.0	4558. 4783.	16.0 16.0	.031 .032	39.9	.0032	-42.9			280.3	5.8	320. 337.
11	490.0	4959.	15.5	. 032	39.0	.0039	-44.4			280.5	7. 7	355.
12	472.0	5209.	15.0	.032	38.0	. 0044	-45.6			282.1	8.7	353.
13	460.0	5380.	15.0	. 032	38.2	. 0047	-46.4			283.1	8.2	351.
14	446.0	5585.	14.5	.033	37.3	.0050	-48.0			283.5	10.4	355.
15	432.0	5795.	13.7	.032	35.1	. 0054	-48.9			285.0	11.5	0.
16	420.0	5979.	14.4	. 034	37.6	.0057	-51.1			284.6	11.2	7.
17	409.0	6151.	14.4	. 035	37.8	. 0060	-52.1			285.3	10.6	4.
18	397.0	6343.	14.9	.038	39.0	.0063	-53.2			286.4	9.2	352.
19	384.0	6557.	14.4	.038	38.1	.0067	-54.2			287.8	8.6	350.
20	370.0	6795.	14.0	.038	36.9	. 0071	-55.0			289.8	8.5	348.
21	358.0	7005.	14.3	.040	38.2	.0075	-56.7			290.3	10.0	348.
22	343.0	7276.	13.0	. 038	35.0	.0080	-57.9			292.3	11.5	355.
23	330.0	7519.	15.2	.046	40.8	.0084	-58.9			294.1	10.7	356.
24	320.0	7711.	19.8	.062	53.8	.0087	-60.1			295.0	8.7	355.
25	310.0	7909.	23.2	.075	63.0	.0093	-60.5			297.2	5.2	350.
26	300.0	8113.	24.0	.080	65.4	.0099	-60.9			299.5	3.6	338.
27	290.0	8323.	26.5	.091	72.6	.0105	-62.0			300.8	3.7	309.
28	280.0	8540.	29.8	. 107	81.9	.0113	-62.7			302.8	5.5	321.
29	270.0	8764.	30.5	.113	83.8	.0121	-63.1			305.4	2.5	257.
30	261.0	8973.	30.9	.118	85.0	.0129	-63.3			308.1	6.4	195.
31	252.0	9188.	35.0	. 139	96.6	.0138	-63.9			310.3	4.7	213.
32	241.0	9461.	39.7	. 165	109.6	.0150	-64.1			314.0	4.7	223.
33	230.0	9747.	43.2	. 188	120.0	.0165	-65.0			316.7	3.4	237.
34	220.0	10018.	46.3	.211	128.8	. 0181	-65.2			320.5	3.4	251.
35	213.0	10214.	48.5	. 228	135.1	.0193	-65.8			322.5	4.8	213.
36	208.0	10359.	51.5	. 247	143.4	.0202	-66.1			324.4	8.3	192.
37	201.0	10566.	53.7	. 267	150.1	.0216	-66.7			326.6	8.3	185.
38	194.5	10765.	55.4	. 285	155.1	.0229	-67.1			329.0	6.4	186.
39		10976.	54.6	. 291	153.0	.0245	-67.1			332.3	4.9	199.
40		11202.	53.0	. 293	149.0	. 0261	-67.9			334.5	5.3	185.
41		11428.	52.2	. 300	147.3	. 0276	-68.6			337.1	8.5	185.
42		11648.	49.2	. 293	139.4	. 0291	-69.2			339.5	10.0	188.
43		11888.	52.6	. 326	148.9	. 0307	-69.2			343.4	10.2	181.
44		12118.	56.2	. 362	159.5	. 0323	-69.5			346.9	8.8	176.
45		12333.	58.5	. 391	166.3	. 0339	-69.9			349.7	7.7	170.
46		12564.	59.4	.412	168.8	. 0357	-70.1			353.2	5.9	178.
47		12804.	59.3	. 429	169.0	.0376	-70.6			356.5	6.2	206.
48		13035.	60.5	. 455	173.3	. 0394	-71.5			358.8	6.2	221.
49	127.8	13271.	60.8	. 476	174.4	. 0413	-72.0			362.1	3.8	218.


STATI	ON: SOUTH POLE		LAUNC	H DATE:	25 OCT	89 245 Z	ECC	SONDE:	4A4439	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	СС	%	K	M/S	DEG
50	122.5 13520.	60.9	.497	174.7	.0433	-72.0		366.5	2.8	190.
51	117.4 13770.	42.2	. 359	121.1	.0452	-72.2		370.5	3.5	210.
52	113.0 13995.	28.0	. 248	80.6	. 0464	-72.7		373.7	6.4	198.
53	108.6 14228.	24.3	. 224	70.0	. 0472	-73.0		377.5	9.7	195.
54	104.0 14482.	33.3	. 321	95.9	.0481	-72.5		383.1	9.8	201.
55	99.8 14724.	36.4	. 364	105.3	.0492	-73 .7		385.3	7.3	200.
56	96.0 14950.	18.6	. 194	53.9	.0502	-73.7		389.6	5.9	192.
57	92.0 15199.	40.2	. 437	116.3	.0510	-73.7		394.4	5.3	174.
58	88.2 15446.	40.1	. 454	115.7	.0523	-73.2		400.1	6.3	190.
59	84.8 15676.	23.4	. 276	67.5	. 0534	-73.2		404.7	7.5	196.
60	81.2 15930.	27.2	. 335	78.6	.0542	-73.5		409.2	8.0	178.
61	78.0 16165.	34.5	.442	99.5	. 0552	-73.2		414.4	7.1	175.
62	74.8 16410.	14.1	. 188	40.6	. 0561	-74.0		417.9	5.6	171.
63	71.5 16674.	11.6	. 162	33.5	.0566	-73.2		424.9	5.5	168.
64	68.4 16933.	11.6	.169	33.5	.0570	-73.2		430.3	6.1	169.
65	65.8 17161.	13.6	.206	39.2	.0574	-72.7		436.1	7.7	168.
66	63.1 17407.	12.3	.196	35.6	. 0578	-72.7		441.4	9.7	163.
67	60.2 17683.	15.6	. 259	44.7	. 0583	-72.2		448.5	9.9	149.
68	57.7 17933.	14.0	. 242	40.1	. 0588	-72.2		453.9	5.9	128.
69	54.9 18225.	17.9	. 325	51.5	. 0594	-72.5		459.9	5.5	116.
70	52.6 18478.	22.2	. 423	63.3	.0600	-70.6		469.9	8.2	118.
71	50.2 18757.	29.9	.596	84.3	.0609	-68.4		481.4	5.3	112.
72	48.0 19026.	53.6	1.116	150.2	.0621	-67.3		490.2	4.9	96.
73	46.0 19284.	69.7	1.515	194.4	.0641	-66.3		498.7	7.8	105.
74	44.0 19552.	53.0	1.204	148.5	. 0663	-67.1		503.0	16.7	91.
75	42.2 19805.	43.6	1.033	121.5	. 0680	-66.3		511.1	10.4	108.
76	40.4 20070.	61.1	1.512	169.6	.0696	-65.2		520.1	3.9	186.
77	38.6 20348.	63.6	1.649	176.0	.0718	-64.4		528.9	6.1	80.
78	37.0 20608.	63.6	1.720	174.7	.0740	-62.9		539.3	5.8	103.
79	35.2 20915.	68.8	1.953	188.4	.0765	-62.3		548.5	7.5	129.
80	33.8 21167.	77.2	2.284	209.4	. 0787	-60.1		560.7	10.3	122.
81	32.3 21452.	88.5	2.740	237.6	.0816	-58.0		573.7	12.6	103.
82	30.9 21732.	93.9	3.040	250.4	. 0848	-56.7		584.6	12.1	93.
83	29.6 22005.	93.8	3.170	248.3	.0879	-55.0		596.4	10.8	114.
84	28.2 22316.	90.5	3.210	238.8	.0915	-54.2		607.0	13.1	117.
85	27.0 22595.	85.2	3.155	223.9	. 0945	-53.4		616.8	17.1	95.
86	26.0 22839.	82.0	3.152	213.7	.0970	-51.8		627.9	16.9	102.
87	24.9 23120.	79.7	3.200	206.6	.0997	-50.6		639.3	18.2	101.
88	23.7 23443.	77.7	3.278	199.6	.1028	-48.6		654.1	21.6	84.
89	22.7 23727.	73.9	3.255	189.8	. 1054	-48.3		663.1	19.7	84.
90	21.7 24025.	71.9	3.313	183.4	.1080	-46.9		676.0		85.
91	20.8 24306.	70.9	3.411	179.8	.1104	-45.4		688.6	14.2	83.
92	20.0 24569.	67.4	3.372	169.8	.1125	-44.0		700.8	14.9	88.
93	19.0 24913.	65.1	3.424	163.5	.1152	-43.4		712.9		92.
94	18.2 25203.	67.2	3.695	168.1	.1174	-42.3		725.2	23.7	96.
95	17.4 25508.	69.6	4.001	173.2	.1198	-41.2		738.1	21.0	94.
96	16.8 25747.	71.4	4.251	176.5	. 1217	-39.5		750.9	27.1	90.
97	16.0 26082.	69.4	4.339	170.4	.1245	-37.9		766.7		86.
98	15.2 26437.	67.8	4.461	165.1	. 1273	-36.2		783.8		81.
99	14.6 26718.	66.8	4.573	161.6	.1294	-34.4		798.7		81.
100	13.9 27062.	65.8	4.735	158.2	. 1320	-33.0		815.0	17.2	81.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 16.0
 18.9
 51.9
 28.4
 47.7
 76.4
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS	
1110125108903	00182 99 .950 ECC TOTAL 03 FROM SONDE DATA 192	
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF	=
1110225108903	668 15-47 500 16-43341 6 300 24-61338 4 200 54-67185 8	3
1110325108903	150 58-70170 8 100 36-74200 7 70 12-73168 6 50 32-68111 5	5
1110425108903	30 94-56107 1120.0 67-44 88 15 650 16-39263 33 632 16-36263 33	3
1110525108903	397 15-53352 9 343 13-58355 12 168 49-69188 10 123 61-72190 3	3
1110625108903	113 28-73198 6 109 24-73195 10 96 19-74192 6 92 40-74174 5	5
1110725108903	88 40-73190 6 85 23-73196 8 78 34-73175 7 75 14-74171 6	5
1110825108903	55 18-73116 6 46 70-66105 8 42 44-66108 10 40 61-65186 4	4
1110925108903	35 69-62129 8 32 89-58103 1313.9 66-33 81 17	



STATION: SOUTH POLE LAUNCH DATE: 1 NOV 89 303 Z ECC SONDE: 4A4404

SURFACE CONDITIONS: PRESSURE 669.4 MB, TEMPERATURE -43.4 C, HUMIDITY 0.0 %

CAL DATA: AIR TEMP 30.0 C AT 73.1 ORD; HUM 33.0 % AT 77.7 ORD; TBOX 25.6 C AT 71.5 ORD;

03 ORD ZERO 31.0, BKGND 31.5, CAL 64.6; O3 BKGND 0.078 MICROAMP; FLOW RATE 26.1 S/100 M

FLIGHT NORMALIZED TO TOTAL 03 185.; SONDE TOTAL 03 171.; C.F. 1.081


TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM:	NB	PPMV	GAMMA	ATMCM	С	С	7.	K	M/S	DEG
0	669.4	2835.	18.0	. 027	45.0	.0000	-43.4			257.7		
1	650.0	3035.	18.0	.028	44.1	.0004	-38.1	-44.5	52.2	265.8	15.8	216.
2	633.0	3219.	18.5	.029	44.9	.0008	-34.5	-37.3	77.2	272.0	15.8	216.
3	618.0	3387.	19.1	. 031	46.0	.0011	-33.2	-35.4	81.9	275.4	7.0	249.
4	600.0	3596.	19.4	.032	46.2	.0016	-31.8	-33.3	88.7	279.3	4.3	216.
5	582.0	3811.	19.0	.033	45.6	.0020	-32.1	-33.9	85.8	281.4	4.8	155.
6	568.0	3983.	19.6	. 034	47.0	.0024	-32.5	-35.0	79.7	282.9	6.0	136.
7	550.0	4209.	18.5	. 034	44.7	.0029	-34.0	-37.0	75.0	283.8	4.4	135.
8	535.0	4402.	19.7	. 037	47.6	.0033	-34.9	-37.7	76.8	284.9	3.0	194.
9	520.0	4600.	19.0	. 037	46.5	.0037	-36.2	-39.1	76.4	285.6	6.0	230.
10	503.0	4830.	19.0	.038	46.7	.0042	-37.4	-40.4	75.2	286.9	8.5	229.
11	489.0	5025.	18.5	.038	45.4	.0046	-38.7	-41.8	73.3	287.7	8.6	218.
12	473.0	5253.	17.2	. 036	42.7	.0051	-40.0			288.7	6.8	205.
13	460.0	5442.	16.0	. 035	40.0	. 0055	-41.5			289.1	5.4	181.
14	446.0	5 651.	16.1	. 036	40.3	.0059	-43.1			289.8	5.3	184.
15	432.0	5866.	16.1	. 037	40.8	. 0063	-44.5			290.6	6.1	196.
16	420.0	6053.	15.6	. 037	39.9	.0066	-46.9			289.8	6.4	195.
17	405.0	6294.	15.1	. 037	38.7	.0071	-47.8			291.7	5.6	198.
18	391.0	6525.	15.0	.038	38.9	.0075	-49.6			292.3	4.9	204.
19	381.0	6694.	16.1	.042	42.0	. 0078	-51.3			292.3	5.3	193.
20	369.0	6901.	15.6	.042	40.9	.0082	-52.9			292.9	6.4	178.
21	359.0	7078.	15.6	. 043	41.1	. 0085	-54.3			293.3	6.0	180.
22	346.0	7313.	16.1	.047	42.8	.0090	-56.1			293.9	4.9	197.
23	333.0	7556.	16.1	. 048	43.0	.0094	-56.9			296.0	4.9	193.
24	321.0	7788.	14.9	.046	40.2	.0099	-58.5			297.0	4.8	171.
25	311.0	7986.	13.8	. 045	37.5	.0103	-60.4			297.0	4.4	158.
26	301.0	8189.	12.1	.040	33.1	.0106	-61.7			298.0	4.9	154.
27	290.0	8419.	12.1	.042	33.3	.0110	-62.8			299.6	5.6	145.
28	280.0	8635.	12.0	. 043	33.2	.0113	-63.8			301.2	3.8	152.
29	272.0	8812.	13.6	.050	37.9	.0116	-65.4			301.4	2.6	163.
30	263.0	9016.	14.6	.056	40.9	.0119	-66.2			303.1	3.9	181.
31	252.0	9274.	14.6	. 058	41.1	.0124	-67.5			305.0	4.5	214.
32	244.0	9468.	15.7	.064	44.1	.0128	-68.1			306.8	5.6	218.
33	234.0	9719.	18.3	.078	51.9	.0133	-69.6			308.2	6.8	201.
34	226.0	9925.	19.4	.086	55.3	.0138	-71.5			308.5	6.7	171.
35 36	218.0		20.8	. 095	59.8	.0144	-72.4			310.2	7.1	156.
36	210.0		23.8	.113	68.6	.0150	-72.9			312.8	6.6	179.
37	200.0		34.8	. 174	100.0	.0160	-72.4			317.9	7.7	192.
38	194.2		45.5	. 234	131.0	.0169	-72.4			320.6	7.1	191.
39	187.7		49.3	. 263	142.1	.0181	-72.7			323.4	8.0	198.
40	181.0		53.6	.296	154.4	.0195	-72.4			327.1	10.5	184.
41	174.2		58.8	. 338	169.0	.0212	-72.2			331.1	11.2	171.
42	168.0		64.6	.384	184.5	.0229	-71.2			336.1	14.0	172.
43	162.0		65.3	. 403	186.7	.0247	-71.2			339.7	9.1	157.
44	155.9		64.7	.415	185.5	.0267	-71.7			342.6	3.5	143.
45	150.0		62.6	.417	179.5	.0286	-71.7			346.4	7.0	169.
46	144.3		59.6	. 413	170.4	.0305	-71.5			350.7	9.1	153.
47	139.0		55.9	. 402	160.5	.0322	-72.2			353.2	9.7	155.
48	133.3		54.1	. 406	154.6	.0340	-71.2			359.1	10.2	151.
49	128.5	13232.	52.2	. 406	150.3	. 0356	-72.4			360.8	9.0	144.

STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	1 NOV	89 3	03 Z	ECC	SONDE:	4A4404	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
50	123.6	13481.	52.2	. 423	148.9	. 0372	-70.5			368.2	7.9	146.
51	118.8	13716.	41.1	. 346	117.8	. 0387	-71.5			370.7	8.0	136.
52	113.9	13965.	33.1	. 291	94.6	.0400	- 71.2			375.6	7.4	131.
53	109.6	14192.	26.7	.244	76.7	. 0409	-71.7			378.9	8.3	141.
54	105.2	14434.	20.4	.194	58.6	. 0417	- 72.2			382.4	14.1	151.
55	101.0	14674.	25.3	. 251	72.5	.0424	- 71.7			387. 8	10.1	129.
56	97.1	14906.	17.3	. 178	49.6	. 0432	- 71.5			392.7	6.6	84.
57	93.5	15130.	9.0	.096	25.5	.0436	-71.0			397.9	10.6	123.
58	89.9	15362.	11.4	.126	32.3	.0439	-70.3			403.7	13.3	129.
59	86.2	15612.	25.8	.300	73.3	. 0444	-70.1			409.1	11.2	124.
60	82.9	15844.	9.3	.112	26.5	. 0451	-70.1			413.7	11.6	117.
61	79.8	16071.	7.4	.092	20.9	. 0453	-69.6			419.1	12.4	113.
62	76.8	16300.	11.2	.146	31.9	.0456	-69.4			424.2	11.6	119.
63	73.9	16531.	11.7	. 158	33.0	. 0459	-67.9			432.1	10.6	130.
64	71.0	16771.	10.8	. 152	30.3	.0463	-67.9			437.1	12.2	114.
65	68.0	17031.	17.2	. 253	48.2	. 0467	-66.8			444.8	14.7	110.
66	65.0	17306.	69.3	1.066	192.0	. 0478	-64.6			455.4	14.4	114.
67	62.1	17585.	73.9	1.189	204.0	. 0503	-64.2			462.3	15.2	106.
68	59.5	17847.	79.2	1.330	218.5	. 0528	-64.0			468.4	19.1	88.
69	57.0	18109.	55.9	. 981	154.8	. 0552	-64.4			473.3	16.5	95.
70	54.4	18395.	47.4	.871	130.4	. 0572	-63.4			481.9	14.6	113.
71	52.1	18661.	46.6	.895	128.0	. 0588	-62.8			489.2	19.1	109.
72	50.0	18916.	43.8	. 876	119.5	. 0603	-61.3			498.5	29.7	117.
73	48.0	19170.	43.0	.897	116.6	.0617	-60.1			507.4	30.8	107.
74	45.9	19450.	49.9	1.086	134.0	. 0633	-58.3			518.2	16.3	98.
75	43.8	19745.	61.1	1.395	164.1	. 0652	-58.1			525.6	15.9	102.
76	42.0	20009.	66.5	1.584	177.9	.0673	-57.5			533.6	19.9	113.
77	40.4	20256.	74.9	1.855	199.1	.0694	-55.8			543.8	23.3	108.
78	38.9	20498.	94.5	2.430	248.6	.0717	-53.7			555.0	44.0	106.
79	37.1	20805.	116.1	3.131	301.2	. 0755	-50.5			570.6	61.2	108.
80	35.8	21038.	119.1	3.326	307.5	. 0787	-49.5			579.2	42.1	102.
81	34.2	21339.	119.1	3.482	304.2	. 0830	-47.2			592.7	32.1	114.
82	32.8	21616.	117.4	3.581	298.7	. 0869	-46.1			602.9	23.8	96.
83	31.2	21949.	114.9	3.681	291.7	.0915	-45.8			612.3	18.6	65.
84	30.0	22211.	110.7	3.691	280.2	.0950	-45.1			621.2	22.0	85.
85	28.8	22484.	100.1	3.477	251.3	.0984	-43.1			633.9	29.9	75.
86	27.6	22771.	98.1	3.554	246.2	. 1017	-43.2			641.3	56.5	95.
87	26.6	23021.	96.4	3.622	239.5	. 1046	-41.0			654.4	48.2	102.
88	25.6	23283.	99.6	3.891	245.7	. 1075	-39.1			667.1	24.5	91.
89	24.7	23528.	99.3	4.019	244.5	.1103	-38.7			675.1	24.5	91.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
18 7	15.0	44.2	24.2	75.8	999.9	999.9	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS	
1110101118903	00185 991.081 ECC TOTAL 03 FROM SONDE DATA 171	
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFF	F
1110201118903	669 18-43 500 19-38227 9 300 12-62153 5 200 35-72192 8	3
1110301118903	150 63-72169 7 100 23-72118 9 70 13-68113 13 50 44-61117 30	б
1110401118903	30111-45 85 22 633 18-35216 16 600 19-32216 4 226 19-72171	7
1110501118903	168 65-71172 14 124 52-71146 8 105 20-72151 14 94 9-71123 1	1
1110601118903	86 26-70124 11 83 9-70117 12 68 17-67110 15 65 69-65114 14	4
1110701118903	60 79-64 88 19 57 56-64 95 17 48 43-60107 31 42 67-58113 26	б
1110801118903	40 75-56108 23 37116-51108 61 34119-47114 3228.8100-43 75 30	б
1110901118903	24.7 99-39 91 25	



STATION: SOUTH POLE LAUNCH DATE: 3 NOV 89 249 Z ECC SONDE: 4A4045
SURFACE CONDITIONS: PRESSURE 670.3 MB, TEMPERATURE -47.4 C, HUMIDITY 0.0 %
CAL DATA: AIR TEMP 30.0 C AT 73.6 ORD; HUM 33.0 % AT 78.3 ORD; TBOX 23.2 C AT 70.8 ORD;
03 ORD ZERO 35.4, BKGND 35.8, CAL 72.0; O3 BKGND 0.058 MICROAMP; FLOW RATE 25.6 S/100 M
FLIGHT NORMALIZED TO TOTAL O3 200.; SONDE TOTAL O3 217.; C.F. .923

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	MIND
MIN	МВ	GPM	NB	PPMV	GAMMA	ATMCM	C	С	%	K	M/S	DEG
0	670.3	2835.	12.3	.018	31.4	.0000	-47.4	40.0	74.0	253.1		7.0
1	655.0	2991.	15.2	.023	37.2	.0002	-36.8	-40.2	71.9	266.8	13.5	316.
2	648.0	3066.	16.0	. 025	38.9	.0004	-35.8	-39.2	72.3	268.6	13.5	316.
3	620.0	3373.	16.9	. 027	41.0	.0009	-35.7	-41.6	55.8	272.2	13.5	329.
4	601.0	3589.	16.8	. 028	41.0	.0013	-35.7	-41.8	54.4	274.6	11.7	315.
5	585.0	3777.	15.6	.027	37.9	.0017	-35.7	-43.0	48.1	276.8	11.8	309.
6	568.0	3982.	16.0	.028	38.9	.0021	-36.2	-44.7	42.2	278.5	12.2	305.
7	552.0	4180.	16.3	. 030	40.0	.0024	-36.8	-46.5	36.1	280.1	12.6	300.
8	535.0	4396.	16.0	.030	39.2	.0028	-38.0	-47.9	35.0	281.2	12.8	296.
9	520.0	4592.	15.1	. 029	37.3	.0032	-38.4	-47.2	39.4	283.0	13.2	292.
10	503.0	4820.	14.8	. 029	36.5	.0036	-39.7	-45.9	52.5	284.1	13.4	285.
11	490.0	4998.	15.1	.031	37.7	.0039	-41.0			284.7	13.1	277.
12	477.0	5181.	15.1	. 032	37.9	.0042	-42.5 -43.4			285.0	13.3	275.
13	463.0	5381.	11.8	.026	29.8	.0045				286.3	14.1	272.
14	449.0	5587.	13.1	. 029	33.1	.0048	-45.1 -46.7			286.7	9.3	282.
15	435.0	5798.	11.8	. 027	30.2	.0051 .0054				287.3	5.2	347.
16 17	421.0 409.0	6014. 6205.	13.5 13.5	. 032 . 033	34.5 34.6		-48.1 -49.1			288.1	6.1	282.
18		6416.	15.0	. 038	39.0	.0057 .0061	-50.3			289.2	7.1	259.
	396.0	6650.	13.8			.0065	-50.3 -52.2			290.3	5.2	271.
19 20	382.0 370.0	6856.	13.4	. 036 . 036	36.2 35.2	.0068	-52.2 -52.8			290.9	7.5	267.
21	359.0	7050.	13.4	.036	34.2	.0071	-54.2			292.8	6.0	252.
22	348.0	7030. 7249.	10.9	.031	29.0	.0074	-55.8			293.4 293.9	5.8 5.3	238. 246.
23	338.0	7434.	10.3	.030	27.1	.0077	-56.9			294.8	5.6	260.
24	326.0	7663.	11.0	.034	29.5	.0080	-58.4			295.8	7.7	268.
25	315.0	7878.	15.3	.049	41.5	.0083	-60.2			296.3	6.1	275.
26	306.0	8058.	13.7	. 045	37.3	.0087	-61.1			297.5	3.8	279.
27	296.0	8264.	12.1	. 041	33.2	.0090	-62.7			298.0	8.0	271.
28	285.0	8497.	9.7	. 034	26.8	.0093	-63.6			299.9	9.9	278.
29	274.0	8738.	13.3	. 049	36.7	.0097	-64.6			301.9	9.1	277.
30	265.0	8941.	8.9	. 033	24.8	.0100	-65.8			303.1	9.1	275.
31	255.0	9174.	13.3	. 052	37.4	.0103	-67.6			303.8	8.8	275.
32	247.0	9365.	13.3	. 054	37.5	.0106	-68.2			305.6	8.4	270.
33	239.0	9563.	19.9	.083	56.4	.0110	-68.6			307.9	7.6	286.
34	230.0	9793.	17.5	. 076	49.6	.0116	-68.6			311.3	9.9	276.
35		10032.	12.5	. 056	35.2	.0121	-69.1			314.2	11.0	261.
36		10196.	8.9	. 041	25.2	.0123	-70.2			315.0	9.4	262.
37		10392.	15.1	. 073	43.1	.0126	-70.8			316.9	10.3	265.
38		10624.	16.9	. 084	48.6	.0131	-72.0			318.7	8.6	260.
39		10853.	40.6	. 211	115.9	.0138	-70.8			324.0	6.6	255.
40		11069.	50.0	. 269	142.7	.0150	-70.8			327.4	5.8	257.
41		11287.	50.2	. 281	143.3	.0164	-70.8			330.9	3.9	253.
42		11510.	52.4	. 304	149.5	.0179	-70.8			334.5	3.2	243.
43		11728.	53.3	. 321	151.6	.0194	-70.4			338.7	4.2	255.
44		11939.	56.1	. 350	159.9	.0209	-70.4			342.2	3.2	252.
45		12158.	54.8	. 355	156.3	.0225	-70.8			345.1	2.6	228.
46		12385.	53.1	. 357	151.5	.0241	-70.8			348.9	4.0	181.
47		12617.	47.8	. 335	136.4	. 0257	-70.6			353.2	4.8	167.
48		12854.	47.7	. 348	136.3	.0272	-70.8			356.8	3.9	149.
49		12871.	44.1	. 322	126.3	. 0273	-71.3			356.3	2.3	258.
-												

STAT	ION: SOL	JTH POLE		LAUNC	H DATE:	3 NOV	89 249 Z	FCC S	SONDE:	4A4045	
TIME	PRESS	ALT	OZONE		OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T		WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	СС	%	К	M/S	DEG
50	126.5	13338.	49.2	. 389	140.8	.0301	-71.3		364.5	5.5	262.
51	122.0	13553.	44.2		126.3	.0315			369.1	4.1	205.
52	117.3	13785.	49.5	. 422	141.3	.0329			372.8	3.8	206.
53		14017.	31.4	.278	89.6	.0343	-70.8		377.4	4.0	227.
54		14258.	43.9	.405	125.5	.0354			381.0	2.8	217.
55		14486.	54.3	. 521	155.4	.0368			384.8	3.3	191.
56		14729.	25.6	. 256	73.1	.0383			389.8	4.1	173.
57		14958.	24.5	. 254	70.0	.0390			394.1		143.
58		15190.	37.8	. 408	107.7	.0399			399.0	5.0	145.
59		15419.	39.8	. 447	113.6	.0410	-70.8		403.9		168.
60		15658.	46.9	.549	132.9	.0423	-69.3		411.7	5.7	161.
61		15908.	62.9		177.5		-68.6		417.9	5.6	161.
62		16154.	73.3	.932	206.0		-67.6		425.0	4.1	143.
63		16428.	71.6	.953	201.3	.0487			430.6	4.2	110.
64		16673.	65.1	.902	182.7	.0510	-67.6		435.6	4.1	121.
65		16895.	59.3	. 852	165.7	.0528	-66.6		442.4	4.7	127.
66		17143.	57.2	.857	159.9	.0547			447.6		129.
67		17402.	49.0	.766	137.1		-66.6		453.1		130.
68		17663.	42.4	.691	118.2	.0581	-66.2		459.6		123.
69		17906.	37.5	.636	104.0	.0594	-64.8		468.0		124.
70		18204.	40.6	.724	112.0	.0609	-63.6		477.2	9.1	111.
71		18439.	47.0	.870	128.8	.0621	-62.7		484.6	8.0	102.
72		18684.	41.9	.808	114.2		-61.2		493.5	7.8	107.
73		18967.	43.5	.877	117.9		-60.0		502.9		125.
74		19263.	39.8	.841	107.6		-59.6		510.6	8.5	128.
75		19549.		1.052	127.3	.0681	-57.6		522.2	9.8	108.
76		19806.	50.2	1.157	133.9	.0697	-56.6		530.7		108.
77		20091.		1.484	163.3	.0037	-55.5		540.4	9.5	140.
78		20326.		1.819	191.7	.0734			550.1		134.
78 79		20608.	90.8	2.370	234.9	.0761	-50.0		566.7		110.
80		20834.	97.2	2.628	249.4	.0786	-48.1		577.2	17.7	118.
81		21127.	93.8	2.650	238.7	.0819	-46.2		589.4	18.4	129.
82		21396.	96.9	2.851	245.6	.0849	-45.3		598.9		122.
83		21677.		2.872	236.0	.0881	-44.1		609.1		104.
84		21994.		2.918	227.6		-43.0		620.4	17.1	107.
85		22259.							630.0	16.8	132.
86		22259.	85.4 85.1	2.856	213.4 211.9	.0943	-42.0		641.0	24.2	128.
87		22878.	79.8	2.922		.0975	-41.2		652.7	28.3	125.
					197.3	.1003	-39.9		664.2	29.6	118.
88 80		23160. 23400.	80.8	3.084 2.989	198.9	.1029	-38.5		674.3	27.3	114.
89			75.6		185.0	.1051	-37.3		686.7		115.
90		23652. 23885.	79.2	3.247	192.4		-35.5		699.1	29.4	119.
91			82.6	3.502	199.1	.1094	-33.5			31.2	128.
92		24096.	86.1	3.758	206.5	.1113	-32.7		707.5	26.8	111.
93		24380.	78.4	3.563	186.5	.1140	-30.4		722.3		
94		24610.	72.6	3.407	172.2		-29.8		730.9		103.
95 06		24884.	70.4	3.437	166.0	.1181			744.1	29.9	123.
96		25062.	70.8	3.541	166.2	.1194			752.2	34.8	118.
97		25356.	74.2	3.866	173.6	.1217	-26.1		764.3	38.2	115.
98		25704.	69.3	3.789	161.4	.1244			777.8	42.0	113.
99		25989.	70.0	3.977	161.7		-23.2		792.8	39.7	116.
100		26286.	69.0	4.081	158.9		-22.5		804.1	31.3	119.
101		26552.	67.1	4.118	154.0	.1308			816.4	32.0	120.
102		26782.	64.2	4.061	147.2	.1324			823.7	52.0	114.
103		27117.	66.5	4.403	152.2	. 1347			836.2	53.5	111.
104	14.6	27366.	66.6	4.560	152.2	.1365	-20.5		845.2	33.5	113.


STATI	ON: SOL	JTH POLE		LAUNCI	H DATE:	3 NOV	89 2	249 Z	ECC	SONDE:	4A4045	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	14.0	27677.	66.7	4.762	151.5	. 1386	-19.2			859.9	36.3	118.
106	13.5	27948.	64.4	4.774	146.3	. 1405	-18.5			871.2	36.1	125.
107	13.0	28229.	60.5	4.652	137.2	.1424	-18.5			880.7	34.7	115.
108	12.3	28643.	57.7	4.692	130.6	. 1450	-18.1			896.1	45.6	109.
109	11.8	28953.	55.9	4.734	125.8	. 1469	-16.9			911.2	44.1	105.
110	11.3	29279.	54.9	4.862	123.2	. 1488	-15.5			927.5	44.4	105.
111	10.9	29551.	54.5	4.998	122.1	. 1503	-15.4			937.6	46.5	114.
112	10.4	29906.	54.3	5.220	121.6	. 1524	-15.4			950.2	41.6	116.
113	10.0	30202.	54.4	5.438	121.7	.1540	-15.1			962.0	41.4	112.
114	9.6	30480.	53.3	5.526	118.6	. 1556	-13.7			977.3	40.6	108.
115	9.2	30802.	51.8	5.606	115.3	. 1573	-13.8			988.7	41.8	109.
116	8.8	31139.	51.8	5.859	115.0	. 1591	-13.1			1004.0	51.5	112.
117	8.4	31500.	49.3	5.849	109.5	.1610	-13.1			1017.7	57.9	114.
118	8.0	31881.	48.8	6.079	107.9	.1630	-12.3			1035.7	57.9	114.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 15.6
 12.6
 36.7
 49.0
 61.8
 76.4
 57.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS	
1110103118903	00200 99 .923 ECC TOTAL 03 FROM SONDE DATA 217	
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF	
1110203118903	670 12-47 500 15-40283 13 300 13-62274 6 200 17-72260 9	
1110303118903	150 53-71193 4 100 26-71173 4 70 60-67126 5 50 43-60122 8	
1110403118903	30 86-42130 1720.0 71-27118 3510.0 54-15112 41 655 15-37316 14	
1110503118903	648 16-36316 14 585 16-36309 12 255 13-68275 9 239 20-69286 8	
1110603118903	215 9-70262 9 192 41-71255 7 186 50-71257 6 137 44-71258 2	
1110703118903	117 49-71206 4 113 31-71227 4 104 54-72191 3 96 24-71143 6	
1110803118903	86 47-69161 6 79 73-68143 4 61 42-66123 4 47 40-60128 9	
1110903118903	42 62-56140 10 38 91-50110 17 35 94-46129 1825.3 76-37114 27	
1111003118903	22.9 86-33128 3116.3 67-21120 32 8.0 49-12114 58	



STATION: SOUTH POLE LAUNCH DATE: 10 NOV 89 348 Z ECC SONDE: 4A4405
SURFACE CONDITIONS: PRESSURE 680.0 MB, TEMPERATURE -39.0 C, HUMIDITY 21.7 %
CAL DATA: AIR TEMP 30.0 C AT 73.6 ORD; HUM 33.0 % AT 78.3 ORD; TBOX 26.8 C AT 72.5 ORD;
03 ORD ZERO 33.2, BKGND 33.7, CAL 69.0; O3 BKGND 0.073 MICROAMP; FLOW RATE 26.8 S/100 M
FLIGHT NORMALIZED TO TOTAL 03 264.; SONDE TOTAL 03 280.; C.F. .942

TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	C	%	K	M/S	DEG
0	680.0	2835.	18.5	.027	45.6	.0000	-39.0	-52.9 -42.5	21.7 36.2	261.5 270.4	23.0	223.
1 2	667.0	2969.	17.0	.026	40.9	.0003 .0006	-32.3 -31.7	-42.5 -38.7	50.4	273.0	23.0	223.
3	651.0	3141. 3317.	16.2	.025	38.7		-31.7 -31.5	-35.0	72.6	275.0	19.1	223. 223.
4	635.0		15.3	.024	36.5	.0009			81.3	278.0	12.6	234.
5	618.0 600 .0	3509. 3718.	14.8 14.1	.024	35.3	.0012 .0016	-30.9 -33.0	-33.2 -34.8	85.5	277.9	12.0	245.
6	582.0	3933.	12.9	.024 .022	33.9 31.1	.0019	-33.0	-33.9	92.7	280.4	12.0	208.
7	566.0	4129.	13.0	.023	31.1	.0019	-32.6	-33.5	92.9	283.1	13.4	185.
8	550.0	4330.	12.5	.023	30.1	.0022	-34.2	-37.3	74.2	283.5	9.3	203.
9	534.0	4537.	12.1	.023	29.3	.0023	-35.2	-38.3	74.4	284.7	8.3	228.
10	520.0	4721.	11.7	.023	28.4	.0027	-36.7	-40.0	72.6	285.1	10.8	241.
11	505.0	4923.	11.7	.023	28.6	.0033	-38.1	-42.1	67.3	285.7	13.1	243.
12	490.0	5130.	12.2	.025	30.0	.0035	-39.6	-44.4	61.3	286.3	12.2	256.
13	476.0	5328.	14.5	.030	35.8	.0038	-39.8	-46.1	52.0	288.5	12.2	267.
14	461.0	5546.	15.0	. 032	37.5	.0042	-42.5		02.0	287.8	15.7	246.
15	449.0	5724.	14.0	.031	35.3	.0045	-43.8			288.4	19.2	247.
16	434.0	5951.	13.7	.031	34.5	.0049	-45.2			289.4	23.9	248.
17	421.0	6154.	13.1	.031	33.4	.0052	-46.6			290.1	26.5	248.
18	410.1	6327.	13.2	.032	33.7	.0054	-48.2			290.2	25.2	264.
19	398.0	6524.	11.3	. 028	29.2	.0057	-49.9			290.4	26.8	274.
20	385.0	6740.	10.8	.028	28.4	.0060	-52.4			290.0	28.3	268.
21	373.0	6944.	10.4	.028	27.3	.0063	-53.9			290.6	29.3	258.
22	360.0	7171.	9.4	.026	25.1	.0066	-55.9			291.0	31.0	254.
23	350.0	7349.	10.0	.029	26.7	.0068	- 57.5			291.1	28.4	266.
24	338.0	7569.	10.0	. 030	26.8	.0071	-59.0			291.9	28.9	273.
25	325.0	7814.	10.5	. 032	28.5	.0074	-61.1			292.3	26.6	263.
26	315.0	8007.	11.4	.036	31.2	.0076	-62.6			292.9	20.1	262.
27	305.0	8205.	15.4	. 051	42.6	.0079	-64.1			293.5	19.3	263.
28	295.0	8409.	16.2	. 055	45.0	.0083	-64.9			295.2	16.5	260.
29	285.0	8619.	13.0	.046	36.1	.0088	-64.9			298.1	11.3	248.
30	276.0	8815.	12.2	.044	33.8	.0091	-66.1			299.2	8.0	278.
31	265.0	9061.	12.2	.046	34.1	.0095	-66.7			301.8	6.3	294.
32	257.0	9246.	16.8	. 065	47.2	.0098	-68.3			302.0	2.9	238.
33	248.0	9459.	22.0	.089	62.1	.0103	-68.6			304.7	8.5	274.
34	240.0	9656.	30.6	.128	86.2	.0109	-68.3			307.9	9.5	273.
35	230.0	9911.	33.2	.144	93.4	.0120	-68.1			312.0	6.8	259.
36		10151.	34.8	.157	98.2	.0130	-68.6			315.0	9.9	206.
37		10344.	35.6	. 166	100.5	.0139	-68.6			317.9	9.7	170.
38		10514.	40.0	. 192	112.8	. 0147	-68.6			320.5	3.1	354.
39		10749.	43.8	.219	124.0	.0160	-69.0			323.4	3.4	201.
40		10971.	47.8	.248	134.8	.0173	-68.6			327.5	4.2	187.
41		11184.	52.4	. 282	147.6	.0186	-68.1			331.5	3.0	65.
42		11404.	53.4	.298	150.6	.0201	-68.6			334.3	13.0	163.
43		11625.	54.1	. 313	152.8	.0217	-69.0			337.2	4.6	169.
44		11859.	54.1	. 325	151.1	.0233	-66.7			344.8	2.0	83.
45		12085.	54.0	. 337	151.1	.0249	-66.7			348.5	8.4	148.
46		12317.	53.2	.345	148.4	. 0265	-66.3			353.0	6.8	145.
47		12561.	52.1	. 352	145.6	.0282	-66.7			356.4	5.7	134.
48		12772.	51.6	.361	145.2	.0296	-6 7.9			357.8	6.0	111.
49	13/.3	13004.	51.3	. 373	144.2	.0312	-6 7.5			36 2.5	3.8	146.


STATI	ON: SOUTH POLE		LAUNC	H DATE:	10 NOV	89 348 Z	FCC	SONDE:	444405	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWP		POT T	WIND	WIND
MIN	мв срм	NB	PPMV	GAMMA	ATMCM	СС	76	K	M/S	DEG
50	132.2 13241.	50.1	. 379	140.6	.0327	-67.5		366.6	9.2	186.
51	127.4 13464.	48.1	. 378	134.9	.0342	-66.9		371.6	12.0	179.
52	123.0 13677.	45.9	. 373	128.0	.0355	-66.5		376.1	8.3	150.
53	118.8 13887.	39.5	. 332	110.5	.0367	-66.9		379.1	7.7	141.
54	114.2 14125.	33.8	. 296	95.1	.0379	-67.9		381.5	11.9	131.
55	109.9 14356.	36.7	.334	103.0	.0389	-66.9		387,.7		138.
56	105.3 14615.	42.0	.399	117.3	.0402	-66.5		393.2	13.0	156.
57	100.9 14873.	42.1	.417	117.6	.0416	-66.3		398.4	5.8	154.
58	97.0 15113.	42.1	.434	116.4	.0429	-64.5		406.4	8.5	134.
59	93.5 15338.	48.4	.518	133.8	.0442	-64.5		410.7		125.
60	90.0 15571.	38.7	. 430	107.3	.0455	-64.5		415.2	7.4	109.
61	86.4 15820.	41.5	. 481	115.0	.0468	-64.5		420.0	1.4	232.
62	83.0 16066.	22.8	. 275	62.7	.0479	-63.5		426.8	12.1	170.
63	79.8 16308.	20.3	. 254	55.5	.0486	-62.2		434.3	18.0	162.
64	76.8 16546.	67.2	.874	182.7	.0496	-61.0		441.8	20.3	156.
65	73.6 16811.	57.6	.783	156.1	.0517	-59.9		449.4	17.7	145.
66	70.6 17072.	55.3	.783	148.7	.0536	-58.5		457.7	8.9	142.
67	67.6 17346.									
68	64.8 17615.	54.6	. 808	145.6	. 0555	-56.5		467.8	15.2 19.8	158.
		53.9	.831	142.8	. 0573	-55.4		476.0		142.
69	62.1 17888.	67.7	1.091	178.5	.0592	-54.1		484.6	19.1	125.
70	59.9 18119.	49.6	. 829	130.5	.0610	-53.3		491.4	11.5	120.
71	57.4 18394.	50.0	. 871	130.9	.0626	-52.4		499.5	11.9	117.
72	55.0 18672.	50.0	.909	129.9	. 0643	-50.7		509.5	17.8	127.
73	53.0 18914.	50.8	.958	131.0	.0658	-49.5		517.7	16.2	144.
74	51.0 19167.	59.5	1.167	152.3	.0674	-47.7		527.6	11.8	135.
75	49.0 19432.	86.7	1.769	219.6	.0695	-45.3		539.4	17.1	132.
76	47.0 19711.	113.9	2.423	286.5	.0725	-43.8		549.6	20.1	140.
77	45.1 19990.	118.9	2.636	296.8	.0762	-42.0		560.4	16.1	136.
78	43.2 20283.	119.9	2.776	296.5	.0802	-39.6		573.1	15.0	123.
79	41.5 20558.	119.7	2.885	294.4	.0840	-38.3		583.0	25.4	121.
80	39.9 20829.	114.5	2.871	280.2	. 0877	-37.1		592.6	30.2	124.
81	38.3 21113.	110.6	2.887	269.6	.0913	-36.3		601.6	21.1	108.
82	37.0 21354.	107.6	2.907	258.9	.0943	-33.2		615.4	24.4	116.
83	35.8 21586.	107.6	3.005	257.1	.0971	-31.7		625.3	35.4	127.
84	34.2 21911.	107.6	3.145	254.4	. 1009	-29.0		640.4	27.9	120.
85	33.2 22124.	109.3	3.291	256.9	. 1034	-27.6		649.7		116.
86	32.1 223 67.	110.7	3.448	258.9	. 1063	-26.4		659.2	37.8	118.
87	31.0 22620.	109.3	3.525		. 1093	-24.8		670.0		110.
88	30.0 22860.	111.0	3.699	255.8	.1122	-22.7		682.1	20.8	98.
89	28.9 23134.	112.1	3.879	257.1	.1154	-21.5		692.7	24.1	102.
90	27.9 23395.	112.8	4.041	257.0	.1185	-19.8		704.6	36.3	127.
91	26.9 23666.	111.4	4.142	252.6	.1218	-18.4		715.8	36.1	148.
92	25.9 23950.	109.1	4.211	246.0	. 1250	-17.2		727.0	32.9	126.
93	25.0 24216.	112.6	4.502	252.3	. 1281	-15.7		738.8	40.6	107.
94	24.0 24524.	156.8	6.535	349.7	. 1320	-14.3		751.4	34.3	117.
95	23.0 24847.	169.7	7.380	378.4	. 1374	-14.1		761.0	33.1	119.
96	22.3 25082.	166.8	7.481	371.7	. 1415	-14.0		768.2	33.1	121.
97	21.8 25254.	160.9	7.380	356.8	. 1444	-12.9		776.5	29.1	132.
98	21.0 25539.	154.9	7.374	344.4	. 1491	-13.6		782.8	37.2	108.
99	20.5 25722.	149.4	7.287	333.3	.1520	-14.3		786.1	37.8	110.
100	19.8 25985.	150.9	7.621	336.3	. 1560	-14.1		794.3	31.1	126.
101	19.0 26298.	147.9	7.783	329.5	. 1609	-14.0		804.2	30.4	121.
102	18.3 26583.	142.0	7.762	316.8	.1652	-14.3		812.0	39.2	106.
103	17.8 26793.	135.4	7.604	-301.9	. 1683	-14.3		818.4	45.0	111.
104	17.0 27142.	126.0	7.414	281.1	. 1731	-14.3		829.2	38.9	125.

STATI	ON: SOL	TH POLE		LAUNC	H DATE:	10 NOV	89 3	548 Z	ECC	SONDE:	4A4405	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	MIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	*	K	M/S	DEG
105	16.2	27507.	121.2	7.483	270.3	. 1778	-14.3			840.7	28.9	114.
106	15.9	27649.	116.2	7.310	259.2	.1796	-14.3			845.2	30.0	99.
107	15.3	27941.	113.2	7.400	252.5	. 1830	-14.3			854.6	25.6	95.
108	15.0	28091.	108.1	7.209	239.8	. 1848	-12.9			864.1	22.4	98.
109	14.3	28455.	104.1	7.279	231.2	. 1888	-13.2			875.0	30.7	106.
110	14.0	28616.	99.4	7.098	222.5	. 1905	-15.4			872.8	25.4	129.
111	13.3	29004.	91.8	6.905	205.2	.1944	-14.8			887.6	36.2	122.
112	12.9	29235.	85.8	6.652	191.3	. 1966	-14.3			897.3	47.5	113.
113	12.1	29721.	81.0	6.695	180.8	.2008	-14.3			913.8	27.0	112.
114	11.9	29847.	76.4	6.419	170.4	.2019	-14.3			918.2	17.2	109.
115	11.1	30374.	78.3	7.052	175.0	. 2061	-14.8			934.6	19.1	127.
116	10.8	30581.	70.2	6.498	157.8	. 2077	-16.5			935.9	19.1	127.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
13.8	12.5	45.2	43.9	91.0	132.5	999.9	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110110118904	00264 99 .942 ECC TOTAL 03 FROM SONDE DATA 280
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110210118904	680 18-39 500 12-39247 13 300 16-64262 18 200 44-69201 3
1110310118904	150 52-67138 6 100 42-66149 6 70 55-58145 10 50 73-47134 14
1110410118904	30111-23 98 2120.0150-14121 33 667 17-32223 23 618 15-31234 13
1110510118904	257 17-68238 3 240 31-68273 10 186 52-68 65 3 123 46-67150 8
1110610118904	114 34-68131 12 94 48-65125 15 90 39-65109 7 86 42-65232 1
1110710118904	83 23-64170 12 80 20-62162 18 77 67-61156 20 65 54-55142 20
1110810118904	62 68-54125 19 60 50-53120 12 53 51-50144 16 47114-44140 20
1110910118904	42120-38121 25 38111-36108 2125.0113-16107 4124.0157-14117 34
1111010118904	23.0170-14119 3315.0108-13 98 2214.0 99-15129 2511.9 76-14109 17
1111110118904	11.1 78-15127 1910.8 70-17127 19



STATION: SOUTH POLE LAUNCH DATE: 17 NOV 89 332 Z ECC SONDE: 4A4050 SURFACE CONDITIONS: PRESSURE 686.1 MB, TEMPERATURE -35.2 C, HUMIDITY 55.7 % CAL DATA: AIR TEMP 30.0 C AT 73.6 ORD; HUM 33.0 % AT 73.8 ORD; TBOX 30.2 C AT 72.5 ORD; O3 ORD ZERO 35.6, BKGND 36.1, CAL 70.5; O3 BKGND 0.075 MICROAMP; FLOW RATE 25.8 S/100 M FLIGHT NORMALIZED TO TOTAL O3 310.; SONDE TOTAL O3 321.; C.F. .967


TIME	חחרככ	A.1 T	070115	070115	070511	тотог	TCMD	DEWDT	Шим	DOT T	WIND	WIND
TIME	PRESS	ALT	OZONE	OZONE PPMV	OZDEN GAMMA	ATMCM	T EMP C	DEWPT C	HUM %	POT T K	WIND M/S	WIND DEG
MIN	MB	GPM	NB				-35.2	-41.1	55.7	265.0	M/ 3	DEG
0	686.1	2835.	19.7	.029	48.0	. 0000					10 1	207
1	654.0	3172.	16.1	.025	38.4	. 0007	-31.0	-34.7	71.3	273.4	12.1	283.
2	623.0	3516.	12.5	. 020	29.8	.0013	-31.3	-33.8	79.8	276.9	12.1	283.
3	595.0	3841.	13.3	.022	32.1	.0017	-32.3	-35.0	77.8	279.4	16.9	295.
4	565.0	4206.	14.4	. 026	34.6	.0023	-32.7	-35.8	75.0	283.1	18.1	290.
5	539.0	4537.	13.9	. 026	33.7	.0028	-34.6	-38.2	70.9	284.7	15.4	288.
6	513.0	4881.	13.3	. 026	32.6	.0034	-36.5	-40.3	69.6	286.3	12.4	289.
7	489.0	5211.	12.9	. 026	31.7	. 0039	-39.6	-43.2	69.8	286.5	8.7	301.
8	463.0	5582.	13.2	. 029	33.2	.0044	-42.2			287.8	8.1	312.
9	440.0	5925.	13.2	. 030	33.7	.0049	-45.2			288.3	7.8	301.
10	416.0	6298.	13.2	. 032	33.9	.0055	-47.4			290.0	9.5	305.
11	393.0	6671.	14.0	. 036	36.4	.0061	-50.1			291.3	11.0	308.
12	372.0	7028.	13.5	. 036	35.5	. 0067	-52.5			292.7	9.6	310.
13	352.0	7383.	11.7	. 033	30.9	. 0073	-55.2			293.7	9.1	312.
14	333.0	7735.	12.2	. 037	32.6	.0078	- 57.7			295.0	9.0	309.
15	313.0	8124.	17.0	. 054	46.1	.0084	-59.9			297.2	5.5	310.
16	300.0	8389.	21.4	. 071	58.0	.0090	-60.3			300.3	4.7	342.
17	282.0	8774.	22.2	. 079	60.5	.0101	-61.1			304.4	6.2	328.
18	266.0	9135.	22.6	. 085	62.2	.0111	-63.4			306.3	6.6	322.
19	250.0	9515.	24.5	. 098	67.8	.0123	-64.5			310.1	8.0	315.
20	235.0	9893.	40.5	. 172	112.1	.0136	-64.7			315.3	11.2	302.
21		10296.	48.6	. 221	134.9	. 0158	-64.9			321.0	12.7	289.
22		10580.	48.4	. 231	134.1	. 0176	-64.5			325.9	10.2	276.
23		10878.	55.3	. 277	153.1	.0195	-64.5			330.5	11.5	282.
24		11421.	58.0	. 317	160.4	.0234	-64.5			339.0	9.1	276.
25		11522.	58.1	. 323	160.8	. 0241	-64.3			340.9	7.1	278.
26		11814.	60.3	. 352	167.1	. 0263	-64.5			345.3	10.2	281.
27		12095.	57.9	. 353	160.3	. 0285	-64.5			349.8	8.5	289.
28		12385.	54.7	. 350	151.5	. 0306	-64.5			354.6	9.4	267.
29		12674.	54.9	. 368	151.2	. 0327	-63.5			361.1	10.5	246.
30		12974.	57.1	.402	156.4	. 0348	-62.6			367.8	7.8	258.
31		13258.	61.3	. 452	168.7	.0369	-63.5			371.0	9.1	253.
32		13503.	66.7	.512	182.7	. 0388	-62.2			377.6	9.9	245.
33 34		13764. 14110.	64.2	.514	176.0	.0410	-62.6			381.5	9.2	246.
35		14388.	54.5	. 462	149.5	.0438	-62.4			388.0	9.4	245.
36			45.7	. 405	125.3	.0456	-62.2			393.4	11.2	251.
37		14674. 14986.	29.7	. 275	81.2	. 0471 . 0483	-62.1			398.9	12.3	247.
38		15330.	30.9 37.5	. 302	84.1		-60.8			407.1 416.0	9.9	226. 213.
39		15628.	28.8	. 387 . 312	101.5	.0497	-59.6				10.1	213.
40		15907.	41.4		77.6	. 0510	-58.7			423.4	9.6	
41				. 468	110.6	. 0521	- 57.3			431.5	8.6	226.
42		16193. 16503.	28.5	. 337	75.7	. 0535	-55.7 -53.1			440.4	12.1	214.
43		16807.	44.6 52.1	. 553	116.9	. 0547	-53.1 -51.4			451.8	16.7	213.
44		17120.	52.1 82.6	. 678	135.7	. 0564 . 0587	-51.4 -49.5			461.4	16.5	211.
45		17422.	61.0	1.127 .872	213.1 156.4	.0615	-49.5 -48.0			471.9 481.3	13.7	209.
46		17712.	58.8	. 877	149.6	. 0636	-46.3			491.1	15.7 18.3	210. 201.
47		17712.	66.4	1.035	168.6	. 0656	-45.3 -45.9			498.1	21.4	201. 190.
48		18295.	87.8	1.430	220.0	. 0681	-43.9 -42.6			511.6	23.1	189.
49		18589.	106.2	1.806	262.5	.0712	-39.6			524.7	23.3	
73	50.0	,0003.	100.2	1.000	202.3	.0/12	-59.0			J24./	23.3	194.

STATI	ON: SOUTH F	POLE	LAUNC	H DATE:	17 NOV	89 3	32 Z	ECC	SONDE:	4A4050	
TIME	PRESS AL	T OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB GF	PM NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
50	56.1 1891	2. 117.6	2.096	288.6	. 0752	-38.0			535.5	25.4	197.
51	53.8 1926	146.1	2.716	356.0	. 0792	-36.3			546.0	27.8	197.
52	51.3 1953	33. 147.9	2.884	357.7	. 0847	-34.4			557.8	27.8	196.
53	49.1 1984	0. 148.5	3.025	356.7	. 0898	-32.7			568.9	28.0	187.
54	47.0 2014	9. 151.6	3.226	361.7	.0949	-31.1			579.8	29.2	182.
55	44.9 2047	4. 152.4	3.394	361.8	. 1004	-30.1			590.0	30.1	186.
56	43.0 2078	32. 153.9	3.580	364.2	. 1056	-29.0			599.9	31.2	186.
57	41.2 2108	39. 158.2	3.840	371.1	. 1108	-27.1			612.2	33.1	188.
58	39.5 2139	4. 171.2	4.333	400.6	.1162	-26.5			620.9	34.8	193.
59	38.0 2167	4. 193.7	5.097	452.3	.1216	-25.9			629.5	35.1	193.
60	37.2 2182	8. 192.7	5.181	449.8	.1247	-25.9			633.3	34.3	186.
61	34.9 2229	0. 192.7	5.522	449.3	. 1344	-25.6			645.7	29.4	172.
62	33.4 2266	9. 195.3	5.848	454.7	. 1410	-25.1			655.2	27.7	174.
63	32.0 2292	0. 194.6	6.080	452.8	. 1476	-25.1			663.3	29.2	185.
64	30.5 2326	9. 189.5	6.214	441.0	. 1548	-25.1			672.4	27.1	184.
65	29.0 2363	6. 183.8	6.339	426.5	.1623	-24.3			684.4	23.6	176.
66	28.9 2366	171.4	5.932	397.3	.1628	-24.0			685.8	27.4	185.
67	26.9 2418	6. 167.9	6.240	386.6	. 1724	-22.4			704.5	31.2	192.
68	25.6 2454	9. 161.9	6.323	375.3	. 1789	-24.0			710.0	27.5	188.
69	24.5 2486	9. 150.4	6.137	349.2	. 1844	-24.5			717.4	28.8	186.
70	23.3 2523	34. 146.5	6.287	341.0	. 1903	-25.1			726.2	30.3	181.
71	22.1 2562	20. 139.9	6.331	323.9	. 1963	-23.8			741.2	28.1	180.
72	21.1 2595	9. 133.7	6.338	308.0	. 2013	-22.4			755.1	25.1	181.
73	20.1 2631	5. 128.8	6.408	296.5	. 2064	-22.4			765.6	23.3	183.
74	19.1 2669	0. 132.3	6.926	304.6	.2116	-22.4			776.9	24.4	185.
75	18.3 2700	4. 128.6	7.028	296.4	.2160	-22.7			785.6	20.8	174.
76	17.6 2729	0. 126.8	7.203	292.1	.2199	-22.6			794.8	18.9	167.
77	17.0 2754	5. 125.9	7.406	289.9	. 2234	-22.4			803.1	22.6	169.
78	16.2 2789	9. 113.4	7.002	260.6	. 2280	-21.9			816.0	24.4	171.
79	15.4 2827	1. 107.3	6.970	247.3	. 2325	-22.7			825.3	29.0	175.
80	14.9 2851	3. 103.4	6.937	239.2	. 2352	-23.8			829.6	25.9	175.
81	14.2 2886	5. 96.8	6.816	224.0	. 2390	-23.8			841.1	23.9	182.
82	13.8 2907	4. 91.5	6.629	211.0	.2412	-22.7			851.6	42.2	193.
83	13.0 2951	3. 86.4	6.650	198.6	. 2454	-21.8			869.4	45.0	193.
84	12.5 2980	1. 83.4	6.668	191.4	.2480	-21.8			879.2	29.4	184.
85	12.0 3010	2. 79.7	6.640	183.3	. 2507	-22.3			887.7	18.2	177.
86	11.6 3035	1. 76.2	6.569	175.3	. 2527	-22.0			897.3	14.6	186.
87	11.1 3067	5. 73.0	6.577	167.7	. 2553	-21.8			909.6	15.2	173.
88	10.8 3087	7. 70.0	6.482	160.3	. 2569	-21.1			919.2	15.5	158.
89	10.3 3122	8. 66.2	6.431	150.8	.2594	-19.6			937.2	13.7	168.
90	10.0 3144	8. 62.4	6.237	142.1	.2610	-19.8			944.6	11.8	166.
91	9.7 3171	2. 60.2	6.243	137.2	. 2627	-19.8			954.3	11.8	166.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
14.5	15.8	52.5	47.7	153.8	146.1	999.9	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110117118904	00310 99 .967 ECC TOTAL 03 FROM SONDE DATA 321
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110217118904	686 20-35 500 13-38295 10 300 21-60342 5 200 55-65282 12
1110317118904	150 55-64249 10 100 34-60220 10 70 61-48210 16 50148-33191 28
1110417118904	30188-25181 2620.0129-22183 2310.0 62-20166 12 654 16-31283 12
1110517118904	623 12-31283 12 565 14-33290 18 333 12-58309 9 250 24-65315 8
1110617118904	235 41-65302 11 130 67-62245 10 118 55-62245 9 108 30-62247 12
1110717118904	93 29-59226 10 89 41-57226 9 85 29-56214 12 77 52-51211 17
1110817118904	73 83-50209 14 64 66-46190 21 59106-40194 23 56118-38197 25
1110917118904	54146-36197 28 41158-27188 33 38194-26193 3529.0184-24176 24
1111017118904	28.9171-24185 2726.9168-22192 3123.3146-25181 3017.0126-22169 23
1111117118904	14.2 97-24182 24 9.7 60-20166 12



STATION: SOUTH POLE LAUNCH DATE: 24 NOV 89 347 Z ECC SONDE: 4A4053
SURFACE CONDITIONS: PRESSURE 687.1 MB, TEMPERATURE -36.5 C, HUMIDITY 57.3 %
CAL DATA: AIR TEMP 30.0 C AT 73.6 ORD; HUM 33.0 % AT 77.5 ORD; TBOX 27.0 C AT 72.1 ORD;
03 ORD ZERO 32.0, BKGND 32.6, CAL 68.9; O3 BKGND 0.085 MICROAMP; FLOW RATE 27.2 S/100 M
FLIGHT NORMALIZED TO TOTAL 03 215.; SONDE TOTAL 03 228.; C.F. .942

		_										
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	C	C	%	K	M/S	DEG
0	687.1	2835.	16.5	. 024	40.2	.0000	-36.5	-42.1	57.3 75.6	263.4	30.4	143.
1	653.0	3194.	13.0	. 020	30.6 34.2	.0006	-28.4	-31.5	74.1	276.5 279.6	30.4	143.
2	623.0 593.0	3531. 3884.	14.5	. 023	29.2	.0011 .0017	-28.9 -29.0	-32.2 -31.6	79.8	283.4	3.7	60.
4			12.3	. 021		.0017	-29.0 -29.0	-31.5	80.5	286.8	12.3	281.
5	569.0 543.0	4179. 4513.	12.4	.022	29.4 33.9	.0021	-29.8 -29.8	-37.4	48.1	289.7	18.4	227.
6	520.0	4821.	14.3 17.0	. 026 . 033	40.6	. 0030	-31.4	-40.2	42.1	291.4	9.6	162.
7	496.0	5155.	18.5	. 033	44.2	. 0030	-31.9	-42.1	36.2	294.8	9.9	163.
8	473.0	5489.	19.8	.042	47.2	.0044	-34.3	-44.5	35.2	295.8	10.7	147.
9	453.0	5790.	17.2	.038	41.8	.0050	-36.5	-45.4	40.1	296.7	13.2	149.
10	432.0	6117.	16.3	. 038	40.0	.0056	-38.6	-44.8	52.6	298.2	17.2	167.
11	411.0	6459.	21.7	. 053	53.5	.0063	-39.2	-47.6	41.2	301.6	18.3	173.
12	392.0	6783.	23.5	. 060	58.2	.0072	-40.7	47.0	71.2	303.8	16.9	168.
13	372.0	7138.	23.1	.062	57.7	.0081	-42.4			306.1	17.0	171.
14	358.0	7396.	15.8	.044	40.0	.0088	-44.0			307.3	16.0	177.
15	340.0	7741.	14.5	. 043	36.9	.0094	-46.6			308.4	16.3	179.
16	323.0	8079.	8.7	. 027	22.3	.0099	-49.5			308.9	17.4	182.
17	309.0	8368.	8.7	.028	22.6	.0102	-51.3			310.3	17.6	182.
18	293.0	8711.	9.1	. 031	24.2	.0106	-54.1			311.1	11.3	189.
19	280.0	9001.	11.4	.041	30.5	.0109	-57.0			311.0	13.4	183.
20	265.0	9347.	9.1	. 034	24.8	.0114	-59.9			311.7	18.8	179.
21	250.0	9709.	10.5	.042	28.6	.0118	-62.4			313.2	13.4	186.
22	240.0	9959.	10.0	.042	27.8	.0121	-64.7			313.4	11.9	187.
23		10271.	10.8	. 048	30.4	.0126	-66.7			315.0	11.7	192.
24		10596.	11.3	.052	31.9	.0130	-69.0			316.4	11.5	191.
25		10936.	16.4	. 080	46.9	.0136	-70.7			318.8	15.1	182.
26	193.0	11264.	20.3	. 105	58.3	.0143	-72.6			320.9	10.7	181.
27	189.0	11387.	33.1	. 175	94.2	.0147	-70.5			326.2	7.7	166.
28	179.5	11694.	37.2	. 207	105.6	.0161	-69.6			332.5	8.3	173.
29	172.0	11949.	38.8	. 226	109.6	.0174	-68.6			338.3	9.7	190.
30	164.6	12213.	49.5	. 301	139.3	.0188	-67.9			343.7	11.8	180.
31	157.3	12487.	53.2	. 338	148.9	.0206	-66.7			350.3	7.3	184.
32	150.8	12741.	53.4	. 354	150.3	.0223	-67.9			352.4	5.3	197.
33	144.0	13018.	50.2	. 349	141.3	.0242	-67.9			357.1	4.5	199.
34	137.9	13279.	53.1	. 385	149.5	.0259	-67.9			361.5	4.9	201.
35		13529.	54.1	. 409	150.3	.0277	-65.5			370.2	8.4	187.
36		13783.	49.3	. 388	136.4	.0294	-64.5			376.4	8.4	173.
37		14049.	45.3	. 373	125.2	.0311	-64.1			381.8	6.2	166.
38		14440.	45.5	.399	125.3	. 0333	-63.4			390.2	6.7	199.
39		14699.	34.7	. 317	95.6	. 0347	-63.7			394.2	6.7	199.
40		14916.	26.4	. 250	72.5	. 0356	-62.8			400.0	7.0	177.
41		15246.	30.0	. 300	82.1	. 0368	-62.6			406.5	4.1	184.
42		15506.	34.6	. 361	94.1	. 0378	-60.8			415.0	2.7	257.
43		15764.	34.5	. 375	93.7	. 0389	-60.4			420.6	3.1	221.
44		16034.	33.6	. 382	91.3	. 0401	-60.3			426.2	4.7	179.
45		16295.	38.4	. 454	103.4	.0413	-59.0			433.8	2.9	159.
46		16561.	46.0	.568	122.9	.0426	-57.3			442.5	1.2	174.
47		16841.	45.9	. 592	122.6	. 0442	-56.8			449.2	2.7	210.
48		17117.	64.4	. 867	170.8	. 0459	-55.7			457.2	3.3	231.
49	/1.2	17381.	57.1	. 802	150.5	.0479	-54.1			466.1	4.1	226.

STATI	ON: SOUTH PO	OLF	LAUNC	H DATE:	24 NOV	89 3	47 Z	FCC	SONDE:	444053	
TIME	PRESS AL		OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T		WIND
MIN	MB GPI		PPMV	GAMMA	ATMCM	С	С	76	К	M/S	DEG
50	68.3 17648	B. 52.3	.766	137.3	.0498	-53.3			473.3	2.8	2 21 .
51	65.3 17939	9. 53.1	.812	138.3	.0516	-51.8			482.8	2.4	259.
52	63.2 1815	1. 48.8	. 772	126.9	.0529	-51.0			489.0	2.9	249.
53	60.0 18489	9. 53.2	. 887	138.3	. 0550	-51.0			496.3	2.9	249.
54	57.4 18779	9. 60.0	1.046	154.1	.0569	-48.3			508.7	2.0	268.
55	55.1 1905	ð. 60.7	1.101	154.5	.0588	-46.4			519.0	3.0	341.
56	52.9 19322	2. 76.8	1.452	193.5	.0609	-43.9			531.0	6.0	316.
57	50.8 1959	4. 92.4	1.820	231.8	.0635	-43.1			5 3 9.1	5.1	267.
58	48.5 19908	3. 104.3	2.151	259.6	.0669	-41.1			550.9	2.3	267.
59	46.6 2018	0. 103.9	2.230	257.3	.0702	-39.9			560.1	3.4	305.
60	44.7 2046		2.237	247.1	.0736	-39.5			567.8	5.1	301.
61	42.9 20747		2.280	239.7	. 0768	-37.6			579.2	4.4	281.
62	41.0 2106		2.505	250.4	. 0803	-36.3			590.0	2.9	250.
63	39.2 21373		2.630	250.6	. 0839	-35.6			599. 3	4.7	295.
64	37.7 21645		2.762	251.6	. 0871	-34.3			609.4	6.0	258.
65	36.0 21968		2.796	242.2	.0908	-33.2			620.3	5.8	229.
66	34.5 22268		2.974	246.3	.0942	-32.7			629.2	2.7	218.
67	3 3.0 22581		3.087	244.1	.0977	-32.3			638.3	. 5	303.
68	31.6 22887		3.244	245.2	.1012	-31.7			648.0	4.0	300.
69	30.2 23208		3.192	229.5	.1048	-30.6			659.3	7.5	271.
70	29.0 23497	_	3.210	220.2	.1078	-29.0			671.3	6.2	255.
71	28.0 23749		3.116	205.3	.1104	- 27.7			681.8	2.2	250.
72	27.0 24011		3.270	207.4	.1129	-27.4			689.6	2.2	247.
73	26.0 24283		3.389	206.4	. 1155	-26.5			699.7	4.1	292.
74	25.0 24566		3.385	197.9	. 1181	-26.1			708.7	7.2	297.
75	24.0 24862		3.651	204.0	. 1209	-25.2			719.7	7.5	273.
76	23.1 25141		5.005	267.0	. 1237	-23.1			733.8	7.1	259.
77	22.1 25466		5.799	295.0	. 1279	-22.4			745.1	5.8	262.
78	21.2 25771		6.090	297.4	. 1321	-22.4			754.0	7.7	292.
79	20.3 26089		6.387	298.7	. 1364	-22.6			763.0	15.6	291.
80	19.8 26272		6.049	275.9	. 1389	-22. 6			768.5	11.6	273.
81	19.0 26575		5.976	261.4	. 1427	-22.4			778.0	6.4	227.
82	18.2 26891		5.928	248.1	.1465	-22.2			788.5	5.0	255.
83	17.6 27138		5.563	224.8	. 1493	-21.8			797.3	3.7	255.
84	17.0 27394		5.310	206.7	. 1519	-21.1			807.4	3.9	219.
85	16.4 27659		5.120	192.2	. 1544	-21.0			816.2	3.2	284.
86	15.9 27888		5.038	183.5	. 1564	-21.1			823.0	5.5	301.
87	15.1 28269				. 1596				836.1		291.
88	14.6 28517		4.628	155.1		-21.8			841.1	6.9	296.
89	14.0 28826			145.8	. 1638	-21.8			851.2	8.5	270.
90	13.4 29149		4.691	144.5		-22.0			861.0	10.9	244.
91	13.0 29372		4.523	135.2	.1674	-21.9			869.0	8.7	231.
92	12.5 29661		4.651	133.1	. 1692	-21.1			881.6	8.1	225.
93	12.0 29963		4.343	119.0	.1710	-20.3			894.8	9.3	225.
94	11.5 30278		4.572	120.3	. 1728	-20.8			903.8	8.8	227.
95 06	11.0 30607		4.412	110.6		-20.0			918.3	6.9	228.
96 07	10.7 30812		4.527	110.5		-20.0			925.5	6.8	213.
97	10.3 31094		4.565	107.1	.1771	-19.8			936.7		207.
98	10.0 31314		4.514	102.8	. 1782	-19.5			945.6	5.2	191.
99	9.8 31495		4.325	95.8	.1790	-18.9			954.2	4.7	172.
100	9.5 31696		4.722	101.7	.1799	-18.4			963.7		131.
101	9.3 31895		4.482	93.7		-17.7			973.6		133.
102 103	9.0 32100		4.659	94.8	.1817	-18.0			980.2	.7	240.
103	8.8 32302 8.5 32528			92.9	. 1826	-17.2			991.0		260. 270
104	0.3 32328	3. 41.0	4.822	92.9	. 1836	-18.4			994.8	2.5	270.


STATI	ON: SOU	TH POLE		LAUNC	H DATE:	24 NOV	89 3	47 Z	ECC	SONDE:	4A4053	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	7.	K	M/S	DEG
105	8.3	32751.	37.9	4.592	85.4	. 1845	-17.0			1008.7	2.6	247.
106	8.0	32982.	38.1	4.759	85.8	. 1854	-17.0			1017.6	4.0	222.
107	7.8	33210.	38.5	4.967	86.8	. 1863	-17.0			1026.5	4.9	207.
108	7.5	33466.	34.6	4.611	77.9	. 1873	-17.2			1035.9	4.9	207.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 14.2
 15.1
 33.2
 42.8
 89.1
 101.2
 52.2
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110124118904	00215 99 .942 ECC TOTAL 03 FROM SONDE DATA 228
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110224118904	687 16-37 500 18-32163 10 300 9-53186 14 200 18-71182 14
1110324118904	150 53-68197 . 5 100 30-63184 4 70 55-54224 4 50 97-42267 4
1110424118904	30 96-30268 720.0124-23280 1310.0 45-20191 5 653 13-28143 30
1110524118904	432 16-39167 17 372 23-42171 17 240 10-65187 12 193 20-73181 11
1110624118904	189 33-71166 8 157 53-67184 7 132 54-66187 8 114 46-63199 7
1110724118904	106 26-63177 7 78 46-57210 3 74 64-56231 3 60 53-51249 3
1110824118904	55 61-46341 3 49104-41267 2 43 98-38281 4 38104-34258 6
1110924118904	28.0 87-28250 224.0 88-25273 823.1116-23259 722.1128-22262 6
1111024118904	14.6 68-22296 7 7.5 35-17207 5



STATION: SOUTH POLE LAUNCH DATE: 30 NOV 89 402 Z ECC SONDE: 4A4049
SURFACE CONDITIONS: PRESSURE 686.4 MB, TEMPERATURE -31.3 C, HUMIDITY 76.6 %
CAL DATA: AIR TEMP 30.0 C AT 73.0 ORD; HUM 33.0 % AT 77.5 ORD; TBOX 26.0 C AT 71.9 ORD;
03 ORD ZERO 34.5, BKGND 35.0, CAL 70.2; O3 BKGND 0.074 MICROAMP; FLOW RATE 26.0 S/100 M
FLIGHT NORMALIZED TO TOTAL O3 279.; SONDE TOTAL O3 296.; C.F. .944

T 1145	DDEGG		070115	070115	070511	T0T07	TEMP	DEWDT	1111114	DOT T	WILLD	WILLE
TIME	PRESS MB	ALT GPM	OZONE NB	OZONE PPMV	OZDEN GAMMA	TOTOZ	TEMP C	DEWPT C	HUM %	POT T K	WIND M/S	WIND DEG
MIN 0	686.4	2835.	24.9	.036	59.6	.0000	-31.3	-34.2	76.6	269.3	M/S	DEG
1	661.0	3103.	19.5	. 030	46.4	.0007	-30.0	-31.3	89.6	273.7	. 1	266.
2	638.0	3358.	14.8	. 023	34.5	.0012	-24.5	-26.5	84.1	282.8	. 1	266.
3	611.0	3672.	20.1	. 033	47.0	.0012	-26.1	-31.6	60.9	284.4	3.6	299.
4	586.0	3974.	14.0	.024	33.0	.0024	-27.6	-33.6	57.4	286.1	2.0	299.
5	561.0	4286.	20.6	. 037	48.9	.0029	-29.7	-35.4	58.9	287.1	3.2	300.
6	538.0	4583.	13.2	. 025	31.5	.0035	-31.9	-37.2	59.9	288.0	2.5	318.
7	511.0	4945.	18.7	. 037	45.3	.0041	-34.5	-39.5	61.6	289.1	.5	92.
8	489.0	5251.	19.1	.039	46.6	.0047	-36.5	-43.9	47.1	290.4	. 9	167.
9	466.0	5583.	18.3	. 039	45.1	.0055	-39.3	-47.0	44.2	290.9	. 4	186.
10	445.0	5898.	19.1	. 043	47.7	.0061	-41.7			291.7	. 7	231.
11	426.0	6192.	19.4	.046	49.1	.0068	-43.9			292.6	1.1	357.
12	406.0	6513.	11.8	. 029	30.1	.0074	-46.2			293.6	3.6	358.
13	385.0	6864.	11.0	. 028	28.3	.0079	-49.0			294.5	2.7	337.
14	369.0	7142.	11.4	. 031	29.6	.0083	-51.2			295.2	1.6	248.
15	351.0	7465.	10.9	. 031	28.6	.0087	-53.6			296.1	2.7	254.
16	335.0	7764.	11.3	. 034	30.0	.0091	-55.8			297.1	2.9	278.
17	314.0	8174.	10.1	. 032	27.0	.0097	-57.9			299.7	3.3	255.
18	296.0	8544.	11.7	. 040	31.7	.0102	-59.8			302.2	3.0	236.
19	280.0	8890.	8.8	. 031	24.1	.0107	-61.6			304.3	2.4	258.
20	266.0	9207.	29.4	. 110	80.5	.0112	-62.3			307.8	3.0	260.
21	253.0	9518.	40.0	. 158	109.1	.0125	-61.2			313.8	4.1	266.
22	241.0	9820.	49.2	. 204	133.6	.0141	-60.7			319.0	4.3	261.
23	230.0	10110.	52.6	. 229	142.6	.0159	-60.3			323.9	3.5	240.
24		10416.	58.8	. 269	159.4	.0180	-59.9			329.0	.8	269.
25		10679.	60.9	. 290	164.8	.0200	-59.6			333.5	1.0	29.
26		10953.	63.5	. 316	171.5	.0221	-59.3			338.2	1.2	205.
27		11204.	63.4	. 329	171.2	.0241	-59.1			342.5	2.3	161.
28		11442.	63.4	. 341	171.0	.0259	-58.8			346.6	1.9	130.
29		11698.	63.1	. 353	169.7	.0280	-58.6			351.1	1.4	98.
30		11964.	63.0	. 368	169.2	. 0301	-58.3			355.8	1.5	89.
31		12219.	59.5	. 362	159.6	.0320	-58.1			360.3	1.7	85.
32		12466.	56.2	. 356	150.7	.0338	-57.9			364.7	3.0	65.
33 34		12522. 12999.	53.2 46.4	. 339	142.6	. 0342	-57.8 -57.4			365.7	.9	149.
35		13229.	43.0	. 319 . 307	124.0 115.0	.0373 .0386	-57.4 -57.2			374.5 378.8	1.2 3.2	176. 52.
36		13464.	42.8	.317	114.3	.0399	-57.2 -57.0			383.2	2.4	30.
37		13723.	43.8	.338	116.9	.0412	-56.8			388.1	1.0	16.
38		13993.	41.0	. 330	109.2	.0412	-56.5			393.2	2.6	34.
39		14244.	35.9	. 301	95.5	.0439	-56.3			398.1	4.0	29.
40		14510.	33.7	. 295	89.5	.0451	-55.8			403.8	2.5	42.
41		14790.	35.9	. 328	94.9	.0463	-54.8			410.7	2.8	26.
42		15083.	35.5	. 339	93.5	.0475	-53.8			418.0	5.1	10.
43		15379.	42.2	. 422	110.7	.0489	-52.9			425.4	5.4	11.
44		15610.	47.0	. 488	122.7	.0501	-51.8			431.9	6.1	6.
45		15836.	52.0	. 559	135.0	.0514	-50.8			438.3	7.5	357.
46		16064.	50.9	. 566	131.5	. 0528	-49.8			444.6	8.0	354.
47		16348.	52.8	. 613	135.8	.0546	-48.6			452.6	6.9	352.
48		16605.	71.1	. 859	181.9	.0563	-47.5			459.7	6.2	351.
49		16908.	79.0	.999	201.3	.0589	-46.4			468.2	7.7	1.

TIME PRESS ALT OZONE	STATI	ON: SOUTH POLE		LAUNC	H DATE:	30 NOV	89 402 Z	ECC	SONDE:	444049	
MIN MB OFM NB PPMV CAMM ATMON C C X K M/S DEC C T3.5 T3.2 T3.46 S S S S S S S S S											WIND
50 76.0 7175.5 82.2 1.081 2081 .0614 -45.0 476.5 82 6 39.3 9.9 51 73.2 717456 81.6 1.114 208.3 83.63 -43.6 484.5 93.7 9 9 52 70.4 17689 99.6 1.415 249.1 .0865 -42.3 422.8 9.5 22. 54 64.9 18243.1 102.6 1.581 253.3 .0727 -39.2 511.2 9.93 347. 55 60.0 18784.1 112.5 1.676 274.4 .0793 -36.3 529.1 5.7 344. 57 5.9808.0 115.6 2.010 280.1 .0831 -34.9 538.8 11.0 351.1 37.3 59 52.7 19802.1 117.5 2.328 2895.2 28.7 34.1 34.9 536.8 11.0 351.1 358.8 11.0 359.2 41.1 359.2 <td>MIN</td> <td>MB GPM</td> <td>NB</td> <td>PPMV</td> <td>GAMMA</td> <td>ATMCM</td> <td></td> <td></td> <td>K</td> <td></td> <td></td>	MIN	MB GPM	NB	PPMV	GAMMA	ATMCM			K		
52 70.4 17689. 99.6 1.415 249.1 .9665 -40.7 592.2 8.5 347 53 67.5 17975. 96.0 1.423 238.5 .9697 -40.7 592.2 8.5 347 54 64.9 18243. 102.6 1.581 253.3 .0727 -39.2 511.2 9.9 347. 55 66.0 18724. 116.5 1.709 261.1 .0761 -57.7 .520.5 6.5 .352 529.1 5.7 344. 57 57.5 19808. 115.6 2.018 280.1 .0831 -34.9 538.8 11.0 .351 55.7 .344. 58 55.0 19392. 121.7 2.309 292.4 .0913 -32.8 557.2 16.1 .36 59.9 52.7 19692. 121.7 2.309 292.4 .0913 -32.6 564.7 27.9 293. 56. 56.5 51.992. 117.7 2.309 292.4 .0913 -32.6 564.7 27.9 293. 561 48.8 202.34 114.3 2.343 273.6 .0985 -31.9 571.7 14.3 341. 579.9 24.9 243. 41. 633 45.0 20809. 176.4 3.9919 418.9 .1079 -30.1 589.4 15.7 343. 493.4 2082. 66 56.5 21367. 177.9 4.266. 428.6 2.2 316. 579.7 54.9 441.	50	76.0 17175.	82.2	1.082	208.1	.0614	-45.0		476.5		6.
53 67,5 17975 96.0 1.423 238.5 9.6697 -40.7 592.2 8.5 347 54 64.9 18243 102.6 1.581 253.3 0.727 -39.2 511.2 9.9 347 55 62.3 18524 106.5 1.709 261.1 .0761 -37.7 520.5 6.6 5.5 352 56 60.0 18764 112.5 1.876 274.4 .0793 -36.3 529.1 5.7 5.7 57 57.5 19806 115.6 2.010 280.1 .0813 -34.9 538.8 11.0 313.6 58 55.7 19932 122.5 2.228 292.2 .0913 -32.8 557.2 16.1 346.0 60 50.5 19992 117.5 2.328 282.1 .0954 -32.6 554.7 27.9 29.2 61 48.8 20234 114.3 2.343 273.6 .0955 -31.9 571.7 14.3 341.6 62 47.0 20500 163.7 3.483 390.4 .1022 -31.1 579.9 24.9 41. 63 48.2 2180 180.6 4.181 427.6 .1156 -29.3 598.4 16.3 341. 64 43.2 2100 <td< td=""><td>51</td><td>73.2 17426.</td><td>81.6</td><td>1.114</td><td>205.3</td><td>.0638</td><td>-43.6</td><td></td><td>484.5</td><td>9.3</td><td>9.</td></td<>	51	73.2 17426.	81.6	1.114	205.3	.0638	-43.6		484.5	9.3	9.
54 64.9 1824.3 192.6 1.581 253.3 .9727 -39.2 511.2 9.9 347. 55 62.3 18524. 106.5 1.709 261.1 .0761 -37.7 520.5 6.5 352. 56 60.0 18784. 112.5 1.881 -4.0783 -36.3 529.1 5.7 344. 57 57.5 19080. 115.6 2.010 28.1 -33.5 549.0 13.6 355. 59 52.7 19692. 121.7 2.309 292.4 .0913 -32.6 556.7 27.79 293. 61 48.8 2023.4 114.3 2.343 273.6 .0985 -31.9 571.7 14.3 341. 62 47.0 20809. 176.4 3.919 418.9 1.029 -30.1 588.4 116.3 342. 64 43.2 2100. 180.6 4.18.1 427.6 1136.6 29.3 598.4	52	70.4 17689.	99.6	1.415	249.1	. 0665	-42.3		492.8	9.5	2.
55 62.3 18524. 106.5 1.709 261.1 .0761 -37.7 528.6 5.7 344. 56 60.0 18784. 112.5 1.876 274.4 0.8793 -36.3 529.1 5.7 344. 57 57.5 19080. 115.6 2.010 280.1 .0831 -34.9 538.8 11.0 351. 59 52.7 19892. 121.7 2.309 292.4 .0913 -32.8 557.2 16.1 349.0 60 50.5 19992. 117.5 2.328 282.1 .0954 -32.6 554.7 27.9 23.9 61 48.8 20234. 114.3 23.33 273.4 27.9 28.1 62 47.0 20500. 163.7 3.483 390.4 .1022 -31.1 579.9 24.9 41.4 63 47.5 208.0 41.5 21.33 29.8 41.5 23.3 598.4 15.7 34	53	67.5 17975.	96.0	1.423	238.5	. 0697	-40.7		502.2	8.5	347.
56 60.0 18784. 112.5 1.876 274.4 .0793 -35.3 529.1 5.7 344. 57 57.5 1980. 115.6 2.0 00 289.1 -34.9 538.8 11.0 351.5 58 55.0 19392. 121.7 2.382 295.2 .0872 -33.5 549.0 13.6 355.5 59 52.7 19692. 117.5 2.382 282.1 .0995 -32.6 564.7 27.9 293.6 61 48.8 20234. 111.3 2.388 282.1 .0995 -31.9 571.7 14.3 341. 62 47.0 20800. 16.37 3.483 39.8 1.1022 -31.1 579.9 42.9 41.1 63 45.0 20809. 176.4 3.99.9 418.9 .1022 31.1 579.9 42.9 41.2 64 43.2 2110.0 18.8 4.26.6 20.5 3.119.0 <th< td=""><td>54</td><td>64.9 18243.</td><td>102.6</td><td>1.581</td><td></td><td>.0727</td><td>-39.2</td><td></td><td>511.2</td><td>9.9</td><td>347.</td></th<>	54	64.9 18243.	102.6	1.581		.0727	-39.2		511.2	9.9	347.
57 57.5 19880. 115.6 2.010 280.1 .0831 -34.9 538.8 11.0 351.5 58 55.0 19392. 121.7 2.389 292.4 .0913 -32.8 557.2 16.1 349.6 60 50.5 19992. 117.5 2.389 292.4 .0954 -32.6 564.7 27.9 293.3 61 48.8 20234. 114.3 2.343 273.6 .0954 -32.6 564.7 27.9 293.4 61 48.8 20234. 114.3 2.343 273.6 .0985 -31.9 571.7 14.3 341.6 62 47.0 20500. 165.7 3.433 293.4 11022 -31.1 579.9 24.9 4.1 63 45.0 20800. 176.4 3.919.4 41.9 9.1079 -30.1 589.4 16.3 342. 64 43.2 2110.8 43.4 414.3 41.1 42.2									520.5		
55 55 6 1992 122.5 2.228 295.2 .0872 -33.5 549.0 13.6 355.7 59 52.7 19692 121.7 2.328 282.1 .0913 -32.8 557.2 16.1 349. 60 50.5 19992 117.5 2.328 282.1 .0955 -31.9 571.7 14.3 349.4 61 48.8 2023.4 111.3 2.388 282.1 .0985 -31.9 571.7 14.3 341. 62 47.0 200809 176.4 3.919 418.9 .1079 -30.1 589.4 16.3 342. 64 43.2 21100 180.6 4.181 427.6 .1136 -29.3 598.4 15.7 347. 66 41.5 21387 4.286 420.3 .1192 -28.8 606.5 15.9 354. 66 40.0 21651 173.8 4.369 400.5 .1349 -27.9 </td <td></td>											
59 52.7 19592. 121.7 2.309 292.4 8.0913 -32.8 557.2 16.1 349. 60 50.5 19392. 117.5 2.343 282.1 .0954 -32.6 564.7 27.9 293. 61 48.8 20234. 114.3 2.343 273.6 .0985 -31.9 571.7 14.3 341. 62 47.0 20500. 163.7 3.483 390.4 .1022 -31.1 579.9 24.9 41. 41.6 3.342. 64 43.2 21100. 180.6 4.181 427.6 .1136 -29.3 598.4 15.7 347. 65 41.5 21387. 177.9 4.286 420.3 .1192 -28.8 666.5 15.9 347. 666.5 15.9 347. 66 40.0 21651. 173.8 4.345 410.3 .1243 -28.5 613.7 17.7 352. 673.7 17.7 352. 67 38.4 21943. 173.0 4.504 407.7 .1299 -28.2 621.8 18.9 349. 68 37.0 22210. 170.1 4.598 400.5 380.4 .1459 -27.5 638.0 23.9 340. 69 35.4 2528. 164.8 4.667 387.5 .1407 -27.5 638.0 23.9 340. 70 34.0 22818. 162.0 4.765 380.4 .1459 -27.0 652.3 638.0 23.9 340. 71 33.0 23033. 157.9 4.784 370.2 .1497 -27.0 652.3 14.0 335. 72 32.8 23077. 153.8 4.268 360.8 .1594 -27.0 652.5 669.3 14.0 331. 73 3										11.0	
60 50.5 19992. 117.5 2.328 282.1 .0954 -32.6 564.7 27.9 293. 61 48.8 20234. 114.3 2.343 273.6 .0985 -31.9 571.7 14.3 341. 62 47.0 20500. 163.7 3.483 390.4 1.1022 -31.1 579.9 24.9 41. 63 45.0 20809. 176.4 3.919 418.9 .1079 -30.1 589.4 16.3 342. 66 41.5 21387. 177.9 4.286 420.3 .1192 -28.8 606.5 15.9 354. 66 40.0 21651. 173.8 4.944 40.7 1299 -28.2 621.8 18.9 349. 68 35.4 22210. 170.1 4.598 400.5 .1349 -27.9 6221.2 8.34 18.9 340. 68 35.4 22210. 176.4 4765 380.4 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>											
61 48.8 20234. 114.3 2.343 273.6 .0985 -31.9 571.7 14.3 341. 62 47.0 20500. 163.7 3.483 39.4 .1022 -31.1 579.9 24.9 41. 63 45.0 20809. 176.4 3.919 418.9 .1079 -30.1 559.4 16.3 342. 64 43.2 21100. 180.6 4.181 427.6 .1136 -29.3 588.4 15.7 347. 65 41.5 21387. 177.9 4.266 420.3 .1192 -228.8 606.5 15.9 346. 66 40.0 21651. 173.8 4.345 410.3 .1243 -28.5 608.5 15.9 346. 67 38.4 21943. 173.0 4.504 407.7 .1299 -28.2 621.8 18.9 349. 68 37.0 22210. 170.1 4.598 400.5 .1349 -27.5 638.0 23.9 340. 69 35.4 22528. 164.8 4.657 380.4 .1459 -27.2 646.2 21.8 335. 70 34.0 22818. 162.0 4.765 380.4 .1459 -27.2 646.2 21.8 335. 71 33.0 23033. 157.9 4.84 370.2 .1497 -27.0 652.3 14.0 331. 72 32.8 23077. 153.8 4.689 360.8 .1504 -27.0 653.5 15.2 340. 73 30.4 23626. 155.1 5.103 353.1 .1596 -226.5 669.3 19.9 344. 74 29.2 23917. 151.1 5.173 353.4 .1645 -26.3 677.5 17.3 341. 75 27.9 24246. 142.2 5.096 332.2 .1698 -26.1 666.9 18.7 341. 76 26.9 24510. 135.7 5.44 316.9 .1737 -26.0 694.4 18.7 342. 77 25.9 24785. 135.8 5.242 316.9 .1737 -26.0 694.4 18.7 342. 78 24.8 25099. 135.2 5.452 315.4 .1824 -25.7 711.5 14.9 346. 81 22.0 25968. 114.9 5.223 267.8 1.943 -25.6 720.3 15.5 349. 80 23.0 25645. 121.5 5.283 283.3 .1901 -25.5 727.7 18.1 343. 81 22.0 25968. 114.9 5.223 267.8 1.943 -25.4 737.4 18.3 332. 82 21.0 26306. 110.7 5.274 258.0 1.984 -25.2 77.7 15.5 48.7 342. 82 1.0 26306. 110.7 5.274 258.0 1.984 -25.2 77.7 18.5 349. 84 19.5 26844. 101.9 5.224 236.9 .2017 -25.1 756.3 12.0 325. 85 18.9 27072. 99.6 5.270 231.0 .2096 -23.7 782.6 881.1 1.0 18.5 339. 91 15.2 28671. 78.9 5.128 188.4 .2193 -21.7 819.6 22.9 33.3 39.1 1.2 2.2 2.3 33.3 39.1 1.2 2.2 2.3 33.3 39.1 1.2 2.2 2.3 33.3 39.1 1.2 2.2 2.3 33.3 39.1 1.2 2.2 2.3 33.3 39.3 14.2 2.2 2.3 33.3 39.3 14.2 2.2 2.3 33.3 39.3 14.2 2.2 2.3 33.3 39.3 14.2 2.3 2.3 34.3 39.3 14.2 2.3 2.3 34.3 39.3 14.2 2.3 2.3 34.3 39.3 14.2 2.3 2.3 34.3 39.3 14.2 2.3 35.3 39.3 14.2 2.3 35.3 39.3 14.2 2.3 35.3 39.3 14.2 2.3 35.3 39.3 14.2 2.3 35.3 39.3 14.2 2.3 35.3 39.3 14.2 2.3 35.3 39.3 14.2 2.3 35.3 39.3 14.2 2.3 35.3 39.3 14.2											
62 47.0 20500. 163.7 3.483 390.4 .1022 -31.1 579.9 24.9 41. 63 45.0 20809. 176.4 3.919 418.9 .1079 -30.1 589.4 16.3 342. 64 43.2 21100. 180.6 4.181 427.6 .1136 -29.3 598.4 15.7 347. 65 41.5 21387. 177.9 4.286 420.3 .1192 -28.8 606.5 15.9 354. 66 40.0 21651. 173.8 4.345 410.3 .1243 -225.5 613.7 17.7 352. 67 38.4 21943. 173.0 4.504 407.7 .1299 -28.2 621.8 18.9 349. 68 35.4 22528. 164.8 4.567 387.5 .1407 -27.9 622.1 28.8 23.9 340. 70 34.0 22818. 162.0 4.765 380.4 .1459 -27.2 646.2 21.8 335. <											
63											
65											
65 41.5 21387. 177.9 4.286 420.3 .1192 -28.8 606.5 15.9 354. 66 40.0 21651. 173.8 4.345 410.3 .1243 -28.5 613.7 17.7 352. 67 38.4 21943. 173.0 4.504 407.7 .1299 -28.2 621.8 18.9 349. 68 37.0 22210. 170.1 4.598 400.5 .1349 -27.9 629.1 20.8 346. 70 34.0 22818. 162.0 4.765 380.4 .1459 -27.2 646.2 21.8 335. 71 33.0 33033. 157.9 4.784 370.2 .1497 -27.0 652.3 14.0 331. 72 328.2 23077. 153.8 4.689 360.8 .1504 -27.0 652.3 14.0 331. 73 30.4 23626.1 158.7 5.096 332.2 1698 260.1 686.9											
66 40.0 21551. 173.8 4.345 410.3 .1243 -28.5 613.7 17.7 352. 67 38.4 21943. 173.0 4.594 400.5 .1349 -27.9 629.1 20.8 346. 68 37.0 22210. 170.1 4.598 400.5 .1349 -27.9 629.1 20.8 346. 69 35.4 22528. 164.8 4.657 387.5 .1407 -27.5 638.0 23.9 340. 70 34.0 22818. 162.0 4.765 380.4 .1459 -27.0 652.3 14.0 331. 71 33.0 23626. 155.1 5.103 363.1 .1596 -26.5 669.3 19.9 344. 73 30.4 23626. 155.1 5.103 363.1 .1596 -26.3 667.5 17.5 17.3 341. 75 27.9 24246.1 12.2 5.096 332.2 <											
67 38.4 21943. 173.0 4.504 407.7 .1299 -28.2 621.8 18.9 349. 68 37.0 22210. 170.1 4.598 409.5 1.349 -27.5 628.6 23.9 346. 69 35.4 225818. 162.0 4.765 380.4 .1459 -27.2 646.2 21.8 335. 70 34.0 22818. 162.0 4.764 370.2 .1497 -27.0 652.3 14.0 331. 71 33.0 23626. 155.1 5.103 363.1 .1596 -26.5 669.3 19.9 344. 74 29.2 23917. 151.1 5.173 353.4 .1645 -26.3 677.5 17.3 341. 74 29.2 23917. 151.1 5.173 353.4 .1649 -26.3 677.5 17.3 341. 74 29.2 23917. 151.1 5.173 351.4 182.4 -26.3											
68 37.0 22210. 170.1 4.598 400.5 .1349 -27.9 629.1 20.8 346. 69 35.4 22528. 164.8 4.657 387.5 .1407 -27.2 638.0 23.9 340. 70 34.0 22818. 162.0 4.765 380.4 .1459 -27.2 646.2 21.8 335. 71 33.0 23033. 157.9 4.784 370.2 .1497 -27.0 652.3 14.0 331. 72 32.8 23077. 153.8 4.689 360.8 1.504 -27.0 652.3 14.0 331. 73 30.4 2362.0 155.1 5.103 363.1 1.596 -26.5 669.3 19.9 341. 74 29.2 23917. 151.1 5.173 363.4 .1645 -26.3 677.5 17.3 341. 75 27.9 24246.1 135.7 5.044 316.9 1737.7											
69 35.4 22528. 164.8 4.657 387.5 .1407 -27.5 638.0 23.9 340. 70 34.0 22818. 162.0 4.765 380.4 .1459 -27.2 646.2 21.8 335. 71 33.0 23033. 157.9 4.784 370.2 .1497 -27.0 652.3 14.0 331. 72 32.8 23077. 153.8 4.689 360.8 .1504 -27.0 653.5 15.2 340. 73 30.4 23626. 155.1 5.103 363.1 1.1596 -26.5 669.3 19.9 344. 74 29.2 23917. 151.1 5.173 355.4 .1645 -26.3 677.5 17.3 341. 76 26.9 24510. 135.7 5.044 316.9 .1778 -25.9 702.4 15.1 343. 78 24.8 25397. 129.3 5.452 315.4 .1824 -25.7 711.5 14.9 346. 79 23			_								
70 34.0 22818. 162.0 4.765 380.4 .1459 -27.2 646.2 21.8 335. 71 33.0 23033. 157.9 4.784 370.2 .1497 -27.0 652.3 14.0 331. 72 32.8 23077. 155.8 4.689 360.8 1.504 -27.0 653.5 15.2 340. 73 30.4 23626. 155.1 5.103 363.1 .1596 -26.5 669.3 19.9 344. 74 29.2 23917. 151.1 5.173 353.4 .1645 -26.3 677.5 17.3 341. 76 26.9 24510. 135.7 5.044 316.9 .1778 -25.9 702.4 15.1 343. 77 25.9 24785. 135.8 5.242 315.4 1827 -27.7 711.5 14.9 343. 78 24.8 250991. 135.2 5.452 315.4 .1824 -25.7 711.5 14.9 343. 79 23.8 25397.											
71 33.0 23033. 157.9 4.784 370.2 .1497 -27.0 652.3 14.0 331. 72 32.8 23077. 153.8 4.689 360.8 .1596 -27.0 653.5 15.2 340. 73 30.4 23626. 155.1 5.103 363.1 .1596 -26.5 669.3 19.9 344. 74 29.2 23917. 151.1 5.173 353.4 .1645 -26.3 677.5 17.3 341. 75 27.9 24246. 142.2 5.096 332.2 .1698 -26.1 686.9 18.7 341. 76 26.9 24510. 135.7 5.044 316.9 .1778 -25.9 702.4 15.1 343. 78 24.8 25099. 135.2 5.452 315.4 .1824 -25.7 711.5 14.9 342. 79 23.8 25397. 129.3 5.435 301.7 .1867 -25.7 711.5 14.9 344. 80 23.0 25645.											
72 32.8 23077. 153.8 4.689 360.8 .1504 -27.0 653.5 15.2 340. 73 30.4 23626. 155.1 5.103 363.1 .1596 -26.5 669.3 19.9 344. 74 29.2 23917. 151.1 5.173 353.4 .1645 -26.3 677.5 17.3 341. 75 27.9 24246. 142.2 5.096 332.2 .1698 -26.1 686.9 18.7 341. 76 26.9 24510. 135.7 5.044 316.9 .1778 -25.9 702.4 15.1 343. 78 24.85 25099. 135.2 5.452 315.4 .1824 -25.7 711.5 14.9 346. 79 23.8 25397. 129.3 5.435 301.7 .1867 -25.6 720.3 15.5 349. 80 23.0 25648. 111.9 5.223 267.8 .1943											
73 30.4 23626. 155.1 5.103 363.1 .1596 -26.5 669.3 19.9 344. 74 29.2 23917. 151.1 5.173 353.4 .1645 -26.3 677.5 17.3 341. 75 27.9 24246. 142.2 5.096 332.2 .1698 -26.1 686.9 18.7 341. 76 26.9 24510. 135.8 5.242 316.9 .1778 -25.9 702.4 15.1 342. 78 24.8 25099. 135.2 5.452 315.4 .1824 -25.7 711.5 14.9 346. 79 23.8 25397. 129.3 5.435 301.7 .1867 -25.6 720.3 15.5 349. 80 23.0 25645. 121.5 5.283 283.3 .1901 -25.5 727.7 18.1 344. 81 22.0 26508. 114.9 5.224 236.8 .1944 -25.2 747.6 15.9 326. 83 20.											
74 29.2 23917. 151.1 5.173 353.4 .1645 -26.3 677.5 17.3 341. 75 27.9 24246. 142.2 5.096 332.2 .1698 -26.1 686.9 18.7 341. 76 26.9 24510. 135.7 5.044 316.9 .1773 -26.0 694.4 18.7 342. 77 25.9 24785. 135.8 5.242 316.9 .1778 -25.9 702.4 15.1 343. 78 24.8 25099. 135.2 5.452 315.4 .1824 -25.7 711.5 14.9 346. 79 23.8 25397. 129.3 5.435 381.7 .1867 -25.6 720.3 15.5 349. 80 23.0 25645. 121.5 5.283 283.3 .1901 -25.5 727.7 18.1 344. 81 22.0 25968. 110.9 5.249 246.9 .2017 -25.1 756.3 12.0 325. 84 19.											
75 27.9 24246. 142.2 5.096 332.2 .1698 -26.1 686.9 18.7 341. 76 26.9 24510. 135.7 5.044 316.9 .1778 -25.9 702.4 15.1 342. 77 25.9 24785. 135.8 5.242 316.9 .1778 -25.9 702.4 15.1 343. 78 24.8 25099. 135.2 5.452 315.4 .1824 -25.7 711.5 14.9 346. 79 23.8 25397. 129.3 5.435 301.7 .1867 -25.6 720.3 15.5 349. 80 23.0 25645. 121.5 5.283 283.3 .1901 -25.5 727.7 18.1 344. 81 22.0 25968. 114.9 5.223 267.8 .1944 -25.2 747.6 15.9 326. 82 21.0 26368. 116.7 5.249 246.9 .2017 -25.1 756.3 12.0 325. 84 19.5 26844.											
76 26.9 24510. 135.7 5.044 316.9 .1737 -26.0 694.4 18.7 342. 77 25.9 24785. 135.8 5.242 316.9 .1778 -25.9 702.4 15.1 343. 78 24.8 25099. 135.2 5.452 315.4 .1824 -25.7 711.5 14.9 346. 79 23.8 25397. 129.3 5.435 301.7 .1867 -25.6 720.3 15.5 349. 80 23.0 25645. 121.5 5.283 283.3 .1901 -25.5 727.7 18.1 344. 81 22.0 25968. 110.7 5.274 258.0 .1984 -25.2 747.6 15.9 326. 83 20.2 26588. 106.0 5.249 246.9 .2017 -25.1 756.3 12.0 325. 84 19.5 26844. 101.9 5.2242 236.8 2047											
77 25.9 24785. 135.8 5.242 316.9 .1778 -25.9 702.4 15.1 343. 78 24.8 25099. 135.2 5.452 315.4 .1824 -25.7 711.5 14.9 346. 79 23.8 25397. 129.3 5.435 301.7 1867 -25.6 720.3 15.5 349. 80 23.0 25645. 121.5 5.283 283.3 .1901 -25.5 727.7 18.1 344. 81 22.0 25968. 114.9 5.223 267.8 .1943 -25.4 737.4 18.3 332. 82 21.0 26306. 110.7 5.274 258.0 .1984 -25.2 747.6 15.9 326. 83 20.2 26588. 106.0 5.279 231.0 .2071 -25.1 756.3 12.0 325. 84 19.5 26844. 101.9 5.248 217.0 .2013 <											
78 24.8 25099. 135.2 5.452 315.4 .1824 -25.7 711.5 14.9 346. 79 23.8 25397. 129.3 5.435 301.7 .1867 -25.6 720.3 15.5 349. 80 23.0 25645. 121.5 5.283 283.3 .1901 -25.5 727.7 18.1 344. 81 22.0 25968. 114.9 5.223 267.8 .1943 -25.2 747.6 15.9 326. 82 21.0 26306. 110.7 5.274 258.0 .1984 -25.2 747.6 15.9 326. 83 20.2 26588. 106.0 5.249 246.9 .2017 -25.1 756.3 12.0 325. 84 19.5 26844. 101.9 5.224 236.8 .2047 -24.7 765.4 8.7 346. 85 18.9 27072. 99.6 5.270 231.0 .2071 -24.7 765.4 8.7 346. 86 18.3 27307. <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>											
79 23.8 25397. 129.3 5.435 301.7 .1867 -25.6 720.3 15.5 349. 80 23.0 25645. 121.5 5.283 283.3 .1901 -25.5 727.7 18.1 344. 81 22.0 25968. 114.9 5.223 267.8 .1943 -25.4 737.4 18.3 332. 82 21.0 26306. 110.7 5.274 258.0 .1984 -25.2 .747.6 15.9 326. 747.6 15.9 326. 83 20.2 26588. 106.0 5.249 246.9 .2017 -25.1 .756.3 12.0 325. 84 19.5 26844. 101.9 5.224 236.8 .2047 -24.7 .765.4 8.7 346. 85 18.9 27072. 99.6 5.270 231.0 .2071 -24.2 .773.8 12.4 5. 86 18.3 27307. 98.9 5.407 229.0 .2096 -23.7 .782.6 16.0 359. 87 17.9 27469. 93.9 5.248 217.0 .2113 -23.3 .788.6 20.7 345. 88 17.1 27804. 92.1 5.389 212.4 .2147 -22.6 801.1 18.2 334. 89 16.5 28066. 84.8 5.138 195.0 .2172 -22.1 811.0 18.5 339. 90 16.0 28293. 82.0 5.128 188.4 .2193 -21.7 819.6 2.9 323. 91 15.2 28671. 78.9 5.193 180.7 .2255 -21.0 833.9 6.8 320. 92 14.8 28868. 75.7 5.116 173.1 .2242 -20.7 841.4 21.9 333. 93 14.2 29175. 72.4 5.100 165.2 .2266 -20.2 853.2 9.6 311. 94 13.8 29386. 68.9 4.994 157.2 .2282 -19.8 861.3 7.6 321. 95 13.2 29											
80 23.0 25645. 121.5 5.283 283.3 .1901 -25.5 727.7 18.1 344. 81 22.0 25968. 114.9 5.223 267.8 .1943 -25.4 737.4 18.3 332. 82 21.0 26306. 110.7 5.274 258.0 .1984 -25.2 747.6 15.9 326. 83 20.2 26588. 106.0 5.249 246.9 .2017 -25.1 756.3 12.0 325. 84 19.5 26844. 101.9 5.242 236.8 .2047 -24.7 765.4 8.7 346. 85 18.9 27072. 99.6 5.270 231.0 .2071 -24.2 773.8 12.4 5. 86 18.3 27307. 98.9 5.407 229.0 .2096 -23.7 782.6 16.0 359. 87 17.9 27469. 93.9 5.248 217.0 .2113 -23.3 788.6 20.7 345. 89 16.5 28066. 8	79										349.
81 22.0 25968. 114.9 5.223 267.8 .1943 -25.4 737.4 18.3 332. 82 21.0 26306. 110.7 5.274 258.0 .1984 -25.2 747.6 15.9 326. 83 20.2 26588. 106.0 5.249 246.9 .2017 -25.1 756.3 12.0 325. 84 19.5 26844. 101.9 5.224 236.8 .2047 -24.7 765.4 8.7 346. 85 18.9 27072. 99.6 5.270 231.0 .2071 -24.2 773.8 12.4 5. 86 18.3 27307. 98.9 5.407 229.0 .2096 -23.7 782.6 16.0 359. 87 17.9 27469. 93.9 5.248 217.0 .2113 -23.3 788.6 20.7 345. 88 17.1 27804. 92.1 5.389 212.4 .2147 -22.6 801.1 18.2 334. 89 16.5 28066. 84	80	23.0 25645.							727.7	18.1	344.
82 21.0 26306. 110.7 5.274 258.0 .1984 -25.2 747.6 15.9 326. 83 20.2 26588. 106.0 5.249 246.9 .2017 -25.1 756.3 12.0 325. 84 19.5 26844. 101.9 5.224 236.8 .2047 -24.7 765.4 8.7 346. 85 18.9 27072. 99.6 5.270 231.0 .2071 -24.2 773.8 12.4 5. 86 18.3 27307. 98.9 5.407 229.0 .2096 -23.7 782.6 16.0 359. 87 17.9 27469. 93.9 5.248 217.0 .2113 -23.3 788.6 20.7 345. 88 17.1 27804. 92.1 5.389 212.4 .2147 -22.6 801.1 18.2 334. 89 16.5 28066. 84.8 5.138 195.0 .2172 -22.1 811.0 18.5 339. 91 15.2 28671. 78.	81		114.9		267.8	.1943			737.4	18.3	332.
84 19.5 26844. 101.9 5.224 236.8 .2047 -24.7 765.4 8.7 346. 85 18.9 27072. 99.6 5.270 231.0 .2071 -24.2 773.8 12.4 5. 86 18.3 27307. 98.9 5.407 229.0 .2096 -23.7 782.6 16.0 359. 87 17.9 27469. 93.9 5.248 217.0 .2113 -23.3 788.6 20.7 345. 88 17.1 27804. 92.1 5.389 212.4 .2147 -22.6 801.1 18.2 334. 89 16.5 28066. 84.8 5.138 195.0 .2172 -22.1 811.0 18.5 339. 90 16.0 28293. 82.0 5.128 188.4 .2193 -21.7 819.6 2.9 323. 91 15.2 28671. 78.9 5.193 180.7 .2225 -21.0 833.9 6.8 320. 92 14.8 28868. 75.7 <td>82</td> <td>21.0 26306.</td> <td>110.7</td> <td>5.274</td> <td>258.0</td> <td></td> <td>-25.2</td> <td></td> <td>747.6</td> <td>15.9</td> <td>326.</td>	82	21.0 26306.	110.7	5.274	258.0		-25.2		747.6	15.9	326.
85 18.9 27072. 99.6 5.270 231.0 .2071 -24.2 773.8 12.4 5. 86 18.3 27307. 98.9 5.407 229.0 .2096 -23.7 782.6 16.0 359. 87 17.9 27469. 93.9 5.248 217.0 .2113 -23.3 788.6 20.7 345. 88 17.1 27804. 92.1 5.389 212.4 .2147 -22.6 801.1 18.2 334. 89 16.5 28066. 84.8 5.138 195.0 .2172 -22.1 811.0 18.5 339. 90 16.0 28293. 82.0 5.128 188.4 .2193 -21.7 819.6 2.9 323. 91 15.2 28671. 78.9 5.193 180.7 .2225 -21.0 833.9 6.8 320. 92 14.8 28868. 75.7 5.116 173.1 .2242 -20.7 841.4 21.9 333. 93 14.2 29175. 72.4 5.100 165.2 .2266 -20.2 853.2 9.6 311. 94 13.8 29386. 68.9 4.994 157.2 .2282 -19.8 861.3 7.6 321. 95 13.0 29830. 61.1 4.699 138.7 .2313 -19.1 878.5 8.6 348. 97 12.6 30063. 57.9 4.593 131.4 .2328 -18.8 887.5 8.9 3-4. 98 12.2 30303. 55.1 4.519 125.0 .2343 -18.5 897.0 8.4 549. 99 11.9 30489. 54.9 4.610 124.2 .2353 -18.2 904.3 12.3 6. 100 11.5 30745. 54.2 4.712 122.5 .2368 -17.9 914.4 11.8 351. 101 11.2 30942. 52.5 4.687 118.7 .2379 -17.6 922.2 9.2 328. 102 11.0 31077. 50.9 4.626 115.0 .2387 -17.4 927.6 7.4 318.	83	20.2 26588.	106.0	5.249	246.9	.2017	-25.1		756.3	12.0	325.
86 18.3 27307. 98.9 5.407 229.0 .2096 -23.7 782.6 16.0 359. 87 17.9 27469. 93.9 5.248 217.0 .2113 -23.3 788.6 20.7 345. 88 17.1 27804. 92.1 5.389 212.4 .2147 -22.6 801.1 18.2 334. 89 16.5 28066. 84.8 5.138 195.0 .2172 -22.1 811.0 18.5 339. 90 16.0 28293. 82.0 5.128 188.4 .2193 -21.7 819.6 2.9 323. 91 15.2 28671. 78.9 5.193 180.7 .2225 -21.0 833.9 6.8 320. 92 14.8 28868. 75.7 5.116 173.1 .2242 -20.7 841.4 21.9 333. 93 14.2 29175. 72.4 5.100 165.2 .2266 -20.2 853.2 9.6 311. 94 13.8 29386. 68.9 </td <td>84</td> <td>19.5 26844.</td> <td>101.9</td> <td>5.224</td> <td>236.8</td> <td>. 2047</td> <td>-24.7</td> <td></td> <td>765.4</td> <td>8.7</td> <td>346.</td>	84	19.5 26844.	101.9	5.224	236.8	. 2047	-24.7		765.4	8.7	346.
87 17.9 27469. 93.9 5.248 217.0 .2113 -23.3 788.6 20.7 345. 88 17.1 27804. 92.1 5.389 212.4 .2147 -22.6 801.1 18.2 334. 89 16.5 28066. 84.8 5.138 195.0 .2172 -22.1 811.0 18.5 339. 90 16.0 28293. 82.0 5.128 188.4 .2193 -21.7 819.6 2.9 323. 91 15.2 28671. 78.9 5.193 180.7 .2225 -21.0 833.9 6.8 320. 92 14.8 28868. 75.7 5.116 173.1 .2242 -20.7 841.4 21.9 333. 93 14.2 29175. 72.4 5.100 165.2 .2266 -20.2 853.2 9.6 311. 94 13.8 29386. 68.9 4.994 157.2 .2282 -19.8 861.3 7.6 321. 95 13.2 29717. 65.1 <td>85</td> <td>18.9 27072.</td> <td>99.6</td> <td>5.270</td> <td>231.0</td> <td>. 2071</td> <td>-24.2</td> <td></td> <td>773.8</td> <td>12.4</td> <td>5.</td>	85	18.9 27072.	99.6	5.270	231.0	. 2071	-24.2		773.8	12.4	5.
88 17.1 27804. 92.1 5.389 212.4 .2147 -22.6 801.1 18.2 334. 89 16.5 28066. 84.8 5.138 195.0 .2172 -22.1 811.0 18.5 339. 90 16.0 28293. 82.0 5.128 188.4 .2193 -21.7 819.6 2.9 323. 91 15.2 28671. 78.9 5.193 180.7 .2225 -21.0 833.9 6.8 320. 92 14.8 28868. 75.7 5.116 173.1 .2242 -20.7 841.4 21.9 333. 93 14.2 29175. 72.4 5.100 165.2 .2266 -20.2 853.2 9.6 311. 94 13.8 29386. 68.9 4.994 157.2 .2282 -19.8 861.3 7.6 321. 95 13.2 29717. 65.1 4.928 148.0 .2306 -19.3 874.1 7.1 339. 96 13.0 29830. 61.1 <td>86</td> <td>18.3 27307.</td> <td>98.9</td> <td>5.407</td> <td>229.0</td> <td>. 2096</td> <td>-23.7</td> <td></td> <td>782.6</td> <td>16.0</td> <td>359.</td>	86	18.3 27307.	98.9	5.407	229.0	. 2096	-23.7		782.6	16.0	359.
89 16.5 28066. 84.8 5.138 195.0 .2172 -22.1 811.0 18.5 339. 90 16.0 28293. 82.0 5.128 188.4 .2193 -21.7 819.6 2.9 323. 91 15.2 28671. 78.9 5.193 180.7 .2225 -21.0 833.9 6.8 320. 92 14.8 28868. 75.7 5.116 173.1 .2242 -20.7 841.4 21.9 333. 93 14.2 29175. 72.4 5.100 165.2 .2266 -20.2 853.2 9.6 311. 94 13.8 29386. 68.9 4.994 157.2 .2282 -19.8 861.3 7.6 321. 95 13.2 29717. 65.1 4.928 148.0 .2306 -19.3 874.1 7.1 339. 96 13.0 29830. 61.1 4.699 138.7 .2313 -19.1 878.5 8.6 348. 97 12.6 30063. 57.9	87	17.9 27469.	93.9	5.248		.2113	-23.3				
90 16.0 28293. 82.0 5.128 188.4 .2193 -21.7 819.6 2.9 323. 91 15.2 28671. 78.9 5.193 180.7 .2225 -21.0 833.9 6.8 320. 92 14.8 28868. 75.7 5.116 173.1 .2242 -20.7 841.4 21.9 333. 93 14.2 29175. 72.4 5.100 165.2 .2266 -20.2 853.2 9.6 311. 94 13.8 29386. 68.9 4.994 157.2 .2282 -19.8 861.3 7.6 321. 95 13.2 29717. 65.1 4.928 148.0 .2306 -19.3 874.1 7.1 339. 96 13.0 29830. 61.1 4.699 138.7 .2313 -19.1 878.5 8.6 348. 97 12.6 30063. 57.9 4.593 131.4 .2328 -18.8 887.5 8.9 3-4. 98 12.2 30303. 55.1 4.519 125.0 .2343 -18.5 897.0 8.4 549. 99 11.9 30489. 54.9 4.610 124.2 .2353 -18.2 904.3 12.3 6. 100 11.5 30745. 54.2 4.712 122.5 .2368 -17.9 914.4 11.8 351. 101 11.2 30942. 52.5 4.687 118.7 .2379 -17.6 922.2 9.2 328. 102 11.0 31077. 50.9 4.626 115.0 .2387 -17.4 927.6 7.4 318. 103 10.8 31215. 50.2 4.651 113.4 .2394 -17.3 933.1 10.7 318.				5.389							
91 15.2 28671. 78.9 5.193 180.7 .2225 -21.0 833.9 6.8 320. 92 14.8 28868. 75.7 5.116 173.1 .2242 -20.7 841.4 21.9 333. 93 14.2 29175. 72.4 5.100 165.2 .2266 -20.2 853.2 9.6 311. 94 13.8 29386. 68.9 4.994 157.2 .2282 -19.8 861.3 7.6 321. 95 13.2 29717. 65.1 4.928 148.0 .2306 -19.3 874.1 7.1 339. 96 13.0 29830. 61.1 4.699 138.7 .2313 -19.1 878.5 8.6 348. 97 12.6 30063. 57.9 4.593 131.4 .2328 -18.8 887.5 8.9 3-4. 98 12.2 30303. 55.1 4.519 125.0 .2343 -18.5 897.0 8.4 549. 99 11.9 30489. 54.9											
92 14.8 28868. 75.7 5.116 173.1 .2242 -20.7 841.4 21.9 333. 93 14.2 29175. 72.4 5.100 165.2 .2266 -20.2 853.2 9.6 311. 94 13.8 29386. 68.9 4.994 157.2 .2282 -19.8 861.3 7.6 321. 95 13.2 29717. 65.1 4.928 148.0 .2306 -19.3 874.1 7.1 339. 96 13.0 29830. 61.1 4.699 138.7 .2313 -19.1 878.5 8.6 348. 97 12.6 30063. 57.9 4.593 131.4 .2328 -18.8 887.5 8.9 3-4. 98 12.2 30303. 55.1 4.519 125.0 .2343 -18.5 897.0 8.4 549. 99 11.9 30489. 54.9 4.610 124.2 .2353 -18.2 904.3 12.3 6. 100 11.5 30745. 54.2											
93 14.2 29175. 72.4 5.100 165.2 .2266 -20.2 853.2 9.6 311. 94 13.8 29386. 68.9 4.994 157.2 .2282 -19.8 861.3 7.6 321. 95 13.2 29717. 65.1 4.928 148.0 .2306 -19.3 874.1 7.1 339. 96 13.0 29830. 61.1 4.699 138.7 .2313 -19.1 878.5 8.6 348. 97 12.6 30063. 57.9 4.593 131.4 .2328 -18.8 887.5 8.9 3-4. 98 12.2 30303. 55.1 4.519 125.0 .2343 -18.5 897.0 8.4 549. 99 11.9 30489. 54.9 4.610 124.2 .2353 -18.2 904.3 12.3 6. 100 11.5 30745. 54.2 4.712 122.5 .2368 -17.9 914.4 11.8 351. 101 11.2 30942. 52.5 4.687 118.7 .2379 -17.6 922.2 9.2											
94 13.8 29386. 68.9 4.994 157.2 .2282 -19.8 861.3 7.6 321. 95 13.2 29717. 65.1 4.928 148.0 .2306 -19.3 874.1 7.1 339. 96 13.0 29830. 61.1 4.699 138.7 .2313 -19.1 878.5 8.6 348. 97 12.6 30063. 57.9 4.593 131.4 .2328 -18.8 887.5 8.9 3-4. 98 12.2 30303. 55.1 4.519 125.0 .2343 -18.5 897.0 8.4 549. 99 11.9 30489. 54.9 4.610 124.2 .2353 -18.2 904.3 12.3 6. 100 11.5 30745. 54.2 4.712 122.5 .2368 -17.9 914.4 11.8 351. 101 11.2 30942. 52.5 4.687 118.7 .2379 -17.6 922.2 9.2 328. 102 11.0 31077. 50.9 4.626 115.0 .2387 -17.4 927.6 7.4 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>											
95 13.2 29717. 65.1 4.928 148.0 .2306 -19.3 874.1 7.1 339. 96 13.0 29830. 61.1 4.699 138.7 .2313 -19.1 878.5 8.6 348. 97 12.6 30063. 57.9 4.593 131.4 .2328 -18.8 887.5 8.9 3-4. 98 12.2 30303. 55.1 4.519 125.0 .2343 -18.5 897.0 8.4 549. 99 11.9 30489. 54.9 4.610 124.2 .2353 -18.2 904.3 12.3 6. 100 11.5 30745. 54.2 4.712 122.5 .2368 -17.9 914.4 11.8 351. 101 11.2 30942. 52.5 4.687 118.7 .2379 -17.6 922.2 9.2 328. 102 11.0 31077. 50.9 4.626 115.0 .2387 -17.4 927.6 7.4 318. 103 10.8 31215. 50.2 4.651 113.4 .2394 -17.3 933.1 10.7 <											
96 13.0 29830 61.1 4.699 138.7 .2313 -19.1 878.5 8.6 348. 97 12.6 30063 57.9 4.593 131.4 .2328 -18.8 887.5 8.9 3-4. 98 12.2 30303 55.1 4.519 125.0 .2343 -18.5 897.0 8.4 549. 99 11.9 30489 54.9 4.610 124.2 .2353 -18.2 904.3 12.3 6. 100 11.5 30745 54.2 4.712 122.5 .2368 -17.9 914.4 11.8 351. 101 11.2 30942 52.5 4.687 118.7 .2379 -17.6 922.2 9.2 328. 102 11.0 31077 50.9 4.626 115.0 .2387 -17.4 927.6 7.4 318. 103 10.8 31215 50.2 4.651 113.4 .2394 -17.3 933.1 10.7 318.											
97 12.6 30063. 57.9 4.593 131.4 .2328 -18.8 887.5 8.9 3-4. 98 12.2 30303. 55.1 4.519 125.0 .2343 -18.5 897.0 8.4 549. 99 11.9 30489. 54.9 4.610 124.2 .2353 -18.2 904.3 12.3 6. 100 11.5 30745. 54.2 4.712 122.5 .2368 -17.9 914.4 11.8 351. 101 11.2 30942. 52.5 4.687 118.7 .2379 -17.6 922.2 9.2 328. 102 11.0 31077. 50.9 4.626 115.0 .2387 -17.4 927.6 7.4 318. 103 10.8 31215. 50.2 4.651 113.4 .2394 -17.3 933.1 10.7 318.											
98 12.2 30303. 55.1 4.519 125.0 .2343 -18.5 897.0 8.4 549. 99 11.9 30489. 54.9 4.610 124.2 .2353 -18.2 904.3 12.3 6. 100 11.5 30745. 54.2 4.712 122.5 .2368 -17.9 914.4 11.8 351. 101 11.2 30942. 52.5 4.687 118.7 .2379 -17.6 922.2 9.2 328. 102 11.0 31077. 50.9 4.626 115.0 .2387 -17.4 927.6 7.4 318. 103 10.8 31215. 50.2 4.651 113.4 .2394 -17.3 933.1 10.7 318.											
99 11.9 30489. 54.9 4.610 124.2 .2353 -18.2 904.3 12.3 6. 100 11.5 30745. 54.2 4.712 122.5 .2368 -17.9 914.4 11.8 351. 101 11.2 30942. 52.5 4.687 118.7 .2379 -17.6 922.2 9.2 328. 102 11.0 31077. 50.9 4.626 115.0 .2387 -17.4 927.6 7.4 318. 103 10.8 31215. 50.2 4.651 113.4 .2394 -17.3 933.1 10.7 318.											
100 11.5 30745. 54.2 4.712 122.5 .2368 -17.9 914.4 11.8 351. 101 11.2 30942. 52.5 4.687 118.7 .2379 -17.6 922.2 9.2 328. 102 11.0 31077. 50.9 4.626 115.0 .2387 -17.4 927.6 7.4 318. 103 10.8 31215. 50.2 4.651 113.4 .2394 -17.3 933.1 10.7 318.											
101 11.2 30942. 52.5 4.687 118.7 .2379 -17.6 922.2 9.2 328. 102 11.0 31077. 50.9 4.626 115.0 .2387 -17.4 927.6 7.4 318. 103 10.8 31215. 50.2 4.651 113.4 .2394 -17.3 933.1 10.7 318.											
102 11.0 31077. 50.9 4.626 115.0 .2387 -17.4 927.6 7.4 318. 103 10.8 31215. 50.2 4.651 113.4 .2394 -17.3 933.1 10.7 318.											
103 10.8 31215. 50.2 4.651 113.4 .2394 -17.3 933.1 10.7 318.											
	104	10.3 31570.	48.3	4.693	108.8	.2412	-16.8				


STATION: SOUTH POLE			LAUNCH DATE:		30 NOV 89 402 Z		ECC	SONDE:	4A4049			
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	10.1	31718.	47.9	4.739	107.7	.2420	-16.7			953.3	5.8	308.
106	9.8	31921.	46.0	4.677	103.5	.2430	-16.4			961.6	5.9	330.
107	9.5	32146.	44.9	4.711	101.0	.2440	-16.2			970.8	6.6	343.
108	9.4	32298.	44.4	4.746	99.6	. 2447	-16.0			977.0	6.6	343.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 17.7
 15.5
 54.0
 61.0
 147.1
 117.8
 999.9
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110130118904	00279 99 .944 ECC TOTAL 03 FROM SONDE DATA 296
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110230118904	686 25-31 500 19-35129 1 300 11-59240 3 200 64-59200 1
1110330118904	150 49-58164 1 100 42-53 11 5 70 99-42 49 9 50117-32307 24
1110430118904	30154-26343 1920.0105-25331 1110.0 47-17316 6 661 20-30266 0
1110530118904	638 15-25266 0 335 11-56278 3 280 9-62258 2 266 29-62260 3
1110630118904	241 49-61261 4 171 63-58 89 2 114 34-56 42 3 86 53-49352 7
1110730118904	83 71-48351 6 73 82-44 9 9 68 96-41347 9 55123-34355 14
1110830118904	49114-32341 14 47164-31 41 25 43181-29347 16 33154-27340 15
1110930118904	12.2 55-19349 8 9.4 44-16343 7



STATION: SOUTH POLE LAUNCH DATE: 7 DEC 89 335 Z ECC SONDE: 4A4051

SURFACE CONDITIONS: PRESSURE 694.2 MB, TEMPERATURE -28.1 C, HUMIDITY 28.3 %

CAL DATA: AIR TEMP 30.0 C AT 73.6 ORD; HUM 33.0 % AT 77.5 ORD; TBOX 28.5 C AT 72.1 ORD;

O3 ORD ZERO 34.2, BKGND 34.7, CAL 72.1; O3 BKGND 0.069 MICROAMP; FLOW RATE 26.1 S/100 M

FLIGHT NORMALIZED TO TOTAL 03 291.; SONDE TOTAL 03 281.; C.F. 1.034


TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	694.2	2835.	20.2	.029	47.6	. 0000	-28.1	-41.0	28.3	272.0		
1	672.0	3069.	20.3	. 030	47.4	.0005	-26.3	-29.7	73.6	276.6	5.1	12.
2	641.0	3411.	17.3	. 027	40.2	.0012	-25.7	-29.8	69.7	280.9	5.1	12.
3	612.0	3747.	15.2	. 025	35.7	.0018	-26.0	-33.1	51.7	284.4	5.2	9.
4	581.0	4122.	15.7	. 027	37.1	.0025	- 27.7	-36.1	45.1	286.6	4.3	13.
5	556.0	4437.	14.3	.026	33.9	. 0030	-29.8	-36.3	54.2	287.8	2.9	22.
6	533.0	4736.	15.3	. 029	36.6	. 0035	-32.2	-39.9	47.0	288.4	2.7	33 .
7	510.0	5047.	18.4	. 036	44.3	. 0040	-33.4	-42.5	40.1	290.7	2.3	45.
8	486.0	5384.	17.5	. 036	42.4	. 0047	-35.6	-44.9	38.7	291.9	3.5	57.
9	454.0	5855.	17.1	. 038	42.0	. 0057	-38.0	-47 .1	38.5	294.7	3.3	72.
10	442.0	6039.	16.0	. 036	39.7	. 0060	-39.9			294.5	2.5	80.
11	420.0	6386.	16.5	. 039	41.3	.0066	-42.1			296.1	2.9	84.
12	400.0	6714.	16.0	. 040	40.5	.0073	-45.0			296.4	2.9	102.
13	378.0	7091.	14.6	.039	37.2	.0080	-46.9			298.8	2.1	135.
14	363.0	7358.	14.7	. 040	37.9	.0084	-49.5			298.8	3.3	159.
15	346.0	7671.	15.1	. 044	39.2	.0090	-51.0			300.9	4.2	145.
16	329.0	7997.	16.0	.049	42.2	.0096	-53.1			302.3	4.9	133.
17	313.0	8318.	15.1	. 048	39.7	.0102	-54.2			305.1	5.1	127.
18	300.0	8588.	12.6	. 042	33.5	. 0107	-56.3			305.8	4.5	121.
19	285.0	8913.	23.5	. 082	62.9	.0113	-57.8			308.2	4.6	112.
20	270.0	9254.	43.4	. 161	116.5	.0125	-57.8			313.0	4.3	113.
21	259.0	9517.	54.5	.210	145.6	. 0140	-56.8			318.2	3.8	100.
22	247.0	9817.	63.2	. 256	168.6	.0161	-56.7			322.8	3.3	91.
23		10080.	60.7	. 256	161.4	.0182	- 56.2			327.4	3.1	101.
24		10382.	64.4	. 285	171.2	. 0204	-55.7			332.6	3.7	90.
25		10760.	70.1	. 329	186.3	.0235	-55.7			338.3	4.1	73.
26		11066.	70.0	. 345	185.9	.0262	-55.7			343.0	4.7	52.
27		11455.	61.5	. 322	163.0	. 0294	-55.0			350.0	4.6	41.
28		11795.	65.1	. 359	172.0	. 0320	-54.9			355.7	4.0	35.
29		12139.	61.5	. 359	162.7	.0347	-54.7			361.4	4.4	40.
30		12487.	58.2	. 358	154.7	. 0373	-55.7			365.5	5.5	43.
31		12838.	55.9	.363	147.7	.0398	-54.9			372.7	5.9	43.
32		13185.	56.8	.390	149.7	.0422	-54.1			379.8	7.4	43.
33 34		13524.	55.2	.400	145.2	.0445	-53.5			386.7	7.7	39.
		13863.	55.5	. 424	146.1	.0468	-53.9			391.8	6.4	45.
35 36		14139.	36.2	.288	95.5	.0485	-53.9			396.6	6.8	46.
36 37		14389.	48.3	. 400	126.7	.0497	-52.8			403.0	7.5	42.
		14691.	49.6	. 431	129.1	.0515	-51.0			411.8	8.5	44.
38 30		14939.	48.4	. 436	125.1	. 0529	-49.8			418.6	8.6	42.
39 40		15236. 15554.	48.9	. 461	125.4	. 0547	-48.0			427.4	8.6	35.
41			53.4	.528	136.7	. 0565	-47.7			433.9	8.3	37.
		15828.	62.6	. 645	159.9	. 0583	-47.2			440.2	8.3	52.
42 43		16043. 16304.	69.9 75.6	.745	178.0	. 0600	-46.4 -45.3			445.7	9.5	47.
44			75.6	. 837	191.5	.0622	-45.3			452.9	10.4	40.
45		16545. 16788.	68.0 65.2	.780	171.9	.0643	-45.0 -43.6			458.2	11.2	37.
46		17043.	65.2 67.1	.776	163.2	.0662	-42.6			467.8	12.1	24.
47		17043.	67.1 73.7	. 830 . 943	167.2 183.5	. 0681	-41.4 -41.3			475.4	11.6	16.
48		17273.	93.2	1.236	230.8	.0700	-41.3 -40.3			480.3	11.3	20. 25
49		17771.	92.2			.0722	-40.2			487.6	14.3	25.
73	12.1	1///1.	32.2	1.268	226.5	. 0749	-38.3			496.7	13.4	21.

STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	7 DEC	89 3	35 Z	ECC	SONDE:	4A4051	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
50	70.0	18032.	81.5	1.164	200.0	. 0775	-37.9			503.0	12.4	23.
51	67.5	18283.	98.3	1.456	239.8	. 0800	-36.7			510.8	15.9	23.
52	64.9	18555.	114.8	1.769	279.8	. 0831	-36.3			517.5	17.0	18.
53	62.3	18840.	130.2	2.090	314.8	. 0870	-34.4			527.7	15.3	20.
54	60.2	19081.	144.6	2.402	347.8	.0906	-33.2			535.5	18.2	27.
55	58.0	19342.	176.6	3.044	423.9	.0950	-32.7			542.4	20.3	25.
56	56.1	19577.	189.1	3.370	453.6	.0998	-32.4			548.2	17.1	17.
57	54.4	19794.	188.9	3.472	452.9	. 1043	-32.4			553.1	17.2	17.
58	52.7	20018.	192.5	3.652	460.3	. 1090	-31.7			559.9	18.3	21.
59	51.0	20250.	189.6	3.717	453.1	. 1139	-31.7			565.2	18.9	23.
60	49.0	20533.	188.5	3.848	450.0	. 1198	-31.3			572.6	18.0	21.
61		20813.	183.6	3.898	438.9	. 1257	-31.7			578.2	14.8	11.
62	45.5	21059.	180.9	3.976	430.3	. 1307	-30.3			587.1	12.1	10.
63	44.4	21233.	183.3	4.128	436.2	. 1341	-30.6			590.6	11.9	21.
64	42.7	21510.	177.9	4.166	422.9	. 1396	-30.3			597.9	11.6	24.
65	41.0	21798.	176.2	4.299	420.7	. 1453	-31.3			602.5	11.5	23.
66	39.6	22045.	174.0	4.393	413.5	.1500	-30.3			610.9	11.3	16.
67	38.3	22282.	169.3	4.421	402.6	. 1545	-30.3			616.7	9.6	17.
68	36.9	22547.	168.1	4.555	399.5	. 1595	-30.3			623.3	9.9	30.
69	35.5	22822.	163.2	4.597	388.0	.1646	-30.3			630.2	13.3	33.
70	34.1	23109.	161.4	4.735	382.5	. 1697	-29.5			639.6	16.2	28.
71	33.0	23343.	155.8	4.720	369.0	. 1738	-29.4			646.0	15.3	20.
72	31.9	23585.	151.2	4.740	357.9	. 1779	-29.2			653.0	12.4	21.
73	30.8	23836.	145.1	4.711	344.0	. 1821	-29.5			658.5	9.7	32.
74	29.9	24047.	141.5	4.732	335.9	. 1854	-29.9			663.0	11.8	40.
75	29.0	24265.	138.0	4.758	327.5	. 1888	-29.9			668.8	13.6	37.
76	28.0	24515.	134.2	4.795	319.2	. 1925	-30.2			674.8	10.8	32.
77	27.0	24774.	128.7	4.765	306.0	.1963	-30.3			681.5	9.5	32.
78	26.1	25015.	120.9	4.632	287.5	. 1997	-30.3			688.1	7.8	32.
79	25.3	25236.	93.8	3.708	222.8	. 2025	-29.9			695.4	7.7	32 .
80	24.5	25466.	96.0	3.918	226.6	. 2049	-28.5			706.0	8.4	36.
81	23.6	25734.	112.9	4.786	266.1	.2078	-28.1			714.7	8.9	47.
82	22.8	25982.	101.9	4.468	239.6	.2108	-27.7			723.0	9.6	54.
83	21.9	26271.	91.6	4.184	215.6	.2139	-27.7			731.3	10.6	56.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
16.7	20.6	60.4	69.6	171.2	999.9	999.9	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110107128904	00291 991.034 ECC TOTAL 03 FROM SONDE DATA 281
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110207128904	694 20-28 500 18-34 50 3 300 13-56121 5 200 68-56 49 5
1110307128904	150 56-55 43 7 100 56-48 41 8 70 82-38 23 12 50189-32 22 18
1110407128904	30142-30 39 12 612 15-26 9 5 270 43-58113 4 247 63-57 91 3
1110507128904	131 56-54 45 6 126 36-54 46 7 121 48-53 42 8 90 76-45 40 10
1110607128904	81 67-41 16 12 75 93-40 25 14 60145-33 27 18 58177-33 25 20
1110707128904	56189-32 17 17 34161-30 28 1626.1121-30 32 825.3 94-30 32 8
1110807128904	24.5 96-29 36 823.6113-28 47 921.9 92-28 56 11



STATION: SOUTH POLE LAUNCH DATE: 16 DEC 89 508 Z ECC SONDE: 4A4047
SURFACE CONDITIONS: PRESSURE 692.8 MB, TEMPERATURE -25.1 C, HUMIDITY 39.7 %
CAL DATA: AIR TEMP 30.0 C AT 73.0 ORD; HUM 33.0 % AT 77.8 ORD; TBOX 26.1 C AT 72.4 ORD;
O3 ORD ZERO 34.1, BKGND 34.5, CAL 69.9; O3 BKGND 0.059 MICROAMP; FLOW RATE 25.8 S/100 M
FLIGHT NORMALIZED TO TOTAL O3 ; SONDE TOTAL O3 333.; C.F.

TIME	DBECC	ALT	070115	07011	07DEN	T0T07	TEMP	DEWDT	ши	DOT T	WIND	WIND
TIME MIN	PRESS MB	ALT GPM	OZONE NB	OZONE PPMV	OZDEN GAMMA	TOTOZ ATMCM	TEMP C	DEWPT C	HUM %	POT T K	WIND M/S	WIND DEG
W11N	692.8	2835.	11.7	.017	27.3	.0000	-25.1	-35.0	39.7	275.4	M/ 3	DEG
1	663.0	3156.	11.9	.018	27.4	.0004	-22.4	-29.1	54.7	282.1	7.9	13.
2	636.0	3461.	11.4	.018	26.4	.0008	-23.8	-30.9	52.5	283.8	7.9	13.
3	608.0	3789.	10.5	.017	24.5	.0012	-25.5	-33.4	48.3	285.4	7.5	354.
4	580.0	4129.	11.5	. 020	27.2	.0016	-27.7	-35.5	47.7	286.8	8.1	345.
5	546.0	4562.	12.0	. 022	28.5	.0021	-29.4	-37.2	47.3	289.8	8.2	349.
6	532.0	4747.	14.4	. 027	34.3	.0024	-30.7	-38.5	46.8	290.4	10.0	358.
7	510.0	5046.	14.9	.029	35.6	.0029	-32.0	-40.4	44.0	292.3	11.2	357.
8	490.0	5327.	15.4	.031	37.3	.0033	-34.7	-43.0	43.0	292.4	10.3	351.
9	470.0	5617.	15.0	.032	36.5	.0038	-36.8			293.2	12.2	354.
10	451.0	5901.	13.6	. 030	33.5	.0043	-39.1			293.8	12.3	357.
11	432.0	6195.	14.9	. 034	37.1	.0048	-40.9			295.2	11.5	359.
12	413.0	6500.	14.5	. 035	36.3	.0053	-42.9			296.5	12.7	358.
13	394.0	6816.	16.3	.041	41.3	.0059	-44.6			298.3	13.9	358.
14	376.0	7128.	15.9	.042	40.4	.0064	-46.0			300.4	13.9	358.
15	360.0	7416.	16.8	.047	43.2	.0070	-48.1			301.4	13.2	356.
16	344.0	7715.	15.4	.045	39.9	. 0076	-50.0			302.7	13.0	354.
17	329.0	8005.	18.6	. 057	48.6	.0081	-51.5			304.5	11.8	353.
18	315.0	8287.	20.4	.065	53.5	. 0088	-52.8			306.5	12.9	357.
19	294.0	8731.	33.8	.115	88.7	.0101	-53.3			312.0	15.2	354.
20	276.0	9139.	54.1	. 196	141.2	.0120	-52.0			319.5	12.7	3 50.
21	261.0	9502.	64.8	.248	168.4	.0145	-51.1			326.0	11.7	353.
22	247.0	9862.	68.6	.278	177.0	.0173	-49.6			333.4	9.5	1.
23	238.0	10105.	69.3	. 291	178.3	.0193	-48.8			338.1	8.1	22.
24	227.0	10417.	68.7	. 303	176.7	.0219	-48.7			342.9	8.4	25.
25	216.0	10744.	71.7	. 332	183.8	.0246	-48.1			348.8	9.1	22.
26	204.0	11121.	72.1	. 353	184.4	. 0278	-47.5			355.4	10.4	19.
27		11395.	69.9	. 357	179.0	. 0301	-47.6			359.4	8.5	15.
28		11686.	65.8	. 351	167.1	. 0325	-45.9			366.8	7.8	22.
29		11989.	60.3	. 337	152.4	. 0348	-44.7			373.5	11.2	28.
30		12287.	63.3	. 370	159.6	.0369	-44.3			379.0	12.7	29.
31		12592.	57.3	. 350	144.4	.0391	-44.3			383.9	11.5	42.
32		12919.	66.3	.426	167.6	.0414	-44.7			388.6	11.9	44.
33		13231.	57.2	. 385	144.4	. 0438	-44.3			394.5	12.4	47.
34		13535.	69.1	. 486	174.2	. 0459	-44.3			399.7	12.2	58.
35		13839.	69.3	.510	175.0	. 0483	-44.6			404.4	12.3	59.
36		14163.	70.9	.548	178.7	.0510	-44.3			410.5	13.0	52.
37		14480.	77.6	. 629	196.4	. 0537	-45.0			414.8	11.5	51.
38		14814.	90.1	.767	226.9	. 0568	-44.0			422.6	10.3	64.
39		15137.	99.0	. 885	248.7	.0603	-43.3			429.8	11.1	70.
40		15414.	95.4	.888	238.5	.0634	-42.2			437.0	14.3	52.
41		15696.	88.6	.860	222.2	. 0665	-42.9			440.9	14.3	46.
42		15971.	80.9	.818	202.2	.0693	-42.2			447.4	11.0	54.
43 44		16244.	84.3	.887	209.3	.0718	-40.7 -30.1			455.5	10.8	60.
45		16538.	106.0	1.165	261.5	.0748	-39.1			464.2	10.2	68.
46		16838. 17161.	115.2 146.8	1.323	283.7	.0786	-38.7 -38.5			470.8	9.3	69.
47		17191.	156.6	1.767 1.977	361.1 382.9	. 0831 . 0887	-36.5 -37.1			477.8 487.2	10.1 9.0	54. 51.
48		17493.	158.8	2.092	390.0	.0007	-37.1 -38.1			491.1	7.2	51. 53.
49		18083.	163.4	2.248	402.0	.0994	-38.5			496.4	7.1	46.
	, ,	.0000.	100.4	2.270	702.U	. 0334	55.5			730.7	7.1	40.


STATI	ON: SOUTH POLE	•	LAUNC	H DATE:	16 DEC	89 508 Z	FOC	SONDE:	444047	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	C C	%	K	M/S	DEG
50	69.4 18402.	165.8	2.389	408.2	. 1053	-38.7	**	502.4	5.7	49.
51	66.7 18675.	162.7	2.439	399.5	. 1104	-38.1		509.6	4.7	69.
52	64.1 18949.	170.6	2.661	418.6	.1155	-37.9		515.7	5.4	83.
53	61.3 19258.	167.6	2.734	408.0	. 1214	-36.0		526.5	6.7	69.
54	58.9 19535.	145.3	2.467	354.1	. 1265	-36.3		532.0	7.1	54.
55	56.6 19811.	156.5	2.765	381.5	. 1311	-36.3		538.1	7.0	47.
56	54.2 20113.	171.8	3.170	416.4	. 1366	-35.0		547.9	7.5	54.
57	52.0 20401.	177.7	3.417	431.5	. 1422	-35.4		553.4	8.7	77.
58	49.8 20703.	177.8	3.570	431.1	.1482	-35.1		561.0	7.7	72.
59	47.8 20989.	177.3	3.709	428.5	.1539	-34.3		569.5	7.2	42.
60	46.0 21257.	165.9	3.607	401.9	.1592	-34.8		574.5	7.3	31.
61	44.0 21568.	162.4	3.691	392.4	.1649	-34.3		583.1	7.2	27.
62	41.9 21910.	163.1	3.893	394.0	.1712	-34.2		591.7	7.7	31.
63	40.3 22183.	165.6	4.109	399.9	.1761	-34.0		598.6	8.2	24.
64	38.6 22485.	164.1	4.251	396.1	.1817	-34.0		606.0	10.9	27.
65	37.0 22781.	162.2	4.384	391.1	.1872	-33.8			7.6	39.
66	35.4 23092.	149.8	4.232	360.9	. 1927	-33.5		614.1	4.1	
67	34.0 23375.	145.8		351.0	.1927	-33.4		622.6	8.2	49.
68	32.3 23735.	141.7	4.288	340.6	. 2033	-33.0		630.1		42. 47.
			4.280					640.5	9.4	
69	31.1 24002. 30.0 24254.	133.1		320.3	. 2074	-33.2		646.8	7.6	44.
70 71		129.5 122.6	4.317	312.3	. 2111	-33.8		652.0	8.3	28.
71	28.6 24590.		4.287	295.6	.2159	-33.8		661.0	7.8	24.
72 73	27.4 24890.	115.2	4.204	277.8	. 2200	-33.6		669.5	7.1	37.
	26.3 25178.	113.3	4.308	272.7	. 2237	-33.4		678.1	8.4	40.
74	25.2 25479.	111.3	4.417	267.0	. 2275	-32.4		689.1	5.7	34.
75 76	24.2 25765.	107.3	4.434	255.7	. 2310	-31.0		701.3	5.6	28.
76 77	23.2 26064.	104.9	4.522	249.8	. 2345	-30.7		710.6	7.4	42.
77	22.2 26376.	100.8	4.541	241.3	. 2381	-32.0		715.7	7.1	58.
78	21.2 26702.	102.5	4.835	245.0	.2418	-31.5		726.8	8.1	41.
79	20.2 27045.	97.7	4.837	232.5	. 2456	-30.7		739.3	6.6	19.
80	19.3 27368.	95.5	4.948	228.2	.2491	-31.6		746.1	2.4	29.
81	18.4 27706.	92.9	5.049	222.0	. 2526	-31.5		756.8	6.0	73.
82	17.7 27981.	91.2	5.153	217.4	. 2554	-31.0		766.9	10.2	50.
83	16.9 28309.	88.7	5.249	211.6	. 2587	-31.1		776.7	10.0	37.
84	16.2 28609.	83.8	5.173	199.8	. 2616	-31.1		786.1	9.1	38.
85	15.4 28968. 14.9 29203.	79.4	5.156	188.7	. 2649	-30.3		800.2	8.5	47.
86		76.0	5.101	181.1	. 2669	-30.7		806.5	8.7	38. 20.
87	14.3 29496.	73.5	5.140	174.1		-29.4		820.4		
88	13.7 29802.	69.7	5.088	164.3	. 2718			835.1	9.4	22.
89	13.0 30180.	69.4		162.9	. 2747	-27.3		850.4	8.4	21.
90	12.4 30520.	67.1	5.411	157.5	. 2773	-27.1		862.4	7.9	353.
91	12.0 30757.	65.9	5.492	154.2	. 2790	-26.6		872.4	5.1	323.
92 93	11.6 31002. 11.0 31386.	63.3	5.457	147.8	. 2807	-25.8 -26.3		883.8 895.3	2.8 5.9	1.
	10.6 31654.	61.2	5.564	143.1	. 2833	-26.3				16.
9 4 95		59.2	5.585	138.3	. 2851 . 2868	-25.9 -25.7		906.3	3.1	3.
96	10.2 31933.	57.7	5.657	134.6		-25.7 -25.4		917.3 930.2	2.8 6.5	108. 87.
97	9.8 32260. 9.4 32541.	55.7	5.713	129.9	. 2889	-25.4 -25.0		930.2	7.6	62.
98	9.4 32341.	53.4	5.693	124.2 119.1	. 2905 . 2924	-25.0 -24.1		957.8	7.0	41.
99	8.6 33183.	51.4	5.730					972.3	2.3	94.
100	8.2 33532.	50.0	5.821	115.6	. 2941	-23.4		986.6	2.3	94.
100	0.2 33332.	49.3	6.020	113.8	.2960	-23.2		300.0	2.0	34.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 12.1
 24.9
 66.2
 120.5
 160.9
 104.2
 63.8
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS	
1110116128905	99 ECC TOTAL 03 FROM SONDE DATA 333	
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFF	FF
1110216128905	693 12-25 500 15-33354 11 300 30-53355 15 200 71-48 17	9
1110316128905	150 59-44 46 12 100 83-42 52 12 70165-39 48 6 50178-35 72	8
1110416128905	30130-34 28 820.0 97-31 21 610.0 57-26 99 4 663 12-22 13	8
1110516128905	344 15-50354 13 261 65-51353 12 179 60-45 28 11 164 57-44 42	12
1110616128905	156 66-45 44 12 123 78-45 51 12 112 99-43 70 11 95 84-41 60	l 1
1110716128905	91106-39 68 10 87115-39 69 9 83147-39 54 10 79157-37 51	9
1110816128905	61168-36 69 7 59145-36 54 7 54172-35 54 8 44162-34 27	7
1110916128905	37162-34 39 827.4115-34 37 714.9 76-31 38 911.6 63-26 1	3
1111016128905	8.2 49-23 94 2	



STATION: SOUTH POLE LAUNCH DATE: 21 DEC 89 358 Z ECC SONDE: 4A4047

SURFACE CONDITIONS: PRESSURE 688.2 MB, TEMPERATURE -24.2 C, HUMIDITY 68.5 %

CAL DATA: AIR TEMP 30.0 C AT 73.7 ORD; HUM 33.0 % AT 77.8 ORD; TBOX 26.8 C AT 72.7 ORD;

O3 ORD ZERO 31.7, BKGND 32.3, CAL 67.2; O3 BKGND 0.089 MICROAMP; FLOW RATE 26.2 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 329.; SONDE TOTAL O3 341.; C.F. .966

				_		_						
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	МВ	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
0	688.2	2835.	22.9	. 033	53.0	.0000	-24.2	-28.5	68.5	277.0		
1	662.0	3118.	21.1	. 032	49.1	.0007	-24.9	-30.3	61.4	279.3	11.5	30.
2	644.0	3318.	18.3	. 028	42.7	.0011	-25.7	-32.0	56.0	280.7	11.5	30.
3	626.0	3523.	13.6	. 022	31.8	.0015	-25.9	-32.8	53.2	282.6	11.0	26.
4	612.0	3687.	11.7	.019	27.4	.0017	-26.8	-33.7	53.1	283.4	10.0	22.
5	597.0	3865.	12.6	.021	29.5	.0020	-27.9	-34.9	51.9	284.2	10.3	22.
6	583.0	4036.	12.7	.022	30.0	.0022	-28.5	-36.4	47.6	285.4	10.4	24.
7	568.0	4222.	14.2	. 025	33.6	.0025	-29.2	-37.3	46.3	286.7	10.9	27.
8	554.0	4400.	11.9	.021	28.2	.0027	-30.3	-38.7	44.2	287.6	10.4	29.
9	541.0	4569.	13.3	.025	31.8	.0030	-31.4	-40.0	43.3	288.1	8.5	31.
10	529.0	4727.	13.8	.026	33.1	.0032	-32.5	-40.6	44.7	288.7	8.6	32.
11	516.0	4902.	14.3	.028	34.5	.0035	-33.8	-40.9	49.4	289.2	10.9	27.
12	500.0	5123.	14.4	.029	34.8	.0038	-34.7	-40.6	56.0	290.7	10.7	22.
13	487.0	5306.	12.5	.026	30.4	.0041	-36.3	-41.6	59.0	290.9	8.3	18.
14	474.0	5493. 5669.	11.6	.024	28.3	.0044	-37.8	-42.9	59.7	291.3	7.8	22. 25.
15 16	462.0 449.0	5864.	11.1 10.2	.024	27.4	.0046 .0048	-39.4 -40.6	-44.6	59.0	291.5 292.3	7.7 8.6	23.
17	436.0	6064.	10.2	. 023	25.4		-40.5 -42.5				9.0	26.
18	422.0	6284.	15.4	. 023 . 036	25.5 38.5	.0051 .0054	-42.9			292.4 294.6	8.1	30.
19	410.0	6478.	15.5	. 038	38.8	.0057	-42.9 -43.6			296.1	7.3	32.
20	398.0	6677.	15.8	.040	40.2	.0057	-45.3			296.5	6.9	39.
21	386.0	6881.	15.0	.039	38.1	.0064	-46.7			297.2	6.3	44.
22	377.0	7037.	15.0	.040	38.3	.0067	-47.7			297.2	5.9	44.
23	366.0	7232.	14.5	.040	37.3	.0007	-49.1			298.6	6.7	43.
24	355.0	7432.	19.5	.055	50.5	.0074	-50.1			299.9	6.5	50.
25	345.0	7618.	18.5	.054	48.2	.0079	-51.1			300.9	6.1	54.
26	334.0	7829.	28.5	.085	74.0	.0073	-51.1			303.7	4.8	66.
27	325.0	8006.	31.5	.003	81.8	.0090	-51.1			306.1	4.5	78.
28	316.0	8189.	38.1	. 121	99.3	.0097	-51.3			308.3	7.0	51.
29	305.0	8419.	47.2	. 155	122.4	.0109	-50.5			312.5	8.2	41.
30	296.0	8615.	56.6	. 191	146.4	.0120	-49.8			316.3	8.1	40.
31	287.0	8817.	56.9	. 198	146.6	.0134	-49.1			320.1	7.8	38.
32	279.0	9003.	53.8	.193	138.5	.0146	-48.9			322.9	7.4	38.
33	270.0	9219.	57.7	.214	148.0	.0161	-48.3			326.8	7.7	36.
34	263.0	9392.	62.6	.238	160.7	.0173	-48.2			329.5	7.6	35.
35	256.0	9569.	63.7	. 249	163.5	.0186	-48.2			332.1	8.1	48.
36	249.0	9752.	64.8	. 260	166.1	.0200	-47.9			335.1	9.5	48.
37	240.0	9996.	66.3	.276	169.3	.0218	-46.7			340.4	9.0	41.
38		10164.	68.6	.293	174.3	.0231	-46.2			343.7	7.9	55.
39		10336.	70.5	. 309	179.4	. 0245	-46.3			346.1	9.5	56.
40	220.0	10574.	69.3	. 315	175.9	.0265	-45.6			350.7	11.0	48.
41	213.0	10790.	70.9	. 333	178.9	. 0283	-44.6			355.5	11.6	48.
42		11014.	68.1	. 330	172.4	.0301	-45.0			358.3	11.6	54.
43		11215.	65.1	.326	164.4	.0317	-44.6			362.0	10.6	58.
44	193.8	11422.	63.8	.329	160.8	.0332	-44.1			366.1	9.8	57.
45		11633.	65.1	. 347	163.8	.0348	-43.8			369.9	10.1	62.
46		11844.	63.8	. 351	160.2	.0364	-43.2			374.1	11.1	61.
47	176.4	12055.	57.1	. 324	142.9	.0379	-42.5			378.6	11.2	62.
48	171.0	12265.	52.6	.308	131.7	.0393	-42.5			382.0	12.7	64.
49	165.6	12482.	52.7	.318	131.7	.0406	-41.8			386.7	15.0	56.


STATI	ON: SOL	JTH POLE		LAUNC	H DATE:	21 DEC	89 3	558 Z	ECC	SONDE:	4A4047	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
50	160.2	12707.	47.4	.296	118.0	.0420	-41.3			391.3	13.4	54.
51	155.6	12905.	54.3	. 349	134.8	0431	-40.6			395.7	11.9	55.
52		13110.	75.0	. 497	185.9	. 0445	-40.1			400.0	12.3	53.
53		13326.	93.1	. 636	230.3	. 0465	-39.8			404.1	12.9	53.
54		13550.	85.1	.601	209.6	.0488	-38.7			409.8	11.6	55.
55		13762.	86.1	. 627	211.9	. 0508	-38.5			413.9	10.1	58.
56		13976.	102.5	.770	250.7	.0530	-37.1			420.0	10.1	56.
57		14192.	107.4	.832	263.2	. 0556	-37.5			423.0	10.3	59.
58		14409.	104.0	.832	255.2	.0582	-37.9			426.1	10.9	63.
59		14639.	76.6	. 633	187.6	.0607	-37.5			430.9	11.2	69.
60		14854.	87.5	.747	214.0	.0627	-37.1			435.5	12.4	65.
61		15082.	96.3	.849	235.5	.0650	-37.1			439.6	13.9	61.
62		15299.	107.4	.977	262.3	.0674	-36.7			444.4	12.9	68.
63		15530.	102.7	.967	250.3	.0702	-36.2			449.6	13.2	64.
64		15769.	125.3	1.220	304.6	.0731	-35.8			454.8	13.5	57.
65		16031.	140.1	1.417	340.5	.0769	-35.7			460.0	13.0	56.
66		16245.	151.2	1.577	367.6	.0803	-35.7 -35.7			464.1	12.1	57.
67		16467.	151.2	1.659	373.9	.0841	-35.7 -35.1			469.4		
											10.9	62.
68		16696. 16933.	157.9	1.756	382.8	.0880	-35.0			474.0	11.2	62.
69			159.7	1.838	386.8	.0922	-34.7			479.2	11.0	62.
70		17153.	165.7	1.968	401.6	. 0962	-34.9			483.3	10.7	60.
71		17381.	164.7	2.021	398.4	. 1005	-34.5			488.6	10.9	57.
72		17616.	168.7	2.141	408.0	.1049	-34.5			493.3	11.9	66.
73		17869.	167.9	2.210	406.0	.1096	-34.3			498.7	10.9	71.
74		18132.	172.1	2.351	416.3	.1146	-34.5			503.8	9.6	67.
75		18345.	167.7	2.363	405.9	.1186	-34.6			508.0	10.1	56.
76		18565.	166.7	2.423	404.3	.1228	-35.1			511.4	10.6	49.
77		18802.	165.0	2.482	399.0	. 1272	-34.3			518.1	9.1	61.
78	64.3	19037.	167.2	2.600	403.9	.1316	-34.2			523.4	13.4	97.
79	62.1	19281.	164.3	2.645	395.8	. 1361	-33.5			530.1	14.5	90.
80	60.0	19523.	146.7	2.445	353.6	.1404	-33.7			535.0	9.2	54.
81	57.9	19773.	147.6	2.548	355.6	. 1445	-33.5			540.8	9.4	33.
82	56.0	20007.	167.2	2.985	401.4	. 1485	-32.7			547.8	11.2	50.
83	54.0	20264.	168.8	3.126	403.9	. 1533	-31.8			555.6	12.1	67.
84	52.1	20517.	167.7	3.220	402.4	. 1580	-32.5			559.8	11.9	68.
85	50.3	20764.	167.0	3.319	401.2	.1626	-32.9			564.5	13.4	63.
86	48.7	20992.	159.7	3.280	384.2	.1667	-33.1			569.2	13.2	54.
87	47.0	21242.	154.3	3.283	370.7	.1712	-32.9			575.6	11.9	62.
88	45.3	21501.	148.6	3.281	357.3	. 1755	-33.0			581.4	9.5	70.
89	43.8	21738.	150.9	3.446	362.4	.1795	-32.7			587.6	7.3	76.
90		22000.	153.5	3.639	367.9	. 1839	-32.2			595.2	9.5	70.
91		22239.	155.4	3.808	371.2	.1879	-31.4			602.9	11.1	60.
92		22486.	150.0	3.806	358.9	.1921	-31.8			608.0	11.6	63.
93		22742.	145.2	3.822	346.1	.1964	-30.9			616.7	8.8	68.
94		22970.	141.1	3.834	335.6	.2000	-30.5			623.3	6.4	74.
95		23225.	139.2	3.920	331.1	.2040	-30.5			629.8	11.9	64.
96		23490.	133.4	3.899	317.7	.2080	-30.8			635.8	11.7	60.
97		23744.	125.4	3.801	299.7	.2117	-31.4			640.6	7.3	80.
98		24006.	118.0	3.711	282.4	.2152	-31.8			646.4	8.0	77.
99		24301.	115.8	3.796	276.2	.2191	-31.2			655.9	8.1	71.
100		24586.	114.5	3.909	273.0	.2228	-30.9			664.2	4.8	97.
101		24807.	109.2	3.846	260.6	. 2255	-31.2			669.4	12.5	57. 57.
102		25035.	109.2	3.965	260.0	. 2283	-31.2			675.6	12.3	53.
103		25035. 25244.	109.0		255.6	. 2308	-31.4			680.6	8.1	66.
103			107.0	4.007 4.096	250.5	. 2340	-31.4 -30.5			690.7	13.1	65.
104	25.7	25515.	100.0	T. U50	250.5	. 2340	-50.5			050./	10.1	00.

STATI	ON: SOUTH POLE		LAUNC	H DATE:	21 DEC	89 3	58 Z	ECC	SONDE:	4A4047	
TIME	PRESS ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	25.0 25711.	100.6	4.025	239.6	. 2362	-30.8			695.4	5.0	74.
106	24.1 25972.	100.7	4.179	239.6	. 2391	-30.5			703.5	5.8	71.
107	23.3 26212.	94.9	4.074	225.4	. 2418	-29.9			712.2	6.9	85.
108	22.4 26493.	96.2	4.294	227.9	.2447	-29.6			721.1	7.2	84.
109	21.6 26752.	91.3	4.225	216.1	.2474	-29.5			729.0	11.5	63.
110	20.8 27022.	92.0	4.425	218.1	.2501	-29.5			736.9	12.3	72.
111	20.0 27302.	85.7	4.283	203.1	. 2529	-29.6			744.8	11.3	74.
112	19.4 27519.	87.6	4.515	207.7	. 2550	-29.6			751.3	4.8	43.
113	18.7 27782.	82.1	4.390	193.9	.2575	-28.7			762.1	3.2	37.
114	18.0 28055.	82.5	4.582	194.9	. 2599	-28.7			770.4	5.4	64.
115	17.4 28297.	79.6	4.573	187.8	.2621	-28.7			777.9	8.1	75.
116	16.8 28549.	78.8	4.690	185.9	. 2643	-28.4			786.6	13.7	63.
117	16.2 28810.	74.6	4.602	175.8	. 2665	-28.2			795.7	12.1	55.
118	15.5 29127.	72.3	4.666	170.5	.2690	-28.2			805.8	5.9	55.
119	15.0 29362.	69.0	4.597	161.9	. 2709	-27.2			816.4	3.6	55.
120	14.3 29707.	65.6	4.585	153.4	. 2735	-26.4			830.3	6.8	55.
121	13.8 29965.	65.2	4.723	152.5	. 2753	-26.2			839.7	10.8	55.
122	13.3 30231.	63.3	4.763	148.2	. 2772	-26.6			847.2	8.4	48.
123	12.8 30508.	62.2	4.859	145.2	. 2791	-25.8			859.3	9.0	68.
124	12.3 30797.	57.9	4.711	135.0	. 2809	-25.5			870.1	6.4	94.
125	11.9 31037.	60.5	5.080	140.7	. 2825	-25.3			879.3	2.4	356.
126	11.5 31286.	57.4	4.988	133.2	. 2841	-24.5			890.7	4.2	8.
127	11.0 31610.	55.5	5.048	128.7	. 2860	-24.2			903.1	3.4	72.
128	10.6 31880.	52.9	4.992	122.5	. 2876	-23.9			913.6	5.6	120.
129	10.2 32161.	52.1	5.103	120.7	. 2892	-23.9			923.7	21.3	72.
130	10.0 32305.	49.3	4.925	114.1	.2900	-23.9			929.0	22.2	63.
131	9.7 32528.	48.2	4.968	111.2	. 2912	-23.3			939.6	14.4	231.
132	9.4 32766.	47.4	5.050	109.6	.2924	-23.1			948.9	14.4	231.

SFC-500MB	500-250	250-125	125-62.5	62.5-31.2	31.2-15.6	15.6-7.8	7.8-3.9
15.1	29.1	70.3	140.9	149.1	94.5	999.9	999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110121128904	00329 99 .966 ECC TOTAL 03 FROM SONDE DATA 341
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110221128904	688 23-24 500 14-35 22 11 300 52-50 40 8 200 65-45 58 11
1110321128904	150 79-40 53 12 100136-36 56 13 70167-35 53 10 50166-33 61 13
1110421128904	30115-31 82 720.0 86-30 74 1110.0 49-24 63 22 612 12-27 22 10
1110521128904	436 10-43 26 9 345 19-51 54 6 228 70-46 56 10 182 64-43 61 11
1110621128904	160 47-41 54 13 156 54-41 55 12 146 93-40 53 13 137 86-39 58 10
1110721128904	133102-37 56 10 125104-38 63 11 121 77-38 69 11 110107-37 68 13
1110821128904	106103-36 64 13 96151-36 57 12 84166-35 60 11 62164-34 90 15
1110921128904	60147-34 54 9 58148-34 33 9 56167-33 50 11 54169-32 67 12
1111021128904	45149-33 70 10 41155-31 60 11 9.4 47-23231 14



STATION: SOUTH POLE LAUNCH DATE: 28 DEC 89 351 Z ECC SONDE: 4A4052

SURFACE CONDITIONS: PRESSURE 693.1 MB, TEMPERATURE -26.6 C, HUMIDITY 59.9 %

CAL DATA: AIR TEMP 30.0 C AT 73.7 ORD; HUM 33.0 % AT 77.8 ORD; TBOX 26.0 C AT 72.3 ORD;

O3 ORD ZERO 33.9, BKGND 34.6, CAL 70.5; O3 BKGND 0.100 MICROAMP; FLOW RATE 26.2 S/100 M

FLIGHT NORMALIZED TO TOTAL O3 319.; SONDE TOTAL O3 339.; C.F. .941

T 1145	DDECC	A 1 T	070115	07015	070511	T0707	TEMO	DEWOT	1111114	DOT T	WIND	WITNE
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ ATMCM	TEMP C	DEWPT	HUM %	POT T K	WIND M/S	WIND
MIN 0	мВ 693.1	GPM 2835.	NB 10.3	PPMV .015	GAMMA 24.0	.0000	-26.6	C -32.2	59.9	273.8	M/ 3	DEG
1	660.0	3188.	9.5	.014	22.3	. 0004	-27.5	-30.9	73.7	276.6	9.4	32.
2	632.0	3499.	9.6	.015	22.7	.0007	-29.2	-32.7	73.0	278.1	9.4	32.
3	608.0	3774.	9.6	.016	22.8	.0010	-31.2	-34.4	74.0	279.0	9.8	39.
4	580.0	4107.	7.3	.013	17.8	.0013	-33.5	-37.0	72.1	280.0	9.6	44.
5	558.0	4377.	7.0	.012	16.9	.0016	-35.1	-38.7	71.1	281.2	7.4	44.
6	536.0	4657.	7.1	.013	17.2	.0018	-36.6	-40.4	69.3	282.7	5.3	42.
7	514.0	4947.	7.5	.015	18.5	.0020	-37.9	-41.5	70.5	284.5	5.8	35.
8	495.0	5206.	12.1	.025	29.8	.0023	-38.9	-42.4	70.3	286.4	7.3	25.
9	476.0	5473.	12.1	. 026	30.1	.0026	-40.2	,	, , , ,	288.0	8.5	21.
10	457.0	5751.	13.1	.029	32.6	.0030	-41.6			289.7	9.9	15.
11	437.0	6053.	12.2	. 028	30.6	.0035	-43.2			291.3	11.0	16.
12	415.0	6400.	14.5	.035	36.6	.0040	-44.6			293.8	13.4	17.
13	397.0	6696.	15.0	. 038	38.1	.0045	-46.2			295.6	13.8	11.
14	380.0	6986.	15.9	.042	40.7	.0050	-47.7			297.2	15.1	11.
15	361.0	7323.	19.5	. 054	50.3	.0057	-49.7			299.0	15.4	10.
16	345.0	7619.	21.5	. 062	55.9	.0064	-50.7			301.5	13.8	7.
17	330.0	7908.	30.1	. 091	78.3	.0072	-51.1			304.7	13.1	8.
18	316.0	8190.	38.8	.123	100.9	.0083	-51.1			308.5	14.7	13.
19	300.0	8528.	47.2	. 157	122.9	.0100	-51.1			313.2	14.6	13.
20	286.0	8840.	55.4	.194	143.1	.0118	-49.7			319.6	12.6	7.
21	271.0	9194.	63.2	. 233	162.4	.0143	-48.3			326.5	11.3	7.
22	259.0	9493.	64.5	. 249	164.5	.0165	-47.0			332.7	8.6	14.
23	245.0	9861.	66.1	.270	168.1	.0193	-46.3			339.0	9.0	23.
24	233.0	10196.	69.6	. 299	176.3	.0220	-45.2			345.7	8.5	22.
25	222.0	10520.	67.3	. 303	169.6	. 0246	-43.9			352.4	6.6	13.
26	210.0	10893.	66.3	.316	166.8	. 0275	-43.5			358.7	8.1	17.
27	198.0	11289.	68.1	.344	170.8	.0306	-42.9			365.7	6.5	25.
28	189.6	11582.	63.3	. 334	158.3	.0329	-42.3			371.3	5.5	22.
29	181.0	11897.	60.4	. 334	150.7	.0352	-41.6			377.4	7.9	12.
30	172.3	12231.	59.8	.347	149.1	. 0375	-41.4			383.0	8.5	10.
31	163.4	12592.	63.8	. 390	158.4	.0400	-40.5			390.4	8.1	15.
32	154.9	12956.	75.0	. 484	185.5	.0428	-39.8			397.6	6.2	21.
33		13337.	76.8	. 524	190.5	.0461	-40.3			403.0	6.4	29.
34		13720.	81.1	. 586	200.5	. 0495	-39.8			410.5	6.3	32.
35		14106.	87.5	. 669	216.1	.0532	-39.4			417.9	5.9	39.
36		14422.	95.8	. 766	236.4	. 0564	-39.3			423.7	6.2	54.
37		14742.	100.8	.845	248.2	.0600	-38.7			430.4	7.1	45.
38		15066.	109.2	. 959	268.6	.0638	-38.5			436.7	7.6	35.
39		15312.	109.3	.995	268.7	.0669	-38.5			441.2	6.6	37.
40		15561.	110.7	1.045	271.6	.0699	-37.9			446.8	6.9	32.
41		15847.	123.9	1.220	303.2	.0737	-37.1			453.7	5.7	38.
42		16104.	128.8	1.316	315.0	.0773	-37.1			458.5	6.2	47.
43		16407.	129.2	1.379	316.5	.0817	-37.5			463.5	6.5	37.
44		16663.	119.9	1.328	292.3	.0854	-36.3			470.8	5.7	33.
45		16921.	133.7	1.537	325.1	.0890	-35.8			476.9	4.1	32.
46		17182.	141.2	1.686	343.3	.0930	-35.7			482.3	3.0	75.
47		17452.	143.7	1.783	350.2	.0973	-36.2			486.6	4.8	93.
48		17707.	122.0	1.570	296.9	.1013	-35.9			492.3	5.8	81.
49	/4./	17981.	141.1	1.888	342.6	. 1052	-35.5			498.7	6.8	75.

STATI	ON: SOUTH POLE		LAUNC	H DATE:	28 DEC	89 351 Z	FCC	SONDE:	444052	
TIME	PRESS ALT		OZONE	OZDEN	TOTOZ	TEMP DEWPT	HUM	POT T	WIND	WIND
MIN	MB GPM	NB	PPMV	GAMMA	ATMCM	C C	%	K	M/S	DEG
50	71.7 18266.	157.9	2.202	382.8	. 1099	-35.0	••	505.7	6.6	78.
51	69.1 18524.	160.9	2.329	389.3	.1145	-34.5		512.2	7.0	76.
52	66.5 18792.	159.1	2.393	384.6	.1193	-34.3		518.1	5.8	65.
53	64.0 19061.	158.8	2.481	383.1	.1240	-33.9		524.7	4.5	75.
54	61.5 19340.	158.7	2.580	382.7	.1290	-33.8		531.0	5.7	91.
55	58.9 19643.	158.6	2.692	383.0	. 1343	-34.1		537.0	5.4	83.
56	56.7 19909.	155.6	2.745	375.0	. 1390	-33.5		544.1	5.1	75.
57	54.5 20187.	147.7	2.711	356.7	. 1438	-34.1		549.0	5.3	69.
58	52.1 20502.	143.8	2.760	347.1	.1490	-34.1		556.1	6.3	71.
59	50.1 20776.	157.7	3.148	380.9	. 1535	-34.1		562.4	7.3	73.
60	48.0 21076.	151.4	3.154	365.3	.1587	-33.8		569.9	5.1	74.
61	46.1 21360.	147.4	3.197	354.3	.1635	-33.0		578.5	3.7	89.
62	44.2 21656.	155.2	3.511	372.2	.1684	-32.5		586.7	4.5	83.
63	42.4 21949.	152.4	3.595	366.0	. 1734	-32.7		593.1	5.3	81.
64	40.7 22237.	138.6	3.406	332.9	.1782	-32.7		600.1	5.2	90.
65	38.9 22556.	135.3	3.479	324.9	.1831	-32.7		607.9	4.0	96.
66	37.4 22833.	132.9	3.553	319.4	. 1872	-33.0		614.1	4.2	105.
67	35.9 23121.	130.1	3.623	312.0	. 1914	-32.5		622.7	6.7	86.
68	34.4 23422.	126.9	3.690	303.8	. 1958	-31.8		632.0	7.8	74.
69	32.9 23737.	119.0	3.618	284.8	. 2002	-31.8		640.1	5.8	76.
70	31.5 24044.	107.5	3.412	257.6	. 2041	-32.2		647.1	6.0	70.
71	30.2 24342.	107.7	3.565	257.4	. 2077	-31.7		656.3	7.8	69.
72	29.0 24629.	99.0	3.414	236.3	.2110	-31.2		665.4	7.1	70.
73	27.7 24955.	101.2	3.652	240.3	.2146	-30.1		677.1	4.7	65.
74	26.6 25244.	105.7	3.973	251.0	.2179	-30.1		685.0	2.9	75.
75	25.4 25572.	97.8	3.849	232.2	. 2216	-30.0		694.5	5.4	93.
76	24.4 25858.	101.3	4.154	240.2	.2247	-29.7		703.3	7.7	86.
77	23.2 26219.	103.8	4.474	245.4	. 2288	-28.9		715.8	6.3	68.
78	22.2 26534.	96.2	4.332	226.7	. 2323	-28.3		726.8	3.2	83.
79	21.2 26865.	89.0	4.199	209.9	. 2357	-28.3		736.4	3.6	124.
80	20.3 27175.	86.4	4.256	204.5	. 2387	-29.2		742.8	4.8	111.
81	19.3 27536.	79.7	4.130	189.0	. 2421	-29.6		752.4	4.8	109.
82	18.4 27877.	75.8	4.122	179.5	. 2451	-29.3		763.6	4.6	103.
83	17.6 28194.	71.4	4.058	169.8	.2477	-30.1		770.8	5.4	110.
84	16.8 28525.	67.3	4.005	159.6	. 2503	-29.7		782.4	6.5	93.
85	16.0 28874.	68.8	4.299	162.4	. 2528	-28.5		797.2	7.2	61.
86	15.1 29290.	69.7	4.618	163.9	. 2560	-27.5		814.0	3.3	88.
87	14.7 29483.	67.6	4.596	158.3	. 2574	-26.6		823.3	6.7	144.
88	14.0 29835.	64.3	4.591	150.8	. 2600	-27.0		833.6	7.1	123.
89	13.5 30098.	60.6	4.489	141.9	. 2618	-26.7		843.2	5.4	82.
90	13.0 30370.	61.4	4.720	143.7	.2636	-26.6		852.8	5.6	88.
91	12.4 30712.	57.6	4.644	134.1	. 2658	-25.3		869.0	8.7	96.
92	11.7 31134.	57.7	4.930	134.1	. 2684	-24.9		884.9	9.7	83.
93	11.1 31518.	57.4	5.171	133.0	.2708	-23.9		901.7	8.3	83.
94	10.5 31923.	54.5	5.189	126.5	. 2733	-24.6		913.7	6.9	82.
95	10.1 32206.		5.320	124.6	. 2750	-23.9		926.3		91.
96	9.8 32464.		5.154	115.9	. 2764			939.2		88.
97	9.4 32771.		5.515	118.7	. 2781	-22.4		953.0		48.
98	9.0 33085.		5.545	114.3	. 2798	-22.1		965.7		48.
99	8.6 33412.	48.3	5.633	110.9	. 2815	-22.0		978.6	5.0	95.
100	8.2 33764.		5.678	106.6	. 2833	-22.0		992.1	6.3	96.
101	7.8 34077.		5.781	103.7	. 2848	-21.3		1006.9		81.
102	7.6 34316.		5.500	95.3	. 2859	-20.9		1017.9		80.
103	7.3 34575.	40.1		91.6	. 2871	-20.3		1030.2		128.
104	7.1 34821.	40.1	5.662	91.6	. 2881	-20.6		1039.0	5.5	123.

STATION: SOUTH POLE				LAUNC	H DATE:	28 DEC	89 3	51 Z	ECC	SONDE:	4A4052	
TIME	PRESS	ALT	OZONE	OZONE	OZDEN	TOTOZ	TEMP	DEWPT	HUM	POT T	WIND	WIND
MIN	MB	GPM	NB	PPMV	GAMMA	ATMCM	С	С	%	K	M/S	DEG
105	6.8	35087.	33.9	4.960	77.4	. 2892	-20.7			1049.2	8.1	110.
106	6.6	35375.	33.9	5.156	77.3	. 2902	-19.9			1064.2	7.6	81.
107	6.3	35674.	34.0	5.384	77.3	. 2913	-19.5			1078.3	9.1	41.
108	6.1	35974.	32.3	5.326	73.5	. 2924	-19.7			1090.3	9.5	19.
109	5.8	36300.	30.6	5.273	69.9	. 2935	-20.3			1101.1	7.1	22.
110	5.5	36639.	31.1	5.605	71.0	. 2946	-20.6			1114.4	7.1	22.

 SFC-500MB
 500-250
 250-125
 125-62.5
 62.5-31.2
 31.2-15.6
 15.6-7.8
 7.8-3.9

 8.5
 29.4
 69.8
 128.9
 142.2
 90.1
 56.2
 999.9

CODED SONDE DATA - WODC FORMAT

ISNNNYYMMJJGG	LSXXX XP T CORR COMMENTS
1110128128904	00319 99 .941 ECC TOTAL 03 FROM SONDE DATA 339
ISNNNYYMMJJGG	PPPP P3TTTDDDFFFPPPP P3TTTDDDFFFPPPP P3TTTDDDFFF
1110228128904	693 10-27 500 11-39 28 7 300 47-51 13 15 200 68-43 24 7
1110328128904	150 76-40 26 6 100126-37 42 6 70160-35 77 7 50157-34 73 7
1110428128904	30106-32 69 820.0 84-29110 510.0 53-24 90 7 7.0 38-21119 6
1110528128904	361 19-50 10 15 271 63-48 7 11 172 60-41 10 9 106111-38 32 7
1110628128904	94129-38 37 7 90120-36 33 6 87134-36 32 4 81144-36 93 5
1110728128904	78122-36 81 6 72158-35 78 7 59159-34 83 5 52144-34 71 6
1110828128904	46147-33 89 4 42152-33 81 5 41139-33 90 5 34127-32 74 8
1110928128904	32107-32 70 629.0 99-31 70 723.2104-29 68 622.2 96-28 83 3
1111028128904	17.6 71-30110 5 5.5 31-21 22 7





